
Plan ref: 142888

From [REDACTED]
Date Thu 10/07/2025 14:12
To Lucy Harrison [REDACTED]

Hi Lucy,

Please can the following be attached to the above application:

FUMES* (Commercial units and central kitchen)

a) Fumes, vapours and odours shall be extracted and discharged from the premises in accordance with a scheme to be submitted to and approved in writing by the City Council as local planning authority before the use commences.

Mixed use schemes shall ensure provision for internal ducting in risers that terminate at roof level. Schemes that are outside the scope of such developments shall ensure that flues terminate at least 1m above the eave level and/or any openable windows/ventilation intakes of nearby properties.

b) Prior to commencement of the use hereby approved confirmation shall be submitted for the approval of the City Council as local planning authority that the approved scheme has been implemented.

Reason - In the interests of the amenities of occupiers of nearby properties.

**The applicant will need to consult with a suitably qualified ventilation engineer and submit a kitchen fume extract strategy report for approval. The strategy should include risk assessments for odour and noise and be based on appropriate guidance such as that published by EMAQ titled 'Control of Odour and Noise from Commercial Kitchen Exhaust Systems' dated May 2022. Details should also be provided in relation to replacement air.*

For new kitchen extract systems calculated to have a 'high' or 'very high' impact risk score, 'very high levels of control' in accordance with the EMAQ guidance are required to minimise emissions of PM2.5 and its precursors as far as is reasonably practicable in accordance with [Defra Interim Planning Guidance - PM2.5](#).

DEMOLITION/CONSTRUCTION MANAGEMENT PLAN

Prior to the commencement of development, a demolition/construction (delete as appropriate) management plan outlining working practices shall be submitted to and approved in writing by the City Council as Local Planning authority, which for the avoidance of doubt shall include as a minimum:

- Measures to control noise and vibration;
- Dust suppression measures;
- Compound locations where relevant;
- Details of an emergency contact telephone number;

- A community consultation plan; and
- Sheeting of construction vehicles.

The development shall only be carried out in accordance with the approved management plan.

Reason - To safeguard the amenities of nearby residents pursuant to policies SP1, EN19 and DM1 of the Manchester Core Strategy.

The applicant has submitted a construction/demolition plan with the application. The noise and vibration assessment which accompanies this should be reviewed once the contractor has been approved and any amendments submitted to Environmental Health for review.

DEMOLITION/CONSTRUCTION HOURS

Construction/demolition works shall be confined to the following hours unless otherwise agreed in writing by the City Council as local planning authority:

- Monday - Friday: 7.30am - 6pm
- Saturday: 8.30am - 2pm
- Sunday / Bank holidays: No work

Reason - To safeguard the amenities of nearby residents pursuant to policies SP1, EN19 and DM1 of the Manchester Core Strategy.

NSE2 (External areas/outside seating)

Shall only allow use of external areas within the application site in accordance with a schedule of days and hours of operation submitted to and approved in writing by the City Council as local planning authority prior to occupation, and shall not allow for the use of amplified sound or any music in these external areas at any time.

Reason - To safeguard the amenities of the occupiers of nearby properties.

HOURS1 (Premises opening hours) Commercial units

To be agreed, in writing, with Environmental Health, before first use commences.

Reason - To safeguard the amenities of the occupiers of nearby residential accommodation.

HOURS2 (Deliveries and collections) Including commercial and residential

Deliveries, servicing and collections, including waste collections shall not take place outside the following hours: 07:30 to 20:00, Monday to Saturday, no deliveries/waste collections on Sundays/Bank Holidays.

Reason - To safeguard the amenities of the occupiers of nearby residential accommodation.

LIGHT1 (Floodlighting/external lighting scheme)

a) Before the use hereby approved commences external lighting shall be designed and installed in accordance with a scheme approved in writing by the City Council as local planning authority so as to control glare and overspill onto nearby residential properties.

b) Prior to occupation of the development a verification report shall be required to validate that the work undertaken throughout the development conforms to the recommendations and requirements

in the approved light consultant's report. The report shall also undertake post completion testing to confirm that acceptable criteria have been met. Any instances of non-conformity with the recommendations in the report shall be detailed along with any measures required to ensure compliance with the criteria.

Reason - To safeguard the amenities of the occupiers of nearby properties.

NSE1 (Premises sound insulation) Commercial units, gym, MUGA, karaoke room and movie room etc

a) The premises shall be acoustically insulated and treated to limit the break out of noise in accordance with a noise study of the premises and a scheme of acoustic treatment that has been submitted to and approved in writing by the City Council as local planning authority. The scheme shall be implemented in full before the use commences or as otherwise agreed in writing by the City Council as local planning authority.

Where entertainment noise is proposed the LAeq (entertainment noise) shall be controlled to 5dB below the LA90 (without entertainment noise) in each octave band at the facade of the nearest noise sensitive location, and internal noise levels at structurally adjoined residential properties in the 63Hz and 125Hz octave frequency bands shall be controlled so as not to exceed (in habitable rooms) 47dB and 41dB (Leq,5min), respectively.

b) Prior to occupation of the development a verification report shall be required to validate that the work undertaken throughout the development conforms to the recommendations and requirements in the approved acoustic consultant's report. The report shall also undertake post completion testing to confirm that acceptable criteria have been met. Any instances of non-conformity with the recommendations in the verification report shall be detailed along with any measures required to be undertaken prior to occupation of the development to ensure compliance with the internal noise criteria.

Reason - To safeguard the amenities of the occupiers of the building and occupiers of nearby properties.

The applicant has submitted an acoustic report, with the application, which provides noise and vibration limits for the MUGA and gym to be installed at the development. No assessment of existing, similar gym activities has been submitted, the applicant must comment further on this and confirm why measurements in an existing gym have not been carried out. The additional information with regard to the commercial units and the karaoke room etc is still to be provided. The final design and mitigation measures for the proposed gym should be submitted, when available, before submitting the verification report to discharge part b of the condition.

NSE4(b) (Residential sound insulation AND overheating)

a) Before the development commences a scheme for acoustically insulating the proposed residential accommodation against noise from Mancunian Way and the nearby road network shall be submitted to and approved in writing by the City Council as local planning authority. There may be other actual or potential sources of noise which require consideration on or near the site, including any local commercial/industrial premises.

The potential for overheating shall also be assessed and the noise insulation scheme shall take this into account. The approved noise insulation and ventilation scheme shall be completed before any of the dwelling units are occupied.

Noise survey data shall include measurements taken during a rush-hour period and night time to determine the appropriate sound insulation measures necessary. The following noise criteria shall be

required to be achieved when providing adequate ventilation as defined by Approved Document F of the Building Regulations (whole dwelling ventilation):

Bedrooms (night time - 23.00 - 07.00)	30 dB LAeq (individual noise events shall not exceed 45 dB L _{Amax,F} by more than 10 times)
Living Rooms (daytime - 07.00 - 23.00)	35 dB LAeq
Gardens and terraces (daytime)	55 dB LAeq

Higher internal noise levels than those specified above may be allowed when higher rates of ventilation are required in relation to the overheating condition.

b) Prior to first occupation of the residential units, a verification report shall be required to validate that the work undertaken throughout the development conforms to the recommendations and requirements in the approved acoustic consultant's report. The report shall also undertake post completion testing to confirm that the internal noise criteria have been met. Any instances of non-conformity with the recommendations in the verification report shall be detailed along with any measures required to be undertaken prior to first occupation of the residential units to ensure compliance with the internal noise criteria.

Reason: To secure a reduction in noise from traffic or other sources in order to protect future residents from noise disturbance and to reduce the potential for overheating.

The applicant must ensure that the mitigation measures for noise and overheating, as detailed in the submitted reports, are implemented in full at the development.

NSE6 (External plant/equipment/servicing)

a) Externally mounted ancillary plant, equipment and servicing shall be selected and/or acoustically treated in accordance with a scheme designed so as to achieve a rating level of 5dB (LAeq) below the typical background (LA90) level at the nearest noise sensitive location. Prior to commencement of the use hereby approved the scheme shall be submitted to and approved in writing by the City Council as local planning authority in order to secure a reduction in the level of noise emanating from the site. The scheme shall be implemented in full before the use commences or as otherwise agreed in writing by the City Council as local planning authority.

b) Prior to the operation of the scheme a verification report shall be submitted to and approved in writing by the City Council as local planning authority to validate that the work undertaken throughout the development conforms to the recommendations and requirements in the approved acoustic report. The report shall also undertake post completion testing to confirm that the noise criteria have been met. Any instances of non-conformity with the recommendations in the verification report shall be detailed along with any measures required to be undertaken prior to operation of the scheme to ensure compliance with the agreed noise criteria.

Reason - To minimise the impact of the development and to prevent a general increase in pre-existing background noise levels around the site.

The applicant has submitted an acoustic report, with the application, which provides the noise limits for external plant at the development. The final specifications for plant are not yet known and therefore this condition cannot be discharged. Once the plant is confirmed, a further report should be submitted which sets out the mitigation measures to be implemented in order to meet the above criteria.

A schedule for testing the proposed emergency plant at the development will need to be agreed, in writing, with Environmental Health before first use commences.

Sports use (Pitch/court/other activity)

No activity on the pitch/field/court shall be permitted outside the hours of:

Monday to Saturday, 09:00 to 21:00, Sunday, 10:00 to 20:00.

Reason - To safeguard the amenities of the occupiers of nearby residential accommodation.

REF*

a) Before the development commences a scheme for the storage and disposal of refuse shall be submitted to and approved in writing by the City Council as local planning authority.

New developments shall have refuse storage space for segregated waste collection and recycling. Internal and external storage areas are required.

b) The details of the approved scheme shall be implemented as part of the development and shall remain in situ whilst the use or development is in operation.

Reason - In the interests of amenity and public health.

The information submitted is sufficient with regard to the residential waste management, but further information is required with regard to waste management for the commercial units. This must be submitted before this condition can be discharged.

AIR QUALITY 1

a) Prior to commencement of the development, an air quality impact and exposure assessment together with mitigation measures to safeguard local air quality shall be submitted to and approved in writing by the City Council as local planning authority.

b) Prior to occupation of the development any agreed mitigation measures shall be implemented and verified as such in writing by the City Council as local planning authority and shall remain in situ whilst the use or development is in operation.

Reason: To secure a reduction in air pollution from traffic or other sources in order to protect existing and future residents from air pollution, pursuant to policies EN16, SP1 and DM1 of the Core Strategy.

**The assessment must include NO2 as well as particulate matter and have regard to Defra's [PM2.5 Targets: Interim Planning Guidance](#).*

AIR QUALITY 3

a) Prior to commencement of the development, a scheme for a clean air intake shall be submitted to and approved in writing by the City Council as local planning authority.

b) Prior to occupation of the development any agreed mitigation measures shall be implemented and verified as such in writing by the City Council as local planning authority and shall remain in situ whilst the use or development is in operation.

Reason: To secure a reduction in air pollution from traffic or other sources in order to protect existing and future residents from air pollution, pursuant to policies EN16, SP1 and DM1 of the Core Strategy.

Kind regards



Environmental Protection Officer

Environmental Protection
Environmental Health
The Neighbourhoods Directorate
Manchester City Council

[REDACTED]
website: www.manchester.gov.uk
[REDACTED]
[REDACTED]

This communication may contain information which is confidential and may also be privileged. It is for exclusive use of the intended recipient. If you are not the intended recipient, please do not read, print, re-transmit, store or act in reliance on it or any attachments. If you have received this communication in error, please notify me by email or by telephone and then permanently delete the email and any copies of it.

This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error, please notify the sender, or dpo@manchester.gov.uk, and then permanently delete the email, attachments and all copies.

The full text of the Council's email disclaimer is available at: www.manchester.gov.uk/emaildisclaimer.

Your personal data is very important to us. Please refer to our privacy notice at: www.manchester.gov.uk/privacy for further information.

This footnote also confirms that this email message has been swept for the presence of computer viruses.
