

CIS Tower
Headline Results
Scroll down for final results ▲

Return to
results menu

On-site baseline	Habitat units	0.15	
	Hedgerow units	0.00	
	Watercourse units	0.00	
On-site post-intervention (Including habitat retention, creation & enhancement)	Habitat units	0.19	
	Hedgerow units	0.00	
	Watercourse units	0.00	
On-site net change (units & percentage)	Habitat units	0.04	29.66%
	Hedgerow units	0.00	N/A
	Watercourse units	0.00	0.00%

Zero baseline units - % cannot be calculated

Off-site baseline	Habitat units	0.00	
	Hedgerow units	0.00	
	Watercourse units	0.00	
Off-site post-intervention (Including habitat retention, creation & enhancement)	Habitat units	0.00	
	Hedgerow units	0.00	
	Watercourse units	0.00	
Off-site net change (units & percentage)	Habitat units	0.00	0.00%
	Hedgerow units	0.00	0.00%
	Watercourse units	0.00	0.00%

Combined net unit change (Including all on-site & off-site habitat retention, creation & enhancement)	Habitat units	0.04	
	Hedgerow units	0.00	
	Watercourse units	0.00	
Spatial risk multiplier (SRM) deductions	Habitat units	0.00	
	Hedgerow units	0.00	
	Watercourse units	0.00	

FINAL RESULTS

Total net unit change (Including all on-site & off-site habitat retention, creation & enhancement)	Habitat units	0.04	
	Hedgerow units	0.00	
	Watercourse units	0.00	
Total net % change (Including all on-site & off-site habitat retention, creation & enhancement)	Habitat units	29.66%	
	Hedgerow units	N/A	

0 baseline units - % cannot be calculated

	<i>Watercourse units</i>	0.00%
--	--------------------------	-------

Trading rules satisfied?	Yes ✓
--------------------------	-------

Unit Type	Target	Baseline Units	Units Required	Unit Deficit
<i>Habitat units</i>	10.00%	0.15	0.16	0.00
<i>Hedgerow units</i>	10.00%	0.00	0.00	0.00
<i>Watercourse units</i>	10.00%	0.00	0.00	0.00

No additional area habitat units required to meet target ✓

No additional hedgerow units required to meet target ✓

No additional watercourse units required to meet target ✓