

Proud To Be The UK's
Leading Supplier of
Roofing Sheets



SCAN ME

ORDER ONLINE
www.cladco.co.uk
or call **01837 659901**

CLADCO
PROFILES

41/1000 Tile Form Profile Sheets

Elegant Pantile Appeal

Tile Form Profile is the classic pantile metal Sheeting that gives the appearance of traditional clay tiles. Our Tile Form Sheets give a standard 1000mm width coverage when lapped and are available in custom lengths of up to six metres.

Single Sheet thickness of 0.6mm and a GreenCoat® Mica BT coating available for the external face, with three colours available: Black, Copper Brown and Graphite Grey.



Applications

Industrial, agricultural, commercial and domestic roofs.

Can be used as single-skin roofing, over cladding an existing roof, or as part of a built-up insulated system.



Colour swatch samples are available on our website



Black



Graphite Grey



Copper Brown

Specifications

Application	Roof
External Finish	GreenCoat® Mica BT
Internal Finish	Grey Polyester
External Face	41mm profile height, 200mm pitch
Standard Width	1000mm when lapped
Max Length	6m
Minimum Pitch	12 degrees
Gauge Thickness	0.6mm
Weight	From 6.6kg/m ²
Purlin spacing	600mm

When used in roof applications, construction can be safely undertaken down to a 12 degree pitch using conventional self-drilling TEK screw fasteners at lower points of the profile into purlin supports. Fixings, Trims and Flashings complete the system, offering cost-effective, traditional Sheeting with a roof tile appearance.



Cut To
Custom
Lengths



Easy To
Install And
Handle

“

I ordered Cladco Roofing Sheets online and the customer service was brilliant. I had ordered the wrong screws but Cladco picked up on this and rectified this immediately for me. Really impressed with the Sheet quality and delivery service. Spot on!”

Daniel, Customer



Benefits Of 41/1000 Tile Form Profile

- Strong Sheetting that requires little maintenance, providing an efficient way to create a traditional pantile appearance with the benefits of modern coated steel.
- Stylish appearance and blends beautifully into older, architecturally sensitive areas.
- Lightweight and simple to install, with a choice of three colours for a solid, attractive and long-lasting roof.
- Independently tested to current CE EN 14782 requirements.

Our Tile Form Sheetting uses GreenCoat® colour coated steel, which is an eco-friendly, long-lasting material superior to other materials, meaning your new roof will last longer. For more information on GreenCoat® materials, please see their website www.ssab.com/en/brands-and-products/greencoat.

AVAILABLE WITH



SCAN ME