


Notes:
 Drawings are based on survey data and may not accurately represent what is physically present.
 Do not scale from this drawing. All dimensions are to be verified on site before proceeding with the work.
 All dimensions are in millimeters unless noted otherwise.
 Purcell shall be notified in writing of any discrepancies.



Revision 06
Location and angle of slab edge and upstand at west side of plant deck adjusted based on site survey of existing beam and rafter location.
Perimeter abutting existing stone and brick walls to be cast against face of existing masonry not set into walls

Revision 05
Setting out dimensions and sizes of openings indicated. Notes explaining principles for setting out edges of concrete deck added.

Revision 04
Vent dormer reference CBR09_01 omitted added. Existing frameless glass lights G1J01 to G1J14 and new vent pipes VP01, VP02 and VP03 added to CBR09. Rainwater outlets RWP 102 and RWP 103 added to CBRp01. Opening for smoke vent and openings for ducts CBRp01_Us2 and CBRp01_Us3 added to CBRp01. Existing stair added to CBR03. Plant screen changed from louvres to solid wall and extended to roofs and walls on north and south sides. Gentries omitted from lead roofs to courtyards and substituted with guardrails.

Revision 03
Vent dormer references added. Drawing re-issued for construction

Revision 02
Gantries added

08	08/01/2024	JC	GR	See note in revision cloud
07	26/09/2023	JC	GR	See note in revision cloud
06	20/07/2022	JC	GR	See note in revision cloud
05	19/02/2021	GR	TK	See note in revision cloud



Project Office, Room 308, Town Hall, MANCHESTER M60 2L1
+44 (0) 7970 097 432
www.purcelluk.com

© PURCELL, 2019. PURCELL, ® IS THE TRADING NAME OF PURCELL ARCHITECTURE LTD