

Door Leaf Type J
Description: Timber single, flush - with louvre
Building: 1830s Warehouse
Room - Electrical Room
Pin no. 0048:09
Door Ref MAN-000193




Door details
1 of 1

Existing

Door Leaf Type C
Description: Timber - Single framed flush

Building: 1830s Warehouse
Room - Stairwell
Pin no. 0032:38 (compartment pin)
Door A1032:38




Survey
1 of 3


Survey
2 of 3

Survey
3 of 3

Existing



Proposed - Fire compliant version of the existing to be removed.
(refer to drawings T(710) and T(400,401) for further details



Proposed - Fire compliant version of the existing to be removed.
(refer to drawings T(710) and T(400,401) for further details

Notes:
All ironmongery and manifestations shown indicatively.

Leaf dimensions to be confirmed on site for each door.

All pull handles to be in accordance with BS8300. All lever handles to be centered at 950mm above finish floor level

Elevations to be read in conjunction with written door schedules, NBS and Fire Works Summary spreadsheet.

Rev	Note	DRN	CHK
-----	------	-----	-----

Science and Industry
Museum Fire Works

New Door Visual Summary

scheme	2002
drwg no.	C(723)
revision	

scale	NTS
date first drawn	June 23
drawn	HW

SK sketch E existing P proposed T tender C construction FI final issue

www.ateliermb.co.uk
t 0161 236 0051
e architect@ateliermb.co.uk