

Personal Air Monitoring Certificate

Kellon Homes
Bennett Street
Manchester
M12 5ED



Constructionline



Gold Member



Inspectas Compliance Ltd
Head Office: Atlas House, 5 Bradford Road, Drighlington, BD11 1AS
Suite 4 Caxton Point, Caxton Way, Stevenage, Hertfordshire SG1 2XU
E info@inspectas.co.uk **W** inspectas.co.uk **T** 0844 264 0094


Compliance made easy

Personal Monitoring details:

Name and address of client:	Urban Regen Asbestos Solutions, Urban Regen Ltd Langley Road Pendlebury Salford, M6 6FG		
Name and address of site:	Kellon Homes, Bennett Street, Manchester , M12 5ED		
Employee name and job title:	Removal operative Shane Machin		
Location of Work Area(s):	Personal air monitoring on removal operative Sean Machin.		
Mobile lab reference (if applicable):	N/A		
Product being worked on:	Asbestos Insulation/Coating		
Working being undertaken:	Enclosure set up for the removal of insulated pipework.		
Mask type:	Negative pressure half face respirator		
Control measures in use:	Full enclosure entry working		
Tools/equipment employed:	Type 5/6 overalls, cover boots, negative pressure half face respirator.		
Date of test:	09 Dec 2024		
Analyst(s):	Lilly Holden	Signature:	
Technically reviewed by:	Lilly Holden	Signature:	
Report issue date:	09 Dec 2024		

This report shall not be reproduced except in full, without the approval of Inspectas Compliance Ltd

Personal Air monitoring certificate

Job/Report Number		J032212/JV02			Site Address:		Kellon Homes, Bennett Street, Manchester , M12 5ED				Client		Urban Regen Asbestos Solutions						
Date		09 Dec 2024									Client Address		Urban Regen Ltd Langley Road Pendlebury Salford, M6 6FG						
Location Counted		Mobile Lab									Stage Micrometer:		SM28						
Microscope No:		M16			Fifth Partial Sixth Band Visible on NPL:		Yes				NPL Test Slide No:		N1						
Graticule Diameter (um):		100			Filter batch used:		1211				Exposed filter diameter (mm):		22.4	Timer No:	T013				
High Flow meter No:		FL38068/5			Low flow meter No:		FL436902				Respirable Fibres		100	Calc concentration (f/ml)	0.011	Limit of quantification (f/ml)	0.043	Result (f/ml)	<0.04
Sample	Sample Type	Sample Location/Lab Reference (See site plan)			Pump	Cowl	Start Time	Flow Rate (l/min)	Finish Time	Flow Rate (l/min)	Duration (mins)	Volume (litres)	Respirable Fibres	Fields	Calc concentration (f/ml)	Limit of quantification (f/ml)	Result (f/ml)		
1	SD	Removal operative Sean Machin. / JV000124			A123926	C197	09:29	2.0	11:20	2.0	111	222	5.0	100	0.011	0.043	<0.04		
Analyst Name:		Lilly Holden				Analyst Signature:							Date:	09 Dec 2024 11:45					
Suitability Monitoring		STEL				Compliance Monitoring				Short Duration				Field Blank					
SM		ST (10 Mins)				CM (4Hour Control Limit)				SD				FB					

The above sampling has been undertaken in accordance with the current version of HSG248, and documented in house procedures.
Using this method, the lowest limit of quantification LOQ for a 480l sample is 0.010f/ml. For volumes less than this, the LOQ is quoted.
Opinions and interpretations contained within this report are outside the scope of UKAS accreditation.

Appendix 2 - Additional Photographs

		No photographic evidence available.	No photographic evidence available.
Personal air monitoring commences on Sean Machin.	Personal air monitoring on Sean Machin.		
No photographic evidence available.	No photographic evidence available.	No photographic evidence available.	No photographic evidence available.
No photographic evidence available.	No photographic evidence available.	No photographic evidence available.	No photographic evidence available.