

DATE
29.04.2025

CLIENT
BRUNTWOOD

PROJECT
11516

OUR STUDIO

ACCURATE VISUAL REPRESENTATION (AVR) DOCUMENT




OUR STUDIO

OUR STUDIO - AVR PROJECT INFORMATION

VISUALISATION TYPES				PHOTOGRAPHY	NOTES
1	2	3	4		
				Visualisation Type	Type 4 Level 1 - Verified Wireline Level 3 - Fully Rendered
				Method used to establish the camera location (e.g handheld GPS/GNSS, GNSS/RTK, survey point, visual reference)	Tripod photography in GPS system
				Likely Level of accuaracy of location (#m, #cm etc)	Better than 10cm
				If lenses other than 50mm have been used, explain why a different lens is appropriate	N/A
				Written description of procedures for image capture processing	See methodology
				If panoramas used: make and type of Pano head and equipment used to level head	N/A
				If working outside the UK, geographic co-ordinate system (GCS) used	N/A
				3D MODEL / VISUALISATION	
				Source of topographic height data and its resolution	GPS point data & OS plan
				How have the model and camera locations been placed in the software?	Based on survey coordinates
				Elements in the view used as target points to check the horizontal alignment	Existing buildings, landscape & GPS data
				Elements in the view used as target points to check the vertical alignment	Existing buildings, landscape & GPS data
				3D Modelling / Rendering Software	3DSMax & Corona
				If working outside the UK, geographic co-ordinate system (GCS) used	N/A
				GENERALLY	
				Any limitations in the overall methodology for preparing of the visualisations?	

OUR STUDIO VIEWPOINT LOCATIONS



OUR STUDIO CUMULATIVE SCHEMES



VIEWPOINT 01

OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 01 PHOTOGRAPHY	VIEW 01 NOTES
1	2	3	4		
				Visualisation Type	Type 4 Level 1 - Verified Wireline
				Projection	Planar
				Date and Time of captured Photography	27/02/2025 10.32
				Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24mm
				Make, focal length of the camera lens(es) used	Lens is 24mm
				Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
				Direction of View: bearing from North (0°) or Compass Direction	North
				Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 384627.020 Northing: 398120.012 Level: 45.294
				Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
				Baseline Photography	
				A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
				A photograph of the tripod location to confirm the camera / tripod location	



VIEWPOINT 01 BASELINE PHOTOGRAPHY



VIEWPOINT 01 FINAL

VIEWPOINT 02



OUR STUDIO

OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 02 PHOTOGRAPHY	VIEW 02 NOTES
1	2	3	4		
				Visualisation Type	Type 4 Level 1 - Verified Wireline
				Projection	Planar
				Date and Time of captured Photography	04/03/2025 16.35
				Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24mm
				Make, focal length of the camera lens(es) used	Lens is 24mm
				Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
				Direction of View: bearing from North (0°) or Compass Direction	North West
				Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 384423.427 Northing: 397893.168 Level: 42.148
				Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
				Baseline Photography	
				A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
				A photograph of the tripod location to confirm the camera / tripod location	



VIEWPOINT 02 BASELINE PHOTOGRAPHY



VIEWPOINT 02 CUMULATIVE SCHEMES



VIEWPOINT 02 FINAL

VIEWPOINT 03 DAY



OUR STUDIO

OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 03 DAY PHOTOGRAPHY	VIEW 03 DAY NOTES
1	2	3	4		
				Visualisation Type	Type 4 Level 3 - Rendered
				Projection	Planar
				Date and Time of captured Photography	27/02/2025 09.59
				Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24mm
				Make, focal length of the camera lens(es) used	Lens is 24mm
				Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
				Direction of View: bearing from North (0°) or Compass Direction	North
				Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 384690.128 Northing: 397933.006 Level: 40.300
				Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
				Baseline Photography	
				A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
				A photograph of the tripod location to confirm the camera / tripod location	



VIEWPOINT 03 DAY BASELINE PHOTOGRAPHY



VIEWPOINT 03 DAY CUMULATIVE SCHEMES



VIEWPOINT 03 DAY FINAL

VIEWPOINT 03 DUSK



OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 03 DUSK PHOTOGRAPHY	VIEW 03 DUSK NOTES
1	2	3	4		
				Visualisation Type	Type 4 Level 3 - Rendered
				Projection	Planar
				Date and Time of captured Photography	27/02/2025 19.20
				Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24mm
				Make, focal length of the camera lens(es) used	Lens is 24mm
				Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
				Direction of View: bearing from North (0°) or Compass Direction	North
				Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 384690.128 Northing: 397933.006 Level: 40.300
				Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
				Baseline Photography	
				A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
				A photograph of the tripod location to confirm the camera / tripod location	



VIEWPOINT 03 DUSK BASELINE PHOTOGRAPHY



VIEWPOINT 03 DUSK FINAL

VIEWPOINT 04



OUR STUDIO

OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 04 PHOTOGRAPHY	VIEW 04 NOTES
1	2	3	4		
				Visualisation Type	Type 4 Level 3 - Rendered
				Projection	Planar
				Date and Time of captured Photography	27/02/2025 11.28
				Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24mm
				Make, focal length of the camera lens(es) used	Lens is 24mm
				Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
				Direction of View: bearing from North (0°) or Compass Direction	North East
				Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 384861.996 Northing: 397761.841 Level: 40.910
				Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
				Baseline Photography	
				A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
				A photograph of the tripod location to confirm the camera / tripod location	



VIEWPOINT 04 BASELINE PHOTOGRAPHY



VIEWPOINT 04 CUMULATIVE SCHEMES



VIEWPOINT 04 FINAL

VIEWPOINT 05

OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 05 PHOTOGRAPHY	VIEW 05 NOTES
1	2	3	4		
				Visualisation Type	Type 4 Level 1 - Verified Wireline
				Projection	Planar
				Date and Time of captured Photography	04/03/2025 16.12
				Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24mm
				Make, focal length of the camera lens(es) used	Lens is 24mm
				Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
				Direction of View: bearing from North (0°) or Compass Direction	North West
				Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 384401.986 Northing: 397819.185 Level: 41.179
				Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
				Baseline Photography	
				A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
				A photograph of the tripod location to confirm the camera / tripod location	



VIEWPOINT 05 BASELINE PHOTOGRAPHY



VIEWPOINT 05 FINAL - Not visible so shown with dotted line

VIEWPOINT 06 DAY



OUR STUDIO

OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 06 DAY PHOTOGRAPHY	VIEW 06 DAY NOTES
1	2	3	4		
				Visualisation Type	Type 4 Level 3 - Rendered
				Projection	Planar
				Date and Time of captured Photography	27/02/2025 12.06
				Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24mm
				Make, focal length of the camera lens(es) used	Lens is 24mm
				Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
				Direction of View: bearing from North (0°) or Compass Direction	North East
				Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 384800.634 Northing: 397715.383 Level: 40.432
				Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
				Baseline Photography	
				A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
				A photograph of the tripod location to confirm the camera / tripod location	



VIEWPOINT 06 DAY BASELINE PHOTOGRAPHY



VIEWPOINT 06 DAY FINAL

VIEWPOINT 06 DUSK



OUR STUDIO

OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 06 DUSK PHOTOGRAPHY	VIEW 06 DUSK NOTES
1	2	3	4		
				Visualisation Type	Type 4 Level 3 - Rendered
				Projection	Planar
				Date and Time of captured Photography	27/02/2025 19.29
				Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24mm
				Make, focal length of the camera lens(es) used	Lens is 24mm
				Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
				Direction of View: bearing from North (0°) or Compass Direction	North East
				Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 384800.634 Northing: 397715.383 Level: 40.432
				Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
				Baseline Photography	
				A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
				A photograph of the tripod location to confirm the camera / tripod location	



VIEWPOINT 06 DUSK BASELINE PHOTOGRAPHY



VIEWPOINT 06 DUSK FINAL

VIEWPOINT 07A



OUR STUDIO

OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 07A PHOTOGRAPHY	VIEW 07A NOTES
1	2	3	4		
				Visualisation Type	Type 4 Level 3 - Rendered
				Projection	Planar
				Date and Time of captured Photography	27/02/2025 13.11
				Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24mm
				Make, focal length of the camera lens(es) used	Lens is 24mm
				Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
				Direction of View: bearing from North (0°) or Compass Direction	South East
				Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 385017.477 Northing: 397451.103 Level: 38.508
				Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
				Baseline Photography	
				A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
				A photograph of the tripod location to confirm the camera / tripod location	



VIEWPOINT 07A BASELINE PHOTOGRAPHY



VIEWPOINT 07A CUMULATIVE SCHEMES



VIEWPOINT 07A FINAL

VIEWPOINT 08



OUR STUDIO

OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 08 PHOTOGRAPHY	VIEW 08 NOTES
1	2	3	4		
				Visualisation Type	Type 4 Level 3 - Rendered
				Projection	Planar
				Date and Time of captured Photography	27/02/2025 17.05
				Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24mm
				Make, focal length of the camera lens(es) used	Lens is 24mm
				Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
				Direction of View: bearing from North (0°) or Compass Direction	North West
				Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 384597.678 Northing: 397638.947 Level: 37.835
				Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
				Baseline Photography	
				A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
				A photograph of the tripod location to confirm the camera / tripod location	



VIEWPOINT 08 BASELINE PHOTOGRAPHY



VIEWPOINT 08 FINAL



VIEWPOINT 08 BASELINE PHOTOGRAPHY EXTENDED



VIEWPOINT 08 BASELINE PHOTOGRAPHY EXTENDED

VIEWPOINT 09

OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 09 PHOTOGRAPHY	VIEW 09 NOTES
1	2	3	4		
				Visualisation Type	Type 4 Level 1 - Verified Wireline
				Projection	Planar
				Date and Time of captured Photography	04/03/2025 11.14
				Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24mm
				Make, focal length of the camera lens(es) used	Lens is 24mm
				Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
				Direction of View: bearing from North (0°) or Compass Direction	North
				Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 384704.144 Northing: 397916.136 Level: 48.914
				Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
				Baseline Photography	
				A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
				A photograph of the tripod location to confirm the camera / tripod location	



VIEWPOINT 09 BASELINE PHOTOGRAPHY



VIEWPOINT 09 CUMULATIVE SCHEMES



VIEWPOINT 09 FINAL

VIEWPOINT 10



OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 10 PHOTOGRAPHY	VIEW 10 NOTES
1	2	3	4		
				Visualisation Type	Type 4 Level 3 - Rendered
				Projection	Planar
				Date and Time of captured Photography	04/03/2025 10.40
				Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24mm
				Make, focal length of the camera lens(es) used	Lens is 24mm
				Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
				Direction of View: bearing from North (0°) or Compass Direction	North East
				Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 384815.289 Northing: 397769.888 Level: 40.820
				Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
				Baseline Photography	
				A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
				A photograph of the tripod location to confirm the camera / tripod location	



VIEWPOINT 10 BASELINE PHOTOGRAPHY



VIEWPOINT 10 CUMULATIVE SCHEMES



VIEWPOINT 10 FINAL

VIEWPOINT 11



OUR STUDIO

OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 11 PHOTOGRAPHY	VIEW 11 NOTES
1	2	3	4		
				Visualisation Type	Type 4 Level 3 - Rendered
				Projection	Planar
				Date and Time of captured Photography	27/02/2025 12.30
				Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24mm
				Make, focal length of the camera lens(es) used	Lens is 24mm
				Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
				Direction of View: bearing from North (0°) or Compass Direction	South East
				Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 384846.406 Northing: 397535.878 Level: 35.382
				Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
				Baseline Photography	
				A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
				A photograph of the tripod location to confirm the camera / tripod location	



VIEWPOINT 11 BASELINE PHOTOGRAPHY



VIEWPOINT 11 CUMULATIVE SCHEMES



VIEWPOINT 11 FINAL

VIEWPOINT 12

OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 12 PHOTOGRAPHY	VIEW 12 NOTES
1	2	3	4		
				Visualisation Type	Type 4 Level 3 - Rendered
				Projection	Planar
				Date and Time of captured Photography	04/03/2025 13.01
				Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24mm
				Make, focal length of the camera lens(es) used	Lens is 24mm
				Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
				Direction of View: bearing from North (0°) or Compass Direction	South West
				Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 384622.654 Northing: 397567.043 Level: 33.079
				Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
				Baseline Photography	
				A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
				A photograph of the tripod location to confirm the camera / tripod location	



VIEWPOINT 12 BASELINE PHOTOGRAPHY



VIEWPOINT 12 CUMULATIVE SCHEMES



VIEWPOINT 12 FINAL

VIEWPOINT 13



OUR STUDIO

OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 13 PHOTOGRAPHY	VIEW 13 NOTES
1	2	3	4		
				Visualisation Type	Type 4 Level 3 - Rendered
				Projection	Planar
				Date and Time of captured Photography	27/02/2025 17.39
				Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24mm
				Make, focal length of the camera lens(es) used	Lens is 24mm
				Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
				Direction of View: bearing from North (0°) or Compass Direction	North West
				Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 384505.881 Northing: 397669.083 Level: 38.959
				Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
				Baseline Photography	
				A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
				A photograph of the tripod location to confirm the camera / tripod location	



VIEWPOINT 13 BASELINE PHOTOGRAPHY



VIEWPOINT 13 CUMULATIVE SCHEMES



VIEWPOINT 13 FINAL

VIEWPOINT 14



OUR STUDIO

OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 14 PHOTOGRAPHY	VIEW 14 NOTES
1	2	3	4		
				Visualisation Type	Type 4 Level 1 - Verified Wireline
				Projection	Planar
				Date and Time of captured Photography	27/02/2025 15.29
				Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24mm
				Make, focal length of the camera lens(es) used	Lens is 24mm
				Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
				Direction of View: bearing from North (0°) or Compass Direction	South
				Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 384681.008 Northing: 397499.726 Level: 34.202
				Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
				Baseline Photography	
				A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
				A photograph of the tripod location to confirm the camera / tripod location	



VIEWPOINT 14 BASELINE PHOTOGRAPHY



VIEWPOINT 14 FINAL

VIEWPOINT 15



OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 15 PHOTOGRAPHY	VIEW 15 NOTES
1	2	3	4		
				Visualisation Type	Type 4 Level 3 - Rendered
				Projection	Planar
				Date and Time of captured Photography	04/03/2025 17.10
				Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24mm
				Make, focal length of the camera lens(es) used	Lens is 24mm
				Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
				Direction of View: bearing from North (0°) or Compass Direction	North West
				Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 384575.348 Northing: 397629.062 Level: 37.614
				Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
				Baseline Photography	
				A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
				A photograph of the tripod location to confirm the camera / tripod location	



VIEWPOINT 15 BASELINE PHOTOGRAPHY



VIEWPOINT 15 CUMULATIVE SCHEMES



VIEWPOINT 15 FINAL

VIEWPOINT 17

OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 17 PHOTOGRAPHY	VIEW 17 NOTES
1	2	3	4		
				Visualisation Type	Type 4 Level 1 - Verified Wireline
				Projection	Planar
				Date and Time of captured Photography	27/02/2025 14.08
				Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24mm
				Make, focal length of the camera lens(es) used	Lens is 24mm
				Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
				Direction of View: bearing from North (0°) or Compass Direction	South East
				Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 385091.777 Northing: 397224.468 Level: 40.788
				Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
				Baseline Photography	
				A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
				A photograph of the tripod location to confirm the camera / tripod location	



VIEWPOINT 17 BASELINE PHOTOGRAPHY



VIEWPOINT 17 CUMULATIVE SCHEMES



VIEWPOINT 17 FINAL

VIEWPOINT 18



OUR STUDIO

OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 18 PHOTOGRAPHY	VIEW 18 NOTES
1	2	3	4		
				Visualisation Type	Type 4 Level 1 - Verified Wireline
				Projection	Planar
				Date and Time of captured Photography	27/02/2025 14.57
				Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24mm
				Make, focal length of the camera lens(es) used	Lens is 24mm
				Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
				Direction of View: bearing from North (0°) or Compass Direction	South
				Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 384838.383 Northing: 397393.579 Level: 37.262
				Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
				Baseline Photography	
				A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
				A photograph of the tripod location to confirm the camera / tripod location	



VIEWPOINT 18 BASELINE PHOTOGRAPHY



VIEWPOINT 18 CUMULATIVE SCHEMES



VIEWPOINT 18 FINAL

VIEWPOINT 19

OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 19 PHOTOGRAPHY	VIEW 19 NOTES
1	2	3	4		
				Visualisation Type	Type 4 Level 3 - Rendered
				Projection	Planar
				Date and Time of captured Photography	08/04/2025 11.30
				Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24mm
				Make, focal length of the camera lens(es) used	Lens is 24mm
				Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
				Direction of View: bearing from North (0°) or Compass Direction	East
				Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 384836.822 Northing: 397632.388 Level: 36.989
				Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
				Baseline Photography	
				A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
				A photograph of the tripod location to confirm the camera / tripod location	



VIEWPOINT 19 WINTER BASELINE PHOTOGRAPHY



VIEWPOINT 19 WINTER CUMULATIVE SCHEMES



VIEWPOINT 19 WINTER FINAL



VIEWPOINT 19 SUMMER FINAL

OUR STUDIO
NORTHSPRING
SUITE 5D
70 SPRING GARDENS
MANCHESTER
M2 2BQ

Tel +44 161 237 1900
Email hello@ourstudioltd.com