QIS10- 10mm Carborundum Tread Inserts


Call today for product enquiries **01934 864360** Over 40 years of industry experience **Bespoke anti-slip s**



Inserts

QIS10 10mm Carborundum Anti-Slip Insert Strips are ideal for delineation of step edges, by creating a visual contrast to the surrounding subfloor, minimising the chance of accidents in many settings.

QIS10 anti-slip inserts are manufactured from a UV stable rigid PVC Carrier filled with our CarbiGrip Carborundum anti-slip infill. CarbiGrip consists of Aluminium Oxide; otherwise known as Corundum, the second hardest mineral on the MOHS scale to industrial diamond; combined with other coloured aggregates set in cured resin. The Resin binds the aggregates directly into the PVC Carrier resulting in an integral anti-slip infill which is impervious to water ingress. The natural hardness of the aluminium oxide, coupled with its naturally angular shape, creates a slip resistant surface which is extremely durable. And the inclusion of aluminium oxide through the whole infill creates an incredibly durable anti-slip surface which will far outlast any standard PVC/composite insert Strip or gritted insert products with only a surface coated layer such as GRP.



Suitable for use both internally and externally and even the heaviest foot trafficked areas including: public access areas such as Airports, railway stations, sports stadiums, Car parks, Hotels, Schools, Outdoor areas, shopping centres, and heavy industry.

Designed for installation into a pre-cut/cast rebate or cast in situ applications, QIS10 is suitable for use in a variety of different subfloors including: concrete, stone, marble, terrazzo, ceramic and timber. A key benefit of these strips is their installation process, where instead of a large aluminium nosing they are bonded directly into the step tread using an adhesive. This allows them to be fitted on treads and risers alike and allows for a variety of configurations depending on your project.

QIS10 has dimensions of 10mm wide x 8mm deep and is available in standard lengths in Black, which can be easily cut to size on site with a diamond blade. Bespoke lengths also available up to 2000mm in a variety of colours including: black, yellow, white, dark grey, light grey, dark brown and light brown.

Standard Lengths we aim to deliver within 5 working days, and 7-14 days on bespoke options, however if your project requires fast delivery please contact us to discuss stock and we will reduce this where possible.


If you require samples, have any questions or need to speak to our team about tolerance allowances, please do get in contact with us here today.


Buy online Contact us to discuss

QIS10 Colours

QIS10 is available in White, Light Grey, Dark Grey, Black, Yellow, Light Brown and Dark Brown as Standard.







Product Resources

Downloads

Gallery

FAQs

QIS10 Downloads

PDF QIS10 Product Data Sheet

PDF Carborundum Nosings And Insert Warranty

Registered Office

Quantick Safety Systems Ltd
Unit 2 Quarry Farm Business Park,
Redhill,
North Somerset, BS40 5TU

VAT: 790 8061 15
Company Reg: 04339674
Tel: 01934 864360

Information

- Contact us
- About us
- Projects
- Products
- Gallery
- FAQs

Legal information

- Privacy Policy
- Terms and conditions
- Cookie Policy
- Returns policy
- Your Privacy Choices
- Notice at Collection

quantick

Hosted by Squarebird