



- GENERAL NOTES
- G1. DO NOT SCALE THIS DRAWING.
- G2. ANY DIMENSIONAL DISCREPANCIES SHOULD BE NOTIFIED TO THE ENGINEER IMMEDIATELY.
- G3. ALL DIMENSIONS ARE IN MILLIMETRES - (mm)
ALL LEVELS ARE IN METRES - (m) AND ARE ABOVE ORDNANCE DATUM AT NEWLYN, CORNWALL UNLESS NOTED OTHERWISE.
- G4. NORTH SHOWN INDICATIVE ONLY
- G5. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT; SPECIFICATIONS; DRAWINGS; DETAILS AND OTHER DESIGN INFORMATION.
- G6. ALL DRAWINGS AND WRITTEN MATERIAL CONTAINED WITHIN, CONSTITUTE ORIGINAL AND UNPUBLISHED WORK OF THE ENGINEER AND MAY NOT BE DUPLICATED, USED, REPRODUCED OR DISCLOSED WITHOUT WRITTEN CONSENT OR EXPRESS PERMISSION FROM THE ENGINEER.
- G7. ALL INFORMATION CONTAINED IN THIS DOCUMENT IS COPYRIGHT ©
- G8. WHERE THE CONTRACTOR UNDERTAKES OR ENGAGES A THIRD PARTY TO UNDERTAKE TEMPORARY WORKS DESIGN, OR VARIES THE PELL FRISCHMANN DESIGN IN ANY WAY, THEN THE CONTRACTOR WILL TAKE FULL RESPONSIBILITY AND LIABILITY FOR ALL DESIGN ASPECTS, INCLUDING A DESIGN RISK ASSESSMENT. THE CONTRACTOR SHALL INFORM PELL FRISCHMANN OF ANY PROPOSED VARIANCES TO THE DESIGN.

- KEY
- SITE BOUNDARY
 - EXISTING UU COMBINED SEWER
 - PROPOSED SW DRAINAGE STRATEGY
 - PROPOSED SURFACE WATER CARRIER PIPE
 - PROPOSED FOUL WATER CARRIER PIPE
 - PROPOSED ACO DRAIN
 - PROPOSED LAND DRAINAGE

PLOT DRAINAGE NOTES

ALL SVP, RWP AND BIG CONNECTIONS ARE INDICATIVE AND MUST BE CONFIRMED BY THE ARCHITECT.

EXACT COVER LEVELS TO BE CONFIRMED AT DETAILED DESIGN. PROPOSED LEVELS ARE INDICATIVE.

INSPECTION CHAMBERS TO BE 450mm DIAMETER UNLESS STATED OTHERWISE.

ALL PLOT DRAINAGE TO BE 100mm UNLESS STATED OTHERWISE.

P02	TENDER ISSUE	LB	AH	AH	19.02.25
P01	FOR INFORMATION	LB	PC	AH	15.07.24
REV	DESCRIPTION	DRN	CHK	APP	DATE

Pell Frischmann
GEORGE HOUSE, GEORGE STREET, WEST YORKSHIRE, WF1 1LY
Telephone +44 (0)192 436 8145
Email: prwakefield@pellfrischmann.com
www.pellfrischmann.com

Architect/Client/Contractor

GREAT PLACES

Project

PARKHILL AVENUE

Drawing Title

PLOT DRAINAGE

Drawing Status	TENDER			
Drawn	Name	Date	Status Code	S4
Designed	L.BOWLES	15.07.24	Scale	1:200
Eng Chk	P.CLARKE	15.07.24	Revision	P02
Approved	A.HALL	15.07.24		

Drawing No.

105596 - PEL- HDG -00- DR - D- 00004