

Project Name: Upper Brook Street - Cumulative Project No.: 2022 Report Title: Sunlight - Neighbour Analysis													
Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	Window Orientation	Total Suns per Room Annual Existing	Total Suns per Room Annual Proposed	Annual Suns Lost	Annual Pr/Ex	Total Suns per Room Winter Existing	Total Suns per Room Winter Proposed	Wnter Suns Lost	Winter Pr/Ex
1 Mawson Road													
Ground	R1	Residential	Unknown	W1	226°	64	53	11.00	0.83	22	16	6.00	0.73
	R2	Residential	Unknown	W2	226°	71	60	11.00	0.85	24	19	5.00	0.79
	R3	Residential	Unknown	W3	226°	71	60	11.00	0.85	24	19	5.00	0.79
First	R1	Residential	Unknown	W1	226°	64	53	11.00	0.83	22	16	6.00	0.73
	R2	Residential	Unknown	W2	226°	71	60	11.00	0.85	24	19	5.00	0.79
	R3	Residential	Unknown	W3 W4 W5	226° 226° 134°	71	60	11.00	0.85	24	19	5.00	0.79
Second	R1	Residential	Unknown	W1	226°	63	52	11.00	0.83	22	16	6.00	0.73
	R2	Residential	Unknown	W2	226°	72	60	12.00	0.83	25	19	6.00	0.76
	R3	Residential	Unknown	W3 W4	226° 226°	72	61	11.00	0.85	25	20	5.00	0.80
3 Mawson Road													
Ground	R1	Residential	Unknown	W1	226°	65	54	11.00	0.83	22	17	5.00	0.77
	R2	Residential	Unknown	W2	226°	71	60	11.00	0.85	24	19	5.00	0.79
	R3	Residential	Unknown	W3	226°	71	60	11.00	0.85	24	18	6.00	0.75
First	R1	Residential	Unknown	W1	226°	65	54	11.00	0.83	22	17	5.00	0.77
	R2	Residential	Unknown	W2	226°	71	60	11.00	0.85	24	19	5.00	0.79
	R3	Residential	Unknown	W3 W4 W5	226° 226° 134°	71	61	10.00	0.86	24	19	5.00	0.79
Second	R1	Residential	Unknown	W1	226°	65	55	10.00	0.85	23	19	4.00	0.83
	R2	Residential	Unknown	W2	226°	73	64	9.00	0.88	26	22	4.00	0.85
	R3	Residential	Unknown	W3 W4	226° 226°	73	63	10.00	0.86	26	21	5.00	0.81
5 Mawson Road													
Ground	R1	Residential	Unknown	W1	226°	65	52	13.00	0.80	22	14	8.00	0.64
	R2	Residential	Unknown	W2	226°	71	58	13.00	0.82	24	16	8.00	0.67
	R3	Residential	Unknown	W3	226°	71	59	12.00	0.83	24	16	8.00	0.67
First	R1	Residential	Unknown	W1	226°	65	52	13.00	0.80	22	14	8.00	0.64
	R2	Residential	Unknown	W2	226°	71	59	12.00	0.83	24	16	8.00	0.67
	R3	Residential	Unknown	W3 W4 W5	226° 226° 134°	71	60	11.00	0.85	24	16	8.00	0.67
Second	R1	Residential	Unknown	W1	226°	66	56	10.00	0.85	24	18	6.00	0.75
	R2	Residential	Unknown	W2	226°	73	62	11.00	0.85	26	19	7.00	0.73
	R3	Residential	Unknown	W3 W4	226° 226°	73	62	11.00	0.85	26	18	8.00	0.69
7 Mawson Road													
Ground	R1	Residential	Unknown	W1	226°	67	56	11.00	0.84	23	15	8.00	0.65
	R2	Residential	Unknown	W2	226°	72	59	13.00	0.82	25	17	8.00	0.68
	R3	Residential	Unknown	W3	226°	72	60	12.00	0.83	25	17	8.00	0.68
First	R1	Residential	Unknown	W1	226°	67	56	11.00	0.84	23	15	8.00	0.65
	R2	Residential	Unknown	W2	226°	72	59	13.00	0.82	25	17	8.00	0.68
	R3	Residential	Unknown	W3 W4 W5	226° 226° 134°	72	60	12.00	0.83	25	17	8.00	0.68
Second	R1	Residential	Unknown	W1	226°	65	56	9.00	0.86	23	17	6.00	0.74
	R2	Residential	Unknown	W2	226°	72	61	11.00	0.85	25	19	6.00	0.76

Project Name: Upper Brook Street - Cumulative Project No.: 2022 Report Title: Sunlight - Neighbour Analysis													
Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	Window Orientation	Total Suns per Room Annual Existing	Total Suns per Room Annual Proposed	Annual Suns Lost	Annual Pr/Ex	Total Suns per Room Winter Existing	Total Suns per Room Winter Proposed	Wnter Suns Lost	Winter Pr/Ex
	R3	Residential	Unknown	W3 W4	226° 226°	72	62	10.00	0.86	25	19	6.00	0.76
9 Mawson Road													
Ground	R1	Residential	Unknown	W1	226°	67	57	10.00	0.85	23	16	7.00	0.70
	R2	Residential	Unknown	W2	226°	72	61	11.00	0.85	25	17	8.00	0.68
	R3	Residential	Unknown	W3	226°	72	62	10.00	0.86	25	18	7.00	0.72
First	R1	Residential	Unknown	W1	226°	67	58	9.00	0.87	23	17	6.00	0.74
	R2	Residential	Unknown	W2	226°	72	62	10.00	0.86	25	18	7.00	0.72
	R3	Residential	Unknown	W3 W4 W5	226° 226° 134°	73	63	10.00	0.86	25	18	7.00	0.72
Second	R1	Residential	Unknown	W1	226°	65	57	8.00	0.88	23	18	5.00	0.78
	R2	Residential	Unknown	W2	226°	72	64	8.00	0.89	25	20	5.00	0.80
	R3	Residential	Unknown	W3 W4	226° 226°	72	64	8.00	0.89	25	20	5.00	0.80
11 Mawson Road													
Ground	R1	Residential	Unknown	W1	226°	66	56	10.00	0.85	23	17	6.00	0.74
	R2	Residential	Unknown	W2	226°	72	62	10.00	0.86	25	19	6.00	0.76
	R3	Residential	Unknown	W3	226°	72	63	9.00	0.88	25	20	5.00	0.80
First	R1	Residential	Unknown	W1	226°	66	56	10.00	0.85	23	17	6.00	0.74
	R2	Residential	Unknown	W2	226°	73	62	11.00	0.85	26	19	7.00	0.73
	R3	Residential	Unknown	W3 W4 W5	226° 226° 134°	74	64	10.00	0.86	26	20	6.00	0.77
Second	R1	Residential	Unknown	W1	226°	66	55	11.00	0.83	24	17	7.00	0.71
	R2	Residential	Unknown	W2	226°	73	61	12.00	0.84	26	18	8.00	0.69
	R3	Residential	Unknown	W3 W4	226° 226°	73	63	10.00	0.86	26	20	6.00	0.77
13 Mawson Road													
Ground	R1	Residential	Unknown	W1	225°	67	58	9.00	0.87	23	18	5.00	0.78
	R2	Residential	Unknown	W2	225°	70	60	10.00	0.86	24	18	6.00	0.75
	R3	Residential	Unknown	W3	225°	69	60	9.00	0.87	24	18	6.00	0.75
First	R1	Residential	Unknown	W1	225°	68	58	10.00	0.85	24	18	6.00	0.75
	R2	Residential	Unknown	W2	225°	72	61	11.00	0.85	25	18	7.00	0.72
	R3	Residential	Unknown	W3 W4 W5	225° 225° 133°	73	63	10.00	0.86	25	18	7.00	0.72
Second	R1	Residential	Unknown	W1	225°	66	56	10.00	0.85	24	18	6.00	0.75
	R2	Residential	Unknown	W2	225°	73	62	11.00	0.85	26	19	7.00	0.73
	R3	Residential	Unknown	W3 W4	225° 225°	73	63	10.00	0.86	26	19	7.00	0.73
15 Mawson Road													
Ground	R1	Residential	Unknown	W1	225°	65	55	10.00	0.85	23	16	7.00	0.70
	R2	Residential	Unknown	W2	225°	72	62	10.00	0.86	25	18	7.00	0.72
	R3	Residential	Unknown	W3	225°	72	62	10.00	0.86	25	18	7.00	0.72
First	R1	Residential	Unknown	W1	225°	66	55	11.00	0.83	24	16	8.00	0.67
	R2	Residential	Unknown	W2	225°	73	62	11.00	0.85	26	18	8.00	0.69
	R3	Residential	Unknown	W3 W4 W5	225° 225° 133°	73	62	11.00	0.85	26	18	8.00	0.69

Project Name: Upper Brook Street - Cumulative Project No.: 2022 Report Title: Sunlight - Neighbour Analysis													
Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	Window Orientation	Total Suns per Room Annual Existing	Total Suns per Room Annual Proposed	Annual Suns Lost	Annual Pr/Ex	Total Suns per Room Winter Existing	Total Suns per Room Winter Proposed	Wnter Suns Lost	Winter Pr/Ex
Second	R1	Residential	Unknown	W1	225°	65	54	11.00	0.83	24	16	8.00	0.67
	R2	Residential	Unknown	W2	225°	73	62	11.00	0.85	26	18	8.00	0.69
	R3	Residential	Unknown	W3 W4	225° 225°	73	62	11.00	0.85	26	18	8.00	0.69
17 Mawson Road													
Ground	R1	Residential	Unknown	W1	218°	69	59	10.00	0.86	24	17	7.00	0.71
	R2	Residential	Unknown	W2	218°	76	67	9.00	0.88	26	19	7.00	0.73
	R3	Residential	Unknown	W3	218°	75	66	9.00	0.88	25	19	6.00	0.76
First	R1	Residential	Unknown	W1	218°	71	60	11.00	0.85	25	17	8.00	0.68
	R2	Residential	Unknown	W2	218°	77	67	10.00	0.87	27	19	8.00	0.70
	R3	Residential	Unknown	W3 W4 W5	218° 218° 126°	77	66	11.00	0.86	27	19	8.00	0.70
Second	R1	Residential	Unknown	W1	218°	69	59	10.00	0.86	25	18	7.00	0.72
	R2	Residential	Unknown	W2	218°	77	68	9.00	0.88	27	20	7.00	0.74
	R3	Residential	Unknown	W3 W4	218° 218°	77	67	10.00	0.87	27	20	7.00	0.74
19 Mawson Road													
Ground	R1	Residential	Unknown	W1	208°	70	63	7.00	0.90	25	20	5.00	0.80
	R2	Residential	Unknown	W2	208°	77	71	6.00	0.92	25	21	4.00	0.84
	R3	Residential	Unknown	W3	208°	78	71	7.00	0.91	25	20	5.00	0.80
First	R1	Residential	Unknown	W1	208°	75	67	8.00	0.89	26	20	6.00	0.77
	R2	Residential	Unknown	W2	208°	79	72	7.00	0.91	26	21	5.00	0.81
	R3	Residential	Unknown	W3 W4 W5	208° 208° 118°	79	71	8.00	0.90	26	20	6.00	0.77
Second	R1	Residential	Unknown	W1	208°	75	67	8.00	0.89	27	21	6.00	0.78
	R2	Residential	Unknown	W2	208°	81	74	7.00	0.91	28	23	5.00	0.82
	R3	Residential	Unknown	W3 W4	208° 208°	80	72	8.00	0.90	27	21	6.00	0.78
21 Mawson Road													
Ground	R1	Residential	Unknown	W1	199°	72	66	6.00	0.92	25	20	5.00	0.80
	R2	Residential	Unknown	W2	199°	83	75	8.00	0.90	27	22	5.00	0.81
	R3	Residential	Unknown	W3	199°	82	75	7.00	0.91	26	22	4.00	0.85
First	R1	Residential	Unknown	W1	199°	77	70	7.00	0.91	26	21	5.00	0.81
	R2	Residential	Unknown	W2	199°	84	78	6.00	0.93	28	24	4.00	0.86
	R3	Residential	Unknown	W3 W4 W5	199° 199° 109°	84	77	7.00	0.92	28	23	5.00	0.82
Second	R1	Residential	Unknown	W1	199°	77	69	8.00	0.90	27	21	6.00	0.78
	R2	Residential	Unknown	W2	199°	85	78	7.00	0.92	29	24	5.00	0.83
	R3	Residential	Unknown	W3 W4	199° 199°	85	77	8.00	0.91	29	23	6.00	0.79
23 Mawson Road													
Ground	R1	Residential	Unknown	W1	192°	71	67	4.00	0.94	25	22	3.00	0.88
	R2	Residential	Unknown	W2	192°	85	79	6.00	0.93	28	24	4.00	0.86
	R3	Residential	Unknown	W3	192°	84	79	5.00	0.94	27	23	4.00	0.85
First	R1	Residential	Unknown	W1	192°	78	73	5.00	0.94	26	22	4.00	0.85
	R2	Residential	Unknown	W2	192°	85	80	5.00	0.94	28	24	4.00	0.86

Project Name: Upper Brook Street - Cumulative Project No.: 2022 Report Title: Sunlight - Neighbour Analysis													
Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	Window Orientation	Total Suns per Room Annual Existing	Total Suns per Room Annual Proposed	Annual Suns Lost	Annual Pr/Ex	Total Suns per Room Winter Existing	Total Suns per Room Winter Proposed	Wnter Suns Lost	Winter Pr/Ex
	R3	Residential	Unknown	W3 W4 W5	192° 192° 102°	92	87	5.00	0.95	28	24	4.00	0.86
Second	R1	Residential	Unknown	W1	192°	78	72	6.00	0.92	27	22	5.00	0.81
	R2	Residential	Unknown	W2	192°	86	80	6.00	0.93	29	24	5.00	0.83
	R3	Residential	Unknown	W3 W4	192° 192°	86	80	6.00	0.93	29	24	5.00	0.83
46 Hanworth Close													
Ground	R1	Residential	Unknown	W1 W2 W3 W4	147° 147° 147° 147°	80	52	28.00	0.65	26	8	18.00	0.31
	R2	Residential	Unknown	W5	147°	68	47	21.00	0.69	23	7	16.00	0.30
First	R1	Residential	Unknown	W1 W2	147° 147°	77	51	26.00	0.66	26	8	18.00	0.31
	R2	Residential	Unknown	W3	147°	73	52	21.00	0.71	26	8	18.00	0.31
44 Hanworth Close													
Ground	R1	Residential	Unknown	W1 W2 W3 W4	147° 147° 147° 147°	80	55	25.00	0.69	26	9	17.00	0.35
	R2	Residential	Unknown	W5	147°	67	48	19.00	0.72	23	7	16.00	0.30
First	R1	Residential	Unknown	W1 W2	147° 147°	76	55	21.00	0.72	26	9	17.00	0.35
	R2	Residential	Unknown	W3	147°	73	54	19.00	0.74	26	8	18.00	0.31
42 Hanworth Close													
Ground	R1	Residential	Unknown	W1 W2 W3 W4	147° 147° 147° 147°	80	57	23.00	0.71	26	9	17.00	0.35
	R2	Residential	Unknown	W5	147°	67	47	20.00	0.70	23	6	17.00	0.26
First	R1	Residential	Unknown	W1 W2	147° 147°	76	58	18.00	0.76	26	10	16.00	0.38
	R2	Residential	Unknown	W3	147°	74	57	17.00	0.77	27	11	16.00	0.41
40 Hanworth Close													
Ground	R1	Residential	Unknown	W1 W2	147° 147°	80	60	20.00	0.75	26	9	17.00	0.35
	R2	Residential	Unknown	W3	147°	68	51	17.00	0.75	23	7	16.00	0.30
First	R1	Residential	Unknown	W1 W2	147° 147°	78	60	18.00	0.77	27	11	16.00	0.41
	R2	Residential	Unknown	W3	147°	74	59	15.00	0.80	27	12	15.00	0.44
38 Hanworth Close													
Ground	R1	Residential	Unknown	W1 W2 W3 W4	147° 147° 147° 147°	80	62	18.00	0.78	26	10	16.00	0.38
	R2	Residential	Unknown	W5	147°	71	56	15.00	0.79	24	9	15.00	0.38
First	R1	Residential	Unknown	W1 W2	147° 147°	78	64	14.00	0.82	27	13	14.00	0.48
	R2	Residential	Unknown	W3	147°	75	62	13.00	0.83	27	14	13.00	0.52
8 Wadesmill Walk													
Ground	R1	Residential	Unknown	W1	242°	53	37	16.00	0.70	20	13	7.00	0.65
	R2	Residential	Unknown	W2	242°	55	39	16.00	0.71	18	11	7.00	0.61
	R3	Residential	Unknown	W3 W4	242° 242°	53	39	14.00	0.74	15	10	5.00	0.67
First	R1	Residential	Unknown	W1	242°	54	39	15.00	0.72	20	13	7.00	0.65

Project Name: Upper Brook Street - Cumulative Project No.: 2022 Report Title: Sunlight - Neighbour Analysis													
Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	Window Orientation	Total Suns per Room Annual Existing	Total Suns per Room Annual Proposed	Annual Suns Lost	Annual Pr/Ex	Total Suns per Room Winter Existing	Total Suns per Room Winter Proposed	Wnter Suns Lost	Winter Pr/Ex
	R2	Residential	Unknown	W2	242°	53	37	16.00	0.70	19	12	7.00	0.63
	R3	Residential	Unknown	W3	242°	55	37	18.00	0.67	19	12	7.00	0.63
6 Wadesmill Walk													
Ground	R1	Residential	Unknown	W1	242°	51	39	12.00	0.76	14	11	3.00	0.79
	R2	Residential	Unknown	W2	242°	53	39	14.00	0.74	13	9	4.00	0.69
	R3	Residential	Unknown	W3 W4	242° 242°	49	37	12.00	0.76	10	8	2.00	0.80
First	R1	Residential	Unknown	W1	242°	55	38	17.00	0.69	19	12	7.00	0.63
	R2	Residential	Unknown	W2	242°	55	38	17.00	0.69	19	12	7.00	0.63
	R3	Residential	Unknown	W3	242°	54	38	16.00	0.70	18	13	5.00	0.72
4 Wadesmill Walk													
Ground	R1	Residential	Unknown	W1	242°	50	42	8.00	0.84	14	12	2.00	0.86
	R2	Residential	Unknown	W2	242°	50	43	7.00	0.86	12	11	1.00	0.92
	R3	Residential	Unknown	W3 W4	242° 242°	48	40	8.00	0.83	11	9	2.00	0.82
First	R1	Residential	Unknown	W1	242°	55	46	9.00	0.84	19	14	5.00	0.74
	R2	Residential	Unknown	W2	242°	53	44	9.00	0.83	18	14	4.00	0.78
	R3	Residential	Unknown	W3	242°	53	44	9.00	0.83	18	14	4.00	0.78
2 Wadesmill Walk													
Ground	R1	Residential	Unknown	W1	242°	44	36	8.00	0.82	11	9	2.00	0.82
	R2	Residential	Unknown	W2	242°	46	38	8.00	0.83	11	9	2.00	0.82
	R3	Residential	Unknown	W3 W4	242° 242°	45	38	7.00	0.84	10	9	1.00	0.90
First	R1	Residential	Unknown	W1	242°	53	43	10.00	0.81	18	14	4.00	0.78
	R2	Residential	Unknown	W2	242°	54	43	11.00	0.80	19	14	5.00	0.74
	R3	Residential	Unknown	W3	242°	52	41	11.00	0.79	17	13	4.00	0.76
7 Litcham Close													
Ground	R1	Residential	Unknown	W1	242°	42	37	5.00	0.88	13	8	5.00	0.62
First	R1	Residential	Unknown	W1	242°	42	37	5.00	0.88	15	10	5.00	0.67
	R2	Residential	Unknown	W2	242°	42	37	5.00	0.88	16	11	5.00	0.69
1 Litcham Close													
Ground	R1	Residential	Unknown	W1	242°	45	41	4.00	0.91	14	11	3.00	0.79
First	R1	Residential	Unknown	W1	242°	44	39	5.00	0.89	17	13	4.00	0.76
	R2	Residential	Unknown	W2	152°	78	72	6.00	0.92	24	19	5.00	0.79
5 Litcham Close													
Ground	R1	Residential	Unknown	W1	242°	43	39	4.00	0.91	13	9	4.00	0.69
First	R1	Residential	Unknown	W1	242°	43	37	6.00	0.86	16	11	5.00	0.69
	R2	Residential	Unknown	W2	242°	44	39	5.00	0.89	18	13	5.00	0.72
3 Litcham Close													
Ground	R1	Residential	Unknown	W1	242°	44	41	3.00	0.93	14	11	3.00	0.79
First	R1	Residential	Unknown	W1	242°	44	40	4.00	0.91	18	14	4.00	0.78
	R2	Residential	Unknown	W2	242°	43	39	4.00	0.91	17	14	3.00	0.82
9 Justin Close													
Ground	R1	Residential	Unknown	W1	240°	38	25	13.00	0.66	10	4	6.00	0.40
	R2	Residential	Unknown	W2	240°	39	27	12.00	0.69	5	0	5.00	0.00
	R3	Residential	Unknown	W3 W4	240° 240°	64	44	20.00	0.69	22	12	10.00	0.55
	R4	Residential	Unknown	W5	240°	64	43	21.00	0.67	22	11	11.00	0.50

Project Name: Upper Brook Street - Cumulative Project No.: 2022 Report Title: Sunlight - Neighbour Analysis													
Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	Window Orientation	Total Suns per Room Annual Existing	Total Suns per Room Annual Proposed	Annual Suns Lost	Annual Pr/Ex	Total Suns per Room Winter Existing	Total Suns per Room Winter Proposed	Wnter Suns Lost	Winter Pr/Ex
	R5	Residential	Unknown	W6	240°	64	42	22.00	0.66	22	11	11.00	0.50
	R6	Residential	Unknown	W7	240°	64	41	23.00	0.64	22	10	12.00	0.45
	R7	Residential	Unknown	W8 W9 W10	240° 240° 240°	27	11	16.00	0.41	11	4	7.00	0.36
	R8	Residential	Unknown	W11 W12	240° 150°	94	73	21.00	0.78	26	15	11.00	0.58
	R9	Residential	Unknown	W13	150°	77	67	10.00	0.87	24	15	9.00	0.63
	R10	Residential	Unknown	W14	150°	77	69	8.00	0.90	24	16	8.00	0.67
First	R2	Residential	Unknown	W2	240°	53	33	20.00	0.62	19	9	10.00	0.47
	R3	Residential	Unknown	W3	240°	53	33	20.00	0.62	19	9	10.00	0.47
	R4	Residential	Unknown	W4	240°	53	32	21.00	0.60	19	8	11.00	0.42
	R5	Residential	Unknown	W5 W6	240° 150°	96	78	18.00	0.81	27	19	8.00	0.70
	R6	Residential	Unknown	W7	150°	77	69	8.00	0.90	26	18	8.00	0.69
2 Stockland Close													
Ground	R1	Residential	Unknown	W1	242°	32	24	8.00	0.75	6	3	3.00	0.50
	R2	Residential	Unknown	W2	242°	61	50	11.00	0.82	21	15	6.00	0.71
First	R1	Residential	Unknown	W1	242°	56	45	11.00	0.80	19	14	5.00	0.74
	R2	Residential	Unknown	W2	242°	56	45	11.00	0.80	19	14	5.00	0.74
6 Stockland Close													
Ground	R1	Residential	Unknown	W1 W2	242° 242°	51	42	9.00	0.82	13	9	4.00	0.69
	R2	Residential	Unknown	W3	242°	58	48	10.00	0.83	18	13	5.00	0.72
First	R1	Residential	Unknown	W1	242°	56	47	9.00	0.84	19	15	4.00	0.79
	R2	Residential	Unknown	W2	242°	56	48	8.00	0.86	19	15	4.00	0.79
8 Stockland Close													
Ground	R1	Residential	Unknown	W1	242°	32	25	7.00	0.78	6	4	2.00	0.67
	R2	Residential	Unknown	W2	242°	52	47	5.00	0.90	12	12	0.00	1.00
First	R1	Residential	Unknown	W1	242°	56	46	10.00	0.82	19	14	5.00	0.74
	R2	Residential	Unknown	W2	242°	55	46	9.00	0.84	18	14	4.00	0.78
4 Stockland Close													
Ground	R1	Residential	Unknown	W1 W2	242° 242°	53	42	11.00	0.79	13	7	6.00	0.54
	R2	Residential	Unknown	W3	242°	62	50	12.00	0.81	21	14	7.00	0.67
First	R1	Residential	Unknown	W1	242°	56	44	12.00	0.79	19	13	6.00	0.68
	R2	Residential	Unknown	W2	242°	56	46	10.00	0.82	19	14	5.00	0.74