




For walkway build up proposals and drainage see architects proposal dwgs:

LRFS-PUR-01-(01-03)-DR-A-4116, 4117 & 4118

LRFS-PUR-01-ZZ-DR-A-4007 & 4108


-RWPs to generally be vertical runs where possible.

Roof drainage to be separate from walkway drainage.

Reuse existing, historic RWP roof outlets and veridical routes for roof drainage. Surface water from walkways to be collected into 'Wade' drainage channels and discharged into the channel below. Keep routes vertical where possible. Where routes are to travel horizontally (internal and external) allow for pipes to be underslung to soffit with suitable fixings to falls as recommended by manufacturer.

00 Allow for small change in directions to avoid fenestration, all routes to be agreed with architect.

-RWP dimension from wall shown indicatively




Notes:

Drawings are based on survey data and may not accurately represent what is physically present.

Do not scale from this drawing. All dimensions are to be verified on site before proceeding with the work.

All dimensions are in millimeters unless noted otherwise.

Purcell shall be notified in writing of any discrepancies.

C.01	19/12/22	For Construction		
C.02	11.12.2023	Aconex upload - For review and comment		
C.03	21.05.2024	Aconex upload - Previous Status A, now For Construction		
REV	DATE	DESCRIPTION		
CLIENT Allied London		 PURCELL		
PROJECT London Road Fire Station				
JOB NUMBER 240242				
TITLE Proposed Walkway Setting Out Second Floor				
SIZE	SCALE	LAST REVISED	DRAWN	CHECKED
AIL	As indicated	21/05/2024 10:19:26	AV	DC
REV	SUITABILITY/REASON FOR ISSUE			
C.03	FOR CONSTRUCTION			
DRAWING NUMBER LRFS-PUR-00-02-DR-A-111				
Sc James', 79 Oxford Street, Manchester, M1 6PQ © PURCELL 2019. PURCELL. ® IS THE TRADING NAME OF PURCELL ARCHITECTURE LTD.				