



1. FRAME / COVER TO BE TYPE D400, 450mm X 450mm AND 150mm DEEP.
2. FRAME SHOULD BE SET 6mm LOWER THAN ADJACENT SURFACE AND IN THE SAME PLANE.



- | | |
|---|-----------------------------------|
| DRAWING TO BE READ IN CONJUNCTION WITH: | |
| • 23-026-1&L-A00 | GENERAL ARRANGEMENT |
| • 23-026-1&L-A01 | SITE CLEARANCE AND EXCAVATIONS |
| • 23-026-1&L-A02 | SITE KERBING AND SURFACE FINISHES |
| • 23-026-1&L-A03 | LEVELS AND DRAINAGE |
| • 23-026-1&L-A04 | COMBINED SERVICES |
| • 23-026-1&L-A05 | ROAD MARKINGS AND SIGNAGE |
| • 23-026-1&L-A06 | ROAD VISIBILITY SPLAYS |
| • 23-026-1&L-A07 | CONSTRUCTION DETAILS |
| • 23-026-1&L-A08 | SETTING OUT |
| • 23-026-1&L-A09 | LEGAL AGREEMENT PLAN |
| CUDD BENTLEY DRAWING 6624-CBC-OR-SC-001-P01 | |

T2	19.08.24	COUNCIL COMMENTS INCORPORATED	NM	IL
T1	02.07.24	ISSUED FOR APPROVAL	NM	IL
Rev	Date	Description	Technician	Reviewer



Project
CRABTREE LANE, CLAYTON

HIGHWAYS WORKS
CONSTRUCTION DETAILS

Drawing Set	Drawing Status	Scale	Project Number	Drawing Number	Revision
APPROVAL	TENDER	AS SHOWN @ A1	23-026-I&L	A07	T2