

Boundary Treatments Key

- Proposed delivery ramp retaining wall topped with 1100mm galvanised steel guard rail
- Open Boundary - Existing walls/fences to be removed
- Existing building walls to be removed
- Existing metal fence/gate to remain
- Existing external timber panel fence to remain
- Existing external brick walls to remain, to be maintained / repaired as required
- Existing metal fence/gate/barrier to be removed
- Existing external walls to be removed
- Proposed 2.1m high close boarded timber fence
- Proposed 1.8m high Paladin steel fence and gates painted grey RAL 7038 in line with Lidl spec
- Proposed 2.5m high lose-board timber acoustic Barrier Fence. Minimum mass 12kg/sqm



EXISTING TREES PER AWA SURVEY REF: TREE CONSTRAINTS PLAN HOLLINWOOD AVENUE AWA622

BASED ON TECHNICS SURVEY REF: SP241170-0924-01A

THIS DRAWING IS COPYRIGHT, AND REMAINS THE PROPERTY OF HTC ARCHITECTS. IT MUST NOT BE REPRODUCED, USED, DISCLOSED OR TRANSMITTED TO THIRD PARTIES IN ANY FORM, IN WHOLE OR IN PART, WITHOUT PRIOR WRITTEN PERMISSION.

DO NOT SCALE!
ALL DIMENSIONS SHOULD BE CHECKED ON SITE BEFORE WORK COMMENCES

Rev.	Date	Description
B	24/03/2025	Removed retaining wall to back of store footpath after levels strategy update 18.03.25 and added acoustic barriers per Miller Goodall report ref: NA103222
A	05/03/2025	Updated existing trees per AWA survey ref: Tree Constraints Plan Hollinwood Avenue AWA6229.

client



Lidl GB Ltd

project

Hollinwood Ave, Manchester

drawing title

Proposed Boundary Treatments Site Plan

date September 2024

status Planning

scale 1:500 @ A3

drawn JBH checked MH

job no. 3607 dwg no. P405

rev. B

htcarchitects

York Place Studio
8 Britannia Street
Leeds
LS1 2DZ
T: (0113) 244 3457
W: www.htcarchitects.co.uk
E: info@htcarchitects.co.uk