

## BS 5837:2012 tree inspection report for Heaton Park

---

This is a visual inspection only and does not include a climbing survey unless stated. No diagnostic equipment was used unless stated. It was carried out in accordance with the relevant sections of BS 5837:2012 'Trees in relation to design, demolition and construction – Recommendations'. Trees are living organisms and change over time, therefore an annual inspection is recommended. Equally, freak gusts of wind can on occasion, blow over apparently sound trees. Therefore, trees should not be used in very windy conditions and after strong winds, the base areas should be checked for signs of heave as this would indicate root damage. Also, the crowns should be checked for broken, hanging branches. Where these are evident, they must be removed before activities recommence. Should any fungal brackets appear on any of the trees, please contact me with either a description or send me a photo so that I can ascertain its significance.

The trees which were inspected are in a sloped wooded area with a stream between the two halves. There are several footpaths used by the public which cross through the woods, however, many people wander off the paths and amongst the trees. This means that public safety must be a key consideration unless the public can be excluded. The main species are oak, beech and ash. Many of the inspected trees are all of a similar age and size. The condition of the majority of trees is symptomatic of a neglected woodland. They have typical issues for trees of this age and size i.e. included unions, dying trees, lop-sided crowns, etc. The inspected trees have been previously tagged for ease of identification, however, there are several different types of tags used, which makes identifying trees a slow process. Ideally, all tags should be on the same facing side of the tree i.e. north. As several tags each year are removed or become detached from the tree, there are now four different types and colours of tags in use. To make identification easier, I have noted the colour of the tag being used for identification (Y – yellow, S – silver, G – green). Previously, Tom the Site Manager had re-tagged all the activity trees and put them in sequence based upon the activity areas. This has made it much easier to find specific trees. Due to the nature of the woodland and the growth patterns, the height measure and branch spread given is approximate. The branch spread for several trees is one-sided due to the proximity of neighbouring trees. Whilst ivy on trees isn't normally a problem, it can make it very difficult to fully inspect the trunk therefore on trees being used for activities, the ivy should be removed. I have not given the SULE (Safe Useful Life Expectancy) as the trees will be inspected on an annual basis. Unless specifically stated, all trees are safe to use for at least 12 months. My understanding is that the net course or parts of it are to be renewed within the next 12 months at which time some trees will be taken out of action and new ones utilised. Some trees (beech) are infected with heart rooting fungus called Ganoderma and as time has gone by, the decay has worsened and therefore these trees need to be taken out of use. **All trees infected with Ganoderma should be felled before the new activities are installed as this will be more difficult and expensive to do after the installation.**

Tom and I have previously discussed the impact of Ash Dieback in the woodland as many of the ash are infected with the disease. I pointed out that current Forestry Commission advice is not to indiscriminately fell infected ash trees but to monitor them and if large deadwood develops then remove it. **Many of the smaller ash trees have started to succumb to the disease and are in a poor condition. As some of these are being used as part of the net course, I**

## BS 5837:2012 tree inspection report for Heaton Park

recommend that ideally, they be taken out of use, but if this isn't possible within the next 3-6 months, then the tops and large branches need to be removed for safety reasons. When the new net course is created, do not use any of Ash trees. Ideally, they should be removed before the new course is created.

Tom and I looked at specific trees in the area for the new activities.






There is an ash tree by the gate, opposite T39 which is not tagged as it isn't in use, **but it has some large deadwood over the course which needs to be removed for safety reasons.**

The RPA is given as nominal radius using BS 5837:2012 guidelines. I have not included RPA's for trees which are outside the perimeter fence, nor the onbes to be felled inside the perimeter fence.

This report is valid for 12 months from the date shown below.

| Tree | Species            | Ht (m) | Dia (cm) | Crown Spread                 | C Ht (m) | Age Class    | Condition<br>P \ S | BS Cat | Defects / Comments                                                                                                                                                                                                  |
|------|--------------------|--------|----------|------------------------------|----------|--------------|--------------------|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 002  | Fraxinus excelsior | 20m+   | 30cm     | N 3m<br>E 2m<br>S 4m<br>W 4m | 8m       | Early mature | Fair<br>Fair       | C1     | The tree contains some minor deadwood. It has several bark wounds and some occluded wounds. The tree is suffering from Ash Dieback Disease. There are no other obvious signs of defect or decay.<br><br>RPA – 3.60m |
| 3110 | Fraxinus excelsior | 20m+   | 36cm     | N 3m<br>E 3m                 | 8m       | Early mature | Fair               | C1     | The tree contains some minor deadwood. It contains several barks and some occluded wounds. The tree is suffering from Ash Dieback Disease. There are no other                                                       |

## BS 5837:2012 tree inspection report for Heaton Park

|              |                       |      |      |                              |     |                 |                                                                                       |    |                                                                                                                                                                                                                                               |
|--------------|-----------------------|------|------|------------------------------|-----|-----------------|---------------------------------------------------------------------------------------|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|              |                       |      |      | S 3m<br>W 4m                 |     |                 |    |    | obvious signs of defect or decay.<br><br>RPA – 4.32m                                                                                                                                                                                          |
| 004<br>3949S | Fraxinus<br>excelsior | 18m+ | 33cm | N 2m<br>E 3m<br>S 2m<br>W 2m | 7m  | Early<br>mature |    | C1 | The tree contains minor deadwood. It is suffering from Ash Dieback Disease. There are no other obvious signs of defect or decay.<br><br>RPA – 3.96m                                                                                           |
| 3089         | Sycamore              | 20m+ | 67cm | N 4m<br>E 4m<br>S 3m<br>W 4m | 5m  | Early<br>mature |    | B1 | The tree contains minor deadwood. The baulks / battens at the base are starting to dig in. There are no other obvious signs of defect or decay.<br><br>RPA – 8.04m                                                                            |
| 0160         | Fraxinus<br>excelsior | 20m+ | 61cm | N 7m<br>E 6m<br>S 7m<br>W 7m | 15m | Early<br>mature |   | C1 | This tree has buttressed roots and has several occluded wounds. It contains minor deadwood. It has a rib bulge at 3m. The tree is suffering from Ash Dieback Disease. There are no other obvious signs of defect or decay.<br><br>RPA – 7.32m |
| 007          | Fraxinus<br>excelsior | 20m+ | 36cm | N 4m                         | 8m  | Early           |  | C1 | The tree has several bark wounds and has several occluded wounds. <b>It contains some large deadwood</b>                                                                                                                                      |

## BS 5837:2012 tree inspection report for Heaton Park

|              |                    |      |       |                              |     |              |      |        |                                                                                                                                                                                                                                                                                                                                                                    |
|--------------|--------------------|------|-------|------------------------------|-----|--------------|------|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|              |                    |      |       | E 3m<br>S 4m<br>W 3m         |     | mature       | Fair |        | <b>which needs to be removed for safety reasons.</b> The baulks / battens are starting to dig in. The tree is suffering from Ash Dieback Disease. There are no other obvious signs of defect or decay.<br><br>RPA – 4.32m                                                                                                                                          |
| 3084         | Fraxinus excelsior | 20m+ | 39cm  | N 3m<br>E 2m<br>S 3m<br>W 2m | 10m | Early mature | Poor | C1 / U | This tree has buttressed roots and has several occluded wounds. It contains minor deadwood. The baulks/battens are starting to dig in. The top of the tree is dead. The tree is suffering from Ash Dieback Disease. There are no other obvious signs of defect or decay.<br><br><b>The top of the tree is dying / dead. Do not use as a high guy for the nets.</b> |
| 009          | Fraxinus excelsior | 12m+ | 36 cm | N 2m<br>E 2m<br>S 2m<br>W 2m | 11m | Early mature | Fair | C1 / U | This tree has buttressed roots and contains some minor deadwood. There is a small hanging branch which needs to be removed. The tree is suffering from Ash Dieback Disease. The top of the tree has been reduced. There are no other obvious signs of defect or decay.<br><br><b>Considering relocating the guy attached to this tree.</b>                         |
| 010<br>3135S | Fagus sylvatica    | 20m+ | 38 cm | N 5m<br>E 4m<br>S 5m         | 5m  | Early mature | Fair | C1 / U | This tree has buttressed roots. The trunk forks at 2m. <b>The tree contains some large deadwood which needs to be removed for safety reasons.</b> It has several branch wounds. The tree has a sparse crown and is in terminal decline. The cable and the baulks are starting to dig in.                                                                           |

## BS 5837:2012 tree inspection report for Heaton Park

|             |                    |      |      |                              |     |              |      |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------|--------------------|------|------|------------------------------|-----|--------------|------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|             |                    |      |      | W 6m                         |     |              | Fair |        | There are no other obvious signs of defect or decay.<br><br><b>Remove dead top and large dead branches for safety reasons.</b>                                                                                                                                                                                                                                                                                                                       |
| 3094        | Fagus sylvatica    | 15m+ | 92cm | N 7m<br>E 7m<br>S 9m<br>W 9m | 5m  | Mature       | Fair | C1     | This tree has buttressed roots and some bark wounds. The trunk forks at 6m and 7m and has included unions at each of these areas. The tree has several occluded wounds. It has in the past been heavily reduced and pollarded. The tree contains minor deadwood. There is Beech Bark Disease from the first fork down to the base of the trunk. This needs to be monitored. There are no other obvious signs of defect or decay.<br><br>RPA – 11.04m |
| 012         | Fagus sylvatica    | 20m+ | 52cm | N 5m<br>E 6m<br>S 6m<br>W 6m | 7m  | Early mature | Good | B1     | The tree has buttressed roots and some bark wounds on the trunk. It contains occluded wounds and contains minor deadwood. The baulks / battens are starting to dig in. There are no other obvious signs of defect or decay.<br><br>RPA – 6.24m                                                                                                                                                                                                       |
| 13<br>3952S | Fraxinus excelsior | 3m+  | 34cm | N<br>E<br>S                  | 30m | Early mature | Poor | C1 / U | This tree is in poor condition with little life left in it. It has been reduced to a 3m pole. <b>This is only a short term solution and the pole will need to be taken out of use within 3 months.</b> The tree is suffering from Ash Dieback Disease. There are no other obvious signs of                                                                                                                                                           |

## BS 5837:2012 tree inspection report for Heaton Park

|             |                       |      |       |                              |    |                 |                  |           |                                                                                                                                                                                                                                                                                                                                         |
|-------------|-----------------------|------|-------|------------------------------|----|-----------------|------------------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|             |                       |      |       | W                            |    |                 | Poor             |           | defect or decay.                                                                                                                                                                                                                                                                                                                        |
| 14<br>3959S | Fraxinus<br>excelsior | 2m+  | 38cm  | N<br>E<br>S<br>W             | 2m | Early<br>mature | Poor<br><br>Poor | C1 /<br>U | This tree has buttressed roots. The tree is thin and spindly. The top of the tree has been removed and left as a 2m pole. <b>This is only a short term solution and the pole will need to be taken out of use within 3 months.</b> The tree is suffering from Ash Dieback Disease. There are no other obvious signs of defect or decay. |
| 0161        | Fraxinus<br>excelsior | 18m+ | 32 cm | N 2m<br>E 1m<br>S 1m<br>W 2m | 8m | Early<br>mature | Fair<br><br>Fair | C1 /<br>U | The tree has buttressed roots and contains some minor deadwood. The tree is thin and spindly. The tree is suffering from Ash Dieback Disease. There are no other obvious signs of defect or decay.<br><br>RPA – 3.84m                                                                                                                   |
| 16          | Fraxinus<br>excelsior | 8m+  | 33cm  | N<br>E<br>S<br>W             | 8m | Early<br>mature | Poor<br><br>Poor | C1 /<br>U | The tree has buttressed roots. The top of the tree was dead and it has been reduced to an 8m pole. The tree is suffering from Ash Dieback Disease. There are no other obvious signs of defect or decay.<br><br><b>This is a short term solution only and the tree needs to stop being used within the next 6 months.</b>                |
| 17          | Fagus<br>sylvatica    | 20m+ | 47cm  | N 4m<br>E 4m<br>S 4m         | 2m | Early<br>mature | Good             | B1        | The tree has buttressed roots and some bark wounds on the trunk. The tree contains some minor deadwood. There are no other obvious signs of defect or decay.<br><br>RPA – 5.64m                                                                                                                                                         |

## BS 5837:2012 tree inspection report for Heaton Park

|             |                       |      |      |                                          |    |                 |                                                  |           |                                                                                                                                                                                                                                                                                                                                           |
|-------------|-----------------------|------|------|------------------------------------------|----|-----------------|--------------------------------------------------|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|             |                       |      |      | W 5m                                     |    |                 | Good                                             |           |                                                                                                                                                                                                                                                                                                                                           |
| 18<br>3950S | Fraxinus<br>excelsior | 3m+  | 40cm | N<br><br>E<br><br>S<br><br>W             | 3m | Early<br>mature | Poor<br><br><br><br><br><br><br><br><br><br>Poor | C1 /<br>U | The tree has buttressed roots. The top of the tree was dead and has been removed leaving a 3m pole. <b>This is a short-term solution only.</b> The tree is suffering from Ash Dieback Disease. There are no other obvious signs of defect or decay.<br><br><b>I recommend that the tree be taken out of use within the next 6 months.</b> |
| 19<br>3146S | Fagus<br>sylvatica    | 20m+ | 64cm | N 4m<br><br>E 6m<br><br>S 7m<br><br>W 5m | 7m | Early<br>mature | Good<br><br><br><br><br><br><br>Good             | B1        | The tree has buttressed roots and contains minor deadwood. It has several occluded wounds. There are no other obvious signs of defect or decay.<br><br>RPA – 7.68m                                                                                                                                                                        |
| 20<br>3152S | Fagus<br>sylvatica    | 20m+ | 60cm | N 7m<br><br>E 6m<br><br>S 8m<br><br>W 5m | 5m | Early<br>mature | Good<br><br><br><br><br><br><br>Good             | B1        | The tree has buttressed roots with minor bark wounds on exposed roots. The tree contains minor deadwood. There are several occluded wounds and some small open wounds. There are no other obvious signs of defect or decay.<br><br>RPA – 7.20m                                                                                            |
| 0197        | Fagus                 | 20m+ | 49cm | N 5m                                     | 6m | Early           | Good                                             | B1        | The tree has buttressed roots with minor bark wounds                                                                                                                                                                                                                                                                                      |

## BS 5837:2012 tree inspection report for Heaton Park

|      |                 |      |      |                              |    |              |      |    |                                                                                                                                                                                                                                  |
|------|-----------------|------|------|------------------------------|----|--------------|------|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|      | sylvatica       |      |      | E 5m<br>S 6m<br>W 5m         |    | mature       | Good |    | on exposed roots. It contains minor deadwood. There are several occluded wounds and some small open wounds. The baulks / battens are starting to dig in. There are no other obvious signs of defect or decay.<br><br>RPA – 5.88m |
| 3499 | Fagus sylvatica | 20m+ | 58cm | N 5m<br>E 4m<br>S 4m<br>W 5m | 8m | Early mature | Good | B1 | This tree has buttressed roots and it contains minor deadwood. The tree has some pruning wounds. There are no other obvious signs of defect or decay.<br><br>RPA – 6.96m                                                         |
| 23   | Fagus sylvatica | 20m+ | 69cm | N 6m<br>E 7m<br>S 7m<br>W 6m | 9m | Early mature | Good | B1 | This tree has buttressed roots and it contains minor deadwood. It has several occluded wounds. There are no other obvious signs of defect or decay.<br><br>RPA – 8.28m                                                           |
| 3497 | Fagus sylvatica | 20m+ | 51cm | N 4m<br>E 4m<br>S 4m<br>W 4m | 9m | Early mature | Good | B1 | This tree has buttressed roots and contains minor deadwood. The tree has several pruning wounds. There are no other obvious signs of defect or decay.<br><br>RPA – 6.12m                                                         |
| 025  | Fagus           | 20m+ | 78cm | N 5m                         | 3m | Early        | Good | B1 | This tree has buttressed roots with bark wounds on                                                                                                                                                                               |

## BS 5837:2012 tree inspection report for Heaton Park

|              |                       |      |      |                              |     |                 |      |      |                                                                                                                                                                                                                     |
|--------------|-----------------------|------|------|------------------------------|-----|-----------------|------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|              | sylvatica             |      |      | E 6m<br>S 9m<br>W 4m         |     | mature          | Good |      | exposed roots. The tree contains minor deadwood and has several branch stubs. There is some staining on the lower – monitor. There are no other obvious signs of defect or decay.<br><br>RPA – 9.36m                |
| 026<br>3155S | Fagus<br>sylvatica    | 20m+ | 49cm | N 5m<br>E 5m<br>S 5m<br>W 4m | 7m  | Early<br>mature | Good | B1   | The tree has buttressed roots. It contains some minor deadwood. The tree contains some occluded wounds and branch stubs. There are no other obvious signs of defect or decay.<br><br>RPA – 5.88m                    |
| 027<br>3162S | Fagus<br>sylvatica    | 20m+ | 63cm | N 5m<br>E 7m<br>S 7m<br>W 6m | 6m  | Early<br>mature | Good | B1   | The tree has buttressed roots with minor bark wounds on some exposed roots. It contains minor deadwood. There are several occluded wounds. There are no other obvious signs of defect or decay.<br><br>RPA – 7.56m  |
| 28           | Fraxinus<br>excelsior | 18m+ | 33cm | N 3m<br>E 2m<br>S 3m<br>W 1m | 11m | Early<br>mature | Fair | C1   | The tree has buttressed roots. It has a thin and spindly trunk. It contains minor deadwood. The tree is suffering from Ash Dieback Disease. There are no other obvious signs of defect or decay.<br><br>RPA – 3.96m |
| 29           | Fraxinus              | 4m+  | 38cm | N                            | 4m  | Early           | Poor | C1 / | The tree has buttressed roots. It has been topped out at                                                                                                                                                            |

## BS 5837:2012 tree inspection report for Heaton Park

|      |                 |      |       |                              |    |              |      |        |                                                                                                                                                                                                                                                                                                                             |
|------|-----------------|------|-------|------------------------------|----|--------------|------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|      | excelsior       |      |       | E<br>S<br>W                  |    | mature       | Poor | U      | about 4m and is being used as a pole. <b>The attachment needs to be relocated within the next 3 months as the timber will become brittle.</b> There are no other obvious signs of defect or decay.                                                                                                                          |
| 0180 | Fagus sylvatica | 20m+ | 80cm  | N 7m<br>E 7m<br>S 5m<br>W 5m | 6m | Early mature | Fair | B1     | The tree has buttressed roots and an acute angled fork at 6m with an included union. It has a large branch wound where a limb has been blown off in storms. The tree contains minor deadwood. It has several occluded wounds. There are no other obvious signs of defect or decay.<br><br>RPA – 9.60m                       |
| 031  | Fagus sylvatica | 20m+ | 128cm | N 8m<br>E 9m<br>S 9m<br>W 8m | 6m | Mature       | Good | B1     | The tree has buttressed roots and several included unions on the trunk. It contains minor deadwood and has some pruning wounds as well as some occluded wounds. There are also several small cavities. There are no other obvious signs of defect or decay.<br><br>RPA – 15.36m                                             |
| 032  | Fagus sylvatica | 20m+ | 80cm  | N 5m<br>E 9m<br>S 6m<br>W 8m | 6m | Early mature | Fair | C1 / U | This tree has buttressed roots with bark wounds on exposed roots. The trunk forks at 14m with an included union. The tree contains minor deadwood and has some occluded wounds. <b>The Ganoderma at the base of the tree has spread throughout the trunk and the buttress roots. It needs to be taken out of action and</b> |

## BS 5837:2012 tree inspection report for Heaton Park

|             |                 |      |       |                              |    |              |                          |           |                                                                                                                                                                                                                                                                     |
|-------------|-----------------|------|-------|------------------------------|----|--------------|--------------------------|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|             |                 |      |       |                              |    |              | Poor                     |           | <b>removed within 3 months.</b> There are no other obvious signs of defect or decay.                                                                                                                                                                                |
| 0136        | Fagus sylvatica | 20m+ | 68 cm | N 6m<br>E 5m<br>S 7m<br>W 4m | 7m | Early mature | Good<br><br><br><br>Good | B1        | The tree has buttressed roots. It contains minor deadwood. There are several branch wounds and some occluded wounds. There are no other obvious signs of defect or decay.<br><br>RPA – 8.16m                                                                        |
| 0200        | Fagus sylvatica | 18m+ | 34cm  | N 4m<br>E 3m<br>S 3m<br>W 2m | 5m | Early mature | Good<br><br><br><br>Good | B1        | The tree has buttressed roots and several bark wounds. It contains minor deadwood. There are no other obvious signs of defect or decay.<br><br>RPA – 4.08m                                                                                                          |
| 0178        | Fagus sylvatica | 20m+ | 55cm  | N 8m<br>E 5m<br>S 3m<br>W 5m | 3m | Early mature | Good<br><br><br><br>Good | B1        | The tree has buttressed roots with minor bark wounds. It has some occluded wounds and contains minor deadwood. There are no other obvious signs of defect or decay.<br><br>RPA – 6.60m                                                                              |
| 36<br>3151S | Fagus sylvatica | 20m+ | 63cm  | N 3m<br>E 4m<br>S 7m         | 4m | Early mature | Fair                     | C1 /<br>U | The tree has buttressed roots and forks at 7m. The trunk is fluted and has several bark wounds. The tree contains minor deadwood and has several branch wounds. <b>There are several Ganoderma brackets in between some of the buttress roots. In addition, the</b> |

## BS 5837:2012 tree inspection report for Heaton Park

|            |                 |      |      |                              |    |              |      |    |                                                                                                                                                                                                                                                                                                                    |
|------------|-----------------|------|------|------------------------------|----|--------------|------|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|            |                 |      |      | W 8m                         |    |              | Poor |    | ground around it is waterlogged and under water. This will be killing of the roots, which combined with the heart rot means that the tree will quickly become unstable and therefore not safe to use. It will need to be taken out of action within 3 months. There are no other obvious signs of defect or decay. |
| 0172       | Fagus sylvatica | 20m+ | 46cm | N 4m<br>E 4m<br>S 3m<br>W 4m | 8m | Early mature | Good | B1 | The tree has buttressed roots and it contains minor deadwood. It has several pruning wounds and some occluded wounds. There are no other obvious signs of defect or decay.<br><br>RPA – 5.52m                                                                                                                      |
| 38<br>902Y | Fagus sylvatica | 20m+ | 61cm | N 6m<br>E 7m<br>S 6m<br>W 5m | 8m | Early mature | Good | B1 | The tree has buttressed roots and contains minor deadwood. It has some pruning wounds and a few small cavities. It has several occluded wounds. There are no other obvious signs of defect or decay.<br><br>RPA – 7.32m                                                                                            |
| 39         | Fagus sylvatica | 20m+ | 50cm | N 6m<br>E 5m<br>S 5m<br>W 6m | 6m | Early mature | Good | B1 | The tree has buttressed roots. It contains minor deadwood. It has several pruning wounds and some occluded wounds. There are several small cavities. The tree has some included unions on the trunk. There are no other obvious signs of defect or decay.<br><br>RPA – 6.00m                                       |

|      |                 |      |      |                              |    |              |             |        |                                                                                                                                                                                                                          |
|------|-----------------|------|------|------------------------------|----|--------------|-------------|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 40   | Sycamore        | 2m+  | 36cm | N<br>E<br>S<br>W             | 2m | Early mature | Poor / Poor | C1 / U | The tree has been pollarded and it has died. It has buttressed roots. There are no other obvious signs of defect or decay.<br><br><b>The tree will need to be taken out of action within the next 3-6 months.</b>        |
| 0165 | Fagus sylvatica | 18m+ | 35cm | N 3m<br>E 3m<br>S 3m<br>W 4m | 8m | Early mature | Good / Good | B1     | The tree contains minor deadwood. It has several bark wounds and some occluded wounds. The trunk forks at 2m. There are no other obvious signs of defect or decay.<br><br>RPA – 4.20m                                    |
| 42   | Fagus sylvatica | 20m+ | 77cm | N 6m<br>E 4m<br>S 9m<br>W 8m | 3m | Early mature | Good / Good | B1     | The tree has buttressed roots and the trunk forks at 6m. It contains minor deadwood and has some bark wounds. There are several occluded wounds. There are no other obvious signs of defect or decay.<br><br>RPA – 9.24m |
| 43   | Fagus sylvatica | 20m+ | 46cm | N 4m<br>E 4m<br>S 3m<br>W 4m | 8m | Early Mature | Good / Good | B1     | The tree has buttressed roots and contains some pruning wounds. It contains minor deadwood. There are no other obvious signs of defect or decay.<br><br>RPA – 5.52m                                                      |
| 0176 | Fagus           | 20m+ | 78cm | N 5m                         | 3m | Early        | Good        | B1     | The tree has buttressed roots with minor bark wounds                                                                                                                                                                     |

|      |                 |      |      |                              |    |              |   |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------|-----------------|------|------|------------------------------|----|--------------|---|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|      | sylvatica       |      |      | E 6m<br>S 6m<br>W 5m         |    | mature       | / |        | on exposed roots. It contains minor deadwood and has several branch stubs. The baulks / battens are starting to dig in. There are no other obvious signs of defect or decay.<br><br>RPA – 9.36m                                                                                                                                                                                                                                                                                                                   |
| 0186 | Fagus sylvatica | 20m+ | 72cm | N 7m<br>E 5m<br>S 6m<br>W 3m | 5m | Early mature | / | B1     | This tree has buttressed roots and an included union where it forks at 7m. There are bark wounds on the trunk and on some exposed roots. The tree contains minor deadwood. It has some occluded wounds. The baulks / battens are starting to dig in. There are no other obvious signs of defect or decay.<br><br>RPA – 8.64m                                                                                                                                                                                      |
| 046  | Fagus sylvatica | 20m+ | 59cm | N 5m<br>E 4m<br>S 5m<br>W 5m | 9m | Early mature | / | C1 / U | The tree has buttressed roots. It has some pruning wounds and some occluded wounds. The tree contains some minor deadwood. The tree has Ganoderma brackets at the base and decayed bark from the base up to the main fork. <b>Using the tree in the short term 3-6 months will be fine providing that the crown is reduced by 6m-7m in order to reduce the weight and sail effect. Ideally, it should be taken out of use and removed within 3-6 months.</b> There are no other obvious signs of defect or decay. |
| 47   | Fagus           | 20m+ | 75cm | N 4m                         | 5m | Early        | / | B1     | This tree has buttressed roots. It contains minor                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

## BS 5837:2012 tree inspection report for Heaton Park

|              |                    |      |      |                               |    |                 |      |    |                                                                                                                                                                                                                                                                                               |
|--------------|--------------------|------|------|-------------------------------|----|-----------------|------|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3958S        | sylvatica          |      |      | E 4m<br>S 4m<br>W 3m          |    | mature          | Good |    | deadwood. It has some occluded wounds. The baulks / battens are starting to dig in. There are no other obvious signs of defect or decay.<br><br>RPA – 9.00m                                                                                                                                   |
| 048<br>3610S | Fagus<br>sylvatica | 20m+ | 58cm | N 6m<br>E 5m<br>S 5m<br>W 4m  | 5m | Early<br>mature | Good | B1 | This tree has buttressed roots with some bark wounds on the exposed roots. It has some occluded wounds and contains minor deadwood. There are no other obvious signs of defect or decay.<br><br>RPA – 6.96m                                                                                   |
| 0198         | Fagus<br>sylvatica | 20m+ | 70cm | N 8m<br>E 11m<br>S 6m<br>W 7m | 4m | Early<br>mature | Good | B1 | This tree has buttressed roots and has a huge rib bulge at the base. The tree leans at 12 degrees. It contains minor deadwood and has some occluded wounds. The baulks / battens are starting to dig in to the trunk. There are no other obvious signs of defect or decay.<br><br>RPA – 8.40m |
| 50           | Fagus<br>sylvatica | 20m+ | 78cm | N 9m<br>E 7m<br>S 8m<br>W 9m  | 5m | Early<br>mature | Good | B1 | This tree has buttressed roots and it contains minor deadwood. There are several bark wounds and some occluded wounds. There are no other obvious signs of defect or decay.<br><br>RPA – 9.36m                                                                                                |
| 0174         | Fagus<br>sylvatica | 20m+ | 82cm | N 4m                          | 9m | Early           | Fair | B1 | The tree has buttressed roots. It contains minor deadwood. The tree has several occluded wounds.                                                                                                                                                                                              |

## BS 5837:2012 tree inspection report for Heaton Park

|             |                       |      |      |                              |     |                 |      |    |                                                                                                                                                                                                                                                                                                                 |
|-------------|-----------------------|------|------|------------------------------|-----|-----------------|------|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|             |                       |      |      | E 5m<br>S 4m<br>W 3m         |     | mature          | Fair |    | There are no other obvious signs of defect or decay.<br><br>RPA – 9.84m                                                                                                                                                                                                                                         |
| 52<br>543Y  | Fagus<br>sylvatica    | 20m+ | 71cm | N 9m<br>E 6m<br>S 7m<br>W 9m | 3m  | Early<br>mature | Good | B1 | The tree has buttressed roots and has several bark wounds. It contains minor deadwood and has some occluded wounds. A large, lower branch has a swept base and up and outwards. There are no other obvious signs of defect or decay.<br><br>RPA – 8.52m                                                         |
| 53<br>3957S | Fraxinus<br>excelsior | 20m+ | 33cm | N 2m<br>E 2m<br>S 1m<br>W 2m | 45m | Early<br>mature | Fair | C1 | The tree contains minor deadwood and has some occluded wounds. The tree is suffering from ash Dieback Disease. There are no other obvious signs of defect or decay.<br><br>RPA – 3.96m                                                                                                                          |
| 54          | Fagus<br>sylvatica    | 20m+ | 60cm | N 6m<br>E 8m<br>S 9m<br>W 8m | 3m  | Early<br>mature | Good | B1 | The tree has buttressed roots with some bark wounds on exposed roots. The tree contains minor deadwood and has some occluded wounds. It has a swept branch with compression and tension wood where the branch twists and grows upright. There are no other obvious signs of defect or decay.<br><br>RPA – 7.20m |

## BS 5837:2012 tree inspection report for Heaton Park

|             |                       |      |      |                              |    |                 |                                      |           |                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------|-----------------------|------|------|------------------------------|----|-----------------|--------------------------------------|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 55<br>3947S | Fagus<br>sylvatica    | 20m+ | 82cm | N 9m<br>E 5m<br>S 9m<br>W 9m | 3m | Early<br>mature | Good<br><br><br><br><br><br><br>Fair | B1        | The tree has buttressed roots and contains some bark wounds. It contains minor deadwood. There is evidence of previous fibre buckling which appears to have stabilised. <b>The wooden battens are being crushed by the cable and this needs to be addressed before it causes damage to the tree.</b> There are no other obvious signs of defect or decay.<br><br>RPA – 9.84m                 |
| 56          | Fraxinus<br>excelsior | 18m+ | 50cm | N 4m<br>E 5m<br>S 5m<br>W 4m | 6m | Early<br>mature | Fair<br><br><br><br><br><br><br>Fair | C1 /<br>U | This tree has buttressed roots. It has bacterial canker and a vertical split in the trunk. The tree has been pollarded. The tree is suffering from Ash Dieback Disease and the crown is dying back. <b>There are several large dead branch stubs over the activity, which need to be removed for safety reasons.</b> There are no other obvious signs of defect or decay.<br><br>RPA – 6.00m |
| 57          | Fagus<br>sylvatica    | 20m+ | 60cm | N 8m<br>E 9m<br>S 6m<br>W 6m | 4m | Early<br>mature | Good<br><br><br><br><br><br><br>Good | B1        | This tree has buttressed roots with bark wounds on exposed roots. The tree contains minor deadwood and has some occluded wounds. There are no other obvious signs of defect or decay.<br><br>RPA – 7.20m                                                                                                                                                                                     |
| 58          | Fagus<br>sylvatica    | 20m+ | 52cm | N 5m<br>E 6m                 | 5m | Early<br>mature | Good<br><br><br><br><br><br><br>Good | B1        | The tree has buttressed roots. It contains minor deadwood. It has some occluded wounds and branch stubs. The tree has a twisted trunk at 2m. There are no                                                                                                                                                                                                                                    |

## BS 5837:2012 tree inspection report for Heaton Park

|            |                    |      |      |                              |     |              |      |        |                                                                                                                                                                                                                                                                                                   |
|------------|--------------------|------|------|------------------------------|-----|--------------|------|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|            |                    |      |      | S 6m<br>W 7m                 |     |              | Good |        | other obvious signs of defect or decay.<br><br>RPA – 6.24m                                                                                                                                                                                                                                        |
| 0164       | Fraxinus excelsior | 20m+ | 33cm | N 5m<br>E 3m<br>S 1m<br>W 3m | 15m | Early mature | Fair | C1     | The tree has buttressed roots and some occluded wounds. It contains minor deadwood. <b>The cable is crushing the battens and needs to be re-tensioned.</b> There are no other obvious signs of defect or decay.<br><br>RPA – 3.96m                                                                |
| 60<br>3096 | Fraxinus excelsior | 8m+  | 39cm | N<br>E<br>S<br>W             | 8m  | Early mature | Poor | C1 / U | The tree has buttressed roots. The top of the tree has been removed. The tree is suffering from Ash Dieback Disease. There are no other obvious signs of defect or decay.<br><br><b>The trunk can be used as a pole in the short term but will need to be taken out of use within 3-6 months.</b> |
| 61<br>907S | Fraxinus excelsior | 8m+  | 40cm | N 1m<br>E 1m<br>S 1m<br>W 1m | 8m  | Early mature | Fair | C1 / U | The tree has buttressed roots. It has been pollarded. <b>It is okay to use in the short term but will need to be taken out of use within 3-6 months.</b> The tree is suffering from Ash Dieback Disease. There are no other obvious signs of defect or decay.                                     |
| 0159       | Fagus sylvatica    | 20m+ | 73cm | N 3m                         | 5m  | Early mature | Good | B1     | The tree has a twisted trunk. It contains minor deadwood and has some bark wounds. There are no                                                                                                                                                                                                   |

## BS 5837:2012 tree inspection report for Heaton Park

|             |                    |      |       |                                  |     |              |                      |    |                                                                                                                                                                                                                                               |
|-------------|--------------------|------|-------|----------------------------------|-----|--------------|----------------------|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3965S       |                    |      |       | E 3m<br>S 2m<br>W 3m             |     |              | Good                 |    | other obvious signs of defect or decay.<br><br>RPA – 8.76m                                                                                                                                                                                    |
| 63<br>3953S | Fraxinus excelsior | 20m+ | 38cm  | N 1m<br>E 1m<br>S 1m<br>W 1m     | 17m | Early mature | Fair<br><br><br>Fair | C1 | A spindly tree. It contains minor deadwood. The tree is suffering from Ash Dieback Disease. There are no other obvious signs of defect or decay.<br><br>RPA – 4.56m                                                                           |
| 3500        | Fraxinus excelsior | 20m+ | 40cm  | N 3m<br>E 3m<br>S 2m<br>W 3m     | 11m | Early mature | Good<br><br><br>Good | B1 | The tree has buttressed roots and contains minor deadwood. The tree is suffering from Ash Dieback Disease. There are no other obvious signs of defect or decay.<br><br>RPA – 4.80m                                                            |
| 65<br>3962S | Fagus sylvatica    | 20m+ | 122cm | N 11m<br>E 12m<br>S 10m<br>W 10m | 7m  | Mature       | Good<br><br><br>Good | B1 | The tree has buttressed roots and some exposed roots with bark wounds on them. There are several occluded wounds and branch stubs. The tree contains minor deadwood. There are no other obvious signs of defect or decay.<br><br>RPA – 14.64m |
| 66          | Fraxinus excelsior | 20m+ | 37cm  | N 2m                             | 11m | Early mature | Fair                 | C1 | The tree has buttressed roots. It contains minor deadwood and has some occluded wounds. It is a thin,                                                                                                                                         |

## BS 5837:2012 tree inspection report for Heaton Park

|             |                    |      |      |                               |    |              |      |        |                                                                                                                                                                                                                                                                                |
|-------------|--------------------|------|------|-------------------------------|----|--------------|------|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3963        |                    |      |      | E 3m<br>S 2m<br>W 3m          |    |              | Fair |        | spindly tree. The tree is suffering from Ash Dieback Disease. There are no other obvious signs of defect or decay.<br><br>RPA – 4.44m                                                                                                                                          |
| 0183        | Fagus sylvatica    | 20m+ | 56cm | N 9m<br>E 6m<br>S 8m<br>W 10m | 5m | Early mature | Good | B1     | The tree has buttressed roots. The trunk bends at 5m and grows at an angle of 45 degrees. The tree contains minor deadwood. The baulks / battens are starting to dig in. There are no other obvious signs of defect or decay.<br><br>RPA – 6.72m                               |
| 68<br>3961S | Fagus sylvatica    | 20m+ | 43cm | N 1m<br>E 2m<br>S 5m<br>W 3m  | 5m | Early mature | Good | B1     | The tree has buttressed roots and has several bark wounds. It contains minor deadwood and has several occluded wounds. The trunk has a slight twist. There are no other obvious signs of defect or decay.<br><br>RPA – 5.16m                                                   |
| 69<br>3956S | Fraxinus excelsior | 2m+  | 31cm | N<br>E<br>S<br>W              | 2m | Early mature | Poor | C1 / U | The tree has buttressed roots. The tree has been pollarded and is currently a 2m pole. The tree is suffering from Ash Dieback Disease. There are no other obvious signs of defect or decay.<br><br><b>The tree needs to be taken out of action within the next 3-6 months.</b> |
| 0163        | Fagus              | 20m+ | 74cm | N 7m                          | 7m | Early        | Good | B1     | The tree has buttressed roots and several bark wounds. It contains minor deadwood and has some occluded                                                                                                                                                                        |

## BS 5837:2012 tree inspection report for Heaton Park

|                  |                       |      |      |                              |     |                 |      |    |                                                                                                                                                                                                                                  |
|------------------|-----------------------|------|------|------------------------------|-----|-----------------|------|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3960             | sylvatica             |      |      | E 9m<br>S 6m<br>W 8m         |     | mature          | Good |    | wounds. There are no other obvious signs of defect or decay.<br><br>RPA – 8.88m                                                                                                                                                  |
| 71               | Sycamore              | 20m+ | 69cm | N 9m<br>E 8m<br>S 4m<br>W 4m | 8m  | Early<br>mature | Good | B1 | The tree has buttressed roots. It contains minor deadwood and has several branch wounds. There are no other obvious signs of defect or decay.<br><br>RPA – 8.28m                                                                 |
| 72<br>903Y       | Fraxinus<br>excelsior | 20m+ | 70cm | N 8m<br>E 9m<br>S 7m<br>W 8m | 13m | Early<br>mature | Fair | C1 | The tree has buttressed roots. It contains minor deadwood and has some occluded wounds and branch stubs. The tree is suffering from Ash Dieback Disease. There are no other obvious signs of defect or decay.<br><br>RPA – 8.40m |
| 0195<br>73       | Sycamore              | 20m+ | 54cm | N 4m<br>E 3m<br>S 6m<br>W 5m | 5m  | Early<br>mature | Good | B1 | The tree has buttressed roots and it contains minor deadwood. There are several branch wounds. There are no other obvious signs of defect or decay.<br><br>RPA – 6.48m                                                           |
| 3133<br>(old 74) | Fagus<br>sylvatica    | 20m+ | 85cm | N 9m<br>E 6m                 | 4m  | Mature          | Good | B1 | The tree has buttressed roots and has several bark wounds. It has occluded wounds and several open wounds. It contains minor deadwood. There are no                                                                              |

## BS 5837:2012 tree inspection report for Heaton Park

|             |                       |      |      |                              |     |                 |      |    |                                                                                                                                                                                                                        |
|-------------|-----------------------|------|------|------------------------------|-----|-----------------|------|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|             |                       |      |      | S 9m<br>W 9m                 |     |                 | Good |    | other obvious signs of defect or decay.<br><br>RPA – 10.20m                                                                                                                                                            |
| 76<br>540Y  | Fagus<br>sylvatica    | 20m+ | 48cm | N 6m<br>E 4m<br>S 4m<br>W 4m | 10m | Early<br>mature | Good | B1 | The tree has buttressed roots and contains minor deadwood. It has several occluded wounds and some branch stubs. There are no other obvious signs of defect or decay.<br><br>RPA – 5.76m                               |
| 77<br>3204S | Fraxinus<br>excelsior | 20m+ | 86cm | N 7m<br>E 6m<br>S 7m<br>W 7m | 7m  | Early<br>mature | Fair | C1 | The tree has buttressed roots and it contains minor deadwood. It has several occluded wounds. The tree is suffering from Ash Dieback Disease. There are no other obvious signs of defect or decay.<br><br>RPA – 10.32m |
| 78<br>907Y  | Fagus<br>sylvatica    | 20m+ | 58cm | N 6m<br>E 7m<br>S 7m<br>W 7m | 8m  | Early<br>mature | Good | B1 | The tree has buttressed roots. It contains minor deadwood and has several occluded wounds. There are no other obvious signs of defect or decay.<br><br>RPA – 6.96m                                                     |
| 79<br>908Y  | Fagus<br>sylvatica    | 20m+ | 68cm | N 10m<br>E 9m                | 5m  | Early<br>mature | Good | B1 | The tree has buttressed roots with bark wounds on exposed roots. It contains minor deadwood and has several occluded wounds. There are no other obvious                                                                |

## BS 5837:2012 tree inspection report for Heaton Park

|               |                    |      |      |                              |    |                 |      |    |                                                                                                                                                                                                                                                                  |
|---------------|--------------------|------|------|------------------------------|----|-----------------|------|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|               |                    |      |      | S 7m<br>W 9m                 |    |                 | Good |    | signs of defect or decay.<br><br>RPA – 8.16m                                                                                                                                                                                                                     |
| 0158<br>3955S | Fagus<br>sylvatica | 20m+ | 80cm | N 8m<br>E 8m<br>S 9m<br>W 8m | 7m | Early<br>mature | Good | B1 | The tree has buttressed roots with bark wounds on exposed roots. The trunk forks at 8m. There are several small cavities. The tree contains minor deadwood and has several branch stubs. There are no other obvious signs of defect or decay.<br><br>RPA – 9.60m |
| 81<br>910Y    | Fagus<br>sylvatica | 20m+ | 67cm | N 6m<br>E 4m<br>S 5m<br>W 4m | 5m | Early<br>mature | Good | B1 | The tree has buttressed roots. The tree contains minor deadwood and has several branch stubs. There are no other obvious signs of defect or decay.<br><br>RPA – 8.04m                                                                                            |
| 0162          | Fagus<br>sylvatica | 20m+ | 49cm | N 9m<br>E 9m<br>S 9m<br>W 9m | 3m | Early<br>mature | Good | B1 | The tree has buttressed roots and it has a swept butt. There are fissures at the base of the trunk. The tree contains minor deadwood and has several occluded wounds. There are no other obvious signs of defect or decay.<br><br>RPA – 5.88m                    |
| 83            | Fagus              | 20m+ | 57cm | N 5m                         | 6m | Early           | Good | B1 | The tree has buttressed roots with bark wounds on exposed roots. It contains minor deadwood and has                                                                                                                                                              |

## BS 5837:2012 tree inspection report for Heaton Park

|                  |                 |      |       |                              |    |              |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------------------|-----------------|------|-------|------------------------------|----|--------------|------|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 959Y             | sylvatica       |      |       | E 4m<br>S 5m<br>W 6m         |    | mature       | Good |    | several occluded wounds. There are no other obvious signs of defect or decay.<br><br>RPA – 6.84m                                                                                                                                                                                                                                                                                                                                  |
| 84<br>3142S      | Populus nigra   | 25m+ | 120cm | N 9m<br>E 9m<br>S 9m<br>W 9m | 7m | Mature       | Good | B1 | The tree has buttressed roots, some of which have grown into and around the kerb by the adjacent road. The tree is growing next to the boundary fence. The trunk forks at 3m. It has several very large heavy limbs, some of which are over-extended. There are several branch stubs as well as several branch wounds. The tree contains minor deadwood. There are no other obvious signs of defect or decay.<br><br>RPA – 14.40m |
| 3074<br>3143S    | Fagus sylvatica | 20m+ | 71cm  | N 5m<br>E 6m<br>S 8m<br>W 5m | 5m | Early mature | Good | B1 | The tree has buttressed roots and has a bulge at the base. There is squirrel damage at the base of the trunk. It contains minor deadwood and has several occluded wounds. There are no other obvious signs of defect or decay.<br><br>RPA – 8.52m                                                                                                                                                                                 |
| 3661<br>086<br>, | Fagus sylvatica | 20m+ | 47cm  | N 3m<br>E 4m<br>S 3m         | 6m | Early mature | Good | B1 | The tree has buttressed roots and contains minor deadwood. The tree has some occluded wounds and some bark wounds. There are no other obvious signs of defect or decay.                                                                                                                                                                                                                                                           |

## BS 5837:2012 tree inspection report for Heaton Park

|             |                    |      |       |                                 |    |                 |                      |    |                                                                                                                                                                                                                                                                                                            |
|-------------|--------------------|------|-------|---------------------------------|----|-----------------|----------------------|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|             |                    |      |       | W 4m                            |    |                 | Good                 |    | RPA – 5.64m                                                                                                                                                                                                                                                                                                |
| 87<br>901Y  | Fagus<br>sylvatica | 20m+ | 50cm  | N 5m<br>E 5m<br>S 5m<br>W 3m    | 6m | Early<br>mature | Good<br><br><br>Good | B1 | The tree has buttressed roots and it contains minor deadwood and has some occluded wounds. There are no other obvious signs of defect or decay.<br><br>RPA – 6.00m                                                                                                                                         |
| 88<br>1000Y | Fagus<br>sylvatica | 20m+ | 129cm | N 11m<br>E 9m<br>S 10m<br>W 10m | 9m | Mature          | Good<br><br><br>Good | B1 | The tree has buttressed roots with bark wounds on exposed roots. There are several small cavities. The tree contains minor deadwood and there are several occluded wounds. There are no other obvious signs of defect or decay.<br><br>RPA – 15.48m                                                        |
| 89<br>3193S | Quercus<br>robur   | 20m+ | 69cm  | N 6m<br>E 5m<br>S 5m<br>W 6m    | 5m | Early<br>mature | Good<br><br><br>Good | B1 | The tree has buttressed roots. It contains minor deadwood. The tree has some pruning wounds and some branch stubs. There is a large branch wound which was caused by storm damage. There are no other obvious signs of defect or decay.<br><br>RPA – 8.28m<br><br>This tree is outside the security fence. |
| 90<br>3937S | Quercus<br>robur   | 20m+ | 75cm  | N 5m<br>E 5m                    | 6m | Early<br>mature | Good                 | B1 | The tree has buttressed roots. The tree contains some minor deadwood. The tree has some pruning wounds and some occluded wounds. There are no other                                                                                                                                                        |

## BS 5837:2012 tree inspection report for Heaton Park

|            |                    |      |       |                                 |     |                 |                      |    |                                                                                                                                                                                                                                                                                                                                |
|------------|--------------------|------|-------|---------------------------------|-----|-----------------|----------------------|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|            |                    |      |       | S 5m<br>W 5m                    |     |                 | Good                 |    | obvious signs of defect or decay.<br><br>This tree is outside the security fence.                                                                                                                                                                                                                                              |
| 91<br>3191 | Sycamore           | 20m+ | 49cm  | N 5m<br>E 5m<br>S 5m<br>W 3m    | 6m  | Early<br>mature | Good<br><br><br>Good | B1 | The tree contains minor deadwood. It has some occluded wounds and several branch stubs. There are no other obvious signs of defect or decay.<br><br>This tree is outside the security fenced.                                                                                                                                  |
| 0194<br>92 | Fagus<br>sylvatica | 20m+ | 61cm  | N 6m<br>E 5m<br>S 6m<br>W 6m    | 6m  | Early<br>mature | Good<br><br><br>Good | B1 | The tree has buttressed roots. It contains some minor deadwood. There is a large branch wound at 1m. The tree has some occluded wounds and some small cavities. There are no other obvious signs of defect or decay.<br><br>This tree is outside the security fence.                                                           |
| 93<br>939Y | Fagus<br>sylvatica | 20m+ | 113cm | N 9m<br>E 10m<br>S 10m<br>W 10m | 10m | Mature          | Good<br><br><br>Good | B1 | The tree has buttressed roots and some bark wounds. It has a deeply fissured trunk. The tree contains minor deadwood. The tree has some occluded wounds and some branch wounds. There is some compaction around the base. There are no other obvious signs of defect or decay.<br><br>This tree is outside the security fence. |
| 94         | Fagus<br>sylvatica | 20m+ | 56cm  | N 7m                            | 10m | Early<br>mature | Good                 | B1 | The tree has buttressed roots. The trunk is twisted and has some fissures at the base. It contains minor                                                                                                                                                                                                                       |

## BS 5837:2012 tree inspection report for Heaton Park

|            |                    |      |      |                              |    |        |                          |    |                                                                                                                                                                                                                                                                                                                                                              |
|------------|--------------------|------|------|------------------------------|----|--------|--------------------------|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 912Y       |                    |      |      | E 3m<br>S 5m<br>W 6m         |    |        | Good                     |    | deadwood and has several minor wounds and branch stubs. <b>Brackets of Ustulina deusta (Kretzschmaria) have appeared in one of the buttress roots. This will need to be monitored.</b> There are no other obvious signs of defect or decay.<br><br>RPA – 6.72m                                                                                               |
| 95<br>929Y | Fagus<br>sylvatica | 20m+ | 110m | N 8m<br>E 9m<br>S 8m<br>W 7m | 8m | Mature | Fair<br><br><br><br>Fair | B1 | The tree has buttressed roots and bark wounds on exposed roots. The trunk has several bulges and twists slightly. The tree contains minor deadwood. One of the lower branches has a burr on it. The tree has some occluded wounds and some bark wounds. There are no other obvious signs of defect or decay.<br><br>This tree is outside the security fence. |

The weather was clear, dry and still.

## BS 5837:2012 tree inspection report for Heaton Park

---

### Key:

- **Ht** = Height estimated to the nearest metre.
- **Dbh** = Diameter measured in centimetres at 1.5m above ground level using a rounded-down diameter tape.
- **oi** = measurement taken over ivy.
- **Crown Spread** is estimated and expressed in metres in the direction of the four cardinal points of the compass.
- **C Ht** = Crown Height above ground level estimated in metres
- **Age Class** is chosen from the following categories;
  - Young                Tree only recently established
  - Semi Mature        Established tree, still young and relatively small
  - Early Mature        Tree in central third of its life span
  - Mature                Tree in the last third of its life span
  - Over Mature        Tree nearing the end of its life
- **RPR** Minimum Root Protection Radius in metres calculated according to BS 5837:2012.
- **Site visit date:** 12<sup>th</sup> January 2025
- **Structural Condition, S**, indicates the effect of defects on the health and stability of the tree while **Physiological Condition, P**, indicates the vigour of the tree. Both are assessed as
  - Good      Healthy full crown. No significant defects, long life expectancy
  - Fair        Generally healthy, some defects, limited life expectancy
  - Poor        Lacking vitality, significant defects, short life expectancy
    - Dead        No leaves or signs of life.
- **BS Cat** refers to British Standard 5837:2012 'Trees in relation to construction' which categorises trees on development sites into one of four categories – A, B, C or U, with A being very good and U meaning that felling is appropriate regardless of any proposals. The suffix 1,2 or 3, where used, refers to a subcategory relating to tree, landscape or cultural values.

**Inspected by: Steve Maros**

**MA; BSc (Hons) Arb; BA (Hons)**

**LANTRA Professional Tree Inspectors Certificate**

**QTRA registered**