



OUR REF: A4755/23/VR/Plots 1 to 19/V2
YOUR REF:

28th February 2025

Mr. Paul Sinclair
Westchurch Homes Ltd
31 Stamford Street
Altrincham
Cheshire
WA14 1ES

By Email (paul.sinclair@westchurchhomes.co.uk)

Dear Paul,

Louisa Street, Openshaw Plots 1 to 19
Garden Validation Letter Report

Background and Terms of Reference

This report provides a summary of the validation of the imported soil material used in gardens for Plots 1 to 19 at a new development on Louisa Street, Openshaw.

This validation report should be read in conjunction with the Earth Environmental & Geotechnical Ltd (EEG) remediation strategy that was developed in April 2024 (Reference: A4755/23/RMS/V5).

The remediation strategy stipulated that a clean cover capping system was not required within the garden areas due to an absence of significantly elevated contaminant concentrations. However, as a suitable growing medium was not present on site, an imported soil covering of no less than 450mm was recommended in areas of soft landscaping to facilitate plant growth. This growing medium thickness was to be increased in areas where shrubs were to be planted.

Scope of Work

The validation of the garden areas took place across two visits on 16th December 2024 and 31st January 2025.

The hand dug pit locations are shown in Figure 1 overleaf.

Soil Horizons

The imported soil material placed in the garden areas on site at Louisa Street, Openshaw has been measured and previously sampled at source.

Topsoil material was encountered in all locations between ground level and a maximum depth of 0.35m bgl. The topsoil was generally described as a dark brown slightly sandy slightly gravelly clay.

**CONSULTING
ENGINEERS**

Geotechnical
Environmental
Ecology
Geology
Drainage
Mining

Earth Environmental &
Geotechnical Ltd
Houldsworth Mill Business &
Arts Centre
Houldsworth Street
Stockport
SK5 6DA

Tel: 0161 975 6088

www.earthenvironmental.co.uk
info@earthenvironmental.co.uk

Bath
Studio 3
Tollbridge Studios
Toll Bridge Road
Bath
BA1 7DE
Tel: 01225 858833

Cardiff
12 Cathedral Road
Cardiff
CF11 9LJ
Tel: 0292 2362615

Edinburgh
Hudson House
8 Albany Street
Edinburgh
EH1 3QB
Tel: 0131 5641789

Wilton
Wilton Centre
Redcar
TS10 4RF
Tel: 01642 438125

Reading
Suite 18
Wyvols Court
Swallowfield
Reading
RG7 1WY
Tel: 01183 734000

Earth Environmental &
Geotechnical Ltd
Registered Office:
Mentor House, Ainsworth Street,
Blackburn, Lancashire, BB1 6AY

The subsoil material was encountered in all locations to a maximum depth of 0.60m bgl and was generally described as brown slightly sandy slightly gravelly clay.

Appendix A provides a description of the soil profile at each location with a summary included as Table 1.

There was no visual or olfactory evidence of contamination observed during the site sampling process.

Figure 1: Sampling Location Plan



Table 1: Summary of Cover System Thickness

Validation Pit Name	Relevant Plot Number	Cover System Thickness (mm)	Sufficient Cover Thickness (Y/N)
VP01	Plot 2 (Rear)	300 Topsoil, 200 Subsoil	Y
VP02	Plot 6 (Rear)	250 Topsoil, 200 Subsoil	Y
VP03	Plot 8 (Rear)	350 Topsoil, 200 Subsoil	Y
VP04	Plot 9 (Rear)	250 Topsoil, 250 Subsoil	Y
VP05	Plot 12 (Rear)	300 Topsoil, 200 Subsoil	Y
VP06	Plot 15 (Rear)	300 Topsoil, 300 Subsoil	Y
VP07	Plot 18 (Rear)	300 Topsoil, 250 Subsoil	Y
PL01	Plot 2 (Rear)	210 Topsoil, 320 Subsoil	Y
PL04	Plot 4 (Rear)	220 Topsoil, 320 Subsoil	Y
PL08	Plot 8 (Rear)	230 Topsoil, 270 Subsoil	Y
PL11	Plot 11 (Rear)	200 Topsoil, 280 Subsoil	Y
PL14	Plot 14 (Rear)	300 Topsoil, 280 Subsoil	Y
PL16	Plot 16 (Rear)	300 Topsoil, 170 Subsoil	Y
PL16 Front	Plot 16 (Front)	220 Topsoil, 280 Subsoil	Y
PL19	Plot 19 (Rear)	220 Topsoil, 270 Subsoil	Y
PL19 Front	Plot 19 (Front)	210 Topsoil, 260 Subsoil	Y

Material Source Testing

The growing medium was chemically validated at source by EEG and E3P from two greenfield sources, Inverbeg Drive in Bolton and Charter Lane in Charnock Richard. Material Transfer Notes from the importation of this material to Louisa Street are included as Appendix B.

Chemical testing was performed on stockpiled topsoil and subsoil for a wide range of analytes including asbestos screen, pH, total organic carbon, total sulphate, sulphide, total cyanide, arsenic, chromium, hexavalent chromium, copper, lead, selenium, zinc, cadmium, mercury, nickel, vanadium, barium, beryllium, water soluble boron, mono phenol, speciated hydrocarbons and speciated PAH's.

At a Tier I stage the long term (chronic) human health toxicity of the soil was assessed with reference to DEFRA/Environment Agency Contaminated Land Exposure Assessment (CLEA) Soil Guideline Values (SGV) for generic site land uses, soils, and exposure.

No elevated concentrations of contaminants were detected in any of the samples of the topsoil or subsoil when compared to assessment criteria relevant to a residential end use.

The chemical testing and reporting are included as Appendix C. It may be noted that some of the provenance photographs in Appendix C are unclear. Due to the large size of the soil stockpiles, wider shots were used to capture their full scale which unfortunately reduced the legibility of the stockpile labels, where present.

Asbestos was detected in one sample of a subsoil stockpile by EEG during a sampling visit at Inverbeg Drive. This was identified in the form of amosite fibre bundles with a mass concentration of asbestos of only 0.002%. The removal of the asbestos impacted material was witnessed by EEG and the report concludes that the affected stockpile was safely and effectively removed from site and the remaining stockpiles recorded no exceedances of potentially harmful chemicals. Therefore, the site and the remaining stockpiles were deemed safe for use.

The letter report produced by EEG for the asbestos removal from Inverbeg Drive is included as Appendix D.

Whilst the stockpiled soils from the source locations was not explicitly segregated for use on Louisa Street, we can confirm that all material designated for export is chemically suitable for reuse. The material was therefore designated suitable for use on Louisa Street and other Westchurch Homes sites.

To confirm that the imported soil matches the stockpiled source material, reassurance samples have been recovered after the placement of the growing medium in the Louisa Street garden areas. This ensures the consistency and compliance of the emplaced soil.

Reassurance Testing of Emplaced Soil

9no. samples were obtained in total from the imported growing medium material, all of which were recovered from hand dug pit locations.

Chemical testing has been performed for a wide range of analytes including asbestos screen, pH, total organic carbon, total sulphate, sulphide, total cyanide, arsenic, chromium, hexavalent chromium, copper, lead, selenium, zinc, cadmium, mercury, nickel, vanadium, barium, beryllium, water soluble boron, mono phenol, speciated hydrocarbons and speciated PAH's.

At a Tier I stage the long term (chronic) human health toxicity of the soil has been assessed with reference to DEFRA/Environment Agency Contaminated Land Exposure Assessment (CLEA) Soil Guideline Values (SGV) for generic site land uses, soils, and exposure.

Where Environment Agency generic guidance is absent, reference has been made to the Chartered Institute of Environmental Health (CIEH) S4ULs for human health risk assessment. In the case of arsenic, cadmium, hexavalent chromium, lead, benzene, naphthalene, and benzo(a)pyrene DEFRA Category 4 Screening Levels have been adopted. The results have been compared to residential with plant uptake and 1% soil organic matter (SOM).

An assessment of the chemical testing is included as Table 2. The full testing can be found in Appendix E.

Based on the following table, no samples tested from the imported soil cover material contained concentrations of contaminants in exceedance of the screening criteria relevant to residential end use with plant uptake (1% SOM).

Asbestos was detected in the rear garden area of Plot 19 at 0.35m. However, the asbestos was quantified and found to only be present as a trace amount, below even the limit of detection for the testing (< 0.001%).

Sampling Frequencies

The total volume of clean soil material placed within the growing medium of Plots 1 to 19 is equal to 376m³. The topsoil comprised 190m³ of the total material and 5no. samples were taken of this material. Therefore, a sampling frequency of 1no. sample per 38m³ has been achieved for the topsoil. The subsoil comprised 186m³ of the total material and 4no. samples were taken of this material. Therefore, a sampling frequency of 1no. sample per 46m³ has been achieved for the subsoil.

These sampling frequencies are considered sufficient for the origin of the material as well as the intended end use.

Table 2: Assessment of Soil Chemical Data – Garden Validations

Determinand	C4SL/S4UL Levels Resi w/ HP SOM 1% (mg/kg)	Plot 1 (Rear) 0.10m Topsoil	Plot 4 (Rear) 0.40m Subsoil	Plot 8 (Rear) 0.15m Topsoil	Plot 11 (Rear) 0.10m Topsoil	Plot 14 (Rear) 0.45m Subsoil	No of Exceedances
Metals							
Arsenic	37	13	7	12	14	9	0
Beryllium	1.7	0.6	0.7	0.6	0.6	0.8	0
Boron	290	< 1	< 1	< 1	< 1	< 1	0
Cadmium	22	0.3	< 0.2	0.3	0.3	0.2	0
Chromium	910	16	14	16	17	28	0
Chromium VI	21	< 2	< 2	< 2	< 2	< 2	0
Copper	2400	28	23	26	29	32	0
Lead	200	68	21	58	62	37	0
Inorganic Mercury	40	< 1	< 1	< 1	< 1	< 1	0
Nickel	130	12	21	13	12	24	0
Selenium	250	< 2	< 2	< 2	< 2	< 2	0
Vanadium	410	18	16	18	19	30	0
Zinc	3700	57	53	54	58	65	0
Petroleum Hydrocarbons							
Benzene	0.087	<0.002	<0.002	<0.002	<0.002	<0.002	0
Toluene	130	0.008	<0.005	<0.005	<0.005	<0.005	0
Ethylbenzene	47	<0.002	<0.002	<0.002	<0.002	<0.002	0
o-xylenes	56	<0.002	<0.002	<0.002	<0.002	<0.002	0
m-xylenes	56	<0.002	<0.002	<0.002	<0.002	<0.002	0
p-xylenes	56	<0.002	<0.002	<0.002	<0.002	<0.002	0
Aliphatic EC >5-6	42	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0
Aliphatic EC >6-8	100	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	0
Aliphatic EC >8-10	27	< 2	< 2	< 2	< 2	< 2	0
Aliphatic EC >10-12	130	< 2	< 2	< 2	< 2	< 2	0
Aliphatic EC >12-16	1100	< 3	< 3	< 3	< 3	< 3	0
Aliphatic EC >16-21	65000	< 3	< 3	< 3	< 3	< 3	0
Aliphatic EC >21-35	65000	< 10	< 10	< 10	< 10	< 10	0
Aromatic EC >5-7	70	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0
Aromatic EC >7-8	130	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	0
Aromatic EC >8-10	34	< 2	< 2	< 2	< 2	< 2	0
Aromatic EC >10-12	74	< 2	< 2	< 2	< 2	< 2	0
Aromatic EC >12-16	140	< 2	< 2	< 2	< 2	< 2	0
Aromatic EC >16-21	260	< 3	< 3	< 3	< 3	< 3	0
Aromatic EC >21-35	1100	< 10	< 10	< 10	< 10	< 10	0
Polycyclic Aromatic Hydrocarbons							
Naphthalene	2.3	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Acenaphthylene	170	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Acenaphthene	210	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Fluorene	170	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Phenanthrene	95	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Anthracene	2400	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Fluoranthene	280	0.17	< 0.1	< 0.1	< 0.1	< 0.1	0
Pyrene	620	0.17	< 0.1	< 0.1	< 0.1	< 0.1	0
Benzo(a)anthracene	7.2	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Chrysene	15	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Benzo(a)pyrene	5	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Benzo(b)fluoranthene	2.6	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Benzo(k)fluoranthene	77	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Indeno(1,2,3-cd)pyrene	27	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Dibenz(a,h)anthracene	0.24	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Benzo(ghi)perylene	320	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Phenols							
Phenol	120	6.8	< 2	5.8	8.4	4.2	0

Determinand	C4SL/S4UL Levels Resi w/ HP SOM 1% (mg/kg)	Plot 16 (Rear) 0.20m Topsoil	Plot 16 (Front) 0.40m Subsoil	Plot 19 (Rear) 0.35m Subsoil	Plot 19 (Front) 0.15m Topsoil	No of Exceedances
Metals						
Arsenic	37	14	10	11	14	0
Beryllium	1.7	0.6	0.8	0.6	0.7	0
Boron	290	< 1	< 1	< 1	< 1	0
Cadmium	22	0.4	0.2	0.3	0.3	0
Chromium	910	19	18	16	18	0
Chromium VI	21	< 2	< 2	< 2	< 2	0
Copper	2400	31	28	23	30	0
Lead	200	62	37	42	66	0
Inorganic Mercury	40	< 1	< 1	< 1	< 1	0
Nickel	130	14	21	12	13	0
Selenium	250	< 2	< 2	< 2	< 2	0
Vanadium	410	19	20	18	19	0
Zinc	3700	64	64	49	65	0
Petroleum Hydrocarbons						
Benzene	0.087	<0.002	<0.002	<0.002	<0.002	0
Toluene	130	<0.005	<0.005	<0.005	<0.005	0
Ethylbenzene	47	<0.002	<0.002	<0.002	<0.002	0
o-xylenes	56	<0.002	<0.002	<0.002	<0.002	0
m-xylenes	56	<0.002	<0.002	<0.002	<0.002	0
p-xylenes	56	<0.002	<0.002	<0.002	<0.002	0
Aliphatic EC >5-6	42	< 0.01	< 0.01	< 0.01	< 0.01	0
Aliphatic EC >6-8	100	< 0.05	< 0.05	< 0.05	< 0.05	0
Aliphatic EC >8-10	27	< 2	< 2	< 2	< 2	0
Aliphatic EC >10-12	130	< 2	< 2	< 2	< 2	0
Aliphatic EC >12-16	1100	< 3	< 3	< 3	< 3	0
Aliphatic EC >16-21	65000	< 3	< 3	< 3	< 3	0
Aliphatic EC >21-35	65000	< 10	< 10	< 10	< 10	0
Aromatic EC >5-7	70	< 0.01	< 0.01	< 0.01	< 0.01	0
Aromatic EC >7-8	130	< 0.05	< 0.05	< 0.05	< 0.05	0
Aromatic EC >8-10	34	< 2	< 2	< 2	< 2	0
Aromatic EC >10-12	74	< 2	< 2	< 2	< 2	0
Aromatic EC >12-16	140	< 2	< 2	< 2	< 2	0
Aromatic EC >16-21	260	< 3	< 3	< 3	< 3	0
Aromatic EC >21-35	1100	< 10	< 10	< 10	< 10	0
Polycyclic Aromatic Hydrocarbons						
Naphthalene	2.3	< 0.1	< 0.1	< 0.1	< 0.1	0
Acenaphthylene	170	< 0.1	< 0.1	< 0.1	< 0.1	0
Acenaphthene	210	< 0.1	< 0.1	< 0.1	< 0.1	0
Fluorene	170	< 0.1	< 0.1	< 0.1	< 0.1	0
Phenanthrene	95	< 0.1	< 0.1	< 0.1	< 0.1	0
Anthracene	2400	< 0.1	< 0.1	< 0.1	< 0.1	0
Fluoranthene	280	< 0.1	< 0.1	< 0.1	< 0.1	0
Pyrene	620	< 0.1	< 0.1	< 0.1	< 0.1	0
Benzo(a)anthracene	7.2	< 0.1	< 0.1	< 0.1	< 0.1	0
Chrysene	15	< 0.1	< 0.1	< 0.1	< 0.1	0
Benzo(a)pyrene	5	< 0.1	< 0.1	< 0.1	< 0.1	0
Benzo(b)fluoranthene	2.6	< 0.1	< 0.1	< 0.1	< 0.1	0
Benzo(k)fluoranthene	77	< 0.1	< 0.1	< 0.1	< 0.1	0
Indeno(1,2,3-cd)pyrene	27	< 0.1	< 0.1	< 0.1	< 0.1	0
Dibenz(a,h)anthracene	0.24	< 0.1	< 0.1	< 0.1	< 0.1	0
Benzo(ghi)perylene	320	< 0.1	< 0.1	< 0.1	< 0.1	0
Phenols						
Phenol	120	6.8	4.2	4.4	5.6	0

Notes for Table 2

All units in mg/kg.

Concentrations in **red** above assessment criteria for residential.

Conclusions & Recommendations

The imported material used in the garden areas at Louisa Street, Openshaw has been validated by Earth Environmental & Geotechnical Ltd.

The growing medium material was chemically validated at source before being imported on site and retested when placed within the garden areas. All samples contained concentrations of potential contaminants of concern less than soil assessment criteria for the long-term protection of human health for a residential end use. Sampling frequencies of at least 1no. sample per 50m³ were achieved for all imported materials used in the growing medium.

The thickness of the growing medium in all plots is considered suitable and adheres to the remediation strategy for the site.

Should you have any queries regarding the contents of this report, please feel free to contact me.

Yours Sincerely,



Luke Glover

Principal Geo-Environmental Consultant

For and on behalf of Earth Environmental & Geotechnical Ltd

Appendix A	Hand Dug Pit Logs
Appendix B	Material Transfer Notes
Appendix C	Source Chemical Testing Results & Reporting
Appendix D	Inverbeg Drive Asbestos Removal Report
Appendix E	Reassurance Chemical Testing Results

APPENDIX A

HAND DUG PIT LOGS



EARTH ENVIRONMENTAL & GEOTECHNICAL

Houldsworth Mill Business & Arts Centre, Houldsworth Street,
Stockport, SK5 6DA

Tel: 0161 975 6088

Email: info@earthenvironmental.co.uk

Web: www.earthenvironmental.co.uk

HAND DUG TRIAL HOLE LOG

Project Name: Louisa Street

Date: 16/12/24

Project No.: A4755

Client: Westchurch Homes


Hole Number: VP01 (Plot 2 Rear)

Logged By: A Horne

Total Depth: 0.50m

Remarks: Validation pit for soil depth analysis.

Schematic Profile:



Legend	Depth (m)	Description
	0.00-0.30	TOPSOIL: Dark brown slightly sandy slightly gravelly CLAY. Gravel is fine to medium subangular and subrounded of sandstone, mudstone and wood.
	0.30-0.50	SUBSOIL: Brown very clayey slightly gravelly fine to coarse SAND. Gravel is fine to coarse angular to subrounded of brick, sandstone and mudstone.

Hand dug pit terminated at 0.50m.

No groundwater encountered.

Photos:



VP01: Overview of Excavation.



VP01: Internal View of Excavation.



EARTH ENVIRONMENTAL & GEOTECHNICAL

Houldsworth Mill Business & Arts Centre, Houldsworth Street,
Stockport, SK5 6DA

Tel: 0161 975 6088

Email: info@earthenvironmental.co.uk

Web: www.earthenvironmental.co.uk

HAND DUG TRIAL HOLE LOG

Project Name: Louisa Street

Date: 16/12/24

Project No.: A4755

Client: Westchurch Homes


Hole Number: VP02 (Plot 6 Rear)

Logged By: A Horne

Total Depth: 0.45m

Remarks: Validation pit for soil depth analysis.

Schematic Profile:



Legend	Depth (m)	Description
	0.00-0.25	TOPSOIL: Dark brown slightly sandy slightly gravelly CLAY. Gravel is fine to medium subangular and subrounded of sandstone, mudstone and wood.
	0.25-0.45	SUBSOIL: Dark brown slightly sandy slightly gravelly CLAY. Gravel fine to coarse angular and subrounded of sandstone, brick and mudstone.

Hand dug pit terminated at 0.45m.

No groundwater encountered.

Photos:



VP02: Overview of Excavation.



VP02: Internal View of Excavation.



EARTH ENVIRONMENTAL & GEOTECHNICAL

Houldsworth Mill Business & Arts Centre, Houldsworth Street,
Stockport, SK5 6DA

Tel: 0161 975 6088

Email: info@earthenvironmental.co.uk

Web: www.earthenvironmental.co.uk

HAND DUG TRIAL HOLE LOG

Project Name: Louisa Street

Date: 16/12/24

Project No.: A4755

Client: Westchurch Homes


Hole Number: VP03 (Plot 8 Rear)

Logged By: A Horne

Total Depth: 0.55m

Remarks: Validation pit for soil depth analysis.

Schematic Profile:



Legend	Depth (m)	Description
	0.00-0.35	TOPSOIL: Dark brown slightly sandy slightly gravelly CLAY. Gravel is fine to medium subangular and subrounded of sandstone, mudstone and wood.
	0.35-0.55	SUBSOIL: Brown slightly sandy slightly gravelly CLAY. Gravel fine to coarse angular and subrounded of sandstone, brick and mudstone.

Hand dug pit terminated at 0.55m.

No groundwater encountered.

Photos:



VP03: Overview of Excavation.



VP03: Internal View of Excavation.



EARTH ENVIRONMENTAL & GEOTECHNICAL

Houldsworth Mill Business & Arts Centre, Houldsworth Street,
Stockport, SK5 6DA

Tel: 0161 975 6088

Email: info@earthenvironmental.co.uk

Web: www.earthenvironmental.co.uk

HAND DUG TRIAL HOLE LOG

Project Name: Louisa Street

Date: 16/12/24

Project No.: A4755

Client: Westchurch Homes


Hole Number: VP04 (Plot 9 Rear)

Logged By: A Horne

Total Depth: 0.50m

Remarks: Validation pit for soil depth analysis.

Schematic Profile:



Legend	Depth (m)	Description
	0.00-0.25	TOPSOIL: Dark brown slightly sandy slightly gravelly CLAY. Gravel is fine to medium subangular and subrounded of sandstone, mudstone and wood.
	0.25-0.50	SUBSOIL: Dark brown slightly sandy slightly gravelly CLAY. Gravel fine to coarse angular and subrounded of sandstone, brick and mudstone.

Hand dug pit terminated at 0.50m.

No groundwater encountered.

Photos:



VP04: Overview of Excavation.



VP04: Internal View of Excavation.



EARTH ENVIRONMENTAL & GEOTECHNICAL

Houldsworth Mill Business & Arts Centre, Houldsworth Street,
Stockport, SK5 6DA

Tel: 0161 975 6088

Email: info@earthenvironmental.co.uk

Web: www.earthenvironmental.co.uk

HAND DUG TRIAL HOLE LOG

Project Name: Louisa Street

Date: 16/12/24

Project No.: A4755

Client: Westchurch Homes


Hole Number: VP05 (Plot 12 Rear)

Logged By: A Horne

Total Depth: 0.50m

Remarks: Validation pit for soil depth analysis.

Schematic Profile:



Legend	Depth (m)	Description
	0.00-0.30	TOPSOIL: Dark brown slightly sandy slightly gravelly CLAY. Gravel is fine to medium subangular and subrounded of sandstone, mudstone and wood.
	0.30-0.50	SUBSOIL: Brown slightly sandy slightly gravelly CLAY. Gravel fine to coarse angular and subrounded of sandstone, brick and mudstone.

Hand dug pit terminated at 0.50m.

No groundwater encountered.

Photos:



VP05: Overview of Excavation.



VP05: Internal View of Excavation.



EARTH ENVIRONMENTAL & GEOTECHNICAL

Houldsworth Mill Business & Arts Centre, Houldsworth Street,
Stockport, SK5 6DA

Tel: 0161 975 6088

Email: info@earthenvironmental.co.uk

Web: www.earthenvironmental.co.uk

HAND DUG TRIAL HOLE LOG

Project Name: Louisa Street

Date: 16/12/24

Project No.: A4755

Client: Westchurch Homes


Hole Number: VP06 (Plot 15 Rear)

Logged By: A Horne

Total Depth: 0.60m

Remarks: Validation pit for soil depth analysis.

Schematic Profile:



Legend	Depth (m)	Description
	0.00-0.30	TOPSOIL: Dark brown slightly sandy slightly gravelly CLAY. Gravel is fine to medium subangular and subrounded of sandstone, mudstone and wood.
	0.30-0.60	SUBSOIL: Dark brown slightly sandy slightly gravelly CLAY. Gravel fine to coarse angular and subrounded of sandstone, brick and mudstone.

Hand dug pit terminated at 0.60m.

No groundwater encountered.

Photos:



VP06: Overview of Excavation.



VP06: Internal View of Excavation.



EARTH ENVIRONMENTAL & GEOTECHNICAL

Houldsworth Mill Business & Arts Centre, Houldsworth Street,
Stockport, SK5 6DA

Tel: 0161 975 6088

Email: info@earthenvironmental.co.uk

Web: www.earthenvironmental.co.uk

HAND DUG TRIAL HOLE LOG

Project Name: Louisa Street

Date: 16/12/24

Project No.: A4755

Client: Westchurch Homes


Hole Number: VP07 (Plot 18)

Logged By: A Horne

Total Depth: 0.55m

Remarks: Validation pit for soil depth analysis.

Schematic Profile:



Legend	Depth (m)	Description
	0.00-0.30	TOPSOIL: Dark brown slightly sandy slightly gravelly CLAY. Gravel is fine to medium subangular and subrounded of sandstone, mudstone and wood.
	0.30-0.55	SUBSOIL: Dark brown slightly sandy slightly gravelly CLAY. Gravel fine to coarse angular and subrounded of sandstone, brick and mudstone.

Hand dug pit terminated at 0.55m.

Groundwater ingress observed at 0.55m.

Photos:



VP07: Overview of Excavation.



VP07: Internal View of Excavation.



EARTH ENVIRONMENTAL & GEOTECHNICAL

Houldsworth Mill Business & Arts Centre, Houldsworth Street,
Stockport, SK5 6DA

Tel: 0161 975 6088

Email: info@earthenvironmental.co.uk

Web: www.earthenvironmental.co.uk

HAND DUG TRIAL HOLE LOG

Project Name: Louisa Street

Date: 31/01/25

Project No.: A4755

Client: Westchurch Homes


Hole Number: PL01 (Plot 1 Rear)

Logged By: C Low

Total Depth: 0.53m

Remarks: Trial hole for validation testing.

Schematic Profile:



Legend	Depth (m)	Description
	0.00-0.21	TOPSOIL: Dark brown sandy gravelly CLAY with occasional rootlets. Gravel is angular to subangular fine to coarse of sandstone, mudstone and brick. Sand is fine.
	0.21-0.53	SUBSOIL: Brown sandy gravelly CLAY. Gravel is angular to subrounded fine to coarse of brick, sandstone and mudstone. Sand is fine.

Hand dug pit terminated at 0.53m.

No groundwater encountered.

Environmental sample taken at 0.10m.

Photos:



PL01: Overview of Excavation.



PL01: Internal View of Excavation.



EARTH ENVIRONMENTAL & GEOTECHNICAL

Houldsworth Mill Business & Arts Centre, Houldsworth Street,
Stockport, SK5 6DA

Tel: 0161 975 6088

Email: info@earthenvironmental.co.uk

Web: www.earthenvironmental.co.uk

HAND DUG TRIAL HOLE LOG

Project Name: Louisa Street

Date: 31/01/25

Project No.: A4755

Client: Westchurch Homes


Hole Number: PL04 (Plot 4 Rear)

Logged By: C Low

Total Depth: 0.54m

Remarks: Trial hole for validation testing.

Schematic Profile:



Legend	Depth (m)	Description
	0.00-0.22	TOPSOIL: Dark brown sandy gravelly CLAY with occasional rootlets. Gravel is angular to subangular fine to coarse of sandstone, mudstone and brick. Sand is fine.
	0.22-0.54	SUBSOIL: Brown sandy gravelly CLAY. Gravel is angular to subrounded fine to coarse of brick, sandstone and mudstone. Sand is fine.

Hand dug pit terminated at 0.54m.

No groundwater encountered.

Environmental sample taken at 0.40m

Photos:



PL04: Overview of Excavation.



PL04: Internal View of Excavation.



EARTH ENVIRONMENTAL & GEOTECHNICAL

Houldsworth Mill Business & Arts Centre, Houldsworth Street,
Stockport, SK5 6DA

Tel: 0161 975 6088

Email: info@earthenvironmental.co.uk

Web: www.earthenvironmental.co.uk

HAND DUG TRIAL HOLE LOG

Project Name: Louisa Street

Date: 31/01/2025

Project No.: A4755

Client: Westchurch Homes


Hole Number: PL08 (Plot 8 Rear)

Logged By: C Low

Total Depth: 0.50m

Remarks: Trial hole for validation testing.

Schematic Profile:



Legend	Depth (m)	Description
	0.00-0.23	TOPSOIL: Dark brown sandy gravelly CLAY with occasional rootlets. Gravel is angular to subangular fine to coarse of sandstone, mudstone and brick. Sand is fine.
	0.23-0.50	SUBSOIL: Light brown sandy gravelly CLAY. Gravel is angular to subrounded fine to coarse of brick, sandstone and mudstone. Sand is fine.

Hand dug pit terminated at 0.50m.

No groundwater encountered.

Environmental sample taken at 0.15m.

Photos:



PL08: Overview of Excavation.



PL08: Internal View of Excavation.



EARTH ENVIRONMENTAL & GEOTECHNICAL

Houldsworth Mill Business & Arts Centre, Houldsworth Street,
Stockport, SK5 6DA

Tel: 0161 975 6088

Email: info@earthenvironmental.co.uk

Web: www.earthenvironmental.co.uk

HAND DUG TRIAL HOLE LOG

Project Name: Louisa Street

Date: 31/01/25

Project No.: A4755

Client: Westchurch Homes


Hole Number: PL11 (Plot 11 Rear)

Logged By: C Low

Total Depth: 0.48m

Remarks: Trial hole for validation testing.

Schematic Profile:



Legend	Depth (m)	Description
	0.00-0.20	TOPSOIL: Dark brown sandy gravelly CLAY with occasional rootlets. Gravel is angular to subangular fine to coarse of sandstone, mudstone and brick. Sand is fine.
	0.20-0.48	SUBSOIL: Light brown sandy gravelly CLAY. Gravel is angular to subrounded fine to coarse of brick, sandstone and mudstone. Sand is fine.

Hand dug pit terminated at 0.48m.

No groundwater encountered.

Environmental sample taken at 0.10m.

Photos:



PL11: Overview of Excavation.



PL11: Internal View of Excavation.



EARTH ENVIRONMENTAL & GEOTECHNICAL

Houldsworth Mill Business & Arts Centre, Houldsworth Street,
Stockport, SK5 6DA

Tel: 0161 975 6088

Email: info@earthenvironmental.co.uk

Web: www.earthenvironmental.co.uk

HAND DUG TRIAL HOLE LOG

Project Name: Louisa Street

Date: 31/01/25

Project No.: A4755

Client: Westchurch Homes


Hole Number: PL14 (Plot 14 Rear)

Logged By: C Low

Total Depth: 0.58m

Remarks: Trial hole for validation testing.

Schematic Profile:



Legend	Depth (m)	Description
	0.00-0.30	TOPSOIL: Dark brown sandy gravelly CLAY with occasional rootlets. Gravel is angular to subangular fine to coarse of sandstone, mudstone and brick. Sand is fine.
	0.30-0.58	SUBSOIL: Light brown sandy gravelly CLAY. Gravel is angular to subrounded fine to coarse of brick, sandstone and mudstone. Sand is fine.

Hand dug pit terminated at 0.58m.

Groundwater seepage at 0.50m.

Environmental sample taken at 0.45m.

Photos:



PL14: Overview of Excavation.



PL14: Internal View of Excavation.



EARTH ENVIRONMENTAL & GEOTECHNICAL

Houldsworth Mill Business & Arts Centre, Houldsworth Street,
Stockport, SK5 6DA

Tel: 0161 975 6088

Email: info@earthenvironmental.co.uk

Web: www.earthenvironmental.co.uk

HAND DUG TRIAL HOLE LOG

Project Name: Louisa Street

Date: 31/01/25

Project No.: A4755

Client: Westchurch Homes


Hole Number: PL16 (Plot 16 Rear)

Logged By: C Low

Total Depth: 0.47m

Remarks: Trial hole for validation testing.

Schematic Profile:



Legend	Depth (m)	Description
	0.00-0.30	TOPSOIL: Dark brown sandy gravelly CLAY with occasional rootlets. Gravel is angular to subangular fine to coarse of sandstone, mudstone and brick. Sand is fine.
	0.30-0.47	SUBSOIL: Brown clayey gravelly fine to coarse SAND. Gravel is angular to subangular fine to coarse of brick, concrete, sandstone and mudstone.

Hand dug pit terminated at 0.47m.

No groundwater encountered.

Environmental sample taken at 0.20m.

Photos:



PL16: Overview of Excavation.



PL16: Internal View of Excavation.



EARTH ENVIRONMENTAL & GEOTECHNICAL

Houldsworth Mill Business & Arts Centre, Houldsworth Street,
Stockport, SK5 6DA

Tel: 0161 975 6088

Email: info@earthenvironmental.co.uk

Web: www.earthenvironmental.co.uk

HAND DUG TRIAL HOLE LOG

Project Name: Louisa Street

Date: 31/01/25

Project No.: A4755

Client: Westchurch Homes


Hole Number: PL16 Front (Plot 16 Front)

Logged By: C Low

Total Depth: 0.50m

Remarks: Trial hole for validation testing.

Schematic Profile:



Legend	Depth (m)	Description
	0.00-0.22	TOPSOIL: Dark brown sandy gravelly CLAY. Gravel is angular to subangular fine to coarse of sandstone, limestone, mudstone and brick. Sand is fine.
	0.22-0.50	SUBSOIL: Light brown sandy gravelly CLAY. Gravel is angular to subrounded fine to coarse of brick, sandstone and mudstone. Sand is fine.

Hand dug pit terminated at 0.50m.

No groundwater encountered.

Environmental sample taken at 0.40m.

Photos:



PL16 (Front): Overview of Excavation.



PL16 (Front): Internal View of Excavation.



EARTH ENVIRONMENTAL & GEOTECHNICAL

Houldsworth Mill Business & Arts Centre, Houldsworth Street,
Stockport, SK5 6DA

Tel: 0161 975 6088

Email: info@earthenvironmental.co.uk

Web: www.earthenvironmental.co.uk

HAND DUG TRIAL HOLE LOG

Project Name: Louisa Street

Date: 31/01/25

Project No.: A4755

Client: Westchurch Homes


Hole Number: PL19 (Plot 19 Rear)

Logged By: C Low

Total Depth: 0.49m

Remarks: Trial hole for validation testing.

Schematic Profile:



Legend	Depth (m)	Description
	0.00-0.22	TOPSOIL: Grass over dark brown sandy gravelly CLAY with occasional rootlets. Gravel is angular to subangular fine to coarse of sandstone, mudstone and brick. Sand is fine.
	0.22-0.49	SUBSOIL: Light brown sandy gravelly CLAY. Gravel is angular to subrounded fine to coarse of brick, sandstone and mudstone. Sand is fine.

Hand dug pit terminated at 0.49m.

No groundwater encountered.

Environmental sample taken at 0.35m.

Photos:



PL19: Overview of Excavation.



PL19: Internal View of Excavation.



EARTH ENVIRONMENTAL & GEOTECHNICAL

Houldsworth Mill Business & Arts Centre, Houldsworth Street,
Stockport, SK5 6DA

Tel: 0161 975 6088

Email: info@earthenvironmental.co.uk

Web: www.earthenvironmental.co.uk

HAND DUG TRIAL HOLE LOG

Project Name: Louisa Street

Date: 31/01/25

Project No.: A4755

Client: Westchurch Homes


Hole Number: PL19 Front (Plot 19 Front)

Logged By: C Low

Total Depth: 0.47m

Remarks: Validation pit for soil depth analysis.

Schematic Profile:



Legend	Depth (m)	Description
	0.00-0.21	TOPSOIL: Dark brown sandy gravelly CLAY. Gravel is angular to subrounded fine to coarse of sandstone, limestone, mudstone and brick. Sand is fine.
	0.21-0.47	SUBSOIL: Light brown sandy gravelly CLAY. Gravel is angular to subrounded fine to coarse of brick, sandstone and mudstone. Sand is fine.

Hand dug pit terminated at 0.47m.

No groundwater encountered.

Environmental sample taken at 0.15m.

Photos:



PL19 (Front): Overview of Excavation.



PL19 (Front): Internal View of Excavation.

APPENDIX B

MATERIAL TRANSFER NOTES

B. J. CROWTHER LTD

Windsor House, Windsor Street,
Oldham, OL1 4AE
Tel: 0161 652 0505
Email: info@bjcrowther.co.uk
Web: www.bjcrowther.co.uk

Bulk Excavation Muck Away Tipper Hire RoRo Skips Aggregates

DELIVERY/WASTE TRANSFER NOTE

Date 30/9/24 Time Order No. 10141087
Customer/Producer WESTCUMBER
Location CHARNOCK RICHARD
To LOUISA ST OPENING
Vehicle Reg MU19 TSD Driver DAVE W

Description of Goods		Weight	
HAUL TOP SOIL OP2		1x8WH	☒
		Gross:	KG
		Tare:	KG
		Nett:	KG

WRAP Recycled Aggregate Protocol Compliant

Delivered	☒	Off site	☒	Wet		Collect Ref	
-----------	-------------------------------------	----------	-------------------------------------	-----	--	-------------	--

Waste Disposal Location

Waste Producer SIC Code

Classification of materials removed from site:

EWC 17 05 04 ☐ Soils & Stone EWC 17 03 02 ☐ Bituminous Mixtures (Tarmac)
EWC 17 01 01 ☐ Concrete EWC 17 01 07 ☐ Mixture Concrete, Brick, Tiles, Ceramics
EWC 17 01 02 ☐ Bricks EWC ☐ Other

I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England & Wales) Regulations 2011

Sign: 	Print:
---	--------

Waste Carriers Licence No: CBDU40692

BJC Company SIC Code: 43120

Waste Transfer Permit No: EPR/AP3629SG

No 133652

It is essential that all the written particulars entered above should be carefully checked by the consignee since this delivery note once signed by the consignee represents total acceptance and no subsequent complaints can be accepted. It is the responsibility of the customer to supply a banksman if the vehicle is required to travel off the public highway. The customer is also responsible for any damage caused to vehicles and property. In accordance with our Terms and Conditions a charge for excessive waiting time may be made.

ROWTHER TD

Windsor House, Windsor Street,
Oldham, OL1 4AE
Tel: 0161 652 0505
Email: info@bjcrowther.co.uk
Web: www.bjcrowther.co.uk

Excavation • Muck Away • Tipper Hire • RoRo Skips • Aggregates

DELIVERY/WASTE TRANSFER NOTE

Date: 12/11/14 Time: 13:00 Order No: 1014/087
Customer: Wychwood Homes

From: Mr Love Charwood Richards
1472 WPD Driver: Malvern

Description of Goods	Weight	
	1x8WH	
	Gross:	KG
	Tare:	KG
	Nett:	KG
VBSORC Muck LAGE only to 115N St Openshaw		
Waste Protocol Compliant		
Off site	Wet	Collect Ref

Location:
C Code:

Materials removed from site:

- | | | |
|--|--------------|---|
| ☐ Soils & Stone | EWC 17 03 02 | ☐ Bituminous Mixtures (Tarmac) |
| ☐ Concrete | EWC 17 01 07 | ☐ Mixture Concrete, Brick, Tiles, Ceramics |
| ☐ Bricks | EWC | ☐ Other |

I hereby declare my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England & Wales) Regulations 2011

Signature: [Signature] Print: J Crowther

Invoice No: CBDU40692
Code: 43120
Permit No: EPR/AP3629SG

No 138551

Written particulars entered above should be carefully checked by the consignee since this delivery note once signed is for total acceptance and no subsequent complaints can be accepted. It is the responsibility of the customer to supply vehicles required to travel off the public highway. The customer is also responsible for any damage caused to vehicles and in our Terms and Conditions a charge for excessive waiting time may be made.



HURT

Hurt Plant Hire

1031557

Hurt (Plant Hire) Limited

Sandham House, Lancashire Enterprise Business Park, Redrose Drive, Leyland, PR26 6TJ

Telephone: 01772 432475 Email: sales@hurtplant.co.uk Web: www.clivehurtplanthire.co.uk

Date: 7.11.24	Vehicle Reg. No: P270 AAF	6w	
		8w	✓
	Driver: JARREN	Grab	
		Artic	

Customer: WF STEPHENSON
From: M. VON BONG DA
To: LEWIS ST

Wet		Inert Spoil		Hardcore		Other	
-----	--	-------------	--	----------	--	-------	--

Contaminated Soil	Non-Hazardous		Hazardous	
-------------------	---------------	--	-----------	--

Recycled Aggregate Produced In Accordance with the Wrap Protocol									
Sand		MOT		Topsoil	✓	6F5		Crush	

No. of Loads	1	Weight in Tonnes	
--------------	---	------------------	--

Extra Notes: TOP SOIL 197750

Site Print: [Signature] Site Signature: [Signature]

Part of the Fox Group

HURT
Hurt Plant Hire

FOX
BROTHERS

CMP



HURT

1031556

Hurt Plant Hire

Hurt (Plant Hire) Limited

Sandham House, Lancashire Enterprise Business Park, Redrose Drive, Leyland, PR26 6TJ
Telephone: 01772 432475 Email: sales@hurtplant.co.uk Web: www.clivehurtplanthire.co.uk

Date: 7.11.24	Vehicle Reg. No: P270 AAF	6w	
		8w	
	Driver: JARRON	Grab	
		Artic	

Customer:

From:

To:

Wet		Inert Spoil	/	Hardcore		Other	
-----	--	-------------	---	----------	--	-------	--

Contaminated Soil		Non-Hazardous		Hazardous	
-------------------	--	---------------	--	-----------	--

Recycled Aggregate Produced
In Accordance with the Wrap Protocol

Sand		MOT		Topsoil		6F5		Crush	
------	--	-----	--	---------	--	-----	--	-------	--

No. of Loads	1	Weight in Tonnes	
--------------	---	------------------	--

Extra Notes:

SUB/SOIL

Site Print:

Site Signature:

Part of the Fox Group

HURT
Hurt Plant Hire

FOX
BROTHERS

CMP



HURT

1031562

Hurt Plant Hire

Hurt (Plant Hire) Limited

Sandham House, Lancashire Enterprise Business Park, Redrose Drive, Leyland, PR26 6TJ
Telephone: 01772 432475 Email: sales@hurtplant.co.uk Web: www.clivehurtplanthire.co.uk

Date: 11-11-24	Vehicle Reg. No: P270 AAF	6w	
		8w	✓
	Driver: JASON	Grab	
		Artic	

Customer:	WESTHURST
From:	INVERBOYD JN
To:	LOUISA ST.

Wet		Inert Spoil	✓	Hardcore		Other	
-----	--	-------------	---	----------	--	-------	--

Contaminated Soil	Non-Hazardous		Hazardous	
-------------------	---------------	--	-----------	--

Recycled Aggregate Produced
In Accordance with the Wrap Protocol

Sand		MOT		Topsoil		6F5		Crush	
------	--	-----	--	---------	--	-----	--	-------	--

No. of Loads	1	Weight in Tonnes	
--------------	---	------------------	--

Extra Notes: SUBSOIL

Site Print: None Site Signature: _____

Part of the Fox Group

HURT
Hurt Plant Hire

FOX
BROTHERS





HURT

1031561

Hurt Plant Hire

Hurt (Plant Hire) Limited

Sandham House, Lancashire Enterprise Business Park, Redrose Drive, Leyland, PR26 6TJ
Telephone: 01772 432475 Email: sales@hurtplant.co.uk Web: www.clivehurtplanthire.co.uk

Date: <i>11-11-24</i>	Vehicle Reg. No: <i>Pn 10 AAF</i>	6w	
		8w	☒
	Driver: <i>JARREN</i>	Grab	
		Artic	

Customer:	<i>WESTCHAMPT</i>
From:	<i>INVERBOY JN</i>
To:	<i>LOVISA ST</i>

Wet		Inert Spoil		Hardcore		Other	
-----	--	-------------	--	----------	--	-------	--

Contaminated Soil		Non-Hazardous		Hazardous	
-------------------	--	---------------	--	-----------	--

Recycled Aggregate Produced In Accordance with the Wrap Protocol									
Sand		MOT		Topsoil	☒	6F5		Crush	

No. of Loads	<i>1</i>	Weight in Tonnes	
--------------	----------	------------------	--

Extra Notes: <i>SOIL</i>

Site Print: *Non* Site Signature:

Part of the Fox Group

HURT
Hurt Plant Hire

FOX
BROTHERS

CMP



HURT

1031081

Hurt Plant Hire

Hurt (Plant Hire) Limited

Sandham House, Lancashire Enterprise Business Park, Redrose Drive, Leyland, PR26 6TJ

Telephone: 01772 432475 Email: sales@hurtplant.co.uk Web: www.clivehurtplanthire.co.uk

Date: 21/10/24	Vehicle Reg. No: PH24GX	6w	
		8w	
	Driver: Simon	Grab	
		Artic	

Customer:	WESTCHURCH
From:	INVERBERG DRIVE
To:	OPENSMAW

Wet		Inert Spoil		Hardcore		Other	
-----	--	-------------	--	----------	--	-------	--

Contaminated Soil		Non-Hazardous		Hazardous	
-------------------	--	---------------	--	-----------	--

Recycled Aggregate Produced
In Accordance with the Wrap Protocol

Sand		MOT		Topsoil		6F5		Crush	
------	--	-----	--	---------	--	-----	--	-------	--

No. of Loads	1	Weight in Tonnes	
--------------	---	------------------	--

Extra Notes: SITE TO SITE

Site Print: ROW Site Signature: _____

Part of the Fox Group

HURT
Hurt Plant Hire

FOX
BROTHERS

CWP

DELIVERY/WASTE TRANSFER NOTE

Location..... Amherst, NY

Vehicle Reg. MA 6K757 Driver Stacy

Description of Goods	Weight	
Hewn	1x8WH	✓
TOP SOIL	Gross:	KG
	Tare:	KG
WRAP Recycled Aggregate Protocol Compliant	Nett:	KG

Delivered		Off site		Wet		Collect Ref
-----------	--	----------	--	-----	--	-------------

Waste Disposal Location.....

Waste Producer SIC Code

Classification of materials removed from site:

EWC 17 05 04	☐ Soils & Stone	EWC 17 03 02	☐ Bituminous Mixtures (Tarmac)
EWC 17 01 01	☐ Concrete	EWC 17 01 07	☐ Mixture Concrete, Brick, Tiles, Ceramics
EWC 17 01 02	☐ Bricks	EWC	☐ Other

I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England & Wales) Regulations 2011

Sign: 	Print: 
---	--

Waste Carriers Licence No: CBDU40692

BJC Company SIC Code: 43120

Waste Transfer Permit No: EPR/AP3629SG

No 132233

It is essential that all the written particulars entered above should be carefully checked by the consignee since this delivery note once signed by the consignee represents total acceptance and no subsequent complaints can be accepted. It is the responsibility of the customer to supply a banksman if the vehicle is required to travel off the public highway. The customer is also responsible for any damage caused to vehicles and property. In accordance with our Terms and Conditions a charge for excessive waiting time may be made.

Excavation Muck Away Tipper Hire RoRo Skips Aggregates

DELIVERY/WASTE TRANSFER NOTE

Date: 19/24 Time: 8.10-8.25 Order No: 1014-087A
Producer: WESTCHURCH HOMES
INVERBERG DRIVE
BREIGHTMET
MIDY TYO Driver: DAVID W

Description of Goods	Weight	
HAUL TOP SOIL O LOUISA ST OPENSHAW	1x8WH	✓
	Gross:	KG
	Tare:	KG
	Nett:	KG
Aggregate Protocol Compliant		
Off site	✓	Wet
Collect Ref		

Location:

SIC Code

Materials removed from site:

- | | | |
|--|--------------|---|
| ☐ Soils & Stone | EWC 17 03 02 | ☐ Bituminous Mixtures (Tarmac) |
| ☐ Concrete | EWC 17 01 07 | ☐ Mixture Concrete, Brick, Tiles, Ceramics |
| ☐ Bricks | EWC | ☐ Other |

I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England & Wales) Regulations 2011

Print: PENNY L

Licence No: CBDU40692

SIC Code: 43120

Permit No: EPR/AP3629SG

No 132442

The written particulars entered above should be carefully checked by the consignee since this delivery note once signed presents total acceptance and no subsequent complaints can be accepted. It is the responsibility of the customer to supply a vehicle to travel off the public highway. The customer is also responsible for any damage caused to vehicles and property with our Terms and Conditions a charge for excessive waiting time may be made.

B. J. CROWTHER LTD

Windsor House, Windsor Street,
Oldham, OL1 4AE
Tel: 0161 652 0505
Email: info@bjcrowther.co.uk
Web: www.bjcrowther.co.uk

Bulk Excavation Muck Away Tipper Hire RoRo Skips Aggregates

DELIVERY/WASTE TRANSFER NOTE

Date: 6.9.24 Time: 13.00 Order No:

Customer/Producer: Westchirel Homes

Location: LIVERBURY DRIVE, BOLTON

Vehicle Reg: MNR WED Driver: MALCOLM

Description of Goods	Weight	
SUBSON haulage only to LOUISA ST OPENSHAW	1x8WH	☒
	Gross:	KG
	Tare:	KG
	Nett:	KG

WRAP Recycled Aggregate Protocol Compliant

Delivered	☐	Off site	☒	Wet	☐	Collect Ref	☐
-----------	--------------------------	----------	-------------------------------------	-----	--------------------------	-------------	--------------------------

Waste Disposal Location:

Waste Producer SIC Code:

Classification of materials removed from site:

- | | |
|---|--|
| EWC 17 05 04 ☐ Soils & Stone | EWC 17 03 02 ☐ Bituminous Mixtures (Tarmac) |
| EWC 17 01 01 ☐ Concrete | EWC 17 01 07 ☐ Mixture Concrete, Brick, Tiles, Ceramics |
| EWC 17 01 02 ☐ Bricks | EWC ☐ Other |

I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England & Wales) Regulations 2011

Sign: J. Haden	Print: J. Haden
-------------------	--------------------

Waste Carriers Licence No: CBDU40692

BJC Company SIC Code: 43120

Waste Transfer Permit No: EPR/AP3629SG

No 132482

It is essential that all the written particulars entered above should be carefully checked by the consignee since this delivery note once signed by the consignee represents total acceptance and no subsequent complaints can be accepted. It is the responsibility of the customer to supply a banksman if the vehicle is required to travel off the public highway. The customer is also responsible for any damage caused to vehicles and property. In accordance with our Terms and Conditions a charge for excessive waiting time may be made.

B. J. CROWTHER LTD

Windsor House, Windsor Street,
Oldham, OL1 4AE
Tel: 0161 652 0505
Email: info@bjcrowther.co.uk
Web: www.bjcrowther.co.uk

Bulk Excavation Muck Away Tipper Hire RoRo Skips Aggregates

DELIVERY/WASTE TRANSFER NOTE

Date 6.9.24 Time 11:00 Order No. 11003
Customer/Producer Wootton Bassett
Location INVERBURY DRIVE
BELTON
Vehicle Reg MW12 LUD Driver MALCOLM

Description of Goods	Weight	
	1x8WH	☒
	Gross:	KG
	Tare:	KG
	Nett:	KG

WRAP Recycled Aggregate Protocol Compliant

Delivered	☐	Off site	☒	Wet	☐	Collect Ref	☐
-----------	--------------------------	----------	-------------------------------------	-----	--------------------------	-------------	--------------------------

Waste Disposal Location.....

Waste Producer SIC Code.....

Classification of materials removed from site:

EWC 17 05 04 ☐ Soils & Stone
EWC 17 01 01 ☐ Concrete
EWC 17 01 02 ☐ Bricks
EWC 17 03 02 ☐ Bituminous Mixtures (Tarmac)
EWC 17 01 07 ☐ Mixture Concrete, Brick, Tiles, Ceramics
EWC ☐ Other

I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England & Wales) Regulations 2011

Sign: [Signature] Print: MALCOLM

Waste Carriers Licence No: CBDU40692

BJC Company SIC Code: 43120

Waste Transfer Permit No: EPR/AP3629SG

No 132481

It is essential that all the written particulars entered above should be carefully checked by the consignee since this delivery note once signed by the consignee represents total acceptance and no subsequent complaints can be accepted. It is the responsibility of the customer to supply a banksman if the vehicle is required to travel off the public highway. The customer is also responsible for any damage caused to vehicles and property. In accordance with our Terms and Conditions a charge for excessive waiting time may be made.

Windsor House, Windsor Street,
Oldham, OL1 4AE
Tel: 0161 652 0505
Email: info@bjcrowther.co.uk
Web: www.bjcrowther.co.uk

DELIVERY/WASTE TRANSFER NOTE

Vehicle Reg. MD 1240D Driver M. Pearson

Description of Goods	Weight	
1 SUBSOL brinase only to Lousa St ofenstan	1x8WH	
	Gross:	KG
	Tare:	KG
WRAP Recycled Aggregate Protocol Compliant	Nett:	KG

Delivered		Off site	✓	Wet		Collect Ref	
-----------	--	----------	---	-----	--	-------------	--

Waste Producer SIC Code

Classification of materials removed from site:

EWC 17 05 04	☐ Soils & Stone	EWC 17 03 02	☐ Bituminous Mixtures (Tarmac)
EWC 17 01 01	☐ Concrete	EWC 17 01 07	☐ Mixture Concrete, Brick, Tiles, Ceramics
EWC 17 01 02	☐ Bricks	EWC	☐ Other

I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England & Wales) Regulations 2011

Sign: 	Print: A. H. T. O. L.
---	-----------------------

Waste Carriers Licence No: CBDU40692

BJC Company SIC Code: 43120

Waste Transfer Permit No: EPR/AP3629SG

No. 132459

It is essential that all the written particulars entered above should be carefully checked by the consignee since this delivery note once signed by the consignee represents total acceptance and no subsequent complaints can be accepted. It is the responsibility of the customer to supply a banksmen if the vehicle is required to travel off the public highway. The customer is also responsible for any damage caused to vehicles and property. In accordance with our Terms and Conditions a charge for excessive waiting time may be made.

B. J. CROWTHER LTD

Windsor House, Windsor Street,
Oldham, OL1 4AE
Tel: 0161 652 0505
Email: info@bjcrowther.co.uk
Web: www.bjcrowther.co.uk

Bulk Excavation Muck Away Tipper Hire RoRo Skips Aggregates

DELIVERY/WASTE TRANSFER NOTE

Date 2.9.24 Time 1130 Order No. 1020-0878

Customer/Producer Wey Church

Location INVERBURY DRIVE BARTON

Vehicle Reg. MV22UPD Driver MALCOLM

Description of Goods	Weight	
TOPSOIL Package ONLY to LOUISAS ST OPONSHAM	1x8WH	
	Gross:	KG
	Tare:	KG
	Nett:	KG

WRAP Recycled Aggregate Protocol Compliant

Delivered		Off site		Wet		Collect Ref	
-----------	--	----------	--	-----	--	-------------	--

Waste Disposal Location.....

Waste Producer SIC Code.....

Classification of materials removed from site:

- | | |
|---|--|
| EWC 17 05 04 ☐ Soils & Stone | EWC 17 03 02 ☐ Bituminous Mixtures (Tarmac) |
| EWC 17 01 01 ☐ Concrete | EWC 17 01 07 ☐ Mixture Concrete, Brick, Tiles, Ceramics |
| EWC 17 01 02 ☐ Bricks | EWC ☐ Other |

I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England & Wales) Regulations 2011

Sign: <u>[Signature]</u>	Print: <u>[Signature]</u>
--------------------------	---------------------------

Waste Carriers Licence No: CBDU40692

BJC Company SIC Code: 43120

Waste Transfer Permit No: EPR/AP3629SG

No **132460**

It is essential that all the written particulars entered above should be carefully checked by the consignee since this delivery note once signed by the consignee represents total acceptance and no subsequent complaints can be accepted. It is the responsibility of the customer to supply a banksman if the vehicle is required to travel off the public highway. The customer is also responsible for any damage caused to vehicles and property. In accordance with our Terms and Conditions a charge for excessive waiting time may be made.

APPENDIX C

SOURCE CHEMICAL TESTING RESULTS & REPORTING



OUR REF: A5882-24 15th March 2024
YOUR REF:

15th March 2024

Mr. Paul Sinclair
Westchurch Homes Ltd
31 Stamford Street
Altrincham
Cheshire
WA14 1ES

By Email (paul.sinclair@westchurchhomes.co.uk)

Dear Paul,

Inverbeg Drive, Bolton
Stockpile Chemical Testing

Background and Terms of Reference

This report provides a summary of the validation of the site won and stockpiled material

This report should be read in conjunction with a Betts Ground Investigation Report (Report No. 20WCH012/GI) dated November 2021.

It is understood that stockpiled subsoil and topsoil will be used on site (within garden/landscaped areas) and also used on other nearby Westchurch projects.

Site Location

The site is located south of Inverbeg Drive, Bolton, BL2 6NA.

The coordinates on the British National Grid CRS are 375076, 408854.

The proposed site is approximately 2.09 hectares in total.

Site History

The previous site investigation report indicates that the site was formerly used as a football pitch.

Scope of Work

A site visit was conducted on the 1st March 2023 to recover samples of subsoil and topsoil that were provided by client whilst on site.

Twelve soil samples were taken in total.

Chemical testing has been performed by DETS, a UKAS and MCERTS accredited laboratory. Appendix A provides a copy of the testing results.

**CONSULTING
ENGINEERS**

Geotechnical
Environmental
Ecology
Geology
Drainage
Mining

Earth Environmental &
Geotechnical Ltd
Houldsworth Mill Business &
Arts Centre
Houldsworth Street
Stockport
SK5 6DA

Tel: 0161 975 6088

www.earthenvironmental.co.uk
info@earthenvironmental.co.uk

Bath

Studio 3
Tollbridge Studios
Toll Bridge Road
Bath
BA1 7DE
Tel: 01225 858833

Cardiff

12 Cathedral Road
Cardiff
CF11 9LJ
Tel: 0292 2362615

Edinburgh

Hudson House
8 Albany Street
Edinburgh
EH1 3QB
Tel: 0131 5641789

Wilton

Wilton Centre
Redcar
TS10 4RF
Tel: 01642 438125

Reading

Suite 18
Wyvols Court
Swallowfield
Reading
RG7 1WY
Tel: 01183 734000

Earth Environmental &
Geotechnical Ltd
Registered Office:
Mentor House, Ainsworth Street,
Blackburn, Lancashire, BB1 6AY

There was no visual or olfactory evidence of contamination observed during the site sampling process.

Figure 1: Stockpile Location Plan



Chemical Testing

12no. samples were obtained in total from the stockpiles, with 6no. samples of topsoil and 6no. samples of subsoil, as requested by the client.

Chemical testing has been performed for a wide range of analytes including asbestos screen, pH, total organic carbon, total sulphate, sulphide, total cyanide, arsenic, chromium, hexavalent chromium, copper, lead, selenium, zinc, cadmium, mercury, nickel, vanadium, barium, beryllium, water soluble boron, mono phenol, speciated hydrocarbons and speciated PAH's.

At a Tier I stage the long term (chronic) human health toxicity of the soil has been assessed with reference to DEFRA/Environment Agency Contaminated Land Exposure Assessment (CLEA) Soil Guideline Values (SGV) for generic site land uses, soils, and exposure.

Where Environment Agency generic guidance is absent, reference has been made to the Chartered Institute of Environmental Health (CIEH) S4ULs for human health risk assessment.

In the case of arsenic, cadmium, hexavalent chromium, lead, benzene, naphthalene, and benzo(a)pyrene DEFRA Category 4 Screening Levels have been adopted. The results have been compared to residential with plant uptake and 6% soil organic matter (SOM).

Table 1 Assessment of Soil Chemical Data

Determinand	C4SL/S4UL Levels Resi w/ HP SOM 6% (mg/kg)	Topsoil 1	Topsoil 2	Topsoil 3	Topsoil 4	Topsoil 5	Topsoil 6	Subsoil 1	Subsoil 2	Subsoil 3	Subsoil 4	Subsoil 5	Subsoil 6	Exceedances
Metals														
Arsenic	37	18	18	16	17	21	18	6	6	8	8	6	7	0
Beryllium	1.7	0.7	0.7	0.9	0.7	0.8	0.7	1.1	1.1	1.3	1.3	1	0.9	0
Boron	290	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	0
Cadmium	11	0.3	0.3	0.3	0.3	0.4	0.3	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	0
Chromium	910	19	23	22	18	20	20	17	17	19	20	18	16	0
Chromium VI	21	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0
Copper	2400	30	30	32	30	33	30	21	24	27	25	22	21	0
Lead	200	93	80	64	87	83	78	16	15	16	15	11	11	0
Inorganic Mercury	40	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	0
Nickel	130	12	15	17	11	13	12	20	20	22	21	17	18	0
Selenium	250	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0
Vanadium	410	21	23	22	22	23	21	21	19	20	23	18	19	0
Zinc	3700	78	77	74	76	79	73	52	47	54	51	41	46	0
Petroleum Hydrocarbons														
Benzene	0.20	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	0
Toluene	130	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0
Ethylbenzene	47	< 0.002	< 0.002	0.005	< 0.002	0.005	< 0.002	0.003	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	0
o-xylenes	60	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	0
m-xylenes	59	< 0.002	< 0.002	< 0.002	0.006	< 0.002	< 0.002	< 0.002	0.003	< 0.002	< 0.002	< 0.002	0.003	0
p-xylenes	56	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0
Aliphatic EC >5-6	42	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	0
Aliphatic EC >6-8	100	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0
Aliphatic EC >8-10	27	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0
Aliphatic EC >10-12	130	< 2	< 2	< 2	< 2	< 2	< 3	< 3	< 3	< 3	< 3	< 3	< 3	0
Aliphatic EC >12-16	1100	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	0
Aliphatic EC >16-21	65000	< 3	< 3	< 3	< 3	< 3	< 10	< 10	< 10	< 10	< 10	< 10	< 10	0
Aliphatic EC >21-35	65000	< 10	< 10	< 10	< 10	< 10	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0
Aromatic EC >5-7	70	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0
Aromatic EC >7-8	130	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	0
Aromatic EC >8-10	34	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0
Aromatic EC >10-12	74	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0
Aromatic EC >12-16	140	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0
Aromatic EC >16-21	260	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	0
Aromatic EC >21-35	1100	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	0

Polycyclic Aromatic Hydrocarbons														
Naphthalene	2.3	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Acenaphthylene	170	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Acenaphthene	210	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Fluorene	170	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Phenanthrene	95	< 0.1	0.15	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Anthracene	2400	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Fluoranthene	280	< 0.1	0.28	0.14	< 0.1	0.20	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Pyrene	620	< 0.1	0.27	< 0.1	< 0.1	0.17	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Benzo(a)anthracene	7.2	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Chrysene	15	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Benzo(a)pyrene	5.0	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Benzo(b)fluoranthene	2.6	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Benzo(k)fluoranthene	77	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Indeno(1,2,3-cd)pyrene	27	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Dibenz(a,h)anthracene	0.24	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Benzo(ghi)perylene	320	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Phenols														
Phenol	120	3.6	< 2	< 2	3.4	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0
Asbestos														
	<0.001%	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	

Notes for Table 1

All units in mg/kg.

Concentrations in **red** above assessment criteria for residential end use criteria with plant uptake

Based on the above table, no samples tested from soil stockpiles contain concentrations of contaminants in exceedance of the screening criteria relevant to residential end use with plant uptake.

No asbestos fibres or fragments were identified in the samples taken.

Conclusions & Recommendations

For the samples collected from the imported soil cover material (topsoil stockpile and subsoil), all concentrations of potential contaminants of concern are less than soil assessment criteria for the long-term protection of human health for a residential end use.

The stockpiles are therefore suitable for use.

Should you have any queries regarding the contents of this report, please feel free to contact me at any time.

Yours Sincerely,

Adam Czarnecki

Adam Czarnecki

Director

For and on behalf of Earth Environmental & Geotechnical Ltd

Appendix A	Soil Chemical Testing Results
Appendix B	Soil Assessment Criteria
Appendix C	Site Photographs

APPENDIX A

SOIL CHEMICAL TESTING RESULTS



Ross Page
Earth Environmental & Geotechnical Ltd
Houldsworth Mill Business Centre
Houldsworth Street
Reddish
Stockport
Cheshire
SK5 6DA

Normec DETS Limited
Unit 1
Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Kent
ME17 2JN
t: 01622 850410

DETS Report No: 24-02363

Site Reference: Inverbea Drive
Project / Job Ref: A5882
Order No: A5882/RP/01
Sample Receipt Date: 06/03/2024
Sample Scheduled Date: 06/03/2024
Report Issue Number: 1
Reporting Date: 12/03/2024

Authorised by:

Kevin Old
Operations Director

Dates of laboratory activities for each tested analyte are available upon request.

Opinions and interpretations are outside the laboratory's scope of ISO 17025 accreditation. This certificate is issued in accordance with the accreditation requirements of the United Kingdom Accreditation Service. The results reported herein relate only to the material supplied to the laboratory. This certificate shall not be reproduced except in full, without the prior written approval of the laboratory.



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate						
DETS Report No: 24-02363	~Date Sampled	01/03/24	01/03/24	01/03/24	01/03/24	01/03/24
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Inverbeg Drive	~TP / BH No	Topsoil 1	Topsoil 2	Topsoil 3	Topsoil 4	Topsoil 5
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A5882/RP/01	~Depth (m)	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Reporting Date: 12/03/2024	DETS Sample No	702548	702549	702550	702551	702552

Determinand	Unit	RL	Accreditation					
Asbestos Screen ^(S)	N/a	N/a	ISO17025	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected
pH	pH Units	N/a	MCERTS	6.0	5.9	6.6	6.2	6.4
Total Cyanide	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Complex Cyanide	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Free Cyanide	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Total Sulphate as SO ₄	mg/kg	< 200	MCERTS	683	537	338	463	509
Total Sulphate as SO ₄	%	< 0.02	MCERTS	0.07	0.05	0.03	0.05	0.05
W/S Sulphate as SO ₄ (2:1)	mg/l	< 10	MCERTS	37	15	12	22	16
W/S Sulphate as SO ₄ (2:1)	g/l	< 0.01	MCERTS	0.04	0.01	0.01	0.02	0.02
Sulphide	mg/kg	< 5	NONE	< 5	< 5	5	13	< 5
Organic Matter (SOM)	%	< 0.1	MCERTS	7.5	6.4	5.3	7	6.2
Arsenic (As)	mg/kg	< 2	MCERTS	18	18	16	17	21
Barium (Ba)	mg/kg	< 2.5	MCERTS	90	95	125	90	99
Beryllium (Be)	mg/kg	< 0.5	MCERTS	0.7	0.7	0.9	0.7	0.8
W/S Boron	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Cadmium (Cd)	mg/kg	< 0.2	MCERTS	0.3	0.3	0.3	0.3	0.4
Chromium (Cr)	mg/kg	< 2	MCERTS	19	23	22	18	20
Chromium (hexavalent)	mg/kg	< 2	NONE	< 2	< 2	< 2	< 2	< 2
Copper (Cu)	mg/kg	< 4	MCERTS	30	30	32	30	33
Lead (Pb)	mg/kg	< 3	MCERTS	93	80	64	87	83
Mercury (Hg)	mg/kg	< 1	MCERTS	< 1	< 1	< 1	< 1	< 1
Nickel (Ni)	mg/kg	< 3	MCERTS	12	15	17	11	13
Selenium (Se)	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Vanadium (V)	mg/kg	< 1	MCERTS	21	23	22	22	23
Zinc (Zn)	mg/kg	< 3	MCERTS	78	77	74	76	79
Total Phenols (monohydric)	mg/kg	< 2	NONE	3.6	< 2	< 2	3.4	< 2

Analytical results are expressed on a dry weight basis where samples are assisted-dried at less than 30°C. The Method Description page describes if the test is performed on the dried or as-received portion

Subcontracted analysis (S)

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate						
DETS Report No: 24-02363	~Date Sampled	01/03/24	01/03/24	01/03/24	01/03/24	01/03/24
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Inverbeg Drive	~TP / BH No	Topsoil 6	Sub 1	Sub 2	Sub 3	Sub 4
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A5882/RP/01	~Depth (m)	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Reporting Date: 12/03/2024	DETS Sample No	702553	702554	702555	702556	702557

Determinand	Unit	RL	Accreditation					
Asbestos Screen ^(S)	N/a	N/a	ISO17025	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected
pH	pH Units	N/a	MCERTS	6.5	5.2	5.9	5.6	5.8
Total Cyanide	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Complex Cyanide	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Free Cyanide	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Total Sulphate as SO ₄	mg/kg	< 200	MCERTS	527	< 200	< 200	< 200	< 200
Total Sulphate as SO ₄	%	< 0.02	MCERTS	0.05	< 0.02	< 0.02	< 0.02	< 0.02
W/S Sulphate as SO ₄ (2:1)	mg/l	< 10	MCERTS	11	23	14	19	21
W/S Sulphate as SO ₄ (2:1)	g/l	< 0.01	MCERTS	0.01	0.02	0.01	0.02	0.02
Sulphide	mg/kg	< 5	NONE	< 5	< 5	< 5	< 5	< 5
Organic Matter (SOM)	%	< 0.1	MCERTS	6.2	2.2	1.8	3.7	2.2
Arsenic (As)	mg/kg	< 2	MCERTS	18	6	6	8	8
Barium (Ba)	mg/kg	< 2.5	MCERTS	90	159	136	155	162
Beryllium (Be)	mg/kg	< 0.5	MCERTS	0.7	1.1	1.1	1.3	1.3
W/S Boron	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Cadmium (Cd)	mg/kg	< 0.2	MCERTS	0.3	< 0.2	< 0.2	< 0.2	< 0.2
Chromium (Cr)	mg/kg	< 2	MCERTS	20	17	17	19	20
Chromium (hexavalent)	mg/kg	< 2	NONE	< 2	< 2	< 2	< 2	< 2
Copper (Cu)	mg/kg	< 4	MCERTS	30	21	24	27	25
Lead (Pb)	mg/kg	< 3	MCERTS	78	16	15	16	15
Mercury (Hg)	mg/kg	< 1	MCERTS	< 1	< 1	< 1	< 1	< 1
Nickel (Ni)	mg/kg	< 3	MCERTS	12	20	20	22	21
Selenium (Se)	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Vanadium (V)	mg/kg	< 1	MCERTS	21	21	19	20	23
Zinc (Zn)	mg/kg	< 3	MCERTS	73	52	47	54	51
Total Phenols (monohydric)	mg/kg	< 2	NONE	< 2	< 2	< 2	< 2	< 2

Analytical results are expressed on a dry weight basis where samples are assisted-dried at less than 30°C. The Method Description page describes if the test is performed on the dried or as-received portion

Subcontracted analysis (S)

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate						
DETS Report No: 24-02363	~Date Sampled	01/03/24	01/03/24			
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied			
~Site Reference: Inverbeg Drive	~TP / BH No	Sub 5	Sub 6			
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied			
~Order No: A5882/RP/01	~Depth (m)	None Supplied	None Supplied			
Reporting Date: 12/03/2024	DETS Sample No	702558	702559			

Determinand	Unit	RL	Accreditation					
Asbestos Screen ^(S)	N/a	N/a	ISO17025	Not Detected	Not Detected			
pH	pH Units	N/a	MCERTS	6.2	6.0			
Total Cyanide	mg/kg	< 1	NONE	< 1	< 1			
Complex Cyanide	mg/kg	< 1	NONE	< 1	< 1			
Free Cyanide	mg/kg	< 1	NONE	< 1	< 1			
Total Sulphate as SO ₄	mg/kg	< 200	MCERTS	< 200	< 200			
Total Sulphate as SO ₄	%	< 0.02	MCERTS	< 0.02	< 0.02			
W/S Sulphate as SO ₄ (2:1)	mg/l	< 10	MCERTS	10	14			
W/S Sulphate as SO ₄ (2:1)	g/l	< 0.01	MCERTS	0.01	0.01			
Sulphide	mg/kg	< 5	NONE	< 5	< 5			
Organic Matter (SOM)	%	< 0.1	MCERTS	1.7	1.6			
Arsenic (As)	mg/kg	< 2	MCERTS	6	7			
Barium (Ba)	mg/kg	< 2.5	MCERTS	140	129			
Beryllium (Be)	mg/kg	< 0.5	MCERTS	1	0.9			
W/S Boron	mg/kg	< 1	NONE	< 1	< 1			
Cadmium (Cd)	mg/kg	< 0.2	MCERTS	< 0.2	< 0.2			
Chromium (Cr)	mg/kg	< 2	MCERTS	18	16			
Chromium (hexavalent)	mg/kg	< 2	NONE	< 2	< 2			
Copper (Cu)	mg/kg	< 4	MCERTS	22	21			
Lead (Pb)	mg/kg	< 3	MCERTS	11	11			
Mercury (Hg)	mg/kg	< 1	MCERTS	< 1	< 1			
Nickel (Ni)	mg/kg	< 3	MCERTS	17	18			
Selenium (Se)	mg/kg	< 2	MCERTS	< 2	< 2			
Vanadium (V)	mg/kg	< 1	MCERTS	18	19			
Zinc (Zn)	mg/kg	< 3	MCERTS	41	46			
Total Phenols (monohydric)	mg/kg	< 2	NONE	< 2	< 2			

Analytical results are expressed on a dry weight basis where samples are assisted-dried at less than 30°C. The Method Description page describes if the test is performed on the dried or as-received portion

Subcontracted analysis (S)

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - Speciated PAHs						
DETS Report No: 24-02363	~Date Sampled	01/03/24	01/03/24	01/03/24	01/03/24	01/03/24
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Inverbeg Drive	~TP / BH No	Topsoil 1	Topsoil 2	Topsoil 3	Topsoil 4	Topsoil 5
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A5882/RP/01	~Depth (m)	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Reporting Date: 12/03/2024	DETS Sample No	702548	702549	702550	702551	702552

Determinand	Unit	RL	Accreditation					
Naphthalene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Acenaphthylene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Acenaphthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Fluorene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Phenanthrene	mg/kg	< 0.1	MCERTS	< 0.1	0.15	< 0.1	< 0.1	< 0.1
Anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	0.28	0.14	< 0.1	0.20
Pyrene	mg/kg	< 0.1	MCERTS	< 0.1	0.27	< 0.1	< 0.1	0.17
Benzo(a)anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Chrysene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Benzo(b)fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Benzo(k)fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Benzo(a)pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Indeno(1,2,3-cd)pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Dibenz(a,h)anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Benzo(ghi)perylene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Total EPA-16 PAHs	mg/kg	< 1.6	MCERTS	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - Speciated PAHs						
DETS Report No: 24-02363	~Date Sampled	01/03/24	01/03/24	01/03/24	01/03/24	01/03/24
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Inverbeg Drive	~TP / BH No	Topsoil 6	Sub 1	Sub 2	Sub 3	Sub 4
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A5882/RP/01	~Depth (m)	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Reporting Date: 12/03/2024	DETS Sample No	702553	702554	702555	702556	702557

Determinand	Unit	RL	Accreditation					
Naphthalene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Acenaphthylene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Acenaphthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Fluorene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Phenanthrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Benzo(a)anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Chrysene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Benzo(b)fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Benzo(k)fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Benzo(a)pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Indeno(1,2,3-cd)pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Dibenz(a,h)anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Benzo(ghi)perylene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Total EPA-16 PAHs	mg/kg	< 1.6	MCERTS	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - Speciated PAHs						
DETS Report No: 24-02363	~Date Sampled	01/03/24	01/03/24			
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied			
~Site Reference: Inverbeg Drive	~TP / BH No	Sub 5	Sub 6			
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied			
~Order No: A5882/RP/01	~Depth (m)	None Supplied	None Supplied			
Reporting Date: 12/03/2024	DETS Sample No	702558	702559			

Determinand	Unit	RL	Accreditation				
Naphthalene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Acenaphthylene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Acenaphthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Fluorene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Phenanthrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Benzo(a)anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Chrysene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Benzo(b)fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Benzo(k)fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Benzo(a)pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Indeno(1,2,3-cd)pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Dibenz(a,h)anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Benzo(ghi)perylene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Total EPA-16 PAHs	mg/kg	< 1.6	MCERTS	< 1.6	< 1.6		

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - TPH CWG Banded

DETS Report No: 24-02363	~Date Sampled	01/03/24	01/03/24	01/03/24	01/03/24	01/03/24
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Inverbeg Drive	~TP / BH No	Topsoil 1	Topsoil 2	Topsoil 3	Topsoil 4	Topsoil 5
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A5882/RP/01	~Depth (m)	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Reporting Date: 12/03/2024	DETS Sample No	702548	702549	702550	702551	702552

Determinand	Unit	RL	Accreditation						
Aliphatic >C5 - C6 : HS_1D_MS_AL	mg/kg	< 0.01	NONE	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Aliphatic >C6 - C8 : HS_1D_MS_AL	mg/kg	< 0.05	NONE	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Aliphatic >C8 - C10 : EH_CU_1D_AL	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2	< 2
Aliphatic >C10 - C12 : EH_CU_1D_AL	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2	< 2
Aliphatic >C12 - C16 : EH_CU_1D_AL	mg/kg	< 3	MCERTS	< 3	< 3	< 3	< 3	< 3	< 3
Aliphatic >C16 - C21 : EH_CU_1D_AL	mg/kg	< 3	MCERTS	< 3	< 3	< 3	< 3	< 3	< 3
Aliphatic >C21 - C34 : EH_CU_1D_AL	mg/kg	< 10	MCERTS	< 10	< 10	< 10	< 10	< 10	< 10
Aliphatic (C5 - C34) : HS_1D_MS+EH_CU_1D_AL	mg/kg	< 21	NONE	< 21	< 21	< 21	< 21	< 21	< 21
Aromatic >C5 - C7 : HS_1D_MS_AR	mg/kg	< 0.01	NONE	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Aromatic >C7 - C8 : HS_1D_MS_AR	mg/kg	< 0.05	NONE	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Aromatic >C8 - C10 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2	< 2
Aromatic >C10 - C12 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2	< 2
Aromatic >C12 - C16 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2	< 2
Aromatic >C16 - C21 : EH_CU_1D_AR	mg/kg	< 3	MCERTS	< 3	< 3	< 3	< 3	< 3	< 3
Aromatic >C21 - C35 : EH_CU_1D_AR	mg/kg	< 10	MCERTS	< 10	< 10	< 10	< 10	< 10	< 10
Aromatic (C5 - C35) : HS_1D_MS+EH_CU_1D_AR	mg/kg	< 21	NONE	< 21	< 21	< 21	< 21	< 21	< 21
Total >C5 - C35 : HS_1D_MS+EH_CU_1D_Tot al	mg/kg	< 42	NONE	< 42	< 42	< 42	< 42	< 42	< 42

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - TPH CWG Banded

DETS Report No: 24-02363	~Date Sampled	01/03/24	01/03/24	01/03/24	01/03/24	01/03/24
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Inverbeg Drive	~TP / BH No	Topsoil 6	Sub 1	Sub 2	Sub 3	Sub 4
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A5882/RP/01	~Depth (m)	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Reporting Date: 12/03/2024	DETS Sample No	702553	702554	702555	702556	702557

Determinand	Unit	RL	Accreditation					
Aliphatic >C5 - C6 : HS_1D_MS_AL	mg/kg	< 0.01	NONE	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Aliphatic >C6 - C8 : HS_1D_MS_AL	mg/kg	< 0.05	NONE	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Aliphatic >C8 - C10 : EH_CU_1D_AL	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aliphatic >C10 - C12 : EH_CU_1D_AL	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aliphatic >C12 - C16 : EH_CU_1D_AL	mg/kg	< 3	MCERTS	< 3	< 3	< 3	< 3	< 3
Aliphatic >C16 - C21 : EH_CU_1D_AL	mg/kg	< 3	MCERTS	< 3	< 3	< 3	< 3	< 3
Aliphatic >C21 - C34 : EH_CU_1D_AL	mg/kg	< 10	MCERTS	< 10	< 10	< 10	< 10	< 10
Aliphatic (C5 - C34) : HS_1D_MS+EH_CU_1D_AL	mg/kg	< 21	NONE	< 21	< 21	< 21	< 21	< 21
Aromatic >C5 - C7 : HS_1D_MS_AR	mg/kg	< 0.01	NONE	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Aromatic >C7 - C8 : HS_1D_MS_AR	mg/kg	< 0.05	NONE	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Aromatic >C8 - C10 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aromatic >C10 - C12 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aromatic >C12 - C16 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aromatic >C16 - C21 : EH_CU_1D_AR	mg/kg	< 3	MCERTS	< 3	< 3	< 3	< 3	< 3
Aromatic >C21 - C35 : EH_CU_1D_AR	mg/kg	< 10	MCERTS	< 10	< 10	< 10	< 10	< 10
Aromatic (C5 - C35) : HS_1D_MS+EH_CU_1D_AR	mg/kg	< 21	NONE	< 21	< 21	< 21	< 21	< 21
Total >C5 - C35 : HS_1D_MS+EH_CU_1D_Tot al	mg/kg	< 42	NONE	< 42	< 42	< 42	< 42	< 42

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - TPH CWG Banded

DETS Report No: 24-02363	~Date Sampled	01/03/24	01/03/24			
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied			
~Site Reference: Inverbeg Drive	~TP / BH No	Sub 5	Sub 6			
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied			
~Order No: A5882/RP/01	~Depth (m)	None Supplied	None Supplied			
Reporting Date: 12/03/2024	DETS Sample No	702558	702559			

Determinand	Unit	RL	Accreditation				
Aliphatic >C5 - C6 : HS_1D_MS_AL	mg/kg	< 0.01	NONE	< 0.01	< 0.01		
Aliphatic >C6 - C8 : HS_1D_MS_AL	mg/kg	< 0.05	NONE	< 0.05	< 0.05		
Aliphatic >C8 - C10 : EH_CU_1D_AL	mg/kg	< 2	MCERTS	< 2	< 2		
Aliphatic >C10 - C12 : EH_CU_1D_AL	mg/kg	< 2	MCERTS	< 2	< 2		
Aliphatic >C12 - C16 : EH_CU_1D_AL	mg/kg	< 3	MCERTS	< 3	< 3		
Aliphatic >C16 - C21 : EH_CU_1D_AL	mg/kg	< 3	MCERTS	< 3	< 3		
Aliphatic >C21 - C34 : EH_CU_1D_AL	mg/kg	< 10	MCERTS	< 10	< 10		
Aliphatic (C5 - C34) : HS_1D_MS+EH_CU_1D_AL	mg/kg	< 21	NONE	< 21	< 21		
Aromatic >C5 - C7 : HS_1D_MS_AR	mg/kg	< 0.01	NONE	< 0.01	< 0.01		
Aromatic >C7 - C8 : HS_1D_MS_AR	mg/kg	< 0.05	NONE	< 0.05	< 0.05		
Aromatic >C8 - C10 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2		
Aromatic >C10 - C12 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2		
Aromatic >C12 - C16 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2		
Aromatic >C16 - C21 : EH_CU_1D_AR	mg/kg	< 3	MCERTS	< 3	< 3		
Aromatic >C21 - C35 : EH_CU_1D_AR	mg/kg	< 10	MCERTS	< 10	< 10		
Aromatic (C5 - C35) : HS_1D_MS+EH_CU_1D_AR	mg/kg	< 21	NONE	< 21	< 21		
Total >C5 - C35 : HS_1D_MS+EH_CU_1D_Tot al	mg/kg	< 42	NONE	< 42	< 42		

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - BTEX / MTBE						
DETS Report No: 24-02363	~Date Sampled	01/03/24	01/03/24	01/03/24	01/03/24	01/03/24
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Inverbeg Drive	~TP / BH No	Topsoil 1	Topsoil 2	Topsoil 3	Topsoil 4	Topsoil 5
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A5882/RP/01	~Depth (m)	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Reporting Date: 12/03/2024	DETS Sample No	702548	702549	702550	702551	702552

Determinand	Unit	RL	Accreditation						
Benzene : HS 1D MS	ug/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2	< 2
Toluene : HS 1D MS	ug/kg	< 5	MCERTS	< 5	< 5	< 5	< 5	< 5	< 5
Ethylbenzene : HS 1D MS	ug/kg	< 2	MCERTS	< 2	< 2	5	< 2	5	5
p & m-xylene : HS 1D MS	ug/kg	< 2	MCERTS	< 2	< 2	< 2	6	< 2	< 2
o-xylene : HS 1D MS	ug/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2	< 2
MTBE : HS 1D MS	ug/kg	< 5	MCERTS	< 5	< 5	< 5	< 5	< 5	< 5

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - BTEX / MTBE						
DETS Report No: 24-02363	~Date Sampled	01/03/24	01/03/24	01/03/24	01/03/24	01/03/24
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Inverbeg Drive	~TP / BH No	Topsoil 6	Sub 1	Sub 2	Sub 3	Sub 4
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A5882/RP/01	~Depth (m)	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Reporting Date: 12/03/2024	DETS Sample No	702553	702554	702555	702556	702557

Determinand	Unit	RL	Accreditation						
Benzene : HS 1D MS	ug/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2	< 2
Toluene : HS 1D MS	ug/kg	< 5	MCERTS	< 5	< 5	< 5	< 5	< 5	< 5
Ethylbenzene : HS 1D MS	ug/kg	< 2	MCERTS	< 2	3	< 2	< 2	< 2	< 2
p & m-xylene : HS 1D MS	ug/kg	< 2	MCERTS	< 2	3	< 2	< 2	< 2	< 2
o-xylene : HS 1D MS	ug/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2	< 2
MTBE : HS 1D MS	ug/kg	< 5	MCERTS	< 5	< 5	< 5	< 5	< 5	< 5

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - BTEX / MTBE						
DETS Report No: 24-02363	~Date Sampled	01/03/24	01/03/24			
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied			
~Site Reference: Inverbeg Drive	~TP / BH No	Sub 5	Sub 6			
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied			
~Order No: A5882/RP/01	~Depth (m)	None Supplied	None Supplied			
Reporting Date: 12/03/2024	DETS Sample No	702558	702559			

Determinand	Unit	RL	Accreditation				
Benzene : HS 1D MS	ug/kg	< 2	MCERTS	< 2	< 2		
Toluene : HS 1D MS	ug/kg	< 5	MCERTS	< 5	< 5		
Ethylbenzene : HS 1D MS	ug/kg	< 2	MCERTS	< 2	< 2		
p & m-xylene : HS 1D MS	ug/kg	< 2	MCERTS	< 2	3		
o-xylene : HS 1D MS	ug/kg	< 2	MCERTS	< 2	< 2		
MTBE : HS 1D MS	ug/kg	< 5	MCERTS	< 5	< 5		

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - Sample Descriptions

DETS Report No: 24-02363	
Earth Environmental & Geotechnical Ltd	
~Site Reference: Inverbeg Drive	
~Project / Job Ref: A5882	
~Order No: A5882/RP/01	
Reporting Date: 12/03/2024	

DETS Sample No	~TP / BH No	~Additional Refs	~Depth (m)	Moisture Content (%)	Sample Matrix Description
702548	Topsoil 1	None Supplied	None Supplied	39.5	Brown loamy sand with vegetation
702549	Topsoil 2	None Supplied	None Supplied	28.7	Brown loamy sand with vegetation
702550	Topsoil 3	None Supplied	None Supplied	27	Brown loamy sand with vegetation
702551	Topsoil 4	None Supplied	None Supplied	38.2	Brown loamy sand with vegetation
702552	Topsoil 5	None Supplied	None Supplied	30.4	Brown loamy sand with stones and vegetation
702553	Topsoil 6	None Supplied	None Supplied	30.8	Brown loamy sand with stones and vegetation
702554	Sub 1	None Supplied	None Supplied	16.1	Light brown sandy clay with stones
702555	Sub 2	None Supplied	None Supplied	16	Light brown sandy clay
702556	Sub 3	None Supplied	None Supplied	14.2	Light brown sandy clay with stones
702557	Sub 4	None Supplied	None Supplied	17.5	Light brown sandy clay with stones
702558	Sub 5	None Supplied	None Supplied	15.3	Grey sandy clay with stones
702559	Sub 6	None Supplied	None Supplied	12.9	Grey sandy clay with stones

Moisture content is part of procedure E003 & is not an accredited test

Insufficient Sample ^{I/S}

Unsuitable Sample ^{U/S}

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - Methodology & Miscellaneous Information

DETS Report No: 24-02363

Earth Environmental & Geotechnical Ltd

~Site Reference: Inverbeg Drive

~Project / Job Ref: A5882

~Order No: A5882/RP/01

Reporting Date: 12/03/2024

Matrix	Analysed On	Determinand	Brief Method Description	Method No
Soil	D	Boron - Water Soluble	Determination of water soluble boron in soil by 2:1 hot water extract followed by ICP-OES	E012
Soil	AR	BTEX	Determination of BTEX by headspace GC-MS	E001
Soil	D	Cations	Determination of cations in soil by aqua-regia digestion followed by ICP-OES	E002
Soil	D	Chloride - Water Soluble (2:1)	Determination of chloride by extraction with water & analysed by ion chromatography	E009
Soil	AR	Chromium - Hexavalent	Determination of hexavalent chromium in soil by extraction in water then by acidification, addition of 1,5 dphenylcarbazide followed by colorimetry	E016
Soil	AR	Cyanide - Complex	Determination of complex cyanide by distillation followed by colorimetry	E015
Soil	AR	Cyanide - Free	Determination of free cyanide by distillation followed by colorimetry	E015
Soil	AR	Cyanide - Total	Determination of total cyanide by distillation followed by colorimetry	E015
Soil	D	Cyclohexane Extractable Matter (CEM)	Gravimetrically determined through extraction with cyclohexane	E011
Soil	AR	Diesel Range Organics (C10 - C24)	Determination of hexane/acetone extractable hydrocarbons by GC-FID	E004
Soil	AR	Electrical Conductivity	Determination of electrical conductivity by addition of saturated calcium sulphate followed by electrometric measurement	E022
Soil	AR	Electrical Conductivity	Determination of electrical conductivity by addition of water followed by electrometric measurement	E023
Soil	D	Elemental Sulphur	Determination of elemental sulphur by solvent extraction followed by GC-MS	E020
Soil	AR	EPH (C10 - C40)	Determination of acetone/hexane extractable hydrocarbons by GC-FID	E004
Soil	AR	EPH Product ID	Determination of acetone/hexane extractable hydrocarbons by GC-FID	E004
Soil	AR	EPH TEXAS (C6-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C40)	Determination of acetone/hexane extractable hydrocarbons by GC-FID for C8 to C40. C6 to C8 by headspace GC-MS	E004
Soil	D	Fluoride - Water Soluble	Determination of Fluoride by extraction with water & analysed by ion chromatography	E009
Soil	D	Fraction Organic Carbon (FOC)	Determination of TOC by combustion analyser.	E027
Soil	D	Organic Matter (SOM)	Determination of TOC by combustion analyser.	E027
Soil	D	TOC (Total Organic Carbon)	Determination of TOC by combustion analyser.	E027
Soil	AR	Exchangeable Ammonium	Determination of ammonium by discrete analyser.	E029
Soil	D	FOC (Fraction Organic Carbon)	Determination of fraction of organic carbon by oxidising with potassium dichromate followed by titration with iron (II) sulphate	E010
Soil	D	Loss on Ignition @ 450°C	Determination of loss on ignition in soil by gravimetrically with the sample being ignited in a muffle furnace	E019
Soil	D	Magnesium - Water Soluble	Determination of water soluble magnesium by extraction with water followed by ICP-OES	E025
Soil	D	Metals	Determination of metals by aqua-regia digestion followed by ICP-OES	E002
Soil	AR	Mineral Oil (C10 - C40)	Determination of hexane/acetone extractable hydrocarbons by GC-FID fractionating with SPE cartridge	E004
Soil	AR	Moisture Content	Moisture content; determined gravimetrically	E003
Soil	D	Nitrate - Water Soluble (2:1)	Determination of nitrate by extraction with water & analysed by ion chromatography	E009
Soil	D	Organic Matter	Determination of organic matter by oxidising with potassium dichromate followed by titration with iron (II) sulphate	E010
Soil	AR	PAH - Speciated (EPA 16)	Determination of PAH compounds by extraction in acetone and hexane followed by GC-MS with the use of surrogate and internal standards	E005
Soil	AR	PCB - 7 Congeners	Determination of PCB by extraction with acetone and hexane followed by GC-MS	E008
Soil	D	Petroleum Ether Extract (PEE)	Gravimetrically determined through extraction with petroleum ether	E011
Soil	AR	pH	Determination of pH by addition of water followed by electrometric measurement	E007
Soil	AR	Phenols - Total (monohydric)	Determination of phenols by distillation followed by colorimetry	E021
Soil	D	Phosphate - Water Soluble (2:1)	Determination of phosphate by extraction with water & analysed by ion chromatography	E009
Soil	D	Sulphate (as SO4) - Total	Determination of total sulphate by extraction with 10% HCl followed by ICP-OES	E013
Soil	D	Sulphate (as SO4) - Water Soluble (2:1)	Determination of sulphate by extraction with water & analysed by ion chromatography	E009
Soil	D	Sulphate (as SO4) - Water Soluble (2:1)	Determination of water soluble sulphate by extraction with water followed by ICP-OES	E014
Soil	AR	Sulphide	Determination of sulphide by distillation followed by colorimetry	E018
Soil	D	Sulphur - Total	Determination of total sulphur by extraction with aqua-regia followed by ICP-OES	E024
Soil	AR	SVOC	Determination of semi-volatile organic compounds by extraction in acetone and hexane followed by GC-MS	E006
Soil	AR	Thiocyanate (as SCN)	Determination of thiocyanate by extraction in caustic soda followed by acidification followed by addition of ferric nitrate followed by colorimetry	E017
Soil	D	Toluene Extractable Matter (TEM)	Gravimetrically determined through extraction with toluene	E011
Soil	D	Total Organic Carbon (TOC)	Determination of organic matter by oxidising with potassium dichromate followed by titration with iron (II) sulphate	E010
Soil	AR	TPH CWG (all: C5-C6, C6-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C34, aro: C5-C7, C7-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C35)	Determination of hexane/acetone extractable hydrocarbons by GC-FID fractionating with SPE cartridge for C8 to C35. C5 to C8 by headspace GC-MS	E004
Soil	AR	TPH LQM (all: C5-C6, C6-C8, C8-C10, C10-C12, C12-C16, C16-C35, C35-C44, aro: C5-C7, C7-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C35, C35-C44)	Determination of hexane/acetone extractable hydrocarbons by GC-FID fractionating with SPE cartridge for C8 to C44. C5 to C8 by headspace GC-MS	E004
Soil	AR	VOCs	Determination of volatile organic compounds by headspace GC-MS	E001
Soil	AR	VPH (C6-C8 & C8-C10)	Determination of hydrocarbons C6-C8 by headspace GC-MS & C8-C10 by GC-FID	E001

D Dried

AR As Received

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



List of HWOL Acronyms and Operators

DETS Report No: 24-02363

Earth Environmental & Geotechnical Ltd

~Site Reference: Inverbeg Drive

~Project / Job Ref: A5882

~Order No: A5882/RP/01

Reporting Date: 12/03/2024

Acronym	Description
HS	Headspace analysis
EH	Extractable Hydrocarbons - i.e. everything extracted by the solvent
CU	Clean-up - e.g. by florisil, silica gel
1D	GC - Single coil gas chromatography
2D	GC-GC - Double coil gas chromatography
Total	Aliphatics & Aromatics
AL	Aliphatics only
AR	Aromatics only
#1	EH_2D_Total but with humics mathematically subtracted
#2	EH_2D_Total but with fatty acids mathematically subtracted
	Operator - underscore to separate acronyms (exception for +)
+	Operator to indicate cumulative eg. EH+HS_Total or EH_CU+HS_Total
~	Sample details provided by the customer

Benzene - HS_1D_MS
Ethylbenzene - HS_1D_MS
MTBE - HS_1D_MS
TPH CWG - Aliphatic >C10 - C12 - EH_CU_1D_AL
TPH CWG - Aliphatic >C12 - C16 - EH_CU_1D_AL
TPH CWG - Aliphatic >C16 - C21 - EH_CU_1D_AL
TPH CWG - Aliphatic >C21 - C34 - EH_CU_1D_AL
TPH CWG - Aliphatic >C5 - C6 - HS_1D_MS_AL
TPH CWG - Aliphatic >C6 - C8 - HS_1D_MS_AL
TPH CWG - Aliphatic >C8 - C10 - EH_CU_1D_AL
TPH CWG - Aliphatic C5 - C34 - HS_1D_MS+EH_CU_1D_AL
TPH CWG - Aromatic >C10 - C12 - EH_CU_1D_AR
TPH CWG - Aromatic >C12 - C16 - EH_CU_1D_AR
TPH CWG - Aromatic >C16 - C21 - EH_CU_1D_AR
TPH CWG - Aromatic >C21 - C35 - EH_CU_1D_AR
TPH CWG - Aromatic >C5 - C35 - HS_1D_MS+EH_CU_1D_AR
TPH CWG - Aromatic >C5 - C7 - HS_1D_MS_AR
TPH CWG - Aromatic >C7 - C8 - HS_1D_MS_AR
TPH CWG - Aromatic >C8 - C10 - EH_CU_1D_AR
TPH CWG - Total >C5 - C35 - HS_1D_MS+EH_CU_1D_Total
Toluene - HS_1D_MS
m & p-xylene - HS_1D_MS
o-Xylene - HS_1D_MS

APPENDIX B

SOIL ASSESSMENT CRITERIA

Assessment Criteria for Imported Soils in Garden Areas

Inorganic Compounds	Assessment Criteria - Residential with Homegrown Produce (mg/kg)		
Arsenic	37		
Cadmium	22		
Chromium (III)	910		
Chromium (VI)	6		
Lead	200		
Inorganic Mercury	40		
Nickel	130		
Selenium	250		
Copper	2400		
Zinc	3700		
Organic Compounds	1% SOM	2.5% SOM	6% SOM
Naphthalene	2.3	5.6	13
Acenaphthene	210	510	1100
Acenaphthylene	170	420	920
Fluorene	170	400	860
Phenanthrene	95	220	440
Anthracene	2400	5400	11000
Fluoranthene	280	560	890
Pyrene	620	1200	2000
Benzo(a)anthracene	7.2	11	13
Chrysene	15	22	27
Benzo(b)fluoranthene	2.6	3.3	3.7
Benzo(k)fluoranthene	77	93	100
Benzo(a)pyrene	5.0	5.0	5.0
Dibenz (a, h) anthracene	0.24	0.28	0.3
Indeno(1,2,3-cd) pyrene	27	36	41
Benzo (g, h, i) perylene	320	340	350
Benzene	0.2	0.41	0.87
Toluene	130	290	660
Ethylbenzene	47	110	260
o-Xylene	60	140	330
m-Xylene	59	140	320
p-Xylene	56	130	310
TPH Fractions	1% SOM	2.5% SOM	6% SOM
Aliphatic EC 5-6	42	78	160
Aliphatic EC >6-8	100	230	530
Aliphatic EC >8-10	27	65	150
Aliphatic EC >10-12	130 (48) ^{vap}	330 (118) ^{vap}	760 (283) ^{vap}
Aliphatic EC >12-16	1100 (24) ^{sol}	2400 (59) ^{sol}	4,300 (142) ^{sol}
Aliphatic EC >16-35	65,000 (8.48) ^{f, sol}	92,000 (21) ^{f, sol}	110,000 ^f
Aliphatic EC >35-44	65,000 (8.48) ^{f, sol}	92,000 (21) ^{f, sol}	110,000 ^f
Aromatic EC 5-7	70	140	300
Aromatic EC >7-8	130	290	660

	Assessment Criteria - Residential with Homegrown Produce (mg/kg)		
TPH Fractions	1% SOM	2.5% SOM	6% SOM
Aromatic EC>8-10	34	83	190
Aromatic EC >10-12	74	180	380
Aromatic EC >12-16	140	330	660
Aromatic EC >16-21	260 ^f	540 ^f	930 ^f
Aromatic EC >21-35	1,100 ^f	1,500 ^f	1,700 ^f
Aromatic EC >35-44	1,100 ^f	1,500 ^f	1,700 ^f
Asbestos Fibres	< 0.001%		

APPENDIX C

SITE PHOTOGRAPHS

Earth Environmental & Geotechnical Ltd Tel: 0161 975 6088 Email: info@earthenvironmental.co.uk Web: www.earthenvironmental.co.uk	SITE PHOTOGRAPHS  EARTH ENVIRONMENTAL & GEOTECHNICAL
Job No.: A5882/24	Site: Inverbeg Drive, Bolton
Plate 1 General View	Plate 2 General View
	
Date: 1st March 2024	Date: 1st March 2024
Plate 3 General View	
	
Date: 1st March 2024	



OUR REF: A5882-24 5th June 2024
YOUR REF:

5th June 2024

Mr. Paul Sinclair
Westchurch Homes Ltd
31 Stamford Street
Altrincham
Cheshire
WA14 1ES

By Email (paul.sinclair@westchurchhomes.co.uk)

Dear Paul,

Inverbeg Drive, Bolton
Stockpile Chemical Testing

Background and Terms of Reference

This report provides a summary of the validation of the site won and stockpiled material.

This report should be read in conjunction with a Betts Ground Investigation Report (Report No. 20WCH012/GI) dated November 2021.

It is understood that stockpiled subsoil and topsoil will be used on site (within garden/landscaped areas) and also used on other nearby Westchurch projects.

Site Location

The site is located south of Inverbeg Drive, Bolton, BL2 6NA.

The proposed site is approximately 2.09 hectares in total.

Site History

The previous site investigation report indicates that the site was formerly used as a football pitch.

Scope of Work

A site visit was conducted on the 25th April 2024 to recover samples of subsoil and topsoil.

Twelve soil samples were taken in total.

Chemical testing has been performed by DETS, a UKAS and MCERTS accredited laboratory. Appendix A provides a copy of the testing results.

**CONSULTING
ENGINEERS**

Geotechnical
Environmental
Ecology
Geology
Drainage
Mining

Earth Environmental &
Geotechnical Ltd
Houldsworth Mill Business &
Arts Centre
Houldsworth Street
Stockport
SK5 6DA

Tel: 0161 975 6088

www.earthenvironmental.co.uk
info@earthenvironmental.co.uk

Bath

Studio 3
Tollbridge Studios
Toll Bridge Road
Bath
BA1 7DE
Tel: 01225 858833

Cardiff

12 Cathedral Road
Cardiff
CF11 9LJ
Tel: 0292 2362615

Edinburgh

Hudson House
8 Albany Street
Edinburgh
EH1 3QB
Tel: 0131 5641789

Wilton

Wilton Centre
Redcar
TS10 4RF
Tel: 01642 438125

Reading

Suite 18
Wyvols Court
Swallowfield
Reading
RG7 1WY
Tel: 01183 734000

Earth Environmental &
Geotechnical Ltd
Registered Office:
Mentor House, Ainsworth Street,
Blackburn, Lancashire, BB1 6AY

There was no visual or olfactory evidence of contamination observed during the site sampling process.

Figure 1: Stockpile Location Plan



Chemical Testing

12no. samples were obtained in total from the stockpiles, with 6no. samples of topsoil and 6no. samples of subsoil, as requested by the client.

Chemical testing has been performed for a wide range of analytes including asbestos screen, pH, total organic carbon, total sulphate, sulphide, total cyanide, arsenic, chromium, hexavalent chromium, copper, lead, selenium, zinc, cadmium, mercury, nickel, vanadium, barium, beryllium, water soluble boron, mono phenol, speciated hydrocarbons and speciated PAH's.

At a Tier I stage the long term (chronic) human health toxicity of the soil has been assessed with reference to DEFRA/Environment Agency Contaminated Land Exposure Assessment (CLEA) Soil Guideline Values (SGV) for generic site land uses, soils, and exposure.

Where Environment Agency generic guidance is absent, reference has been made to the Chartered Institute of Environmental Health (CIEH) S4ULs for human health risk assessment.

In the case of arsenic, cadmium, hexavalent chromium, lead, benzene, naphthalene, and benzo(a)pyrene DEFRA Category 4 Screening Levels have been adopted. The results have been compared to residential with plant uptake and 6% soil organic matter (SOM).

Table 1 Assessment of Soil Chemical Data

Determinand	C4SL/S4UL Levels Resi w/ HP SOM 6% (mg/kg)	Topsoil 7	Topsoil 8	Topsoil 9	Topsoil 10	Topsoil 11	Topsoil 12	Subsoil 7	Subsoil 8	Subsoil 9	Subsoil 10	Subsoil 11	Subsoil 12	Exceedances
Metals														
Arsenic	37	15	17	17	16	18	14	7	5	6	8	7	9	0
Beryllium	1.7	0.8	0.9	0.9	0.9	0.9	0.8	0.9	1	1	1.3	1	1.1	0
Boron	290	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	0
Cadmium	11	0.4	0.4	0.4	0.3	0.4	0.4	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	0
Chromium	910	20	22	23	18	21	20	19	19	23	22	21	22	0
Chromium VI	21	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0
Copper	2400	34	42	39	34	38	34	28	32	26	30	32	32	0
Lead	200	80	86	78	82	85	75	19	14	15	16	16	22	0
Inorganic Mercury	40	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	0
Nickel	130	15	15	15	15	15	14	26	32	31	36	33	29	0
Selenium	250	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0
Vanadium	410	24	24	24	22	24	21	21	21	26	28	23	25	0
Zinc	3700	76	85	75	69	83	74	70	75	70	79	78	74	0
Petroleum Hydrocarbons														
Benzene	0.20	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0
Toluene	130	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	0
Ethylbenzene	47	3	< 2	< 2	< 2	4	3	< 2	< 2	< 2	< 2	< 2	< 2	0
o-xylenes	60	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0
p&m-xylenes	59	4	< 2	< 2	< 2	4	3	< 2	< 2	< 2	< 2	2	< 2	0
Aliphatic EC >5-6	42	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0
Aliphatic EC >6-8	100	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	0
Aliphatic EC >8-10	27	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0
Aliphatic EC >10-12	130	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0
Aliphatic EC >12-16	1100	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	0
Aliphatic EC >16-21	65000	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	0
Aliphatic EC >21-35	65000	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	0
Aromatic EC >5-7	70	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0
Aromatic EC >7-8	130	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	0
Aromatic EC >8-10	34	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0
Aromatic EC >10-12	74	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0
Aromatic EC >12-16	140	3	3	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0
Aromatic EC >16-21	260	8	7	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	0
Aromatic EC >21-35	1100	10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	18	< 10	0

Determinand	C4SL/S4UL Levels Resi w/ HP SOM 6% (mg/kg)	Topsoil 7	Topsoil 8	Topsoil 9	Topsoil	Topsoil	Topsoil	Subsoil 7	Subsoil 8	Subsoil 9	Subsoil	Subsoil	Subsoil	Exceedances
Polycyclic Aromatic Hydrocarbons														
Naphthalene	15	0.19	0.17	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Acenaphthylene	170	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Acenaphthene	210	< 0.1	0.18	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Fluorene	170	< 0.1	0.13	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Phenanthrene	95	0.80	1.28	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Anthracene	2400	0.14	0.17	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Fluoranthene	280	1.57	1.39	< 0.1	< 0.1	0.14	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Pyrene	620	1.43	1.29	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Benzo(a)anthracene	7.2	0.74	0.39	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Chrysene	15	0.77	0.40	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Benzo(a)pyrene	5.0	0.67	0.19	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Benzo(b)fluoranthene	2.6	0.68	0.21	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Benzo(k)fluoranthene	77	0.28	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Indeno(1,2,3-cd)pyrene	27	0.34	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Dibenz(a,h)anthracene	0.24	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Benzo(ghi)perylene	320	0.25	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Phenols														
Phenol	120	3.6	< 2	< 2	3.4	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0
Asbestos														
	<0.001%	ND	ND	ND	ND	ND	ND	Detected	ND	ND	ND	ND	ND	

Notes for Table 1

All units in mg/kg.

Concentrations in **red** above assessment criteria for residential end use criteria with plant uptake

Based on the above table, no samples tested from soil stockpiles contain concentrations of contaminants in exceedance of the screening criteria relevant to residential end use with plant uptake.

Asbestos fibres were identified in Subsoil 7 in the form of amosite as fibre bundles.

The mass concentration of asbestos has been measured as 0.002%.

Conclusions & Recommendations

For the samples collected from the imported soil cover material (topsoil stockpile and subsoil), all concentrations of potential contaminants of concern are less than soil assessment criteria for the long-term protection of human health for a residential end use.

However, asbestos fibres are present in one of the subsoil samples and this material should not be used in gardens or landscaped areas.

Should you have any queries regarding the contents of this report, please feel free to contact me at any time.

Yours Sincerely,

Adam Czarnecki

Adam Czarnecki

Director

For and on behalf of Earth Environmental & Geotechnical Ltd

Appendix A Soil Chemical Testing Results

Appendix B Soil Assessment Criteria

Appendix C Site Photographs

APPENDIX A

SOIL CHEMICAL TESTING RESULTS



Ross Page
Earth Environmental & Geotechnical Ltd
Houldsworth Mill Business Centre
Houldsworth Street
Reddish
Stockport
Cheshire
SK5 6DA

Normec DETS Limited
Unit 1
Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Kent
ME17 2JN
t: 01622 850410

DETS Report No: 24-04550

Site Reference: Inverbea Drive
Project / Job Ref: A5882
Order No: A5882/RP/02
Sample Receipt Date: 29/04/2024
Sample Scheduled Date: 29/04/2024
Report Issue Number: 1
Reporting Date: 03/05/2024

Authorised by:

Kevin Old
Operations Director

Dates of laboratory activities for each tested analyte are available upon request.

Opinions and interpretations are outside the laboratory's scope of ISO 17025 accreditation. This certificate is issued in accordance with the accreditation requirements of the United Kingdom Accreditation Service. The results reported herein relate only to the material supplied to the laboratory. This certificate shall not be reproduced except in full, without the prior written approval of the laboratory.



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate

DETS Report No: 24-04550	~Date Sampled	01/03/24	01/03/24	01/03/24	01/03/24	01/03/24
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Inverbeg Drive	~TP / BH No	Topsoil 7	Topsoil 8	Topsoil 9	Topsoil 10	Topsoil 11
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A5882/RP/02	~Depth (m)	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Reporting Date: 03/05/2024	DETS Sample No	711959	711960	711961	711962	711963

Determinand	Unit	RL	Accreditation					
Asbestos Screen ^(S)	N/a	N/a	ISO17025	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected
Sample Matrix ^(S)	Material Type	N/a	NONE					
Asbestos Type ^(S)	PLM Result	N/a	ISO17025					
pH	pH Units	N/a	MCERTS			6.6	6.2	6.5
Total Cyanide	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Complex Cyanide	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Free Cyanide	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Total Sulphate as SO ₄	mg/kg	< 200	MCERTS	581	631	579	492	1066
Total Sulphate as SO ₄	%	< 0.02	MCERTS	0.06	0.06	0.06	0.05	0.11
W/S Sulphate as SO ₄ (2:1)	mg/l	< 10	MCERTS	68	76	26	16	273
W/S Sulphate as SO ₄ (2:1)	g/l	< 0.01	MCERTS	0.07	0.08	0.03	0.02	0.27
Sulphide	mg/kg	< 5	NONE	< 5	< 5	< 5	< 5	7
Organic Matter (SOM)	%	< 0.1	MCERTS	5.7	5.9	6.7	6.8	7.1
Arsenic (As)	mg/kg	< 2	MCERTS	15	17	17	16	18
Barium (Ba)	mg/kg	< 2.5	MCERTS	107	112	120	121	124
Beryllium (Be)	mg/kg	< 0.5	MCERTS	0.8	0.9	0.9	0.9	0.9
W/S Boron	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Cadmium (Cd)	mg/kg	< 0.2	MCERTS	0.4	0.4	0.4	0.3	0.4
Chromium (Cr)	mg/kg	< 2	MCERTS	20	22	23	18	21
Chromium (hexavalent)	mg/kg	< 2	NONE	< 2	< 2	< 2	< 2	< 2
Copper (Cu)	mg/kg	< 4	MCERTS	34	42	39	34	38
Lead (Pb)	mg/kg	< 3	MCERTS	80	86	78	82	85
Mercury (Hg)	mg/kg	< 1	MCERTS	< 1	< 1	< 1	< 1	< 1
Nickel (Ni)	mg/kg	< 3	MCERTS	15	15	15	15	15
Selenium (Se)	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Vanadium (V)	mg/kg	< 1	MCERTS	24	24	24	22	24
Zinc (Zn)	mg/kg	< 3	MCERTS	76	85	75	69	83
Total Phenols (monohydric)	mg/kg	< 2	NONE	< 2	< 2	< 2	< 2	2

Analytical results are expressed on a dry weight basis where samples are assisted-dried at less than 30°C. The Method Description page describes if the test is performed on the dried or as-received portion

Subcontracted analysis (S)

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate

DETS Report No: 24-04550	~Date Sampled	01/03/24	01/03/24	01/03/24	01/03/24	01/03/24
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Inverbeg Drive	~TP / BH No	Topsoil 12	Subsoil 7	Subsoil 8	Subsoil 9	Subsoil 10
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A5882/RP/02	~Depth (m)	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Reporting Date: 03/05/2024	DETS Sample No	711964	711965	711966	711967	711968

Determinand	Unit	RL	Accreditation					
Asbestos Screen ^(S)	N/a	N/a	ISO17025	Not Detected	Detected	Not Detected	Not Detected	Not Detected
Sample Matrix ^(S)	Material Type	N/a	NONE		Amosite present as fibre bundles			
Asbestos Type ^(S)	PLM Result	N/a	ISO17025		Amosite			
pH	pH Units	N/a	MCERTS	6.4	6.5	7.8	6.5	6.3
Total Cyanide	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Complex Cyanide	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Free Cyanide	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Total Sulphate as SO ₄	mg/kg	< 200	MCERTS	560	1932	417	652	532
Total Sulphate as SO ₄	%	< 0.02	MCERTS	0.06	0.19	0.04	0.07	0.05
W/S Sulphate as SO ₄ (2:1)	mg/l	< 10	MCERTS	51	833	121	252	199
W/S Sulphate as SO ₄ (2:1)	g/l	< 0.01	MCERTS	0.05	0.83	0.12	0.25	0.20
Sulphide	mg/kg	< 5	NONE	< 5	< 5	< 5	< 5	< 5
Organic Matter (SOM)	%	< 0.1	MCERTS	6.2	2.4	2.8	1.9	2.4
Arsenic (As)	mg/kg	< 2	MCERTS	14	7	5	6	8
Barium (Ba)	mg/kg	< 2.5	MCERTS	107	134	101	181	174
Beryllium (Be)	mg/kg	< 0.5	MCERTS	0.8	0.9	1	1	1.3
W/S Boron	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Cadmium (Cd)	mg/kg	< 0.2	MCERTS	0.4	< 0.2	< 0.2	< 0.2	< 0.2
Chromium (Cr)	mg/kg	< 2	MCERTS	20	19	19	23	22
Chromium (hexavalent)	mg/kg	< 2	NONE	< 2	< 2	< 2	< 2	< 2
Copper (Cu)	mg/kg	< 4	MCERTS	34	28	32	26	30
Lead (Pb)	mg/kg	< 3	MCERTS	75	19	14	15	16
Mercury (Hg)	mg/kg	< 1	MCERTS	< 1	< 1	< 1	< 1	< 1
Nickel (Ni)	mg/kg	< 3	MCERTS	14	26	32	31	36
Selenium (Se)	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Vanadium (V)	mg/kg	< 1	MCERTS	21	21	21	26	28
Zinc (Zn)	mg/kg	< 3	MCERTS	74	70	75	70	79
Total Phenols (monohydric)	mg/kg	< 2	NONE	< 2	< 2	< 2	< 2	< 2

Analytical results are expressed on a dry weight basis where samples are assisted-dried at less than 30°C. The Method Description page describes if the test is performed on the dried or as-received portion

Subcontracted analysis (S)

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate

DETS Report No: 24-04550	~Date Sampled	01/03/24	01/03/24			
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied			
~Site Reference: Inverbeg Drive	~TP / BH No	Subsoil 11	Subsoil 12			
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied			
~Order No: A5882/RP/02	~Depth (m)	None Supplied	None Supplied			
Reporting Date: 03/05/2024	DETS Sample No	711969	711970			

Determinand	Unit	RL	Accreditation					
Asbestos Screen ^(S)	N/a	N/a	ISO17025	Not Detected	Not Detected			
Sample Matrix ^(S)	Material Type	N/a	NONE					
Asbestos Type ^(S)	PLM Result	N/a	ISO17025					
pH	pH Units	N/a	MCERTS	7.4	7.4			
Total Cyanide	mg/kg	< 1	NONE	< 1	< 1			
Complex Cyanide	mg/kg	< 1	NONE	< 1	< 1			
Free Cyanide	mg/kg	< 1	NONE	< 1	< 1			
Total Sulphate as SO ₄	mg/kg	< 200	MCERTS	616	1438			
Total Sulphate as SO ₄	%	< 0.02	MCERTS	0.06	0.14			
W/S Sulphate as SO ₄ (2:1)	mg/l	< 10	MCERTS	256	615			
W/S Sulphate as SO ₄ (2:1)	g/l	< 0.01	MCERTS	0.26	0.61			
Sulphide	mg/kg	< 5	NONE	< 5	< 5			
Organic Matter (SOM)	%	< 0.1	MCERTS	2.7	2.4			
Arsenic (As)	mg/kg	< 2	MCERTS	7	9			
Barium (Ba)	mg/kg	< 2.5	MCERTS	123	151			
Beryllium (Be)	mg/kg	< 0.5	MCERTS	1	1.1			
W/S Boron	mg/kg	< 1	NONE	< 1	< 1			
Cadmium (Cd)	mg/kg	< 0.2	MCERTS	< 0.2	< 0.2			
Chromium (Cr)	mg/kg	< 2	MCERTS	21	22			
Chromium (hexavalent)	mg/kg	< 2	NONE	< 2	< 2			
Copper (Cu)	mg/kg	< 4	MCERTS	32	32			
Lead (Pb)	mg/kg	< 3	MCERTS	16	22			
Mercury (Hg)	mg/kg	< 1	MCERTS	< 1	< 1			
Nickel (Ni)	mg/kg	< 3	MCERTS	33	29			
Selenium (Se)	mg/kg	< 2	MCERTS	< 2	< 2			
Vanadium (V)	mg/kg	< 1	MCERTS	23	25			
Zinc (Zn)	mg/kg	< 3	MCERTS	78	74			
Total Phenols (monohydric)	mg/kg	< 2	NONE	< 2	< 2			

Analytical results are expressed on a dry weight basis where samples are assisted-dried at less than 30°C. The Method Description page describes if the test is performed on the dried or as-received portion
 Subcontracted analysis (S)

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - Speciated PAHs						
DETS Report No: 24-04550	~Date Sampled	01/03/24	01/03/24	01/03/24	01/03/24	01/03/24
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Inverbeg Drive	~TP / BH No	Topsoil 7	Topsoil 8	Topsoil 9	Topsoil 10	Topsoil 11
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A5882/RP/02	~Depth (m)	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Reporting Date: 03/05/2024	DETS Sample No	711959	711960	711961	711962	711963

Determinand	Unit	RL	Accreditation					
Naphthalene	mg/kg	< 0.1	MCERTS	0.19	0.17	< 0.1	< 0.1	< 0.1
Acenaphthylene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Acenaphthene	mg/kg	< 0.1	MCERTS	< 0.1	0.18	< 0.1	< 0.1	< 0.1
Fluorene	mg/kg	< 0.1	MCERTS	< 0.1	0.13	< 0.1	< 0.1	< 0.1
Phenanthrene	mg/kg	< 0.1	MCERTS	0.80	1.28	< 0.1	< 0.1	< 0.1
Anthracene	mg/kg	< 0.1	MCERTS	0.14	0.17	< 0.1	< 0.1	< 0.1
Fluoranthene	mg/kg	< 0.1	MCERTS	1.57	1.39	< 0.1	< 0.1	0.14
Pyrene	mg/kg	< 0.1	MCERTS	1.43	1.29	< 0.1	< 0.1	< 0.1
Benzo(a)anthracene	mg/kg	< 0.1	MCERTS	0.74	0.39	< 0.1	< 0.1	< 0.1
Chrysene	mg/kg	< 0.1	MCERTS	0.77	0.40	< 0.1	< 0.1	< 0.1
Benzo(b)fluoranthene	mg/kg	< 0.1	MCERTS	0.68	0.21	< 0.1	< 0.1	< 0.1
Benzo(k)fluoranthene	mg/kg	< 0.1	MCERTS	0.28	< 0.1	< 0.1	< 0.1	< 0.1
Benzo(a)pyrene	mg/kg	< 0.1	MCERTS	0.67	0.19	< 0.1	< 0.1	< 0.1
Indeno(1,2,3-cd)pyrene	mg/kg	< 0.1	MCERTS	0.34	< 0.1	< 0.1	< 0.1	< 0.1
Dibenz(a,h)anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Benzo(ghi)perylene	mg/kg	< 0.1	MCERTS	0.25	< 0.1	< 0.1	< 0.1	< 0.1
Total EPA-16 PAHs	mg/kg	< 1.6	MCERTS	7.9	5.8	< 1.6	< 1.6	< 1.6

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - Speciated PAHs						
DETS Report No: 24-04550	~Date Sampled	01/03/24	01/03/24	01/03/24	01/03/24	01/03/24
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Inverbeg Drive	~TP / BH No	Topsoil 12	Subsoil 7	Subsoil 8	Subsoil 9	Subsoil 10
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A5882/RP/02	~Depth (m)	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Reporting Date: 03/05/2024	DETS Sample No	711964	711965	711966	711967	711968

Determinand	Unit	RL	Accreditation					
Naphthalene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Acenaphthylene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Acenaphthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Fluorene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Phenanthrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Benzo(a)anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Chrysene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Benzo(b)fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Benzo(k)fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Benzo(a)pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Indeno(1,2,3-cd)pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Dibenz(a,h)anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Benzo(ghi)perylene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Total EPA-16 PAHs	mg/kg	< 1.6	MCERTS	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - Speciated PAHs						
DETS Report No: 24-04550	~Date Sampled	01/03/24	01/03/24			
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied			
~Site Reference: Inverbeg Drive	~TP / BH No	Subsoil 11	Subsoil 12			
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied			
~Order No: A5882/RP/02	~Depth (m)	None Supplied	None Supplied			
Reporting Date: 03/05/2024	DETS Sample No	711969	711970			

Determinand	Unit	RL	Accreditation				
Naphthalene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Acenaphthylene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Acenaphthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Fluorene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Phenanthrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Benzo(a)anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Chrysene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Benzo(b)fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Benzo(k)fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Benzo(a)pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Indeno(1,2,3-cd)pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Dibenz(a,h)anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Benzo(ghi)perylene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Total EPA-16 PAHs	mg/kg	< 1.6	MCERTS	< 1.6	< 1.6		

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - TPH CWG Banded						
DETS Report No: 24-04550	~Date Sampled	01/03/24	01/03/24	01/03/24	01/03/24	01/03/24
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Inverbeg Drive	~TP / BH No	Topsoil 7	Topsoil 8	Topsoil 9	Topsoil 10	Topsoil 11
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A5882/RP/02	~Depth (m)	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Reporting Date: 03/05/2024	DETS Sample No	711959	711960	711961	711962	711963

Determinand	Unit	RL	Accreditation					
Aliphatic >C5 - C6 : HS_1D_MS_AL	mg/kg	< 0.01	NONE	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Aliphatic >C6 - C8 : HS_1D_MS_AL	mg/kg	< 0.05	NONE	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Aliphatic >C8 - C10 : EH_CU_1D_AL	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aliphatic >C10 - C12 : EH_CU_1D_AL	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aliphatic >C12 - C16 : EH_CU_1D_AL	mg/kg	< 3	MCERTS	< 3	< 3	< 3	< 3	< 3
Aliphatic >C16 - C21 : EH_CU_1D_AL	mg/kg	< 3	MCERTS	< 3	< 3	< 3	< 3	< 3
Aliphatic >C21 - C34 : EH_CU_1D_AL	mg/kg	< 10	MCERTS	< 10	< 10	< 10	< 10	< 10
Aliphatic (C5 - C34) : HS_1D_MS+EH_CU_1D_AL	mg/kg	< 21	NONE	< 21	< 21	< 21	< 21	< 21
Aromatic >C5 - C7 : HS_1D_MS_AR	mg/kg	< 0.01	NONE	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Aromatic >C7 - C8 : HS_1D_MS_AR	mg/kg	< 0.05	NONE	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Aromatic >C8 - C10 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aromatic >C10 - C12 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aromatic >C12 - C16 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	3	3	< 2	< 2	< 2
Aromatic >C16 - C21 : EH_CU_1D_AR	mg/kg	< 3	MCERTS	8	7	< 3	< 3	< 3
Aromatic >C21 - C35 : EH_CU_1D_AR	mg/kg	< 10	MCERTS	10	< 10	< 10	< 10	< 10
Aromatic (C5 - C35) : HS_1D_MS+EH_CU_1D_AR	mg/kg	< 21	NONE	< 21	< 21	< 21	< 21	< 21
Total >C5 - C35 : HS_1D_MS+EH_CU_1D_Tot al	mg/kg	< 42	NONE	< 42	< 42	< 42	< 42	< 42

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - TPH CWG Banded						
DETS Report No: 24-04550	~Date Sampled	01/03/24	01/03/24	01/03/24	01/03/24	01/03/24
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Inverbeg Drive	~TP / BH No	Topsoil 12	Subsoil 7	Subsoil 8	Subsoil 9	Subsoil 10
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A5882/RP/02	~Depth (m)	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Reporting Date: 03/05/2024	DETS Sample No	711964	711965	711966	711967	711968

Determinand	Unit	RL	Accreditation					
Aliphatic >C5 - C6 : HS_1D_MS_AL	mg/kg	< 0.01	NONE	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Aliphatic >C6 - C8 : HS_1D_MS_AL	mg/kg	< 0.05	NONE	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Aliphatic >C8 - C10 : EH_CU_1D_AL	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aliphatic >C10 - C12 : EH_CU_1D_AL	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aliphatic >C12 - C16 : EH_CU_1D_AL	mg/kg	< 3	MCERTS	< 3	< 3	< 3	< 3	< 3
Aliphatic >C16 - C21 : EH_CU_1D_AL	mg/kg	< 3	MCERTS	< 3	< 3	< 3	< 3	< 3
Aliphatic >C21 - C34 : EH_CU_1D_AL	mg/kg	< 10	MCERTS	< 10	< 10	< 10	< 10	< 10
Aliphatic (C5 - C34) : HS_1D_MS+EH_CU_1D_AL	mg/kg	< 21	NONE	< 21	< 21	< 21	< 21	< 21
Aromatic >C5 - C7 : HS_1D_MS_AR	mg/kg	< 0.01	NONE	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Aromatic >C7 - C8 : HS_1D_MS_AR	mg/kg	< 0.05	NONE	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Aromatic >C8 - C10 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aromatic >C10 - C12 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aromatic >C12 - C16 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aromatic >C16 - C21 : EH_CU_1D_AR	mg/kg	< 3	MCERTS	< 3	< 3	< 3	< 3	< 3
Aromatic >C21 - C35 : EH_CU_1D_AR	mg/kg	< 10	MCERTS	< 10	< 10	< 10	< 10	< 10
Aromatic (C5 - C35) : HS_1D_MS+EH_CU_1D_AR	mg/kg	< 21	NONE	< 21	< 21	< 21	< 21	< 21
Total >C5 - C35 : HS_1D_MS+EH_CU_1D_Tot al	mg/kg	< 42	NONE	< 42	< 42	< 42	< 42	< 42

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - TPH CWG Banded					
DETS Report No: 24-04550	~Date Sampled	01/03/24	01/03/24		
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied		
~Site Reference: Inverbeg Drive	~TP / BH No	Subsoil 11	Subsoil 12		
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied		
~Order No: A5882/RP/02	~Depth (m)	None Supplied	None Supplied		
Reporting Date: 03/05/2024	DETS Sample No	711969	711970		

Determinand	Unit	RL	Accreditation					
Aliphatic >C5 - C6 : HS_1D_MS_AL	mg/kg	< 0.01	NONE	< 0.01	< 0.01			
Aliphatic >C6 - C8 : HS_1D_MS_AL	mg/kg	< 0.05	NONE	< 0.05	< 0.05			
Aliphatic >C8 - C10 : EH_CU_1D_AL	mg/kg	< 2	MCERTS	< 2	< 2			
Aliphatic >C10 - C12 : EH_CU_1D_AL	mg/kg	< 2	MCERTS	< 2	< 2			
Aliphatic >C12 - C16 : EH_CU_1D_AL	mg/kg	< 3	MCERTS	< 3	< 3			
Aliphatic >C16 - C21 : EH_CU_1D_AL	mg/kg	< 3	MCERTS	< 3	< 3			
Aliphatic >C21 - C34 : EH_CU_1D_AL	mg/kg	< 10	MCERTS	< 10	< 10			
Aliphatic (C5 - C34) : HS_1D_MS+EH_CU_1D_AL	mg/kg	< 21	NONE	< 21	< 21			
Aromatic >C5 - C7 : HS_1D_MS_AR	mg/kg	< 0.01	NONE	< 0.01	< 0.01			
Aromatic >C7 - C8 : HS_1D_MS_AR	mg/kg	< 0.05	NONE	< 0.05	< 0.05			
Aromatic >C8 - C10 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2			
Aromatic >C10 - C12 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2			
Aromatic >C12 - C16 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2			
Aromatic >C16 - C21 : EH_CU_1D_AR	mg/kg	< 3	MCERTS	< 3	< 3			
Aromatic >C21 - C35 : EH_CU_1D_AR	mg/kg	< 10	MCERTS	18	< 10			
Aromatic (C5 - C35) : HS_1D_MS+EH_CU_1D_AR	mg/kg	< 21	NONE	< 21	< 21			
Total >C5 - C35 : HS_1D_MS+EH_CU_1D_Tot al	mg/kg	< 42	NONE	< 42	< 42			

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - BTEX / MTBE						
DETS Report No: 24-04550	~Date Sampled	01/03/24	01/03/24	01/03/24	01/03/24	01/03/24
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Inverbeg Drive	~TP / BH No	Topsoil 7	Topsoil 8	Topsoil 9	Topsoil 10	Topsoil 11
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A5882/RP/02	~Depth (m)	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Reporting Date: 03/05/2024	DETS Sample No	711959	711960	711961	711962	711963

Determinand	Unit	RL	Accreditation					
Benzene : HS 1D MS	ug/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Toluene : HS 1D MS	ug/kg	< 5	MCERTS	< 5	< 5	< 5	< 5	< 5
Ethylbenzene : HS 1D MS	ug/kg	< 2	MCERTS	3	< 2	< 2	< 2	4
p & m-xylene : HS 1D MS	ug/kg	< 2	MCERTS	4	< 2	< 2	< 2	4
o-xylene : HS 1D MS	ug/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
MTBE : HS 1D MS	ug/kg	< 5	MCERTS	< 5	< 5	< 5	< 5	< 5

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - BTEX / MTBE						
DETS Report No: 24-04550	~Date Sampled	01/03/24	01/03/24	01/03/24	01/03/24	01/03/24
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Inverbeg Drive	~TP / BH No	Topsoil 12	Subsoil 7	Subsoil 8	Subsoil 9	Subsoil 10
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A5882/RP/02	~Depth (m)	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Reporting Date: 03/05/2024	DETS Sample No	711964	711965	711966	711967	711968

Determinand	Unit	RL	Accreditation						
Benzene : HS 1D MS	ug/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2	< 2
Toluene : HS 1D MS	ug/kg	< 5	MCERTS	< 5	< 5	< 5	< 5	< 5	< 5
Ethylbenzene : HS 1D MS	ug/kg	< 2	MCERTS	3	< 2	< 2	< 2	< 2	< 2
p & m-xylene : HS 1D MS	ug/kg	< 2	MCERTS	3	< 2	< 2	< 2	< 2	< 2
o-xylene : HS 1D MS	ug/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2	< 2
MTBE : HS 1D MS	ug/kg	< 5	MCERTS	< 5	< 5	< 5	< 5	< 5	< 5

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - BTEX / MTBE						
DETS Report No: 24-04550	~Date Sampled	01/03/24	01/03/24			
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied			
~Site Reference: Inverbeg Drive	~TP / BH No	Subsoil 11	Subsoil 12			
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied			
~Order No: A5882/RP/02	~Depth (m)	None Supplied	None Supplied			
Reporting Date: 03/05/2024	DETS Sample No	711969	711970			

Determinand	Unit	RL	Accreditation				
Benzene : HS 1D MS	ug/kg	< 2	MCERTS	< 2	< 2		
Toluene : HS 1D MS	ug/kg	< 5	MCERTS	< 5	< 5		
Ethylbenzene : HS 1D MS	ug/kg	< 2	MCERTS	< 2	< 2		
p & m-xylene : HS 1D MS	ug/kg	< 2	MCERTS	2	< 2		
o-xylene : HS 1D MS	ug/kg	< 2	MCERTS	< 2	< 2		
MTBE : HS 1D MS	ug/kg	< 5	MCERTS	< 5	< 5		

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - Sample Descriptions

DETS Report No: 24-04550	
Earth Environmental & Geotechnical Ltd	
~Site Reference: Inverbeg Drive	
~Project / Job Ref: A5882	
~Order No: A5882/RP/02	
Reporting Date: 03/05/2024	

DETS Sample No	~TP / BH No	~Additional Refs	~Depth (m)	Moisture Content (%)	Sample Matrix Description
\$ 711959	Topsoil 7	None Supplied	None Supplied	20.8	Brown loamy sand with vegetation
\$ 711960	Topsoil 8	None Supplied	None Supplied	22.5	Brown loamy sand with vegetation
\$ 711961	Topsoil 9	None Supplied	None Supplied	20.5	Brown loamy sand with stones
\$ 711962	Topsoil 10	None Supplied	None Supplied	21.3	Brown loamy sand with stones
\$ 711963	Topsoil 11	None Supplied	None Supplied	23.6	Brown loamy sand with vegetation
\$ 711964	Topsoil 12	None Supplied	None Supplied	22.4	Brown loamy sand with stones
\$ 711965	Subsoil 7	None Supplied	None Supplied	5.1	Brown sandy clay
\$ 711966	Subsoil 8	None Supplied	None Supplied	4.4	Brown sandy clay
\$ 711967	Subsoil 9	None Supplied	None Supplied	4.3	Brown sandy clay
\$ 711968	Subsoil 10	None Supplied	None Supplied	7.2	Brown sandy clay with stones
\$ 711969	Subsoil 11	None Supplied	None Supplied	6.7	Brown sandy clay with stones
\$ 711970	Subsoil 12	None Supplied	None Supplied	3.9	Brown sandy clay

Moisture content is part of procedure E003 & is not an accredited test

Insufficient Sample ^{I/S}

Unsuitable Sample ^{U/S}

~ Sample details provided by the customer

\$ samples exceeded recommended holding times



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - Methodology & Miscellaneous Information

DETS Report No: 24-04550

Earth Environmental & Geotechnical Ltd

~Site Reference: Inverbeg Drive

~Project / Job Ref: A5882

~Order No: A5882/RP/02

Reporting Date: 03/05/2024

Matrix	Analysed On	Determinand	Brief Method Description	Method No
Soil	D	Boron - Water Soluble	Determination of water soluble boron in soil by 2:1 hot water extract followed by ICP-OES	E012
Soil	AR	BTEX	Determination of BTEX by headspace GC-MS	E001
Soil	D	Cations	Determination of cations in soil by aqua-regia digestion followed by ICP-OES	E002
Soil	D	Chloride - Water Soluble (2:1)	Determination of chloride by extraction with water & analysed by ion chromatography	E009
Soil	AR	Chromium - Hexavalent	Determination of hexavalent chromium in soil by extraction in water then by acidification, addition of 1,5 dphenylcarbazide followed by colorimetry	E016
Soil	AR	Cyanide - Complex	Determination of complex cyanide by distillation followed by colorimetry	E015
Soil	AR	Cyanide - Free	Determination of free cyanide by distillation followed by colorimetry	E015
Soil	AR	Cyanide - Total	Determination of total cyanide by distillation followed by colorimetry	E015
Soil	D	Cyclohexane Extractable Matter (CEM)	Gravimetrically determined through extraction with cyclohexane	E011
Soil	AR	Diesel Range Organics (C10 - C24)	Determination of hexane/acetone extractable hydrocarbons by GC-FID	E004
Soil	AR	Electrical Conductivity	Determination of electrical conductivity by addition of saturated calcium sulphate followed by electrometric measurement	E022
Soil	AR	Electrical Conductivity	Determination of electrical conductivity by addition of water followed by electrometric measurement	E023
Soil	D	Elemental Sulphur	Determination of elemental sulphur by solvent extraction followed by GC-MS	E020
Soil	AR	EPH (C10 - C40)	Determination of acetone/hexane extractable hydrocarbons by GC-FID	E004
Soil	AR	EPH Product ID	Determination of acetone/hexane extractable hydrocarbons by GC-FID	E004
Soil	AR	EPH TEXAS (C6-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C40)	Determination of acetone/hexane extractable hydrocarbons by GC-FID for C8 to C40. C6 to C8 by headspace GC-MS	E004
Soil	D	Fluoride - Water Soluble	Determination of Fluoride by extraction with water & analysed by ion chromatography	E009
Soil	D	Fraction Organic Carbon (FOC)	Determination of TOC by combustion analyser.	E027
Soil	D	Organic Matter (SOM)	Determination of TOC by combustion analyser.	E027
Soil	D	TOC (Total Organic Carbon)	Determination of TOC by combustion analyser.	E027
Soil	AR	Exchangeable Ammonium	Determination of ammonium by discrete analyser.	E029
Soil	D	FOC (Fraction Organic Carbon)	Determination of fraction of organic carbon by oxidising with potassium dichromate followed by titration with iron (II) sulphate	E010
Soil	D	Loss on Ignition @ 450°C	Determination of loss on ignition in soil by gravimetrically with the sample being ignited in a muffle furnace	E019
Soil	D	Magnesium - Water Soluble	Determination of water soluble magnesium by extraction with water followed by ICP-OES	E025
Soil	D	Metals	Determination of metals by aqua-regia digestion followed by ICP-OES	E002
Soil	AR	Mineral Oil (C10 - C40)	Determination of hexane/acetone extractable hydrocarbons by GC-FID fractionating with SPE cartridge	E004
Soil	AR	Moisture Content	Moisture content; determined gravimetrically	E003
Soil	D	Nitrate - Water Soluble (2:1)	Determination of nitrate by extraction with water & analysed by ion chromatography	E009
Soil	D	Organic Matter	Determination of organic matter by oxidising with potassium dichromate followed by titration with iron (II) sulphate	E010
Soil	AR	PAH - Speciated (EPA 16)	Determination of PAH compounds by extraction in acetone and hexane followed by GC-MS with the use of surrogate and internal standards	E005
Soil	AR	PCB - 7 Congeners	Determination of PCB by extraction with acetone and hexane followed by GC-MS	E008
Soil	D	Petroleum Ether Extract (PEE)	Gravimetrically determined through extraction with petroleum ether	E011
Soil	AR	pH	Determination of pH by addition of water followed by electrometric measurement	E007
Soil	AR	Phenols - Total (monohydric)	Determination of phenols by distillation followed by colorimetry	E021
Soil	D	Phosphate - Water Soluble (2:1)	Determination of phosphate by extraction with water & analysed by ion chromatography	E009
Soil	D	Sulphate (as SO4) - Total	Determination of total sulphate by extraction with 10% HCl followed by ICP-OES	E013
Soil	D	Sulphate (as SO4) - Water Soluble (2:1)	Determination of sulphate by extraction with water & analysed by ion chromatography	E009
Soil	D	Sulphate (as SO4) - Water Soluble (2:1)	Determination of water soluble sulphate by extraction with water followed by ICP-OES	E014
Soil	AR	Sulphide	Determination of sulphide by distillation followed by colorimetry	E018
Soil	D	Sulphur - Total	Determination of total sulphur by extraction with aqua-regia followed by ICP-OES	E024
Soil	AR	SVOC	Determination of semi-volatile organic compounds by extraction in acetone and hexane followed by GC-MS	E006
Soil	AR	Thiocyanate (as SCN)	Determination of thiocyanate by extraction in caustic soda followed by acidification followed by addition of ferric nitrate followed by colorimetry	E017
Soil	D	Toluene Extractable Matter (TEM)	Gravimetrically determined through extraction with toluene	E011
Soil	D	Total Organic Carbon (TOC)	Determination of organic matter by oxidising with potassium dichromate followed by titration with iron (II) sulphate	E010
Soil	AR	TPH CWG (all: C5-C6, C6-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C34, aro: C5-C7, C7-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C35)	Determination of hexane/acetone extractable hydrocarbons by GC-FID fractionating with SPE cartridge for C8 to C35. C5 to C8 by headspace GC-MS	E004
Soil	AR	TPH LQM (all: C5-C6, C6-C8, C8-C10, C10-C12, C12-C16, C16-C35, C35-C44, aro: C5-C7, C7-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C35, C35-C44)	Determination of hexane/acetone extractable hydrocarbons by GC-FID fractionating with SPE cartridge for C8 to C44. C5 to C8 by headspace GC-MS	E004
Soil	AR	VOCs	Determination of volatile organic compounds by headspace GC-MS	E001
Soil	AR	VPH (C6-C8 & C8-C10)	Determination of hydrocarbons C6-C8 by headspace GC-MS & C8-C10 by GC-FID	E001

D Dried

AR As Received

~ Sample details provided by the customer



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



List of HWOL Acronyms and Operators

DETS Report No: 24-04550

Earth Environmental & Geotechnical Ltd

~Site Reference: Inverbeg Drive

~Project / Job Ref: A5882

~Order No: A5882/RP/02

Reporting Date: 03/05/2024

Acronym	Description
HS	Headspace analysis
EH	Extractable Hydrocarbons - i.e. everything extracted by the solvent
CU	Clean-up - e.g. by florisil, silica gel
1D	GC - Single coil gas chromatography
2D	GC-GC - Double coil gas chromatography
Total	Aliphatics & Aromatics
AL	Aliphatics only
AR	Aromatics only
#1	EH_2D_Total but with humics mathematically subtracted
#2	EH_2D_Total but with fatty acids mathematically subtracted
	Operator - underscore to separate acronyms (exception for +)
+	Operator to indicate cumulative eg. EH+HS_Total or EH_CU+HS_Total
~	Sample details provided by the customer

Benzene - HS_1D_MS
Ethylbenzene - HS_1D_MS
MTBE - HS_1D_MS
TPH CWG - Aliphatic >C10 - C12 - EH_CU_1D_AL
TPH CWG - Aliphatic >C12 - C16 - EH_CU_1D_AL
TPH CWG - Aliphatic >C16 - C21 - EH_CU_1D_AL
TPH CWG - Aliphatic >C21 - C34 - EH_CU_1D_AL
TPH CWG - Aliphatic >C5 - C6 - HS_1D_MS_AL
TPH CWG - Aliphatic >C6 - C8 - HS_1D_MS_AL
TPH CWG - Aliphatic >C8 - C10 - EH_CU_1D_AL
TPH CWG - Aliphatic C5 - C34 - HS_1D_MS+EH_CU_1D_AL
TPH CWG - Aromatic >C10 - C12 - EH_CU_1D_AR
TPH CWG - Aromatic >C12 - C16 - EH_CU_1D_AR
TPH CWG - Aromatic >C16 - C21 - EH_CU_1D_AR
TPH CWG - Aromatic >C21 - C35 - EH_CU_1D_AR
TPH CWG - Aromatic >C5 - C35 - HS_1D_MS+EH_CU_1D_AR
TPH CWG - Aromatic >C5 - C7 - HS_1D_MS_AR
TPH CWG - Aromatic >C7 - C8 - HS_1D_MS_AR
TPH CWG - Aromatic >C8 - C10 - EH_CU_1D_AR
TPH CWG - Total >C5 - C35 - HS_1D_MS+EH_CU_1D_Total
Toluene - HS_1D_MS
m & p-xylene - HS_1D_MS
o-Xylene - HS_1D_MS



Ross Page
Earth Environmental & Geotechnical Ltd
Houldsworth Mill Business Centre
Houldsworth Street
Reddish
Stockport
Cheshire
SK5 6DA

Normec DETS Limited
Unit 1
Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Kent
ME17 2JN
t: 01622 850410

DETS Report No: 24-05885

Site Reference: Inverbea Drive
Project / Job Ref: A5882
Order No: A5882/RP/02
Sample Receipt Date: 29/05/2024
Sample Scheduled Date: 29/05/2024
Report Issue Number: 1
Reporting Date: 05/06/2024

Authorised by:

Steve Knight
Customer Support Manager

Dates of laboratory activities for each tested analyte are available upon request.

Opinions and interpretations are outside the laboratory's scope of ISO 17025 accreditation. This certificate is issued in accordance with the accreditation requirements of the United Kingdom Accreditation Service. The results reported herein relate only to the material supplied to the laboratory. This certificate shall not be reproduced except in full, without the prior written approval of the laboratory.



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate						
DETS Report No: 24-05885	~Date Sampled	01/03/24				
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied				
~Site Reference: Inverbeg Drive	~TP / BH No	Subsoil 7				
~Project / Job Ref: A5882	~Additional Refs	None Supplied				
~Order No: A5882/RP/02	~Depth (m)	None Supplied				
Reporting Date: 05/06/2024	DETS Sample No	717919				

Determinand	Unit	RL	Accreditation				
Asbestos Quantification ^(S)	%	< 0.001	ISO17025	0.002			

Analytical results are expressed on a dry weight basis where samples are assisted-dried at less than 30°C. The Method Description page describes if the test is performed on the dried or as-received portion

Subcontracted analysis (S)

~Sample details provided by customer and can affect the validity of results



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410

Soil Analysis Certificate - Methodology & Miscellaneous Information

DETS Report No: 24-05885

Earth Environmental & Geotechnical Ltd

~Site Reference: Inverbeg Drive

~Project / Job Ref: A5882

~Order No: A5882/RP/02

Reporting Date: 05/06/2024

Matrix	Analysed On	Determinand	Brief Method Description	Method No
Soil	D	Boron - Water Soluble	Determination of water soluble boron in soil by 2:1 hot water extract followed by ICP-OES	E012
Soil	AR	BTEX	Determination of BTEX by headspace GC-MS	E001
Soil	D	Cations	Determination of cations in soil by aqua-regia digestion followed by ICP-OES	E002
Soil	D	Chloride - Water Soluble (2:1)	Determination of chloride by extraction with water & analysed by ion chromatography	E009
Soil	AR	Chromium - Hexavalent	Determination of hexavalent chromium in soil by extraction in water then by acidification, addition of 1,5 diphénylcarbazide followed by colorimetry	E016
Soil	AR	Cyanide - Complex	Determination of complex cyanide by distillation followed by colorimetry	E015
Soil	AR	Cyanide - Free	Determination of free cyanide by distillation followed by colorimetry	E015
Soil	AR	Cyanide - Total	Determination of total cyanide by distillation followed by colorimetry	E015
Soil	D	Cyclohexane Extractable Matter (CEM)	Gravimetrically determined through extraction with cyclohexane	E011
Soil	AR	Diesel Range Organics (C10 - C24)	Determination of hexane/acetone extractable hydrocarbons by GC-FID	E004
Soil	AR	Electrical Conductivity	Determination of electrical conductivity by addition of saturated calcium sulphate followed by electrometric measurement	E022
Soil	AR	Electrical Conductivity	Determination of electrical conductivity by addition of water followed by electrometric measurement	E023
Soil	D	Elemental Sulphur	Determination of elemental sulphur by solvent extraction followed by GC-MS	E020
Soil	AR	EPH (C10 - C40)	Determination of acetone/hexane extractable hydrocarbons by GC-FID	E004
Soil	AR	EPH Product ID	Determination of acetone/hexane extractable hydrocarbons by GC-FID	E004
Soil	AR	EPH TEXAS (C6-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C40)	Determination of acetone/hexane extractable hydrocarbons by GC-FID for C8 to C40. C6 to C8 by headspace GC-MS	E004
Soil	D	Fluoride - Water Soluble	Determination of Fluoride by extraction with water & analysed by ion chromatography	E009
Soil	D	Fraction Organic Carbon (FOC)	Determination of TOC by combustion analyser.	E027
Soil	D	Organic Matter (SOM)	Determination of TOC by combustion analyser.	E027
Soil	D	TOC (Total Organic Carbon)	Determination of TOC by combustion analyser.	E027
Soil	AR	Exchangeable Ammonium	Determination of ammonium by discrete analyser.	E029
Soil	D	FOC (Fraction Organic Carbon)	Determination of fraction of organic carbon by oxidising with potassium dichromate followed by titration with iron (II) sulphate	E010
Soil	D	Loss on Ignition @ 450°C	Determination of loss on ignition in soil by gravimetrically with the sample being ignited in a muffle furnace	E019
Soil	D	Magnesium - Water Soluble	Determination of water soluble magnesium by extraction with water followed by ICP-OES	E025
Soil	D	Metals	Determination of metals by aqua-regia digestion followed by ICP-OES	E002
Soil	AR	Mineral Oil (C10 - C40)	Determination of hexane/acetone extractable hydrocarbons by GC-FID fractionating with SPE cartridge	E004
Soil	AR	Moisture Content	Moisture content; determined gravimetrically	E003
Soil	D	Nitrate - Water Soluble (2:1)	Determination of nitrate by extraction with water & analysed by ion chromatography	E009
Soil	D	Organic Matter	Determination of organic matter by oxidising with potassium dichromate followed by titration with iron (II) sulphate	E010
Soil	AR	PAH - Speciated (EPA 16)	Determination of PAH compounds by extraction in acetone and hexane followed by GC-MS with the use of surrogate and internal standards	E005
Soil	AR	PCB - 7 Congeners	Determination of PCB by extraction with acetone and hexane followed by GC-MS	E008
Soil	D	Petroleum Ether Extract (PEE)	Gravimetrically determined through extraction with petroleum ether	E011
Soil	AR	pH	Determination of pH by addition of water followed by electrometric measurement	E007
Soil	AR	Phenols - Total (monohydric)	Determination of phenols by distillation followed by colorimetry	E021
Soil	D	Phosphate - Water Soluble (2:1)	Determination of phosphate by extraction with water & analysed by ion chromatography	E009
Soil	D	Sulphate (as SO4) - Total	Determination of total sulphate by extraction with 10% HCl followed by ICP-OES	E013
Soil	D	Sulphate (as SO4) - Water Soluble (2:1)	Determination of sulphate by extraction with water & analysed by ion chromatography	E009
Soil	D	Sulphate (as SO4) - Water Soluble (2:1)	Determination of water soluble sulphate by extraction with water followed by ICP-OES	E014
Soil	AR	Sulphide	Determination of sulphide by distillation followed by colorimetry	E018
Soil	D	Sulphur - Total	Determination of total sulphur by extraction with aqua-regia followed by ICP-OES	E024
Soil	AR	SVOC	Determination of semi-volatile organic compounds by extraction in acetone and hexane followed by GC-MS	E006
Soil	AR	Thiocyanate (as SCN)	Determination of thiocyanate by extraction in caustic soda followed by acidification followed by addition of ferric nitrate followed by colorimetry	E017
Soil	D	Toluene Extractable Matter (TEM)	Gravimetrically determined through extraction with toluene	E011
Soil	D	Total Organic Carbon (TOC)	Determination of organic matter by oxidising with potassium dichromate followed by titration with iron (II) sulphate	E010
Soil	AR	TPH CWG (ali: C5-C6, C6-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C34, aro: C5-C7, C7-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C35)	Determination of hexane/acetone extractable hydrocarbons by GC-FID fractionating with SPE cartridge for C8 to C35. C5 to C8 by headspace GC-MS	E004
Soil	AR	TPH LQM (ali: C5-C6, C6-C8, C8-C10, C10-C12, C12-C16, C16-C35, C35-C44, aro: C5-C7, C7-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C35, C35-C44)	Determination of hexane/acetone extractable hydrocarbons by GC-FID fractionating with SPE cartridge for C8 to C44. C5 to C8 by headspace GC-MS	E004
Soil	AR	VOCs	Determination of volatile organic compounds by headspace GC-MS	E001
Soil	AR	VPH (C6-C8 & C8-C10)	Determination of hydrocarbons C6-C8 by headspace GC-MS & C8-C10 by GC-FID	E001

D Dried

AR As Received

~Sample details provided by customer and can affect the validity of results



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



List of HWOL Acronyms and Operators	
DETS Report No: 24-05885	
Earth Environmental & Geotechnical Ltd	
~Site Reference: Inverbeg Drive	
~Project / Job Ref: A5882	
~Order No: A5882/RP/02	
Reporting Date: 05/06/2024	

Acronym	Description
HS	Headspace analysis
EH	Extractable Hydrocarbons - i.e. everything extracted by the solvent
CU	Clean-up - e.g. by florisil, silica gel
1D	GC - Single coil gas chromatography
2D	GC-GC - Double coil gas chromatography
Total	Aliphatics & Aromatics
AL	Aliphatics only
AR	Aromatics only
#1	EH_2D_Total but with humics mathematically subtracted
#2	EH_2D_Total but with fatty acids mathematically subtracted
	Operator - underscore to separate acronyms (exception for +)
+	Operator to indicate cumulative eg. EH+HS_Total or EH_CU+HS_Total
~	Sample details provided by customer and can affect the validity of results

Det - Acronym

APPENDIX B

SOIL ASSESSMENT CRITERIA

Assessment Criteria for Imported Soils in Garden Areas

Inorganic Compounds	Assessment Criteria - Residential with Homegrown Produce (mg/kg)		
Arsenic	37		
Cadmium	22		
Chromium (III)	910		
Chromium (VI)	6		
Lead	200		
Inorganic Mercury	40		
Nickel	130		
Selenium	250		
Copper	2400		
Zinc	3700		
Organic Compounds	1% SOM	2.5% SOM	6% SOM
Naphthalene	15	36	85
Acenaphthene	210	510	1100
Acenaphthylene	170	420	920
Fluorene	170	400	860
Phenanthrene	95	220	440
Anthracene	2400	5400	11000
Fluoranthene	280	560	890
Pyrene	620	1200	2000
Benzo(a)anthracene	7.2	11	13
Chrysene	15	22	27
Benzo(b)fluoranthene	2.6	3.3	3.7
Benzo(k)fluoranthene	77	93	100
Benzo(a)pyrene	5.0	5.0	5.0
Dibenz (a, h) anthracene	0.24	0.28	0.3
Indeno(1,2,3-cd) pyrene	27	36	41
Benzo (g, h, i) perylene	320	340	350
Benzene	0.2	0.41	0.87
Toluene	130	290	660
Ethylbenzene	47	110	260
o-Xylene	60	140	330
m-Xylene	59	140	320
p-Xylene	56	130	310
TPH Fractions	1% SOM	2.5% SOM	6% SOM
Aliphatic EC 5-6	42	78	160
Aliphatic EC >6-8	100	230	530
Aliphatic EC >8-10	27	65	150
Aliphatic EC >10-12	130 (48) ^{vap}	330 (118) ^{vap}	760 (283) ^{vap}
Aliphatic EC >12-16	1100 (24) ^{sol}	2400 (59) ^{sol}	4,300 (142) ^{sol}
Aliphatic EC >16-35	65,000 (8.48) ^{f, sol}	92,000 (21) ^{f, sol}	110,000 ^f
Aliphatic EC >35-44	65,000 (8.48) ^{f, sol}	92,000 (21) ^{f, sol}	110,000 ^f
Aromatic EC 5-7	70	140	300
Aromatic EC >7-8	130	290	660

Assessment Criteria - Residential with Homegrown Produce (mg/kg)			
TPH Fractions	1% SOM	2.5% SOM	6% SOM
Aromatic EC>8-10	34	83	190
Aromatic EC >10-12	74	180	380
Aromatic EC >12-16	140	330	660
Aromatic EC >16-21	260 ^f	540 ^f	930 ^f
Aromatic EC >21-35	1,100 ^f	1,500 ^f	1,700 ^f
Aromatic EC >35-44	1,100 ^f	1,500 ^f	1,700 ^f
Asbestos Fibres	< 0.001%		

APPENDIX C

SITE PHOTOGRAPHS

Earth Environmental & Geotechnical Ltd Tel: 0161 975 6088 Email: info@earthenvironmental.co.uk Web: www.earthenvironmental.co.uk	SITE PHOTOGRAPHS 
Job No.: A5882/24	Site: Inverbeg Drive, Bolton
Plate 1 General View	Plate 2 General View
	
Date: 25th April 2024	Date: 25th April 2024
Plate 3 General View	Plate 4 General View
	
Date: 25th April 2024	Date: 25th April 2024



OUR REF: A5882-24 1st August 2024
YOUR REF:

1st August 2024

Mr. Paul Sinclair
Westchurch Homes Ltd
31 Stamford Street
Altrincham
Cheshire
WA14 1ES

By Email (paul.sinclair@westchurchhomes.co.uk)

Dear Paul,

Inverbeg Drive, Bolton
Stockpile Chemical Testing

Background and Terms of Reference

This report provides a summary of the validation of the site won and stockpiled material.

This report should be read in conjunction with a Betts Ground Investigation Report (Report No. 20WCH012/GI) dated November 2021.

It is understood that stockpiled subsoil and topsoil will be used on site (within garden/landscaped areas) and also used on other nearby Westchurch Homes projects.

Site Location

The site is located south of Inverbeg Drive, Bolton, BL2 6NA.

The proposed site is approximately 2.09 hectares in total.

Site History

The previous site investigation report indicates that the site was formerly used as a football pitch.

Scope of Work

A site visit was conducted on the 22nd July 2024 to recover samples of subsoil and topsoil for environmental testing.

Eleven soil samples were taken in total.

Chemical testing has been performed by DETS, a UKAS and MCERTS accredited laboratory. Appendix A provides a copy of the testing results.

There was no visual or olfactory evidence of contamination observed during the site sampling process.

**CONSULTING
ENGINEERS**

Geotechnical
Environmental
Ecology
Geology
Drainage
Mining

Earth Environmental &
Geotechnical Ltd
Houldsworth Mill Business &
Arts Centre
Houldsworth Street
Stockport
SK5 6DA

Tel: 0161 975 6088

www.earthenvironmental.co.uk
info@earthenvironmental.co.uk

Bath

Studio 3
Tollbridge Studios
Toll Bridge Road
Bath
BA1 7DE
Tel: 01225 858833

Cardiff

12 Cathedral Road
Cardiff
CF11 9LJ
Tel: 0292 2362615

Edinburgh

Hudson House
8 Albany Street
Edinburgh
EH1 3QB
Tel: 0131 5641789

Wilton

Wilton Centre
Redcar
TS10 4RF
Tel: 01642 438125

Reading

Suite 18
Wyvols Court
Swallowfield
Reading
RG7 1WY
Tel: 01183 734000

Earth Environmental &
Geotechnical Ltd
Registered Office:
Mentor House, Ainsworth Street,
Blackburn, Lancashire, BB1 6AY

Figure 1: Stockpile Location Plan



Chemical Testing

11no. samples were obtained in total from the stockpiles, with 5no. samples of topsoil and 6no. samples of subsoil.

Chemical testing has been performed for a wide range of analytes including asbestos screen, pH, total organic carbon, total sulphate, sulphide, total cyanide, arsenic, chromium, hexavalent chromium, copper, lead, selenium, zinc, cadmium, mercury, nickel, vanadium, barium, beryllium, water soluble boron, mono phenol, speciated hydrocarbons and speciated PAH's.

At a Tier I stage the long term (chronic) human health toxicity of the soil has been assessed with reference to DEFRA/Environment Agency Contaminated Land Exposure Assessment (CLEA) Soil Guideline Values (SGV) for generic site land uses, soils, and exposure.

Where Environment Agency generic guidance is absent, reference has been made to the Chartered Institute of Environmental Health (CIEH) S4ULs for human health risk assessment.

In the case of arsenic, cadmium, hexavalent chromium, lead, benzene, naphthalene, and benzo(a)pyrene DEFRA Category 4 Screening Levels have been adopted. The results have been compared to residential with plant uptake and 6% soil organic matter (SOM).

Table 1: Assessment of Soil Chemical Data

Determinand	C4SL/S4UL Levels Resi w/ HP SOM 1% (mg/kg)	SP01 Subsoil	SP02 Subsoil	SP03 Topsoil	SP03 Topsoil	SP04 Subsoil	SP04 Subsoil	SP05 Topsoil	SP06 Subsoil	SP06 Subsoil	SP07 Topsoil	SP07 Topsoil	Exceedances
Metals													
Arsenic	37	9	7	6	7	13	12	12	11	11	15	13	0
Beryllium	1.7	0.6	0.6	0.8	0.8	0.9	0.8	0.7	0.8	0.8	0.7	0.7	0
Boron	290	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	0
Cadmium	11	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	0
Chromium	910	15	15	17	17	16	15	15	16	15	18	18	0
Chromium VI	21	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0
Copper	2400	19	20	20	21	27	27	23	24	19	26	25	0
Lead	200	27	14	14	16	41	38	51	32	20	62	57	0
Inorganic Mercury	40	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	0
Nickel	130	13	13	21	23	15	15	12	21	21	12	11	0
Selenium	250	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0
Vanadium	410	20	16	19	20	22	21	19	20	19	20	19	0
Zinc	3700	57	46	59	58	55	52	57	91	53	66	59	0
Petroleum Hydrocarbons													
Benzene	0.20	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	0
Toluene	130	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.011	< 0.005	< 0.005	0.267	< 0.005	0
Ethylbenzene	47	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	0.012	< 0.002	0
o-xylenes	60	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	0
p&m-xylenes	59	< 0.002	< 0.002	0.003	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	0
Aliphatic EC >5-6	42	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0
Aliphatic EC >6-8	100	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	0
Aliphatic EC >8-10	27	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0
Aliphatic EC >10-12	130	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0
Aliphatic EC >12-16	1100	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	0
Aliphatic EC >16-21	65000	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	0
Aliphatic EC >21-35	65000	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	0
Aromatic EC >5-7	70	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0
Aromatic EC >7-8	130	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	0.27	< 0.05	0
Aromatic EC >8-10	34	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0
Aromatic EC >10-12	74	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0
Aromatic EC >12-16	140	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0
Aromatic EC >16-21	260	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	< 3	0
Aromatic EC >21-35	1100	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	0

Determinand	C4SL/S4UL Levels Resi w/ HP SOM 1% (mg/kg)	SP01 Subsoil	SP02 Subsoil	SP03 Topsoil	SP03 Topsoil	SP04 Subsoil	SP04 Subsoil	SP05 Topsoil	SP06 Subsoil	SP06 Subsoil	SP07 Topsoil	SP07 Topsoil	Exceedances
Polycyclic Aromatic Hydrocarbons													
Naphthalene	2.3	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Acenaphthylene	170	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Acenaphthene	210	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Fluorene	170	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Phenanthrene	95	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Anthracene	2400	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Fluoranthene	280	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0.11	0.17	0.19	0
Pyrene	620	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0.16	0.18	0
Benzo(a)anthracene	7.2	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Chrysene	15	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Benzo(a)pyrene	5.0	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Benzo(b)fluoranthene	2.6	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Benzo(k)fluoranthene	77	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Indeno(1,2,3-cd)pyrene	27	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Dibenz(a,h)anthracene	0.24	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Benzo(ghi)perylene	320	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0
Phenols													
Phenol	120	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0

Notes for Table 1

All units in mg/kg.

Concentrations in **red** above assessment criteria for residential end use criteria with plant uptake

Based on the above table, no samples tested from the soil stockpiles contain concentrations of contaminants in exceedance of the screening criteria relevant to residential end use with plant uptake.

Asbestos fibres were not identified in any of samples taken during this investigation.

Conclusions & Recommendations

For the samples collected from the imported soil cover material (topsoil and subsoil), all concentrations of potential contaminants of concern are less than soil assessment criteria for the long-term protection of human health for a residential end use.

The materials are therefore suitable for use in the proposed development.

Should you have any queries regarding the contents of this report, please feel free to contact me at any time.

Yours Sincerely,

Adam Czarnecki

Adam Czarnecki

Director

For and on behalf of Earth Environmental & Geotechnical Ltd

Appendix A	Soil Chemical Testing Results
Appendix B	Soil Assessment Criteria
Appendix C	Site Photographs

APPENDIX A

SOIL CHEMICAL TESTING RESULTS



Alex Horne
Earth Environmental & Geotechnical Ltd
Houldsworth Mill Business Centre
Houldsworth Street
Reddish
Stockport
Cheshire
SK5 6DA

Normec DETS Limited
Unit 1
Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Kent
ME17 2JN
t: 01622 850410

DETS Report No: 24-08485

Site Reference: Inverbeq Drive

Project / Job Ref: A5882

Order No: A5882/AH/01

Sample Receipt Date: 25/07/2024

Sample Scheduled Date: 26/07/2024

Report Issue Number: 1

Reporting Date: 01/08/2024

Authorised by:

Steve Knight
Customer Support Manager

Dates of laboratory activities for each tested analyte are available upon request.

Opinions and interpretations are outside the laboratory's scope of ISO 17025 accreditation. This certificate is issued in accordance with the accreditation requirements of the United Kingdom Accreditation Service. The results reported herein relate only to the material supplied to the laboratory. This certificate shall not be reproduced except in full, without the prior written approval of the laboratory.



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate					
DETS Report No: 24-08485	~Date Sampled	22/07/24	22/07/24	22/07/24	22/07/24
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Inverbeg Drive	~TP / BH No	SP01 (Subsoil)	SP02 (Subsoil)	SP03 (Topsoil)	SP04 (Subsoil)
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A5882/AH/01	~Depth (m)	0.10	0.10	0.10	0.20
Reporting Date: 01/08/2024	DETS Sample No	728561	728562	728563	728564

Determinand	Unit	RL	Accreditation					
Asbestos Screen ^(S)	N/a	N/a	ISO17025	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected
pH	pH Units	N/a	MCERTS	7.5	7.1	8.1	7.5	6.7
Total Cyanide	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Complex Cyanide	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Free Cyanide	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Total Sulphate as SO ₄	mg/kg	< 200	MCERTS	1057	657	797	1170	623
Total Sulphate as SO ₄	%	< 0.02	MCERTS	0.11	0.07	0.08	0.12	0.06
W/S Sulphate as SO ₄ (2:1)	mg/l	< 10	MCERTS	249	212	216	253	92
W/S Sulphate as SO ₄ (2:1)	g/l	< 0.01	MCERTS	0.25	0.21	0.22	0.25	0.09
Sulphide	mg/kg	< 5	NONE	< 5	< 5	< 5	< 5	< 5
Organic Matter (SOM)	%	< 0.1	MCERTS	3.1	2	2.4	2.3	5.2
Arsenic (As)	mg/kg	< 2	MCERTS	9	7	6	7	13
Barium (Ba)	mg/kg	< 2.5	MCERTS	78	56	132	168	105
Beryllium (Be)	mg/kg	< 0.5	MCERTS	0.6	0.6	0.8	0.8	0.9
W/S Boron	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Cadmium (Cd)	mg/kg	< 0.2	MCERTS	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
Chromium (Cr)	mg/kg	< 2	MCERTS	15	15	17	17	16
Chromium (hexavalent)	mg/kg	< 2	NONE	< 2	< 2	< 2	< 2	< 2
Copper (Cu)	mg/kg	< 4	MCERTS	19	20	20	21	27
Lead (Pb)	mg/kg	< 3	MCERTS	27	14	14	16	41
Mercury (Hg)	mg/kg	< 1	MCERTS	< 1	< 1	< 1	< 1	< 1
Nickel (Ni)	mg/kg	< 3	MCERTS	13	13	21	23	15
Selenium (Se)	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Vanadium (V)	mg/kg	< 1	MCERTS	20	16	19	20	22
Zinc (Zn)	mg/kg	< 3	MCERTS	57	46	59	58	55
Total Phenols (monohydric)	mg/kg	< 2	NONE	< 2	< 2	< 2	< 2	< 2

Analytical results are expressed on a dry weight basis where samples are assisted-dried at less than 30°C. The Method Description page describes if the test is performed on the dried or as-received portion
Subcontracted analysis (S)

~Sample details provided by customer and can affect the validity of results

(n) Please note we are only MCERTS accredited (UK soils only) for sand, loam and clay and any other matrix is outside our scope of accreditation



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate					
DETS Report No: 24-08485	~Date Sampled	22/07/24	22/07/24	22/07/24	22/07/24
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Inverbeg Drive	~TP / BH No	SP04 (Subsoil)	SP05 (Topsoil)	SP06 (Subsoil)	SP07 (Topsoil)
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A5882/AH/01	~Depth (m)	0.20	0.10	0.10	0.20
Reporting Date: 01/08/2024	DETS Sample No	728566	728567	728568	728569

Determinand	Unit	RL	Accreditation	(n)	(n)	(n)	(n)	(n)
Asbestos Screen ^(S)	N/a	N/a	ISO17025	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected
pH	pH Units	N/a	MCERTS	7.1	6.9	7.3	7.0	6.9
Total Cyanide	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Complex Cyanide	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Free Cyanide	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Total Sulphate as SO ₄	mg/kg	< 200	MCERTS	755	948	529	329	450
Total Sulphate as SO ₄	%	< 0.02	MCERTS	0.08	0.09	0.05	0.03	0.05
W/S Sulphate as SO ₄ (2:1)	mg/l	< 10	MCERTS	117	152	88	41	36
W/S Sulphate as SO ₄ (2:1)	g/l	< 0.01	MCERTS	0.12	0.15	0.09	0.04	0.04
Sulphide	mg/kg	< 5	NONE	< 5	< 5	< 5	< 5	< 5
Organic Matter (SOM)	%	< 0.1	MCERTS	4.9	6.2	4.1	3.3	6.8
Arsenic (As)	mg/kg	< 2	MCERTS	12	12	11	11	15
Barium (Ba)	mg/kg	< 2.5	MCERTS	101	89	135	214	92
Beryllium (Be)	mg/kg	< 0.5	MCERTS	0.8	0.7	0.8	0.8	0.7
W/S Boron	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Cadmium (Cd)	mg/kg	< 0.2	MCERTS	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
Chromium (Cr)	mg/kg	< 2	MCERTS	15	15	16	15	18
Chromium (hexavalent)	mg/kg	< 2	NONE	< 2	< 2	< 2	< 2	< 2
Copper (Cu)	mg/kg	< 4	MCERTS	27	23	24	19	26
Lead (Pb)	mg/kg	< 3	MCERTS	38	51	32	20	62
Mercury (Hg)	mg/kg	< 1	MCERTS	< 1	< 1	< 1	< 1	< 1
Nickel (Ni)	mg/kg	< 3	MCERTS	15	12	21	21	12
Selenium (Se)	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Vanadium (V)	mg/kg	< 1	MCERTS	21	19	20	19	20
Zinc (Zn)	mg/kg	< 3	MCERTS	52	57	91	53	66
Total Phenols (monohydric)	mg/kg	< 2	NONE	< 2	< 2	< 2	< 2	< 2

Analytical results are expressed on a dry weight basis where samples are assisted-dried at less than 30°C. The Method Description page describes if the test is performed on the dried or as-received portion
Subcontracted analysis (S)

~Sample details provided by customer and can affect the validity of results



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate					
DETS Report No: 24-08485	~Date Sampled	22/07/24			
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied			
~Site Reference: Inverbeg Drive	~TP / BH No	SP07 (Topsoil)			
~Project / Job Ref: A5882	~Additional Refs	None Supplied			
~Order No: A5882/AH/01	~Depth (m)	0.20			
Reporting Date: 01/08/2024	DETS Sample No	728571			

Determinand	Unit	RL	Accreditation	(n)				
Asbestos Screen ^(S)	N/a	N/a	ISO17025	Not Detected				
pH	pH Units	N/a	MCERTS	6.5				
Total Cyanide	mg/kg	< 1	NONE	< 1				
Complex Cyanide	mg/kg	< 1	NONE	< 1				
Free Cyanide	mg/kg	< 1	NONE	< 1				
Total Sulphate as SO ₄	mg/kg	< 200	MCERTS	600				
Total Sulphate as SO ₄	%	< 0.02	MCERTS	0.06				
W/S Sulphate as SO ₄ (2:1)	mg/l	< 10	MCERTS	32				
W/S Sulphate as SO ₄ (2:1)	g/l	< 0.01	MCERTS	0.03				
Sulphide	mg/kg	< 5	NONE	< 5				
Organic Matter (SOM)	%	< 0.1	MCERTS	6.1				
Arsenic (As)	mg/kg	< 2	MCERTS	13				
Barium (Ba)	mg/kg	< 2.5	MCERTS	84				
Beryllium (Be)	mg/kg	< 0.5	MCERTS	0.7				
W/S Boron	mg/kg	< 1	NONE	< 1				
Cadmium (Cd)	mg/kg	< 0.2	MCERTS	< 0.2				
Chromium (Cr)	mg/kg	< 2	MCERTS	18				
Chromium (hexavalent)	mg/kg	< 2	NONE	< 2				
Copper (Cu)	mg/kg	< 4	MCERTS	25				
Lead (Pb)	mg/kg	< 3	MCERTS	57				
Mercury (Hg)	mg/kg	< 1	MCERTS	< 1				
Nickel (Ni)	mg/kg	< 3	MCERTS	11				
Selenium (Se)	mg/kg	< 2	MCERTS	< 2				
Vanadium (V)	mg/kg	< 1	MCERTS	19				
Zinc (Zn)	mg/kg	< 3	MCERTS	59				
Total Phenols (monohydric)	mg/kg	< 2	NONE	< 2				

Analytical results are expressed on a dry weight basis where samples are assisted-dried at less than 30°C. The Method Description page describes if the test is performed on the dried or as-received portion
Subcontracted analysis (S)

~Sample details provided by customer and can affect the validity of results



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - Speciated PAHs						
DETS Report No: 24-08485	~Date Sampled	22/07/24	22/07/24	22/07/24	22/07/24	22/07/24
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Inverbeg Drive	~TP / BH No	SP01 (Subsoil)	SP02 (Subsoil)	SP03 (Topsoil)	SP03 (Topsoil)	SP04 (Subsoil)
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A5882/AH/01	~Depth (m)	0.10	0.10	0.10	0.20	0.10
Reporting Date: 01/08/2024	DETS Sample No	728561	728562	728563	728564	728565

Determinand	Unit	RL	Accreditation					
Naphthalene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Acenaphthylene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Acenaphthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Fluorene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Phenanthrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Benzo(a)anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Chrysene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Benzo(b)fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Benzo(k)fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Benzo(a)pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Indeno(1,2,3-cd)pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Dibenz(a,h)anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Benzo(ghi)perylene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Total EPA-16 PAHs	mg/kg	< 1.6	MCERTS	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6

~Sample details provided by customer and can affect the validity of results

(n) Please note we are only MCERTS accredited (UK soils only) for sand, loam and clay and any other matrix is outside our scope of accreditation



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - Speciated PAHs						
DETS Report No: 24-08485	~Date Sampled	22/07/24	22/07/24	22/07/24	22/07/24	22/07/24
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Inverbeg Drive	~TP / BH No	SP04 (Subsoil)	SP05 (Topsoil)	SP06 (Subsoil)	SP06 (Subsoil)	SP07 (Topsoil)
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A5882/AH/01	~Depth (m)	0.20	0.10	0.10	0.20	0.10
Reporting Date: 01/08/2024	DETS Sample No	728566	728567	728568	728569	728570

Determinand	Unit	RL	Accreditation	(n)	(n)	(n)
Naphthalene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Acenaphthylene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Acenaphthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Fluorene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Phenanthrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	0.17
Pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	0.16
Benzo(a)anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Chrysene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Benzo(b)fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Benzo(k)fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Benzo(a)pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Indeno(1,2,3-cd)pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Dibenz(a,h)anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Benzo(ghi)perylene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Total EPA-16 PAHs	mg/kg	< 1.6	MCERTS	< 1.6	< 1.6	< 1.6

~Sample details provided by customer and can affect the validity of results



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - Speciated PAHs

DETS Report No: 24-08485	~Date Sampled	22/07/24				
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied				
~Site Reference: Inverbeg Drive	~TP / BH No	SP07 (Topsoil)				
~Project / Job Ref: A5882	~Additional Refs	None Supplied				
~Order No: A5882/AH/01	~Depth (m)	0.20				
Reporting Date: 01/08/2024	DETS Sample No	728571				

Determinand	Unit	RL	Accreditation	(n)				
Naphthalene	mg/kg	< 0.1	MCERTS	< 0.1				
Acenaphthylene	mg/kg	< 0.1	MCERTS	< 0.1				
Acenaphthene	mg/kg	< 0.1	MCERTS	< 0.1				
Fluorene	mg/kg	< 0.1	MCERTS	< 0.1				
Phenanthrene	mg/kg	< 0.1	MCERTS	< 0.1				
Anthracene	mg/kg	< 0.1	MCERTS	< 0.1				
Fluoranthene	mg/kg	< 0.1	MCERTS	0.19				
Pyrene	mg/kg	< 0.1	MCERTS	0.18				
Benzo(a)anthracene	mg/kg	< 0.1	MCERTS	< 0.1				
Chrysene	mg/kg	< 0.1	MCERTS	< 0.1				
Benzo(b)fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1				
Benzo(k)fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1				
Benzo(a)pyrene	mg/kg	< 0.1	MCERTS	< 0.1				
Indeno(1,2,3-cd)pyrene	mg/kg	< 0.1	MCERTS	< 0.1				
Dibenz(a,h)anthracene	mg/kg	< 0.1	MCERTS	< 0.1				
Benzo(ghi)perylene	mg/kg	< 0.1	MCERTS	< 0.1				
Total EPA-16 PAHs	mg/kg	< 1.6	MCERTS	< 1.6				

~Sample details provided by customer and can affect the validity of results



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - TPH CWG Banded						
DETS Report No: 24-08485	~Date Sampled	22/07/24	22/07/24	22/07/24	22/07/24	22/07/24
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Inverbeg Drive	~TP / BH No	SP01 (Subsoil)	SP02 (Subsoil)	SP03 (Topsoil)	SP03 (Topsoil)	SP04 (Subsoil)
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A5882/AH/01	~Depth (m)	0.10	0.10	0.10	0.20	0.10
Reporting Date: 01/08/2024	DETS Sample No	728561	728562	728563	728564	728565

Determinand	Unit	RL	Accreditation					
Aliphatic >C5 - C6 : HS_1D_MS_AL	mg/kg	< 0.01	NONE	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Aliphatic >C6 - C8 : HS_1D_MS_AL	mg/kg	< 0.05	NONE	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Aliphatic >C8 - C10 : EH_CU_1D_AL	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aliphatic >C10 - C12 : EH_CU_1D_AL	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aliphatic >C12 - C16 : EH_CU_1D_AL	mg/kg	< 3	MCERTS	< 3	< 3	< 3	< 3	< 3
Aliphatic >C16 - C21 : EH_CU_1D_AL	mg/kg	< 3	MCERTS	< 3	< 3	< 3	< 3	< 3
Aliphatic >C21 - C34 : EH_CU_1D_AL	mg/kg	< 10	MCERTS	< 10	< 10	< 10	< 10	< 10
Aliphatic (C5 - C34) : HS_1D_MS+EH_CU_1D_AL	mg/kg	< 21	NONE	< 21	< 21	< 21	< 21	< 21
Aromatic >C5 - C7 : HS_1D_MS_AR	mg/kg	< 0.01	NONE	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Aromatic >C7 - C8 : HS_1D_MS_AR	mg/kg	< 0.05	NONE	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Aromatic >C8 - C10 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aromatic >C10 - C12 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aromatic >C12 - C16 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aromatic >C16 - C21 : EH_CU_1D_AR	mg/kg	< 3	MCERTS	< 3	< 3	< 3	< 3	< 3
Aromatic >C21 - C35 : EH_CU_1D_AR	mg/kg	< 10	MCERTS	< 10	< 10	< 10	< 10	< 10
Aromatic (C5 - C35) : HS_1D_MS+EH_CU_1D_AR	mg/kg	< 21	NONE	< 21	< 21	< 21	< 21	< 21
Total >C5 - C35 : HS_1D_MS+EH_CU_1D_Tot al	mg/kg	< 42	NONE	< 42	< 42	< 42	< 42	< 42

~Sample details provided by customer and can affect the validity of results

(n) Please note we are only MCERTS accredited (UK soils only) for sand, loam and clay and any other matrix is outside our scope of accreditation



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - TPH CWG Banded						
DETS Report No: 24-08485	~Date Sampled	22/07/24	22/07/24	22/07/24	22/07/24	22/07/24
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Inverbeg Drive	~TP / BH No	SP04 (Subsoil)	SP05 (Topsoil)	SP06 (Subsoil)	SP06 (Subsoil)	SP07 (Topsoil)
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A5882/AH/01	~Depth (m)	0.20	0.10	0.10	0.20	0.10
Reporting Date: 01/08/2024	DETS Sample No	728566	728567	728568	728569	728570

Determinand	Unit	RL	Accreditation	(n)	(n)	(n)	(n)	(n)
Aliphatic >C5 - C6 : HS_1D_MS_AL	mg/kg	< 0.01	NONE	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Aliphatic >C6 - C8 : HS_1D_MS_AL	mg/kg	< 0.05	NONE	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Aliphatic >C8 - C10 : EH_CU_1D_AL	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aliphatic >C10 - C12 : EH_CU_1D_AL	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aliphatic >C12 - C16 : EH_CU_1D_AL	mg/kg	< 3	MCERTS	< 3	< 3	< 3	< 3	< 3
Aliphatic >C16 - C21 : EH_CU_1D_AL	mg/kg	< 3	MCERTS	< 3	< 3	< 3	< 3	< 3
Aliphatic >C21 - C34 : EH_CU_1D_AL	mg/kg	< 10	MCERTS	< 10	< 10	< 10	< 10	< 10
Aliphatic (C5 - C34) : HS_1D_MS+EH_CU_1D_AL	mg/kg	< 21	NONE	< 21	< 21	< 21	< 21	< 21
Aromatic >C5 - C7 : HS_1D_MS_AR	mg/kg	< 0.01	NONE	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Aromatic >C7 - C8 : HS_1D_MS_AR	mg/kg	< 0.05	NONE	< 0.05	< 0.05	< 0.05	< 0.05	0.27
Aromatic >C8 - C10 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aromatic >C10 - C12 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aromatic >C12 - C16 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aromatic >C16 - C21 : EH_CU_1D_AR	mg/kg	< 3	MCERTS	< 3	< 3	< 3	< 3	< 3
Aromatic >C21 - C35 : EH_CU_1D_AR	mg/kg	< 10	MCERTS	< 10	< 10	< 10	< 10	< 10
Aromatic (C5 - C35) : HS_1D_MS+EH_CU_1D_AR	mg/kg	< 21	NONE	< 21	< 21	< 21	< 21	< 21
Total >C5 - C35 : HS_1D_MS+EH_CU_1D_Tot al	mg/kg	< 42	NONE	< 42	< 42	< 42	< 42	< 42

~Sample details provided by customer and can affect the validity of results



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - TPH CWG Banded						
DETS Report No: 24-08485	~Date Sampled	22/07/24				
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied				
~Site Reference: Inverbeg Drive	~TP / BH No	SP07 (Topsoil)				
~Project / Job Ref: A5882	~Additional Refs	None Supplied				
~Order No: A5882/AH/01	~Depth (m)	0.20				
Reporting Date: 01/08/2024	DETS Sample No	728571				

Determinand	Unit	RL	Accreditation	(n)				
Aliphatic >C5 - C6 : HS 1D_MS_AL	mg/kg	< 0.01	NONE	< 0.01				
Aliphatic >C6 - C8 : HS 1D_MS_AL	mg/kg	< 0.05	NONE	< 0.05				
Aliphatic >C8 - C10 : EH_CU_1D_AL	mg/kg	< 2	MCERTS	< 2				
Aliphatic >C10 - C12 : EH_CU_1D_AL	mg/kg	< 2	MCERTS	< 2				
Aliphatic >C12 - C16 : EH_CU_1D_AL	mg/kg	< 3	MCERTS	< 3				
Aliphatic >C16 - C21 : EH_CU_1D_AL	mg/kg	< 3	MCERTS	< 3				
Aliphatic >C21 - C34 : EH_CU_1D_AL	mg/kg	< 10	MCERTS	< 10				
Aliphatic (C5 - C34) : HS_1D_MS+EH_CU_1D_AL	mg/kg	< 21	NONE	< 21				
Aromatic >C5 - C7 : HS_1D_MS_AR	mg/kg	< 0.01	NONE	< 0.01				
Aromatic >C7 - C8 : HS_1D_MS_AR	mg/kg	< 0.05	NONE	< 0.05				
Aromatic >C8 - C10 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2				
Aromatic >C10 - C12 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2				
Aromatic >C12 - C16 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2				
Aromatic >C16 - C21 : EH_CU_1D_AR	mg/kg	< 3	MCERTS	< 3				
Aromatic >C21 - C35 : EH_CU_1D_AR	mg/kg	< 10	MCERTS	< 10				
Aromatic (C5 - C35) : HS_1D_MS+EH_CU_1D_AR	mg/kg	< 21	NONE	< 21				
Total >C5 - C35 : HS_1D_MS+EH_CU_1D_Tot al	mg/kg	< 42	NONE	< 42				

~Sample details provided by customer and can affect the validity of results



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - BTEX / MTBE						
DETS Report No: 24-08485	~Date Sampled	22/07/24	22/07/24	22/07/24	22/07/24	22/07/24
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Inverbeg Drive	~TP / BH No	SP01 (Subsoil)	SP02 (Subsoil)	SP03 (Topsoil)	SP03 (Topsoil)	SP04 (Subsoil)
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A5882/AH/01	~Depth (m)	0.10	0.10	0.10	0.20	0.10
Reporting Date: 01/08/2024	DETS Sample No	728561	728562	728563	728564	728565

Determinand	Unit	RL	Accreditation					
Benzene : HS_1D_MS	ug/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Toluene : HS_1D_MS	ug/kg	< 5	MCERTS	< 5	< 5	< 5	< 5	< 5
Ethylbenzene : HS_1D_MS	ug/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
p & m-xylene : HS_1D_MS	ug/kg	< 2	MCERTS	< 2	< 2	3	< 2	< 2
o-xylene : HS_1D_MS	ug/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
MTBE : HS_1D_MS	ug/kg	< 5	MCERTS	< 5	< 5	< 5	< 5	< 5

~Sample details provided by customer and can affect the validity of results

(n) Please note we are only MCERTS accredited (UK soils only) for sand, loam and clay and any other matrix is outside our scope of accreditation



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - BTEX / MTBE						
DETS Report No: 24-08485	~Date Sampled	22/07/24	22/07/24	22/07/24	22/07/24	22/07/24
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Inverbeg Drive	~TP / BH No	SP04 (Subsoil)	SP05 (Topsoil)	SP06 (Subsoil)	SP06 (Subsoil)	SP07 (Topsoil)
~Project / Job Ref: A5882	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A5882/AH/01	~Depth (m)	0.20	0.10	0.10	0.20	0.10
Reporting Date: 01/08/2024	DETS Sample No	728566	728567	728568	728569	728570

Determinand	Unit	RL	Accreditation	(n)	(n)	(n)
Benzene : HS_1D_MS	ug/kg	< 2	MCERTS	< 2	< 2	< 2
Toluene : HS_1D_MS	ug/kg	< 5	MCERTS	< 5	11	< 5
Ethylbenzene : HS_1D_MS	ug/kg	< 2	MCERTS	< 2	< 2	< 2
p & m-xylene : HS_1D_MS	ug/kg	< 2	MCERTS	< 2	< 2	< 2
o-xylene : HS_1D_MS	ug/kg	< 2	MCERTS	< 2	< 2	< 2
MTBE : HS_1D_MS	ug/kg	< 5	MCERTS	< 5	< 5	< 5

~Sample details provided by customer and can affect the validity of results



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - BTEX / MTBE						
DETS Report No: 24-08485	~Date Sampled	22/07/24				
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied				
~Site Reference: Inverbeg Drive	~TP / BH No	SP07 (Topsoil)				
~Project / Job Ref: A5882	~Additional Refs	None Supplied				
~Order No: A5882/AH/01	~Depth (m)	0.20				
Reporting Date: 01/08/2024	DETS Sample No	728571				

Determinand	Unit	RL	Accreditation	(n)				
Benzene : HS_1D_MS	ug/kg	< 2	MCERTS	< 2				
Toluene : HS_1D_MS	ug/kg	< 5	MCERTS	27				
Ethylbenzene : HS_1D_MS	ug/kg	< 2	MCERTS	< 2				
p & m-xylene : HS_1D_MS	ug/kg	< 2	MCERTS	< 2				
o-xylene : HS_1D_MS	ug/kg	< 2	MCERTS	< 2				
MTBE : HS_1D_MS	ug/kg	< 5	MCERTS	< 5				

~Sample details provided by customer and can affect the validity of results



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - Sample Descriptions

DETS Report No: 24-08485

Earth Environmental & Geotechnical Ltd

~Site Reference: Inverbeg Drive

~Project / Job Ref: A5882

~Order No: A5882/AH/01

Reporting Date: 01/08/2024

DETS Sample No	~TP / BH No	~Additional Refs	~Depth (m)	Moisture Content (%)	Sample Matrix Description
728561	SP01 (Subsoil)	None Supplied	0.10	13.4	Brown sandy clay
728562	SP02 (Subsoil)	None Supplied	0.10	11.6	Brown sandy clay
728563	SP03 (Topsoil)	None Supplied	0.10	15.1	Brown clay
728564	SP03 (Topsoil)	None Supplied	0.20	15.4	Brown clay
728565	SP04 (Subsoil)	None Supplied	0.10	18.9	Brown clay
728566	SP04 (Subsoil)	None Supplied	0.20	19.2	Brown clay
728567	SP05 (Topsoil)	None Supplied	0.10	26.7	Brown clay with vegetation
728568	SP06 (Subsoil)	None Supplied	0.10	16.6	Brown clay with vegetation
728569	SP06 (Subsoil)	None Supplied	0.20	12.7	Brown clay
728570	SP07 (Topsoil)	None Supplied	0.10	29.1	Brown clay with vegetation
728571	SP07 (Topsoil)	None Supplied	0.20	28	Brown clay with vegetation

Moisture content is part of procedure E003 & is not an accredited test

Insufficient Sample ^{1/5}

Unsuitable Sample ^{1/5}

~Sample details provided by customer and can affect the validity of results



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - Methodology & Miscellaneous Information

DETS Report No: 24-08485

Earth Environmental & Geotechnical Ltd

~Site Reference: Inverbeg Drive

~Project / Job Ref: A5882

~Order No: A5882/AH/01

Reporting Date: 01/08/2024

Matrix	Analysed On	Determinand	Brief Method Description	Method No
Soil	D	Boron - Water Soluble	Determination of water soluble boron in soil by 2:1 hot water extract followed by ICP-OES	E012
Soil	AR	BTEX	Determination of BTEX by headspace GC-MS	E001
Soil	D	Cations	Determination of cations in soil by aqua-regia digestion followed by ICP-OES	E002
Soil	D	Chloride - Water Soluble (2:1)	Determination of chloride by extraction with water & analysed by ion chromatography	E009
Soil	AR	Chromium - Hexavalent	Determination of hexavalent chromium in soil by extraction in water then by acidification, addition of 1,5 diphenylcarbazide followed by colorimetry	E016
Soil	AR	Cyanide - Complex	Determination of complex cyanide by distillation followed by colorimetry	E015
Soil	AR	Cyanide - Free	Determination of free cyanide by distillation followed by colorimetry	E015
Soil	AR	Cyanide - Total	Determination of total cyanide by distillation followed by colorimetry	E015
Soil	D	Cyclohexane Extractable Matter (CEM)	Gravimetrically determined through extraction with cyclohexane	E011
Soil	AR	Diesel Range Organics (C10 - C24)	Determination of hexane/acetone extractable hydrocarbons by GC-FID	E004
Soil	AR	Electrical Conductivity	Determination of electrical conductivity by addition of saturated calcium sulphate followed by electrometric measurement	E022
Soil	AR	Electrical Conductivity	Determination of electrical conductivity by addition of water followed by electrometric measurement	E023
Soil	D	Elemental Sulphur	Determination of elemental sulphur by solvent extraction followed by GC-MS	E020
Soil	AR	EPH (C10 - C40)	Determination of acetone/hexane extractable hydrocarbons by GC-FID	E004
Soil	AR	EPH Product ID	Determination of acetone/hexane extractable hydrocarbons by GC-FID	E004
Soil	AR	EPH TEXAS (C6-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C40)	Determination of acetone/hexane extractable hydrocarbons by GC-FID for C8 to C40. C6 to C8 by headspace GC-MS	E004
Soil	D	Fluoride - Water Soluble	Determination of Fluoride by extraction with water & analysed by ion chromatography	E009
Soil	D	Fraction Organic Carbon (FOC)	Determination of TOC by combustion analyser.	E027
Soil	D	Organic Matter (SOM)	Determination of TOC by combustion analyser.	E027
Soil	D	TOC (Total Organic Carbon)	Determination of TOC by combustion analyser.	E027
Soil	AR	Exchangeable Ammonium	Determination of ammonium by discrete analyser.	E029
Soil	D	FOC (Fraction Organic Carbon)	Determination of fraction of organic carbon by oxidising with potassium dichromate followed by titration with iron (II) sulphate	E010
Soil	D	Loss on Ignition @ 450oC	Determination of loss on ignition in soil by gravimetrically with the sample being ignited in a muffle furnace	E019
Soil	D	Magnesium - Water Soluble	Determination of water soluble magnesium by extraction with water followed by ICP-OES	E025
Soil	D	Metals	Determination of metals by aqua-regia digestion followed by ICP-OES	E002
Soil	AR	Mineral Oil (C10 - C40)	Determination of hexane/acetone extractable hydrocarbons by GC-FID fractionating with SPE cartridge	E004
Soil	AR	Moisture Content	Moisture content; determined gravimetrically	E003
Soil	D	Nitrate - Water Soluble (2:1)	Determination of nitrate by extraction with water & analysed by ion chromatography	E009
Soil	D	Organic Matter	Determination of organic matter by oxidising with potassium dichromate followed by titration with iron (II) sulphate	E010
Soil	AR	PAH - Speciated (EPA 16)	Determination of PAH compounds by extraction in acetone and hexane followed by GC-MS with the use of surrogate and internal standards	E005
Soil	AR	PCB - 7 Congeners	Determination of PCB by extraction with acetone and hexane followed by GC-MS	E008
Soil	D	Petroleum Ether Extract (PEE)	Gravimetrically determined through extraction with petroleum ether	E011
Soil	AR	pH	Determination of pH by addition of water followed by electrometric measurement	E007
Soil	AR	Phenols - Total (monohydric)	Determination of phenols by distillation followed by colorimetry	E021
Soil	D	Phosphate - Water Soluble (2:1)	Determination of phosphate by extraction with water & analysed by ion chromatography	E009
Soil	D	Sulphate (as SO4) - Total	Determination of total sulphate by extraction with 10% HCl followed by ICP-OES	E013
Soil	D	Sulphate (as SO4) - Water Soluble (2:1)	Determination of sulphate by extraction with water & analysed by ion chromatography	E009
Soil	D	Sulphate (as SO4) - Water Soluble (2:1)	Determination of water soluble sulphate by extraction with water followed by ICP-OES	E014
Soil	AR	Sulphide	Determination of sulphide by distillation followed by colorimetry	E018
Soil	D	Sulphur - Total	Determination of total sulphur by extraction with aqua-regia followed by ICP-OES	E024
Soil	AR	SVOC	Determination of semi-volatile organic compounds by extraction in acetone and hexane followed by GC-MS	E006
Soil	AR	Thiocyanate (as SCN)	Determination of thiocyanate by extraction in caustic soda followed by acidification followed by addition of ferric nitrate followed by colorimetry	E017
Soil	D	Toluene Extractable Matter (TEM)	Gravimetrically determined through extraction with toluene	E011
Soil	D	Total Organic Carbon (TOC)	Determination of organic matter by oxidising with potassium dichromate followed by titration with iron (II) sulphate	E010
Soil	AR	TPH CWG (ali: C5- C6, C6-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C34, aro: C5-C7, C7-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C35)	Determination of hexane/acetone extractable hydrocarbons by GC-FID fractionating with SPE cartridge for C8 to C35. C5 to C8 by headspace GC-MS	E004
Soil	AR	TPH LQM (ali: C5-C6, C6-C8, C8-C10, C10-C12, C12-C16, C16-C35, C35-C44, aro: C5-C7, C7-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C35, C35-C44)	Determination of hexane/acetone extractable hydrocarbons by GC-FID fractionating with SPE cartridge for C8 to C44. C5 to C8 by headspace GC-MS	E004
Soil	AR	VOCs	Determination of volatile organic compounds by headspace GC-MS	E001
Soil	AR	VPH (C6-C8 & C8-C10)	Determination of hydrocarbons C6-C8 by headspace GC-MS & C8-C10 by GC-FID	E001

D Dried
AR As Received

~Sample details provided by customer and can affect the validity of results



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



List of HWOL Acronyms and Operators

DETS Report No: 24-08485

Earth Environmental & Geotechnical Ltd

~Site Reference: Inverbeg Drive

~Project / Job Ref: A5882

~Order No: A5882/AH/01

Reporting Date: 01/08/2024

Acronym	Description
HS	Headspace analysis
EH	Extractable Hydrocarbons - i.e. everything extracted by the solvent
CU	Clean-up - e.g. by florisil, silica gel
1D	GC - Single coil gas chromatography
2D	GC-GC - Double coil gas chromatography
Total	Aliphatics & Aromatics
AL	Aliphatics only
AR	Aromatics only
#1	EH 2D Total but with humics mathematically subtracted
#2	EH 2D Total but with fatty acids mathematically subtracted
_	Operator - underscore to separate acronyms (exception for +)
+	Operator to indicate cumulative eg. EH+HS Total or EH_CU+HS Total
~	Sample details provided by customer and can affect the validity of results

Benzene - HS 1D_MS
Ethylbenzene - HS 1D_MS
MTBE - HS 1D_MS
TPH CWG - Aliphatic >C10 - C12 - EH_CU 1D_AL
TPH CWG - Aliphatic >C12 - C16 - EH_CU 1D_AL
TPH CWG - Aliphatic >C16 - C21 - EH_CU 1D_AL
TPH CWG - Aliphatic >C21 - C34 - EH_CU 1D_AL
TPH CWG - Aliphatic >C5 - C6 - HS 1D_MS_AL
TPH CWG - Aliphatic >C6 - C8 - HS 1D_MS_AL
TPH CWG - Aliphatic >C8 - C10 - EH_CU 1D_AL
TPH CWG - Aliphatic C5 - C34 - HS 1D_MS+EH_CU 1D_AL
TPH CWG - Aromatic >C10 - C12 - EH_CU 1D_AR
TPH CWG - Aromatic >C12 - C16 - EH_CU 1D_AR
TPH CWG - Aromatic >C16 - C21 - EH_CU 1D_AR
TPH CWG - Aromatic >C21 - C35 - EH_CU 1D_AR
TPH CWG - Aromatic >C5 - C35 - HS 1D_MS+EH_CU 1D_AR
TPH CWG - Aromatic >C5 - C7 - HS 1D_MS_AR
TPH CWG - Aromatic >C7 - C8 - HS 1D_MS_AR
TPH CWG - Aromatic >C8 - C10 - EH_CU 1D_AR
TPH CWG - Total >C5 - C35 - HS 1D_MS+EH_CU 1D_Total
Toluene - HS 1D_MS
m & p-xylene - HS 1D_MS
o-Xylene - HS 1D_MS

APPENDIX B

SOIL ASSESSMENT CRITERIA

Assessment Criteria for Imported Soils in Garden Areas


Inorganic Compounds	Assessment Criteria - Residential with Homegrown Produce (mg/kg)		
Arsenic	37		
Cadmium	22		
Chromium (III)	910		
Chromium (VI)	6		
Lead	200		
Inorganic Mercury	40		
Nickel	130		
Selenium	250		
Copper	2400		
Zinc	3700		
Organic Compounds	1% SOM	2.5% SOM	6% SOM
Naphthalene	15	36	85
Acenaphthene	210	510	1100
Acenaphthylene	170	420	920
Fluorene	170	400	860
Phenanthrene	95	220	440
Anthracene	2400	5400	11000
Fluoranthene	280	560	890
Pyrene	620	1200	2000
Benzo(a)anthracene	7.2	11	13
Chrysene	15	22	27
Benzo(b)fluoranthene	2.6	3.3	3.7
Benzo(k)fluoranthene	77	93	100
Benzo(a)pyrene	5.0	5.0	5.0
Dibenz (a, h) anthracene	0.24	0.28	0.3
Indeno(1,2,3-cd) pyrene	27	36	41
Benzo (g, h, i) perylene	320	340	350
Benzene	0.2	0.41	0.87
Toluene	130	290	660
Ethylbenzene	47	110	260
o-Xylene	60	140	330
m-Xylene	59	140	320
p-Xylene	56	130	310
TPH Fractions	1% SOM	2.5% SOM	6% SOM
Aliphatic EC 5-6	42	78	160
Aliphatic EC >6-8	100	230	530
Aliphatic EC >8-10	27	65	150
Aliphatic EC >10-12	130 (48) ^{vap}	330 (118) ^{vap}	760 (283) ^{vap}
Aliphatic EC >12-16	1100 (24) ^{sol}	2400 (59) ^{sol}	4,300 (142) ^{sol}
Aliphatic EC >16-35	65,000 (8.48) ^{f, sol}	92,000 (21) ^{f, sol}	110,000 ^f
Aliphatic EC >35-44	65,000 (8.48) ^{f, sol}	92,000 (21) ^{f, sol}	110,000 ^f
Aromatic EC 5-7	70	140	300
Aromatic EC >7-8	130	290	660

	Assessment Criteria - Residential with Homegrown Produce (mg/kg)		
TPH Fractions	1% SOM	2.5% SOM	6% SOM
Aromatic EC>8-10	34	83	190
Aromatic EC >10-12	74	180	380
Aromatic EC >12-16	140	330	660
Aromatic EC >16-21	260 ^f	540 ^f	930 ^f
Aromatic EC >21-35	1,100 ^f	1,500 ^f	1,700 ^f
Aromatic EC >35-44	1,100 ^f	1,500 ^f	1,700 ^f
Asbestos Fibres	< 0.001%		

APPENDIX C

SITE PHOTOGRAPHS

Earth Environmental & Geotechnical Ltd Tel: 0161 975 6088 Email: info@earthenvironmental.co.uk Web: www.earthenvironmental.co.uk	SITE PHOTOGRAPHS 
Job No.: A5882/24	Site: Inverbeg Drive, Bolton
Plate 1 View of stockpile	Plate 2 View of stockpile
	
Date: 22nd July 2024	Date: 22nd July 2024
Plate 3 View of stockpile	Plate 4 View of stockpile
	
Date: 22nd July 2024	Date: 22nd July 2024



Location Symbols

● Approximate Sample Location (E3P May 2024)

○ Approximate Delineation Sample Location (E3P June 2024)

Notes:				
P1	REVB	21.06.2024	EB	JS
P1	REVA	21.05.2024	EB	NS
Phase	Issue	Date	Drawn	Checked

Client:
Westchurch Homes
Job Title:
Charter Lane, Charnock Richard

Job No:
17-114
Drawing No:
029

Date:
21.05.2024
Scale:
NTS



Environmental Engineering
Partnership Ltd
Taylor Road, Trafford Park
Urmston, Manchester, M41 7JQ
Tel: 0161 707 9612
E-mail: info@e3p.co.uk
Website: www.e3p.co.uk

The client must not amend any drawing, design or other intellectual property produced by E3P Ltd without permission in writing from E3P Ltd in advance of any amendments being made. In the event that such written permission is not obtained in advance of the amendments being made, E3P Ltd shall not be liable for any damage and/or losses occurring as a result of the amended drawing, design or intellectual property.



Final Report

Report No.: 24-18973-1

Initial Date of Issue: 27-Jun-2024

Re-Issue Details:

Client E3P

Client Address: Taylor Road
Trafford Park
Urmston
Manchester
M41 7JQ

Contact(s): js Sheridan@e3p.co.uk

Project Charter Lane

Quotation No.: Q23-31421

Date Received: 15-Jun-2024

Order No.: 008526

Date Instructed: 15-Jun-2024

No. of Samples: 3

Turnaround (Wkdays): 5

Results Due: 20-Jun-2024

Date Approved: 27-Jun-2024

Approved By:

Details: David Smith, Technical Director

For details about application of accreditation to specific matrix types, please refer to the Table at the back of this report

Results - Soil

Project: Charter Lane

Client: E3P		Chemtest Job No.:				24-18973	24-18973	24-18973
Quotation No.: Q23-31421		Chemtest Sample ID.:				1821535	1821536	1821537
		Client Sample ID.:				TS201	TS202	TS203
		Sample Type:				SOIL	SOIL	SOIL
		Date Sampled:				14-Jun-2024	14-Jun-2024	14-Jun-2024
		Time Sampled:				12:00	12:00	12:00
		Asbestos Lab:				DURHAM	DURHAM	DURHAM
Determinand	HWOL Code	Accred.	SOP	Units	LOD			
ACM Type		U	2192		N/A	-	-	-
Asbestos Identification		U	2192		N/A	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected
Moisture		N	2030	%	0.020	35	28	28
Soil Colour		N	2040		N/A	Brown	Brown	Brown
Other Material		N	2040		N/A	Roots	Roots	Roots
Soil Texture		N	2040		N/A	Clay	Clay	Clay
pH at 20C		M	2010		4.0	8.9	9.4	8.0
Sulphate (2:1 Water Soluble) as SO4		M	2120	g/l	0.010	< 0.010	0.022	0.13
Total Sulphur		U	2175	%	0.010	0.066	0.050	0.081
Cyanide (Total)		M	2300	mg/kg	0.50	1.8	0.80	< 0.50
Sulphide (Easily Liberatable)		N	2325	mg/kg	0.50	3.9	3.0	3.2
Sulphate (Total)		U	2430	%	0.010	0.24	0.17	0.17
Arsenic		M	2455	mg/kg	0.5	18	13	13
Cadmium		M	2455	mg/kg	0.10	0.27	0.13	0.13
Chromium		M	2455	mg/kg	0.5	37	27	39
Copper		M	2455	mg/kg	0.50	54	40	37
Mercury		M	2455	mg/kg	0.05	0.13	0.09	0.15
Nickel		M	2455	mg/kg	0.50	33	24	31
Lead		M	2455	mg/kg	0.50	69	50	46
Selenium		M	2455	mg/kg	0.25	1.2	0.82	0.74
Zinc		M	2455	mg/kg	0.50	110	72	150
Chromium (Hexavalent)		N	2490	mg/kg	0.50	< 0.50	< 0.50	< 0.50
Organic Matter		M	2625	%	0.40	12	27	8.1
Total Organic Carbon		M	2625	%	0.20	7.2	15	4.7
TPH >C6-C8	EH_1D_Total	N	2670	mg/kg	1.0	< 1.0	< 1.0	< 1.0
TPH >C8-C10	EH_1D_Total	N	2670	mg/kg	1.0	< 1.0	< 1.0	< 1.0
TPH >C10-C12	EH_1D_Total	N	2670	mg/kg	1.0	< 1.0	< 1.0	< 1.0
TPH >C12-C16	EH_1D_Total	N	2670	mg/kg	1.0	1.1	< 1.0	< 1.0
TPH >C16-C21	EH_1D_Total	N	2670	mg/kg	1.0	21	6.4	8.4
TPH >C21-C25	EH_1D_Total	N	2670	mg/kg	1.0	31	29	26
TPH >C25-C35	EH_1D_Total	N	2670	mg/kg	1.0	210	160	140
TPH >C35-C40	EH_1D_Total	N	2670	mg/kg	1.0	46	40	37
Total TPH >C6-C40	EH_1D_Total	M	2670	mg/kg	10	310	230	220
Naphthalene		M	2800	mg/kg	0.10	< 0.10	< 0.10	< 0.10
Acenaphthylene		N	2800	mg/kg	0.10	< 0.10	< 0.10	< 0.10
Acenaphthene		M	2800	mg/kg	0.10	< 0.10	< 0.10	< 0.10
Fluorene		M	2800	mg/kg	0.10	< 0.10	< 0.10	< 0.10
Phenanthrene		M	2800	mg/kg	0.10	< 0.10	< 0.10	< 0.10

Results - Soil

Project: Charter Lane

Client: E3P		Chemtest Job No.:						24-18973	24-18973	24-18973
Quotation No.: Q23-31421		Chemtest Sample ID.:						1821535	1821536	1821537
		Client Sample ID.:						TS201	TS202	TS203
		Sample Type:						SOIL	SOIL	SOIL
		Date Sampled:						14-Jun-2024	14-Jun-2024	14-Jun-2024
		Time Sampled:						12:00	12:00	12:00
		Asbestos Lab:						DURHAM	DURHAM	DURHAM
Determinand	HWOL Code	Accred.	SOP	Units	LOD					
Anthracene		M	2800	mg/kg	0.10	< 0.10		< 0.10		< 0.10
Fluoranthene		M	2800	mg/kg	0.10	0.35		< 0.10		< 0.10
Pyrene		M	2800	mg/kg	0.10	0.30		< 0.10		< 0.10
Benzo[a]anthracene		M	2800	mg/kg	0.10	< 0.10		< 0.10		< 0.10
Chrysene		M	2800	mg/kg	0.10	< 0.10		< 0.10		< 0.10
Benzo[b]fluoranthene		M	2800	mg/kg	0.10	< 0.10		< 0.10		< 0.10
Benzo[k]fluoranthene		M	2800	mg/kg	0.10	< 0.10		< 0.10		< 0.10
Benzo[a]pyrene		M	2800	mg/kg	0.10	< 0.10		< 0.10		< 0.10
Indeno(1,2,3-c,d)Pyrene		M	2800	mg/kg	0.10	< 0.10		< 0.10		< 0.10
Dibenz(a,h)Anthracene		N	2800	mg/kg	0.10	< 0.10		< 0.10		< 0.10
Benzo[g,h,i]perylene		M	2800	mg/kg	0.10	< 0.10		< 0.10		< 0.10
Total Of 16 PAH's		N	2800	mg/kg	2.0	< 2.0		< 2.0		< 2.0
Total Phenols		M	2920	mg/kg	0.10	< 0.10		< 0.10		< 0.10

Test Methods

SOP	Title	Parameters included	Method summary	Water Accred.
2010	pH Value of Soils	pH at 20°C	pH Meter	
2030	Moisture and Stone Content of Soils(Requirement of MCERTS)	Moisture content	Determination of moisture content of soil as a percentage of its as received mass obtained at <30°C.	
2040	Soil Description(Requirement of MCERTS)	Soil description	As received soil is described based upon BS5930	
2120	Water Soluble Boron, Sulphate, Magnesium & Chromium	Boron; Sulphate; Magnesium; Chromium	Aqueous extraction / ICP-OES	
2175	Total Sulphur in Soils	Total Sulphur	Determined by high temperature combustion under oxygen, using an Eltra elemental analyser.	
2192	Asbestos	Asbestos	Polarised light microscopy / Gravimetry	
2300	Cyanides & Thiocyanate in Soils	Free (or easy liberatable) Cyanide; total Cyanide; complex Cyanide; Thiocyanate	Alkaline extraction followed by colorimetric determination using Automated Flow Injection Analyser.	
2325	Sulphide in Soils	Sulphide	Steam distillation with sulphuric acid / analysis by 'Aquakem 600' Discrete Analyser, using N,N-dimethyl-p-phenylenediamine.	
2430	Total Sulphate in soils	Total Sulphate	Acid digestion followed by determination of sulphate in extract by ICP-OES.	
2455	Acid Soluble Metals in Soils	Metals, including: Arsenic; Barium; Beryllium; Cadmium; Chromium; Cobalt; Copper; Lead; Manganese; Mercury; Molybdenum; Nickel; Selenium; Vanadium; Zinc	Acid digestion followed by determination of metals in extract by ICP-MS.	
2490	Hexavalent Chromium in Soils	Chromium [VI]	Soil extracts are prepared by extracting dried and ground soil samples into boiling water. Chromium [VI] is determined by 'Aquakem 600' Discrete Analyser using 1,5-diphenylcarbazine.	
2625	Total Organic Carbon in Soils	Total organic Carbon (TOC)	Determined by high temperature combustion under oxygen, using an Eltra elemental analyser.	
2670	Total Petroleum Hydrocarbons (TPH) in Soils by GC-FID	TPH (C6–C40); optional carbon banding, e.g. 3-band – GRO, DRO & LRO*TPH C8–C40	Dichloromethane extraction / GC-FID	
2800	Speciated Polynuclear Aromatic Hydrocarbons (PAH) in Soil by GC-MS	Acenaphthene*; Acenaphthylene; Anthracene*; Benzo[a]Anthracene*; Benzo[a]Pyrene*; Benzo[b]Fluoranthene*; Benzo[ghi]Perylene*; Benzo[k]Fluoranthene; Chrysene*; Dibenz[ah]Anthracene; Fluoranthene*; Fluorene*; Indeno[123cd]Pyrene*; Naphthalene*; Phenanthrene*; Pyrene*	Dichloromethane extraction / GC-MS	
2920	Phenols in Soils by HPLC	Phenolic compounds including Resorcinol, Phenol, Methylphenols, Dimethylphenols, 1-Naphthol and TrimethylphenolsNote: chlorophenols are excluded.	60:40 methanol/water mixture extraction, followed by HPLC determination using electrochemical detection.	

Report Information

Key

U	UKAS accredited
M	MCERTS and UKAS accredited
N	Unaccredited
S	This analysis has been subcontracted to a UKAS accredited laboratory that is accredited for this analysis
SN	This analysis has been subcontracted to a UKAS accredited laboratory that is not accredited for this analysis
T	This analysis has been subcontracted to an unaccredited laboratory
I/S	Insufficient Sample
U/S	Unsuitable Sample
N/E	not evaluated
<	"less than"
>	"greater than"
SOP	Standard operating procedure
LOD	Limit of detection

This report shall not be reproduced except in full, and only with the prior approval of the laboratory.

Any comments or interpretations are outside the scope of UKAS accreditation.

The Laboratory is not accredited for any sampling activities and reported results relate to the samples 'as received' at the laboratory.

Uncertainty of measurement for the determinands tested are available upon request .

None of the results in this report have been recovery corrected.

All results are expressed on a dry weight basis.

The following tests were analysed on samples 'as received' and the results subsequently corrected to a dry weight basis EPH, VPH, TPH, BTEX, VOCs, SVOCs, PCBs, Phenols.

For all other tests the samples were dried at $\leq 30^{\circ}\text{C}$ prior to analysis.

All Asbestos testing is performed at the indicated laboratory .

Issue numbers are sequential starting with 1 all subsequent reports are incremented by 1.

Sample Deviation Codes

- A - Date of sampling not supplied
- B - Sample age exceeds stability time (sampling to extraction)
- C - Sample not received in appropriate containers
- D - Broken Container
- E - Insufficient Sample (Applies to LOI in Trommel Fines Only)

Sample Retention and Disposal

All soil samples will be retained for a period of 30 days from the date of receipt.

All water samples will be retained for 14 days from the date of receipt.

Charges may apply to extended sample storage.

Water Sample Category Key for Accreditation

- DW - Drinking Water
- GW - Ground Water
- LE - Land Leachate
- NA - Not Applicable

Report Information

PL - Prepared Leachate
PW - Processed Water
RE - Recreational Water
SA - Saline Water
SW - Surface Water
TE - Treated Effluent
TS - Treated Sewage
UL - Unspecified Liquid

Clean Up Codes

NC - No Clean Up
MC - Mathematical Clean Up
FC - Florisil Clean Up

HWOL Acronym System

HS - Headspace analysis
EH - Extractable hydrocarbons – i.e. everything extracted by the solvent
CU - Clean-up – e.g. by Florisil, silica gel
1D - GC – Single coil gas chromatography
Total - Aliphatics & Aromatics
AL - Aliphatics only
AR - Aromatic only
2D - GC-GC – Double coil gas chromatography
#1 - EH_2D_Total but with humics mathematically subtracted
#2 - EH_2D_Total but with fatty acids mathematically subtracted
+ - Operator to indicate cumulative e.g. EH+EH_Total or EH_CU+HS_Total

If you require extended retention of samples, please email your requirements to:
customerservices@chemtest.com

APPENDIX D

INVERBEG DRIVE ASBESTOS REMOVAL REPORT

OUR REF: A5882-24 16th June 2024

16th June 2024

Mr. Paul Sinclair
Westchurch Homes Ltd
31 Stamford Street
Altrincham
Cheshire
WA14 1ES

By Email (paul.sinclair@westchurchhomes.co.uk)

Dear Paul,

Soil Contamination Removal Letter Report
Inverbeg Drive, Bolton

Background

Chemical sampling was undertaken in stockpiles at Inverbeg Drive, Bolton in order to identify any possible contaminants. One sample was reported to contain asbestos.

Previous Reporting

This report should be read in conjunction with the following report previously prepared by Earth Environmental & Geotechnical Ltd:

- Inverbeg Drive, Bolton Stockpile Chemical Testing (A5882-24 5th June 2024)

Fieldwork

A site visit was conducted on the 25th April 2024 to recover samples of subsoil and topsoil.

Twelve soil samples were taken in total.

Chemical testing has been performed by DETS, a UKAS and MCERTS accredited laboratory.

12no. samples were obtained in total from the stockpiles, with 6no. samples of topsoil and 6no. samples of subsoil, as requested by the client.

Chemical testing has been performed for a wide range of analytes including asbestos screen, pH, total organic carbon, total sulphate, sulphide, total cyanide, arsenic, chromium, hexavalent chromium, copper, lead, selenium, zinc, cadmium, mercury, nickel, vanadium, barium, beryllium, water soluble boron, mono phenol, speciated hydrocarbons and speciated PAH's.

Based on the chemical testing results, no samples tested from soil stockpiles contain concentrations of contaminants in exceedance of the screening criteria relevant to residential end use with plant uptake.

**CONSULTING
ENGINEERS**

Geotechnical
Environmental
Ecology
Geology
Drainage
Mining

Earth Environmental &
Geotechnical Ltd
Houldsworth Mill Business &
Arts Centre
Houldsworth Street
Stockport
SK5 6DA

Tel: 0161 975 6088

www.earthenvironmental.co.uk
info@earthenvironmental.co.uk

Bath

Kingsbury House
Kingsbury Square
Melksham
Near Bath
SN12 6HL
Tel: 01225 434237

Edinburgh

Hudson House
8 Albany Street
Edinburgh
EH1 3QB
Tel: 0131 5641789

Middlesbrough

Wilton Centre
Redcar
TS10 4RF
Tel: 01642 438125

Reading

200 Brook Drive
Green Park
Reading
RG2 6UB
Tel: 011890 253229

Earth Environmental &
Geotechnical Ltd
Registered Office:
Mentor House, Ainsworth Street,
Blackburn, Lancashire, BB1 6AY
Registered in England
No: 8436152

Asbestos fibres were identified in Subsoil 7 in the form of amosite as fibre bundles, see Figure 1 for location.

The mass concentration of asbestos has been measured as 0.002%.

Figure 1: Stockpile Location Plan



Due to the presence of asbestos the stockpile was ordered to be removed from the in the correct manner and the appropriate precautions taken when doing so.

The full report can be found in Appendix A.

Stockpile Removal

The affected stockpile was removed from the site on 8th July 2024 by B. J. Crowler Ltd for safe disposal and/or treatment off site.

Evidence of the stockpile removal can be found in Appendix B.

Conclusions

As the affected stockpile was safely and effectively removed from site and the remaining stockpiles recorded no exceedances of potentially harmful chemicals therefore the site and the remaining stockpiles are deemed safe for use.



Yours Sincerely,

Adam Czarnecki
Director

For and on behalf of Earth Environmental & Geotechnical Ltd

Enclosed: Appendix A – Previous Report
Appendix B – Stockpile Removal Photographs

APPENDIX A

PREVIOUS REPORT

APPENDIX B


STOCKPILE REMOVAL PHOTOGRAPHS

Earth Environmental & Geotechnical Ltd

Tel: 0161 975 6088
Email: info@earthenvironmental.co.uk
Web: www.earthenvironmental.co.uk

Job No.: A5882/24

Plate 1 Load 1 Removal



Date: 8th July 2024

Plate 3 Load 1 Removal



Date: 8th July 2024

SITE PHOTOGRAPHS




Site: Inverbeg Drive, Bolton

Plate 2 Load 1 Removal



Date: 8th July 2024

Plate 4 Load 2 Removal



Date: 8th July 2024

Earth Environmental & Geotechnical Ltd

Tel: 0161 975 6088
Email: info@earthenvironmental.co.uk
Web: www.earthenvironmental.co.uk

Job No.: A5882/24
Plate 5 Load 2 Removal



Date: 8th July 2024
Plate 7 Load 3 Removal

B. J. CROWTHER LTD
Windsor House, Windsor Street, Oldham, OL1 4AE
Tel: 0161 652 0505
Email: info@bjcrowther.co.uk
Web: www.bjcrowther.co.uk

• Bulk Excavation • Muck Away • Tipper Hire • RoRo Skips • Aggregates

DELIVERY/WASTE TRANSFER NOTE

Date: 8/7/24 Time: 10.15 Order No: 1020-87M
Customer/Producer: WESTCHURCH HOMES
Location: INVERBEG DR BOLTON
Vehicle Reg: MVT2 WFE Driver: DAZ

Description of Goods	Weight
Asbestos Impacted Soils	1x8VH ☒
	Gross: KG
	Tare: KG
	Nett: KG

WSPF Recycled Aggregate Protocol Compliant
Delivered: ☐ Off site: ☒ Wet: ☐ Collect Ref: BV

Waste Disposal Location: _____
Waste Producer SIC Code: _____

Classification of materials removed from site:

☐ EWC 17 05 04 Soils & Stone	☐ EWC 17 03 02 Bituminous Mixtures (Tarmac)
☐ EWC 17 01 01 Concrete	☐ EWC 17 01 07 Mixture Concrete, Brick, Tiles, Ceramics
☐ EWC 17 01 02 Bricks	☐ EWC Other

I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England & Wales) Regulations 2011

Sign:  Print: SCOTT PILKINGTON
Waste Carriers Licence No: CRDU40692
BIC Company SIC Code: 43120
Waste Transfer Permit No: EPRVA93629SG
No 132726

It is essential that all the written particulars entered above should be carefully checked by the consignee since this delivery note once signed by the consignee represents total acceptance and no subsequent complaints can be accepted. It is the responsibility of the customer to supply a bailment if the vehicle is required to travel off the public highway. The customer is also responsible for any damage caused to vehicles and property in accordance with our Terms and Conditions a charge for excessive waiting time may be made.

Date: 8th July 2024

SITE PHOTOGRAPHS



Site: Inverbeg Drive, Bolton
Plate 6 Load 2 Removal



Date: 8th July 2024
Plate 8 Load 3 Removal



Date: 8th July 2024

Earth Environmental & Geotechnical Ltd

Tel: 0161 975 6088
Email: info@earthenvironmental.co.uk
Web: www.earthenvironmental.co.uk

Job No.: A5882/24
Plate 9 Load 3 Removal



Date: 8th July 2024
Plate 11 Load 4 Removal



Date: 8th July 2024

SITE PHOTOGRAPHS



Site: Inverbeg Drive, Bolton
Plate 10 Load 4 Removal

B. J. CROWTHER LTD
 Windsor House, Windsor Street, Oldham, OL1 4AE
 Tel: 0161 652 0505
 Email: info@bjcrowther.co.uk
 Web: www.bjcrowther.co.uk

• Bulk Excavation • Muck Away • Tipper Hire • RoRo Skips • Aggregates

DELIVERY/WASTE TRANSFER NOTE

Date: 8/7/24 Time: 11:05 Order No: 1020-87M
 Customer/Producer: WESTCHURCH HOMES
 Location: INVERBEG DR, BOLTON
 Vehicle Reg: MV72 WFE Driver: DAZ

Description of Goods	Weight
ASBESTOS IMPACTED SOILS	1x8WH
	Gross: KG
	Tare: KG
	Nett: KG

WIPAP Recycled Aggregate Protocol Compliant

Delivered: ☐ Off site: ☒ Wet: ☐ Collect Ref: 38V

Waste Disposal Location: _____

Waste Producer SIC Code: _____

Classification of materials removed from site:

EWC 17 05 04 ☐ Soils & Stone	EWC 17 03 02 ☐ Bituminous Mixtures (Tarmac)
EWC 17 01 01 ☐ Concrete	EWC 17 01 07 ☐ Mixture Concrete, Brick, Tiles, Ceramics
EWC 17 01 02 ☐ Bricks	EWC ☐ Other

I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England & Wales) Regulations 2011

Sign: [Signature] Print: J. COFFIN

Waste Carriers Licence No: CED040692
 SIC Company SIC Code: 43120
 Waste Transfer Permit No: EPR/AF36295G

No 132727

It is essential that all the written particulars entered above should be carefully checked by the consignee since the delivery note once signed by the consignee represents total acceptance and no subsequent complaints can be accepted. It is the responsibility of the customer to supply a breakdown if the vehicle is required to travel off the public highway. The customer is also responsible for any damage caused to vehicles and property in accordance with our Terms and Conditions a charge for excessive waiting time may be made.

Date: 8th July 2024
Plate 12 Load 5 Removal

B. J. CROWTHER LTD
 Windsor House, Windsor Street, Oldham, OL1 4AE
 Tel: 0161 652 0505
 Email: info@bjcrowther.co.uk
 Web: www.bjcrowther.co.uk

• Bulk Excavation • Muck Away • Tipper Hire • RoRo Skips • Aggregates

DELIVERY/WASTE TRANSFER NOTE

Date: 8-7-24 Time: 11.25 Order No: _____
 Customer/Producer: WESTCHURCH HOMES
 Location: INVERBEG DR, BOLTON
 Vehicle Reg: MV19 UCY Driver: CHRIS

Description of Goods	Weight
ASBESTOS IMPACTED SOIL	1x8WH
	Gross: KG
	Tare: KG
	Nett: KG

WIPAP Recycled Aggregate Protocol Compliant

Delivered: ☐ Off site: ☒ Wet: ☐ Collect Ref: _____

Waste Disposal Location: _____

Waste Producer SIC Code: _____

Classification of materials removed from site:

EWC 17 05 04 ☐ Soils & Stone	EWC 17 03 02 ☐ Bituminous Mixtures (Tarmac)
EWC 17 01 01 ☐ Concrete	EWC 17 01 07 ☐ Mixture Concrete, Brick, Tiles, Ceramics
EWC 17 01 02 ☐ Bricks	EWC ☐ Other

I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England & Wales) Regulations 2011

Sign: [Signature] Print: J. COFFIN

Waste Carriers Licence No: CED040692
 SIC Company SIC Code: 43120
 Waste Transfer Permit No: EPR/AF36295G

No 138361

It is essential that all the written particulars entered above should be carefully checked by the consignee since the delivery note once signed by the consignee represents total acceptance and no subsequent complaints can be accepted. It is the responsibility of the customer to supply a breakdown if the vehicle is required to travel off the public highway. The customer is also responsible for any damage caused to vehicles and property in accordance with our Terms and Conditions a charge for excessive waiting time may be made.

Date: 8th July 2024

Earth Environmental & Geotechnical Ltd

Tel: 0161 975 6088
Email: info@earthenvironmental.co.uk
Web: www.earthenvironmental.co.uk

SITE PHOTOGRAPHS



Job No.: A5882/24
Plate 13 Load 6 Removal

Site: Inverbeg Drive, Bolton
Plate 14 Load 6 Removal

B. J. CROWTHER LTD
Windsor House, Windsor Street,
Oldham, OL1 4AE
Tel: 0161 652 0505
Email: info@bjcrowther.co.uk
Web: www.bjcrowther.co.uk

• Bulk Excavation • Muck Away • Tipper Hire • RoRo Skips • Aggregates

DELIVERY/WASTE TRANSFER NOTE

Date: 8/7/24 Time: 12:30 Order No: 1020-87M
Customer/Producer: WESTCHURCH HOMES
Location: INVERBEG DR. BOLTON
Vehicle Reg: MVT2 WFE Driver: EDAC

Description of Goods	Weight
Asbestos Impacted Soils	132728

Waste Disposal Location:
Waste Producer SIC Code:
Classification of materials removed from site:
EWC 17 05 04 ☐ Soils & Stone EWC 17 03 02 ☐ Bituminous Mixtures (Tarmac)
EWC 17 01 01 ☐ Concrete EWC 17 01 07 ☐ Mixture Concrete, Brick, Tiles, Ceramics
EWC 17 01 02 ☐ Bricks EWC ☐ Other

I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England & Wales) Regulations 2011

Sign: [Signature] Print: SCOTT PLUMMER
Waste Carriers Licence No: CB0140692
B/C Company SIC Code: 43120
Waste Transfer Permit No: EPR/A/P36295G No 132728



Date: 8th July 2024

Date: 8th July 2024

Plate 15 Load 6 Removal



Date: 8th July 2024

APPENDIX E

REASSURANCE CHEMICAL TESTING RESULTS



Luke Glover
Earth Environmental & Geotechnical Ltd
Houldsworth Mill Business Centre
Houldsworth Street
Reddish
Stockport
Cheshire
SK5 6DA

Normec DETS Limited
Unit 1
Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Kent
ME17 2JN
t: 01622 850410

DETS Report No: 25-01056

Site Reference: Louisa Street

Project / Job Ref: A4755

Order No: A4755/CL/01

Sample Receipt Date: 04/02/2025

Sample Scheduled Date: 04/02/2025

Report Issue Number: 1

Reporting Date: 13/02/2025

Authorised by:

Steve Knight
Customer Support Manager

Dates of laboratory activities for each tested analyte are available upon request.

Opinions and interpretations are outside the laboratory's scope of ISO 17025 accreditation. This certificate is issued in accordance with the accreditation requirements of the United Kingdom Accreditation Service. The results reported herein relate only to the material supplied to the laboratory. This certificate shall not be reproduced except in full, without the prior written approval of the laboratory.



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate						
DETS Report No: 25-01056	~Date Sampled	31/01/25	31/01/25	31/01/25	31/01/25	31/01/25
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Louisa Street	~TP / BH No	PL01	PL04	PL08	PL11	PL14
~Project / Job Ref: A4755	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A4755/CL/01	~Depth (m)	0.10	0.40	0.15	0.10	0.45
Reporting Date: 13/02/2025	DETS Sample No	762592	762593	762594	762595	762596

Determinand	Unit	RL	Accreditation	(n)	(n)	(n)	(n)	(n)
Asbestos Screen ^(S)	N/a	N/a	ISO17025	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected
Sample Matrix ^(S)	Material Type	N/a	NONE					
Asbestos Type ^(S)	PLM Result	N/a	ISO17025					
pH	pH Units	N/a	MCERTS	7.9	8.3	6.9	7.4	7.9
Total Cyanide	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Complex Cyanide	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Free Cyanide	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Total Sulphate as SO ₄	mg/kg	< 200	MCERTS	627	747	422	463	589
Total Sulphate as SO ₄	%	< 0.02	MCERTS	0.06	0.07	0.04	0.05	0.06
W/S Sulphate as SO ₄ (2:1)	mg/l	< 10	MCERTS	58	155	35	34	113
W/S Sulphate as SO ₄ (2:1)	g/l	< 0.01	MCERTS	0.06	0.16	0.03	0.03	0.11
Sulphide	mg/kg	< 5	NONE	< 5	< 5	< 5	< 5	< 5
Organic Matter (SOM)	%	< 0.1	MCERTS	5.7	2.8	6.6	6.4	5.3
Arsenic (As)	mg/kg	< 2	MCERTS	13	7	12	14	9
Barium (Ba)	mg/kg	< 2.5	MCERTS	73.8	130.0	82.9	78.2	138.0
Beryllium (Be)	mg/kg	< 0.5	MCERTS	0.6	0.7	0.6	0.6	0.8
W/S Boron	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1	< 1
Cadmium (Cd)	mg/kg	< 0.2	MCERTS	0.3	< 0.2	0.3	0.3	0.2
Chromium (Cr)	mg/kg	< 2	MCERTS	16	14	16	17	28
Chromium (hexavalent)	mg/kg	< 2	NONE	< 2	< 2	< 2	< 2	< 2
Copper (Cu)	mg/kg	< 4	MCERTS	28	23	26	29	32
Lead (Pb)	mg/kg	< 3	MCERTS	68	21	58	62	37
Mercury (Hg)	mg/kg	< 1	MCERTS	< 1	< 1	< 1	< 1	< 1
Nickel (Ni)	mg/kg	< 3	MCERTS	12	21	13	12	24
Selenium (Se)	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Vanadium (V)	mg/kg	< 1	MCERTS	18	16	18	19	30
Zinc (Zn)	mg/kg	< 3	MCERTS	57	53	54	58	65
Total Phenols (monohydric)	mg/kg	< 2	NONE	6.8	< 2	5.8	8.4	4.2

Analytical results are expressed on a dry weight basis where samples are assisted-dried at less than 30°C. The Method Description page describes if the test is performed on the dried or as-received portion

Subcontracted analysis (S)

~Sample details provided by customer and can affect the validity of results

(n) Please note we are only MCERTS accredited (UK soils only) for sand, loam and clay and any other matrix is outside our scope of accreditation

Subcontracted analysis (S)



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate					
DETS Report No: 25-01056	~Date Sampled	31/01/25	31/01/25	31/01/25	31/01/25
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Louisa Street	~TP / BH No	PL16	PL16 (Front)	PL19	PL19 (Front)
~Project / Job Ref: A4755	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A4755/CL/01	~Depth (m)	0.20	0.40	0.35	0.15
Reporting Date: 13/02/2025	DETS Sample No	762597	762598	762599	762600

Determinand	Unit	RL	Accreditation				
Asbestos Screen ^(S)	N/a	N/a	ISO17025	Not Detected	Not Detected	Detected	Not Detected
Sample Matrix ^(S)	Material Type	N/a	NONE			Amosite present as bundles	
Asbestos Type ^(S)	PLM Result	N/a	ISO17025			Amosite	
pH	pH Units	N/a	MCERTS	7.5	7.7	7.8	7.3
Total Cyanide	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1
Complex Cyanide	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1
Free Cyanide	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1
Total Sulphate as SO ₄	mg/kg	< 200	MCERTS	619	1940	553	600
Total Sulphate as SO ₄	%	< 0.02	MCERTS	0.06	0.19	0.06	0.06
W/S Sulphate as SO ₄ (2:1)	mg/l	< 10	MCERTS	31	593	62	25
W/S Sulphate as SO ₄ (2:1)	g/l	< 0.01	MCERTS	0.03	0.59	0.06	0.03
Sulphide	mg/kg	< 5	NONE	< 5	< 5	< 5	< 5
Organic Matter (SOM)	%	< 0.1	MCERTS	6.8	4.4	4.6	6.7
Arsenic (As)	mg/kg	< 2	MCERTS	14	10	11	14
Barium (Ba)	mg/kg	< 2.5	MCERTS	81.9	115.0	74.3	83.1
Beryllium (Be)	mg/kg	< 0.5	MCERTS	0.6	0.8	0.6	0.7
W/S Boron	mg/kg	< 1	NONE	< 1	< 1	< 1	< 1
Cadmium (Cd)	mg/kg	< 0.2	MCERTS	0.4	0.2	0.3	0.3
Chromium (Cr)	mg/kg	< 2	MCERTS	19	18	16	18
Chromium (hexavalent)	mg/kg	< 2	NONE	< 2	< 2	< 2	< 2
Copper (Cu)	mg/kg	< 4	MCERTS	31	28	23	30
Lead (Pb)	mg/kg	< 3	MCERTS	62	37	42	66
Mercury (Hg)	mg/kg	< 1	MCERTS	< 1	< 1	< 1	< 1
Nickel (Ni)	mg/kg	< 3	MCERTS	14	21	12	13
Selenium (Se)	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2
Vanadium (V)	mg/kg	< 1	MCERTS	19	20	18	19
Zinc (Zn)	mg/kg	< 3	MCERTS	64	64	49	65
Total Phenols (monohydric)	mg/kg	< 2	NONE	6.8	4.2	4.4	5.6

Analytical results are expressed on a dry weight basis where samples are assisted-dried at less than 30°C. The Method Description page describes if the test is performed on the dried or as-received portion

Subcontracted analysis (S)

~Sample details provided by customer and can affect the validity of results



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - Speciated PAHs						
DETS Report No: 25-01056	~Date Sampled	31/01/25	31/01/25	31/01/25	31/01/25	31/01/25
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Louisa Street	~TP / BH No	PL01	PL04	PL08	PL11	PL14
~Project / Job Ref: A4755	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A4755/CL/01	~Depth (m)	0.10	0.40	0.15	0.10	0.45
Reporting Date: 13/02/2025	DETS Sample No	762592	762593	762594	762595	762596

Determinand	Unit	RL	Accreditation	(n)	(n)	(n)
Naphthalene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Acenaphthylene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Acenaphthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Fluorene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Phenanthrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Fluoranthene	mg/kg	< 0.1	MCERTS	0.17	< 0.1	< 0.1
Pyrene	mg/kg	< 0.1	MCERTS	0.17	< 0.1	< 0.1
Benzo(a)anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Chrysene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Benzo(b)fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Benzo(k)fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Benzo(a)pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Indeno(1,2,3-cd)pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Dibenz(a,h)anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Benzo(ghi)perylene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1
Total EPA-16 PAHs	mg/kg	< 1.6	MCERTS	< 1.6	< 1.6	< 1.6

~Sample details provided by customer and can affect the validity of results

(n) Please note we are only MCERTS accredited (UK soils only) for sand, loam and clay and any other matrix is outside our scope of accreditation



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - Speciated PAHs						
DETS Report No: 25-01056	~Date Sampled	31/01/25	31/01/25	31/01/25	31/01/25	
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	
~Site Reference: Louisa Street	~TP / BH No	PL16	PL16 (Front)	PL19	PL19 (Front)	
~Project / Job Ref: A4755	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	
~Order No: A4755/CL/01	~Depth (m)	0.20	0.40	0.35	0.15	
Reporting Date: 13/02/2025	DETS Sample No	762597	762598	762599	762600	

Determinand	Unit	RL	Accreditation					
Naphthalene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	
Acenaphthylene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	
Acenaphthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	
Fluorene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	
Phenanthrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	
Anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	
Fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	
Pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	
Benzo(a)anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	
Chrysene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	
Benzo(b)fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	
Benzo(k)fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	
Benzo(a)pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	
Indeno(1,2,3-cd)pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	
Dibenz(a,h)anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	
Benzo(ghi)perylene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1	< 0.1	< 0.1	
Total EPA-16 PAHs	mg/kg	< 1.6	MCERTS	< 1.6	< 1.6	< 1.6	< 1.6	

~Sample details provided by customer and can affect the validity of results



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - TPH CWG Banded

DETS Report No: 25-01056	~Date Sampled	31/01/25	31/01/25	31/01/25	31/01/25	31/01/25
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Louisa Street	~TP / BH No	PL01	PL04	PL08	PL11	PL14
~Project / Job Ref: A4755	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A4755/CL/01	~Depth (m)	0.10	0.40	0.15	0.10	0.45
Reporting Date: 13/02/2025	DETS Sample No	762592	762593	762594	762595	762596

Determinand	Unit	RL	Accreditation	(n)			(n)		
Aliphatic >C5 - C6 : HS_1D_MS_AL	mg/kg	< 0.01	NONE	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Aliphatic >C6 - C8 : HS_1D_MS_AL	mg/kg	< 0.05	NONE	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Aliphatic >C8 - C10 : EH_CU_1D_AL	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2	< 2
Aliphatic >C10 - C12 : EH_CU_1D_AL	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2	< 2
Aliphatic >C12 - C16 : EH_CU_1D_AL	mg/kg	< 3	MCERTS	< 3	< 3	< 3	< 3	< 3	< 3
Aliphatic >C16 - C21 : EH_CU_1D_AL	mg/kg	< 3	MCERTS	< 3	< 3	< 3	< 3	< 3	< 3
Aliphatic >C21 - C34 : EH_CU_1D_AL	mg/kg	< 10	MCERTS	< 10	< 10	< 10	< 10	< 10	< 10
Aliphatic (C5 - C34) : HS_1D_MS+EH_CU_1D_AL	mg/kg	< 21	NONE	< 21	< 21	< 21	< 21	< 21	< 21
Aromatic >C5 - C7 : HS_1D_MS_AR	mg/kg	< 0.01	NONE	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Aromatic >C7 - C8 : HS_1D_MS_AR	mg/kg	< 0.05	NONE	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Aromatic >C8 - C10 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2	< 2
Aromatic >C10 - C12 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2	< 2
Aromatic >C12 - C16 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2	< 2
Aromatic >C16 - C21 : EH_CU_1D_AR	mg/kg	< 3	MCERTS	< 3	< 3	< 3	< 3	< 3	< 3
Aromatic >C21 - C35 : EH_CU_1D_AR	mg/kg	< 10	MCERTS	< 10	< 10	< 10	< 10	< 10	< 10
Aromatic (C5 - C35) : HS_1D_MS+EH_CU_1D_AR	mg/kg	< 21	NONE	< 21	< 21	< 21	< 21	< 21	< 21
Total >C5 - C35 : HS_1D_MS+EH_CU_1D_Tot al	mg/kg	< 42	NONE	< 42	< 42	< 42	< 42	< 42	< 42

~Sample details provided by customer and can affect the validity of results

(n) Please note we are only MCERTS accredited (UK soils only) for sand, loam and clay and any other matrix is outside our scope of accreditation



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - TPH CWG Banded

DETS Report No: 25-01056	~Date Sampled	31/01/25	31/01/25	31/01/25	31/01/25
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Louisa Street	~TP / BH No	PL16	PL16 (Front)	PL19	PL19 (Front)
~Project / Job Ref: A4755	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A4755/CL/01	~Depth (m)	0.20	0.40	0.35	0.15
Reporting Date: 13/02/2025	DETS Sample No	762597	762598	762599	762600

Determinand	Unit	RL	Accreditation					
Aliphatic >C5 - C6 : HS_1D_MS_AL	mg/kg	< 0.01	NONE	< 0.01	< 0.01	< 0.01	< 0.01	
Aliphatic >C6 - C8 : HS_1D_MS_AL	mg/kg	< 0.05	NONE	< 0.05	< 0.05	< 0.05	< 0.05	
Aliphatic >C8 - C10 : EH_CU_1D_AL	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	
Aliphatic >C10 - C12 : EH_CU_1D_AL	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	
Aliphatic >C12 - C16 : EH_CU_1D_AL	mg/kg	< 3	MCERTS	< 3	< 3	< 3	< 3	
Aliphatic >C16 - C21 : EH_CU_1D_AL	mg/kg	< 3	MCERTS	< 3	< 3	< 3	< 3	
Aliphatic >C21 - C34 : EH_CU_1D_AL	mg/kg	< 10	MCERTS	< 10	< 10	< 10	< 10	
Aliphatic (C5 - C34) : HS_1D_MS+EH_CU_1D_AL	mg/kg	< 21	NONE	< 21	< 21	< 21	< 21	
Aromatic >C5 - C7 : HS_1D_MS_AR	mg/kg	< 0.01	NONE	< 0.01	< 0.01	< 0.01	< 0.01	
Aromatic >C7 - C8 : HS_1D_MS_AR	mg/kg	< 0.05	NONE	< 0.05	< 0.05	< 0.05	< 0.05	
Aromatic >C8 - C10 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	
Aromatic >C10 - C12 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	
Aromatic >C12 - C16 : EH_CU_1D_AR	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	
Aromatic >C16 - C21 : EH_CU_1D_AR	mg/kg	< 3	MCERTS	< 3	< 3	< 3	< 3	
Aromatic >C21 - C35 : EH_CU_1D_AR	mg/kg	< 10	MCERTS	< 10	< 10	< 10	< 10	
Aromatic (C5 - C35) : HS_1D_MS+EH_CU_1D_AR	mg/kg	< 21	NONE	< 21	< 21	< 21	< 21	
Total >C5 - C35 : HS_1D_MS+EH_CU_1D_Tot al	mg/kg	< 42	NONE	< 42	< 42	< 42	< 42	

~Sample details provided by customer and can affect the validity of results



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - BTEX / MTBE						
DETS Report No: 25-01056	~Date Sampled	31/01/25	31/01/25	31/01/25	31/01/25	31/01/25
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Site Reference: Louisa Street	~TP / BH No	PL01	PL04	PL08	PL11	PL14
~Project / Job Ref: A4755	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
~Order No: A4755/CL/01	~Depth (m)	0.10	0.40	0.15	0.10	0.45
Reporting Date: 13/02/2025	DETS Sample No	762592	762593	762594	762595	762596

Determinand	Unit	RL	Accreditation	(n)	(n)	(n)
Benzene : HS_1D_MS	µg/kg	< 2	MCERTS	< 2	< 2	< 2
Toluene : HS_1D_MS	µg/kg	< 5	MCERTS	8	< 5	< 5
Ethylbenzene : HS_1D_MS	µg/kg	< 2	MCERTS	< 2	< 2	< 2
p & m-xylene : HS_1D_MS	µg/kg	< 2	MCERTS	< 2	< 2	< 2
o-xylene : HS_1D_MS	µg/kg	< 2	MCERTS	< 2	< 2	< 2
MTBE : HS_1D_MS	µg/kg	< 5	MCERTS	< 5	< 5	< 5

~Sample details provided by customer and can affect the validity of results

(n) Please note we are only MCERTS accredited (UK soils only) for sand, loam and clay and any other matrix is outside our scope of accreditation



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - BTEX / MTBE						
DETS Report No: 25-01056	~Date Sampled	31/01/25	31/01/25	31/01/25	31/01/25	
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	
~Site Reference: Louisa Street	~TP / BH No	PL16	PL16 (Front)	PL19	PL19 (Front)	
~Project / Job Ref: A4755	~Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	
~Order No: A4755/CL/01	~Depth (m)	0.20	0.40	0.35	0.15	
Reporting Date: 13/02/2025	DETS Sample No	762597	762598	762599	762600	

Determinand	Unit	RL	Accreditation					
Benzene : HS_1D_MS	µg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	
Toluene : HS_1D_MS	µg/kg	< 5	MCERTS	< 5	< 5	< 5	< 5	
Ethylbenzene : HS_1D_MS	µg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	
p & m-xylene : HS_1D_MS	µg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	
o-xylene : HS_1D_MS	µg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	
MTBE : HS_1D_MS	µg/kg	< 5	MCERTS	< 5	< 5	< 5	< 5	

~Sample details provided by customer and can affect the validity of results



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - Sample Descriptions

DETS Report No: 25-01056	
Earth Environmental & Geotechnical Ltd	
~Site Reference: Louisa Street	
~Project / Job Ref: A4755	
~Order No: A4755/CL/01	
Reporting Date: 13/02/2025	

DETS Sample No	~TP / BH No	~Additional Refs	~Depth (m)	Moisture Content (%)	Sample Matrix Description
762592	PL01	None Supplied	0.10	21.7	Brown loamy sand with vegetation
762593	PL04	None Supplied	0.40	12.1	Brown sandy clay with stones
762594	PL08	None Supplied	0.15	24.8	Brown clay with stones
762595	PL11	None Supplied	0.10	24.8	Brown clay with stones
762596	PL14	None Supplied	0.45	21	Brown clay with vegetation
762597	PL16	None Supplied	0.20	23.3	Brown loamy sand with vegetation
762598	PL16 (Front)	None Supplied	0.40	18.7	Brown clay
762599	PL19	None Supplied	0.35	21.3	Brown clay
762600	PL19 (Front)	None Supplied	0.15	24	Brown clay

Moisture content is part of procedure E003 & is not an accredited test

Insufficient Sample ^{1/S}

Unsuitable Sample ^{U/S}

~Sample details provided by customer and can affect the validity of results



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - Methodology & Miscellaneous Information

DETS Report No: 25-01056

Earth Environmental & Geotechnical Ltd

~Site Reference: Louisa Street

~Project / Job Ref: A4755

~Order No: A4755/CL/01

Reporting Date: 13/02/2025

Matrix	Analysed On	Determinand	Brief Method Description	Method No
Soil	D	Boron - Water Soluble	Determination of water soluble boron in soil by 2:1 hot water extract followed by ICP-OES	E012
Soil	AR	BTEX	Determination of BTEX by headspace GC-MS	E001
Soil	D	Cations	Determination of cations in soil by aqua-regia digestion followed by ICP-OES	E002
Soil	D	Chloride - Water Soluble (2:1)	Determination of chloride by extraction with water & analysed by ion chromatography	E009
Soil	AR	Chromium - Hexavalent	Determination of hexavalent chromium in soil by extraction in water then by acidification, addition of 1,5 diphenylcarbazide followed by colorimetry	E016
Soil	AR	Cyanide - Complex	Determination of complex cyanide by distillation followed by colorimetry	E015
Soil	AR	Cyanide - Free	Determination of free cyanide by distillation followed by colorimetry	E015
Soil	AR	Cyanide - Total	Determination of total cyanide by distillation followed by colorimetry	E015
Soil	D	Cyclohexane Extractable Matter (CEM)	Gravimetrically determined through extraction with cyclohexane	E011
Soil	AR	Diesel Range Organics (C10 - C24)	Determination of hexane/acetone extractable hydrocarbons by GC-FID	E004
Soil	AR	Electrical Conductivity	Determination of electrical conductivity by addition of saturated calcium sulphate followed by electrometric measurement	E022
Soil	AR	Electrical Conductivity	Determination of electrical conductivity by addition of water followed by electrometric measurement	E023
Soil	D	Elemental Sulphur	Determination of elemental sulphur by solvent extraction followed by GC-MS	E020
Soil	AR	EPH (C10 - C40)	Determination of acetone/hexane extractable hydrocarbons by GC-FID	E004
Soil	AR	EPH Product ID	Determination of acetone/hexane extractable hydrocarbons by GC-FID	E004
Soil	AR	EPH TEXAS (C6-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C40)	Determination of acetone/hexane extractable hydrocarbons by GC-FID for C8 to C40. C6 to C8 by headspace GC-MS	E004
Soil	D	Fluoride - Water Soluble	Determination of Fluoride by extraction with water & analysed by ion chromatography	E009
Soil	D	Fraction Organic Carbon (FOC)	Determination of TOC by combustion analyser.	E027
Soil	D	Organic Matter (SOM)	Determination of TOC by combustion analyser.	E027
Soil	D	TOC (Total Organic Carbon)	Determination of TOC by combustion analyser.	E027
Soil	AR	Exchangeable Ammonium	Determination of ammonium by discrete analyser.	E029
Soil	D	FOC (Fraction Organic Carbon)	Determination of fraction of organic carbon by oxidising with potassium dichromate followed by titration with iron (II) sulphate	E010
Soil	D	Loss on Ignition @ 450oC	Determination of loss on ignition in soil by gravimetrically with the sample being ignited in a muffle furnace	E019
Soil	D	Magnesium - Water Soluble	Determination of water soluble magnesium by extraction with water followed by ICP-OES	E025
Soil	D	Metals	Determination of metals by aqua-regia digestion followed by ICP-OES	E002
Soil	AR	Mineral Oil (C10 - C40)	Determination of hexane/acetone extractable hydrocarbons by GC-FID fractionating with SPE cartridge	E004
Soil	AR	Moisture Content	Moisture content; determined gravimetrically	E003
Soil	D	Nitrate - Water Soluble (2:1)	Determination of nitrate by extraction with water & analysed by ion chromatography	E009
Soil	D	Organic Matter	Determination of organic matter by oxidising with potassium dichromate followed by titration with iron (II) sulphate	E010
Soil	AR	PAH - Speciated (EPA 16)	Determination of PAH compounds by extraction in acetone and hexane followed by GC-MS with the use of surrogate and internal standards	E005
Soil	AR	PCB - 7 Congeners	Determination of PCB by extraction with acetone and hexane followed by GC-MS	E008
Soil	D	Petroleum Ether Extract (PEE)	Gravimetrically determined through extraction with petroleum ether	E011
Soil	AR	pH	Determination of pH by addition of water followed by electrometric measurement	E007
Soil	AR	Phenols - Total (monohydric)	Determination of phenols by distillation followed by colorimetry	E021
Soil	D	Phosphate - Water Soluble (2:1)	Determination of phosphate by extraction with water & analysed by ion chromatography	E009
Soil	D	Sulphate (as SO4) - Total	Determination of total sulphate by extraction with 10% HCl followed by ICP-OES	E013
Soil	D	Sulphate (as SO4) - Water Soluble (2:1)	Determination of sulphate by extraction with water & analysed by ion chromatography	E009
Soil	D	Sulphate (as SO4) - Water Soluble (2:1)	Determination of water soluble sulphate by extraction with water followed by ICP-OES	E014
Soil	AR	Sulphide	Determination of sulphide by distillation followed by colorimetry	E018
Soil	D	Sulphur - Total	Determination of total sulphur by extraction with aqua-regia followed by ICP-OES	E024
Soil	AR	SVOC	Determination of semi-volatile organic compounds by extraction in acetone and hexane followed by GC-MS	E006
Soil	AR	Thiocyanate (as SCN)	Determination of thiocyanate by extraction in caustic soda followed by acidification followed by addition of ferric nitrate followed by colorimetry	E017
Soil	D	Toluene Extractable Matter (TEM)	Gravimetrically determined through extraction with toluene	E011
Soil	D	Total Organic Carbon (TOC)	Determination of organic matter by oxidising with potassium dichromate followed by titration with iron (II) sulphate	E010
Soil	AR	TPH CWG (ali: C5- C6, C6-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C34, aro: C5-C7, C7-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C35)	Determination of hexane/acetone extractable hydrocarbons by GC-FID fractionating with SPE cartridge for C8 to C35. C5 to C8 by headspace GC-MS	E004
Soil	AR	TPH LQM (ali: C5-C6, C6-C8, C8-C10, C10-C12, C12-C16, C16-C35, C35-C44, aro: C5-C7, C7-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C35, C35-C44)	Determination of hexane/acetone extractable hydrocarbons by GC-FID fractionating with SPE cartridge for C8 to C44. C5 to C8 by headspace GC-MS	E004
Soil	AR	VOCs	Determination of volatile organic compounds by headspace GC-MS	E001
Soil	AR	VPH (C6-C8 & C8-C10)	Determination of hydrocarbons C6-C8 by headspace GC-MS & C8-C10 by GC-FID	E001

D Dried
AR As Received

~Sample details provided by customer and can affect the validity of results



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



List of HWOL Acronyms and Operators	
DETS Report No: 25-01056	
Earth Environmental & Geotechnical Ltd	
~Site Reference: Louisa Street	
~Project / Job Ref: A4755	
~Order No: A4755/CL/01	
Reporting Date: 13/02/2025	

Acronym	Description
HS	Headspace analysis
EH	Extractable Hydrocarbons - i.e. everything extracted by the solvent
CU	Clean-up - e.g. by florisil, silica gel
1D	GC - Single coil gas chromatography
2D	GC-GC - Double coil gas chromatography
Total	Aliphatics & Aromatics
AL	Aliphatics only
AR	Aromatics only
#1	EH_2D_Total but with humics mathematically subtracted
#2	EH_2D_Total but with fatty acids mathematically subtracted
	Operator - underscore to separate acronyms (exception for +)
+	Operator to indicate cumulative eg. EH+HS_Total or EH_CU+HS_Total
~	Sample details provided by customer and can affect the validity of results

Benzene - HS_1D_MS
Ethylbenzene - HS_1D_MS
MTBE - HS_1D_MS
TPH CWG - Aliphatic >C10 - C12 - EH_CU_1D_AL
TPH CWG - Aliphatic >C12 - C16 - EH_CU_1D_AL
TPH CWG - Aliphatic >C16 - C21 - EH_CU_1D_AL
TPH CWG - Aliphatic >C21 - C34 - EH_CU_1D_AL
TPH CWG - Aliphatic >C5 - C6 - HS_1D_MS_AL
TPH CWG - Aliphatic >C6 - C8 - HS_1D_MS_AL
TPH CWG - Aliphatic >C8 - C10 - EH_CU_1D_AL
TPH CWG - Aliphatic C5 - C34 - HS_1D_MS+EH_CU_1D_AL
TPH CWG - Aromatic >C10 - C12 - EH_CU_1D_AR
TPH CWG - Aromatic >C12 - C16 - EH_CU_1D_AR
TPH CWG - Aromatic >C16 - C21 - EH_CU_1D_AR
TPH CWG - Aromatic >C21 - C35 - EH_CU_1D_AR
TPH CWG - Aromatic >C5 - C35 - HS_1D_MS+EH_CU_1D_AR
TPH CWG - Aromatic >C5 - C7 - HS_1D_MS_AR
TPH CWG - Aromatic >C7 - C8 - HS_1D_MS_AR
TPH CWG - Aromatic >C8 - C10 - EH_CU_1D_AR
TPH CWG - Total >C5 - C35 - HS_1D_MS+EH_CU_1D_Total
Toluene - HS_1D_MS
m & p-xylene - HS_1D_MS
o-Xylene - HS_1D_MS



Luke Glover
Earth Environmental & Geotechnical Ltd
Houldsworth Mill Business Centre
Houldsworth Street
Reddish
Stockport
Cheshire
SK5 6DA

Normec DETS Limited
Unit 1
Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Kent
ME17 2JN
t: 01622 850410

DETS Report No: 25-01557

Site Reference: Louisa Street

Project / Job Ref: A4755

Order No: A4755/CL/02

Sample Receipt Date: 17/02/2025

Sample Scheduled Date: 17/02/2025

Report Issue Number: 1

Reporting Date: 21/02/2025

Authorised by:

Steve Knight
Customer Support Manager

Dates of laboratory activities for each tested analyte are available upon request.

Opinions and interpretations are outside the laboratory's scope of ISO 17025 accreditation. This certificate is issued in accordance with the accreditation requirements of the United Kingdom Accreditation Service. The results reported herein relate only to the material supplied to the laboratory. This certificate shall not be reproduced except in full, without the prior written approval of the laboratory.



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



4480

Soil Analysis Certificate						
DETS Report No: 25-01557	~Date Sampled	31/01/25				
Earth Environmental & Geotechnical Ltd	~Time Sampled	None Supplied				
~Site Reference: Louisa Street	~TP / BH No	PL19				
~Project / Job Ref: A4755	~Additional Refs	None Supplied				
~Order No: A4755/CL/02	~Depth (m)	0.35				
Reporting Date: 21/02/2025	DETS Sample No	764502				

Determinand	Unit	RL	Accreditation				
Asbestos Quantification ^(S)	%	< 0.001	ISO17025	< 0.001			

Analytical results are expressed on a dry weight basis where samples are assisted-dried at less than 30°C. The Method Description page describes if the test is performed on the dried or as-received portion

Subcontracted analysis (S)

~Sample details provided by customer and can affect the validity of results

Subcontracted analysis (S)



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410

Soil Analysis Certificate - Methodology & Miscellaneous Information

DETS Report No: 25-01557

Earth Environmental & Geotechnical Ltd

~Site Reference: Louisa Street

~Project / Job Ref: A4755

~Order No: A4755/CL/02

Reporting Date: 21/02/2025

Matrix	Analysed On	Determinand	Brief Method Description	Method No
Soil	D	Boron - Water Soluble	Determination of water soluble boron in soil by 2:1 hot water extract followed by ICP-OES	E012
Soil	AR	BTEX	Determination of BTEX by headspace GC-MS	E001
Soil	D	Cations	Determination of cations in soil by aqua-regia digestion followed by ICP-OES	E002
Soil	D	Chloride - Water Soluble (2:1)	Determination of chloride by extraction with water & analysed by ion chromatography	E009
Soil	AR	Chromium - Hexavalent	Determination of hexavalent chromium in soil by extraction in water then by acidification, addition of 1,5 diphenylcarbazide followed by colorimetry	E016
Soil	AR	Cyanide - Complex	Determination of complex cyanide by distillation followed by colorimetry	E015
Soil	AR	Cyanide - Free	Determination of free cyanide by distillation followed by colorimetry	E015
Soil	AR	Cyanide - Total	Determination of total cyanide by distillation followed by colorimetry	E015
Soil	D	Cyclohexane Extractable Matter (CEM)	Gravimetrically determined through extraction with cyclohexane	E011
Soil	AR	Diesel Range Organics (C10 - C24)	Determination of hexane/acetone extractable hydrocarbons by GC-FID	E004
Soil	AR	Electrical Conductivity	Determination of electrical conductivity by addition of saturated calcium sulphate followed by electrometric measurement	E022
Soil	AR	Electrical Conductivity	Determination of electrical conductivity by addition of water followed by electrometric measurement	E023
Soil	D	Elemental Sulphur	Determination of elemental sulphur by solvent extraction followed by GC-MS	E020
Soil	AR	EPH (C10 - C40)	Determination of acetone/hexane extractable hydrocarbons by GC-FID	E004
Soil	AR	EPH Product ID	Determination of acetone/hexane extractable hydrocarbons by GC-FID	E004
Soil	AR	EPH TEXAS (C6-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C40)	Determination of acetone/hexane extractable hydrocarbons by GC-FID for C8 to C40. C6 to C8 by headspace GC-MS	E004
Soil	D	Fluoride - Water Soluble	Determination of Fluoride by extraction with water & analysed by ion chromatography	E009
Soil	D	Fraction Organic Carbon (FOC)	Determination of TOC by combustion analyser.	E027
Soil	D	Organic Matter (SOM)	Determination of TOC by combustion analyser.	E027
Soil	D	TOC (Total Organic Carbon)	Determination of TOC by combustion analyser.	E027
Soil	AR	Exchangeable Ammonium	Determination of ammonium by discrete analyser.	E029
Soil	D	FOC (Fraction Organic Carbon)	Determination of fraction of organic carbon by oxidising with potassium dichromate followed by titration with iron (II) sulphate	E010
Soil	D	Loss on Ignition @ 450oC	Determination of loss on ignition in soil by gravimetrically with the sample being ignited in a muffle furnace	E019
Soil	D	Magnesium - Water Soluble	Determination of water soluble magnesium by extraction with water followed by ICP-OES	E025
Soil	D	Metals	Determination of metals by aqua-regia digestion followed by ICP-OES	E002
Soil	AR	Mineral Oil (C10 - C40)	Determination of hexane/acetone extractable hydrocarbons by GC-FID fractionating with SPE cartridge	E004
Soil	AR	Moisture Content	Moisture content; determined gravimetrically	E003
Soil	D	Nitrate - Water Soluble (2:1)	Determination of nitrate by extraction with water & analysed by ion chromatography	E009
Soil	D	Organic Matter	Determination of organic matter by oxidising with potassium dichromate followed by titration with iron (II) sulphate	E010
Soil	AR	PAH - Speciated (EPA 16)	Determination of PAH compounds by extraction in acetone and hexane followed by GC-MS with the use of surrogate and internal standards	E005
Soil	AR	PCB - 7 Congeners	Determination of PCB by extraction with acetone and hexane followed by GC-MS	E008
Soil	D	Petroleum Ether Extract (PEE)	Gravimetrically determined through extraction with petroleum ether	E011
Soil	AR	pH	Determination of pH by addition of water followed by electrometric measurement	E007
Soil	AR	Phenols - Total (monohydric)	Determination of phenols by distillation followed by colorimetry	E021
Soil	D	Phosphate - Water Soluble (2:1)	Determination of phosphate by extraction with water & analysed by ion chromatography	E009
Soil	D	Sulphate (as SO4) - Total	Determination of total sulphate by extraction with 10% HCl followed by ICP-OES	E013
Soil	D	Sulphate (as SO4) - Water Soluble (2:1)	Determination of sulphate by extraction with water & analysed by ion chromatography	E009
Soil	D	Sulphate (as SO4) - Water Soluble (2:1)	Determination of water soluble sulphate by extraction with water followed by ICP-OES	E014
Soil	AR	Sulphide	Determination of sulphide by distillation followed by colorimetry	E018
Soil	D	Sulphur - Total	Determination of total sulphur by extraction with aqua-regia followed by ICP-OES	E024
Soil	AR	SVOC	Determination of semi-volatile organic compounds by extraction in acetone and hexane followed by GC-MS	E006
Soil	AR	Thiocyanate (as SCN)	Determination of thiocyanate by extraction in caustic soda followed by acidification followed by addition of ferric nitrate followed by colorimetry	E017
Soil	D	Toluene Extractable Matter (TEM)	Gravimetrically determined through extraction with toluene	E011
Soil	D	Total Organic Carbon (TOC)	Determination of organic matter by oxidising with potassium dichromate followed by titration with iron (II) sulphate	E010
Soil	AR	TPH CWG (ali: C5- C6, C6-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C34, aro: C5-C7, C7-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C35)	Determination of hexane/acetone extractable hydrocarbons by GC-FID fractionating with SPE cartridge for C8 to C35. C5 to C8 by headspace GC-MS	E004
Soil	AR	TPH LQM (ali: C5-C6, C6-C8, C8-C10, C10-C12, C12-C16, C16-C35, C35-C44, aro: C5-C7, C7-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C35, C35-C44)	Determination of hexane/acetone extractable hydrocarbons by GC-FID fractionating with SPE cartridge for C8 to C44. C5 to C8 by headspace GC-MS	E004
Soil	AR	VOCs	Determination of volatile organic compounds by headspace GC-MS	E001
Soil	AR	VPH (C6-C8 & C8-C10)	Determination of hydrocarbons C6-C8 by headspace GC-MS & C8-C10 by GC-FID	E001

D Dried
AR As Received

~Sample details provided by customer and can affect the validity of results



Normec DETS Limited
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



List of HWOL Acronyms and Operators	
DETS Report No: 25-01557	
Earth Environmental & Geotechnical Ltd	
~Site Reference: Louisa Street	
~Project / Job Ref: A4755	
~Order No: A4755/CL/02	
Reporting Date: 21/02/2025	

Acronym	Description
HS	Headspace analysis
EH	Extractable Hydrocarbons - i.e. everything extracted by the solvent
CU	Clean-up - e.g. by florisil, silica gel
1D	GC - Single coil gas chromatography
2D	GC-GC - Double coil gas chromatography
Total	Aliphatics & Aromatics
AL	Aliphatics only
AR	Aromatics only
#1	EH_2D_Total but with humics mathematically subtracted
#2	EH_2D_Total but with fatty acids mathematically subtracted
	Operator - underscore to separate acronyms (exception for +)
+	Operator to indicate cumulative eg. EH+HS_Total or EH_CU+HS_Total
~	Sample details provided by customer and can affect the validity of results

Det - Acronym