
EXISTING FRONT SHOPFRONT



PROPOSED FRONT SHOPFRONT SIGNAGE




NOTE - ALL SIGNAGE TO BE MEASURED AND CHECKED BY SIGNAGE COMPANY PRIOR TO MANUFACTURE

SIGN: S1
(BLACK WITH ORANGE GDK & GERMAN DONER KEBAB, ILLUMINATED SIGN)
SIGN QUANTITY: 1 off

FRONT VIEW:




SIDE VIEW:




SIGN: S2
(BLACK WITH ORANGE KEBAB IN DIAMOND, NONE ILLUMINATED SIGN)
SIGN QUANTITY: 2 off

FRONT VIEW:




SIGN: S3
(BLACK WITH WHITE KEBABS DONE RIGHT, ILLUMINATED SIGN)
SIGN QUANTITY: 1 off

FRONT VIEW:




SIDE VIEW:




SIGN: S4
(ORANGE, NONE ILLUMINATED SIGN)
SIGN QUANTITY: 2 off

FRONT VIEW:




SIGN: S5
(ORANGE, NONE ILLUMINATED SIGN)
SIGN QUANTITY: 1 off

FRONT VIEW:



SIGN: M1
(ORANGE MANIFESTATION, NONE ILLUMINATED)
WINDOW QUANTITY: 2 off
MANIFESTATION QUANTITY PER WINDOW: 6 off

FRONT VIEW:



All water services to avoid items placed against wall when dropping from above.

Pipework to run at 400mm AFFL. and terminate with isolating shut off valves within 1 metre of the final connection.

Prior to delivery and installation of equipment all wall, ceiling and floor finishes must be completed and services terminated within 1 metre of final connection.

Electrical connection to the extract fans are to be carried out by the main contractor on site. Fan speed controllers to be supplied by the catering equipment supplier.

All appropriate equipment to be earth bonded by main electrical contractor.

Means should be provided for the emergency shut down of power, fuel supply and extraction systems to all cooking equipment. The emergency shut down device should be clearly labelled and accessible.

Minimum flow rate for whb - 0.15 litres / sec hot or cold
Minimum flow rate for sink bowls - 0.2 litres / sec hot or cold

Fresh air input to the kitchen to be provided by others.

Gas interlocking system to be supplied and fitted by main M&E contractor in accordance with CORGI recommendations.

- COLD WATER
- HOT WATER
- WASTE
- 13 AMP SWITCH SOCKET OUTLET
- 13 AMP SWITCH FUSE OUTLET
- ELECTRIC ISOLATOR
- CABLE OUTLET
- GAS

Revisions

A. 18/02/25 Layout revised following comments from client. RSS

Northern

Northern Refrigeration & Catering Equipment Ltd
Eckington Business Park
Rotherside Road
Eckington
S21 4HL

Tel: 01246 434340
Fax: 01246 434341

Project

Existing Front Shopfront and New External Signs & Vinyl Details for GDK, Manchester, Fort Shopping Centre

Drawing Number	480-P-17.A
Status	For Approval
Scale	1:20 @ A0
Approved by:	
Date:	7th February 2025

Copyright of this drawing is retained by N.R.C.E. and none of the ideas or arrangements may be used without our written consent.