

Installation Type	Unit of Measure	Capacity/Flow rate (1)	Use Factor (2)	Fixed use (litres/person/day) (3)	Litres/person/day = [(1)x(2)] + (3) (4)
WC (single flush)	Flush Volume (litres)		4.42	0.00	0
WC (dual flush)	Full flush Volume (litres)		1.46	0.00	0
	Part flush Volume (litres)		2.96	0.00	0
WC (multiple fittings)	Average effective flushing Volume (litres)	1.32	4.42	0.00	5.83
Taps (excluding kitchen/utility room taps)	Flow rate (litres/min)	5.70	1.58	1.58	10.59
Bath (where shower also present)	Capacity to overflow(litres)	140.00	0.11	0.00	15.40
Shower (where bath also present)	Flow Rate(litres / minute)	5.70	4.37	0.00	24.91
Bath Only	Capacity to overflow(litres)		0.50	0.00	0
Shower Only	Flow Rate (litres/minute)		5.60	0.00	0
Kitchen/Utility room sink taps	Flow rate (litres/minute)	5.70	0.44	10.36	12.87
Washing Machine	(Litres/kg dry load)	8.17	2.1	0.00	17.157
Dishwasher	(Litres/place setting)	1.25	3.6	0.00	4.5
Waste disposal unit	(Litres/use)	☐ Present	3.08	0.00	0
Water Softener	(Litres/person/day)		1.00	0.00	0
	(5)	Total Calculated use (litres/person/day) =SUM(column 4)			91.26
	(6)	Contribution from greywater (litres/person/day)			0
	(7)	Contribution from rainwater (litres/person/day)			0
	(8)	Normalisation factor			0.91
	(9)	Total internal water consumption = [(5)-(6)-(7)]x(8) (litres/person/day)			83.04
	(10)	External water use			5.0
	(11)	Total water consumption (Building Regulation 17.K) = (9)+(10)(litres/person/day)			88.0

Installation Type	Make/Model (mandatory)	Litres/Person/Day
WC (dual flush)	Lecico Atlas Toilet	13.54
Taps	Grohe Eurosmart basin mixer	10.59
Baths (shower(s) present)	Lecico Atlas Bath	15.40
Showers (bath(s) present)	Grotherm 800	24.91
Kitchen Taps	Grohe Eurosmart single lever mixer	12.87
Washing Machines		17.157
Dishwasher		4.5
Property Type	Houses	
Housing Development	Levenshulme Road	



©Water Research Centre Limited 2023

[Terms and Conditions](#)
[System Requirements](#)