

Important – Planning permission & notices of consent

Compliance with conditions

- Your planning approval or consent is attached. It will contain conditions that you must comply with.
- Please read the conditions and understand their requirements and restrictions, for example submission and approval of details or measures to protect trees.
- Some conditions will require action before you start development and it is imperative that you seek to have these discharged before any work commences.
- Whilst every effort has been made to group conditions logically, it is your responsibility to ensure that you are aware of the requirements and/or restrictions of all conditions.
- If you fail to comply with the conditions this may result in a breach of planning control and this may lead to enforcement action.
- Failure to comply with conditions may also result in the development not being lawful.
- It is in your interests to demonstrate that conditions have been complied with. Failure to do so may cause difficulties if the property is sold or transferred.
- A fee is payable for each request to discharge conditions.
- For advice on any of these matters, please contact Planning, Manchester City Council, PO Box 532, Town Hall, Manchester M60 2LA or email planning@manchester.gov.uk

Town & Country Planning Act 1990 (as amended)

Planning Permission

Applicant

Mr Labeeb Ramzan
LBS Property Solutions Ltd
17 Mount Road
Manchester
M18 5BZ

Agent (if used)

Mr Yasin Ahmed
Y A Architectural Services
Unity House
Fletcher Street
Great Lever
Bolton
BL3 6NE

Part 1 – Particulars of the application/development

Proposal: Change of use of ground floor from retail (Class E) to residential flat (Class C3) with associated elevational alterations

Location: 17 Mount Road, Manchester, M18 7BG

Date of application: 29 November 2024

Application number: 141488/FO/2024

Part 2 – Particulars of decision

Manchester City Council gives notice that the development referred to in Part 1 has been **Approved** in accordance with the application and plans submitted subject to the condition(s) listed below (if any).

Article 35 Declaration

Officers have worked with the applicant in a positive and proactive manner based on seeking solutions to problems arising in relation to dealing with the planning application. The proposal is considered to be acceptable and therefore determined within a timely manner.

Condition(s) attached to this decision

1) The development must be begun not later than the expiration of three years beginning with the date of this permission.

Reason - Required to be imposed pursuant to Section 91 of the Town and Country Planning Act 1990.

2) The development hereby approved shall be carried out in accordance with the following drawings and documents received by the City Council as local planning authority on 11 November 2024 and 29 November 2024:

Planning application forms.
Location plan with a red edge
Existing and proposed plans and elevations Ref: 1991-P01A.

Reason - To ensure that the development is carried out in accordance with the approved plans. Pursuant to policies SP1 and DM1 of the Core Strategy for the City of Manchester.

3) The materials to be used in the reinstatement of brickwork relating to the elevational alterations hereby approved, shall match the existing dwellinghouse, in terms of colour, texture, appearance and method of coursing and pointing.

Reason - In the interests of visual amenity and character of the area, pursuant to policies SP1, EN1 and DM1 of the Core Strategy for the City of Manchester.

4) Before the occupation of the development, a scheme shall be submitted to and approved in writing by the City Council details of window frames and glazing specification relating to all new windows as detailed on drawing referenced Existing and proposed plans and elevations Ref: 1991-P01A. The agreed scheme shall be implemented before the occupation of the development and maintained in situ thereafter.

Reason - Reason - To protect the amenity and living conditions of adjacent residential property from overlooking or perceived overlooking and in accordance with policies SP1 and DM1 of the Core Strategy for the City of Manchester and policy JP-P6 contained within Sustainable Development Joint Development Plan Document - Places for Everyone.

5) The development hereby approved relates to the use of 17 Mount Road Manchester M18 7BG as two self-contained flats and in accordance with the internal layout as detailed in approved drawing referenced: Existing and proposed plans and elevations Ref: 1991-P01A and for no other purposes.

Reason - In the interests of residential amenity, pursuant to policies SP1, EN1 and DM1 of the Core Strategy for the City of Manchester.

6) Upon occupation of the development, the arrangement for the storage of waste and recyclable material, as detailed in drawings referenced Existing and proposed plans and elevations Ref: 1991-P01A, shall be fully implemented and maintained in situ thereafter.

Reason - In the interests of residential amenity and to secure appropriate arrangements for the storage and collection of segregated waste and recycling, pursuant to policies SP1, EN19 and DM1 of the Core Strategy for the City of Manchester

7) a) Before the occupation of the development, a scheme relating to the acoustic insulation of the residential accommodation against noise from Mount Road, and any other noise sources identified as part of a related noise report, and assessing the potential for the overheating of the residential accommodation shall be submitted to and approved in writing by the City Council as local planning authority. The approved acoustic insulation and ventilation scheme shall be completed before any of the dwelling units are occupied.

b) Prior to first occupation of the residential units, a verification report shall be required to validate that the work undertaken throughout the development conforms to the recommendations and requirements in the approved acoustic consultant's report. The report shall also undertake post completion testing to confirm that the internal noise criteria have been met. Any instances of non-conformity with the recommendations in the verification report shall be detailed along with any measures required to be undertaken prior to first occupation of the residential units to ensure compliance with the internal noise criteria.

Reason: To secure a reduction in noise from traffic or other sources and to protect future residents from noise disturbance and to reduce the potential for overheating pursuant to policies SP1 and DM1 of the Core Strategy for the City of Manchester, saved policy DC26 of the Unitary Development Plan and policy JP-P6 contained within Sustainable Development Joint Development Plan Document - Places for Everyone.

Informatives

Building Regulations 2010

This permission does not grant approval under Building Regulations.

Street Naming & Numbering Requirements

Manchester City Council is responsible for allocating street naming and numbering within Manchester for new developments or property conversions. Individuals or businesses are not permitted to allocate their own property numbers, building or street names.

If your development includes the creation of new dwellings (either new build or conversion of existing buildings), creation of new commercial properties or the subdivision of existing properties you must ensure that you request new or changes to addresses through us so they can be officially allocated and registered in accordance with the Public Health Act 1925 Sections 17-19 & Greater Manchester Act 1981 Section 22.

Failure to do this may result in difficulties for the developer/occupier when requiring services such as connections to utilities, phone lines and postal services and may delay your development.

You can apply online at the following address:

http://www.manchester.gov.uk/info/100011/roads_parking_and_transport/1988/naming_and_numbering_of_houses_buildings_streets_and_roads/2

Mining Information

The proposed development lies within an area which could be subject to current coal mining or hazards resulting from past coal mining. Please read the Standing Advice from the Mining Remediation Authority.

Guidance for developers can be found via:

http://www.manchester.gov.uk/info/500207/planning_and_regeneration/1962/additional_planning_guidance/3

It is recommended that requirements for licensing, hoarding / scaffolding, and skips are agreed with the Council Highways Licensing Team via email: highwaylicences@manchester.gov.uk

It is recommended that requirements for temporary pedestrian and traffic management are agreed with the Council Event and Traffic Management Team via email: highwaynetworkmanagement@manchester.gov.uk

Security and crime reduction - The following measures are recommended:

- i. Lighting to all the entrances fitted with a dusk till dawn sensors.
- ii. Consideration should be given to an intruder alarm for each apartment.
- iii. Any alterations to the existing building should be complete to the Secured by Design standards.

Date: 22 January 2025

Signed: 

Julie Roscoe
Director of Planning, Building Control & Licensing

Manchester City Council, P O Box 532, Town Hall, Manchester M60 2LA

Notes

1. This permission refers only to that required under the Town and Country Planning Act 1990 does not include any consent or approval under any other enactment, byelaw, order or regulation.

2 If the applicant is aggrieved by the decision of the local planning authority to refuse permission or approval for the proposed development, or to grant permission or approval subject to conditions, they may appeal to the Secretary of State in accordance with Section 78(1) of the Town and Country Planning Act 1990 within six months of the date of the notice of the decision.

The Planning Inspectorate have introduced an online appeals service that can be used to make appeals online. This service is available through the gov.uk website – www.gov.uk/appeal-planning-decision The Inspectorate will publish details of your appeal on the internet. Alternatively If you are unable to access the online appeal form, please contact the Planning Inspectorate to obtain a paper copy of the appeal form on tel: 0303 444 5000.

The Secretary of State has power to allow a longer period for the giving of a notice of appeal but they will not normally be prepared to exercise this power unless there are special circumstances that excuse the delay in giving notice of appeal.

If you intend to submit an appeal that you would like examined by inquiry then you must notify the City Council (planning@manchester.gov.uk) and the Planning Inspectorate (inquiryappeals@planninginspectorate.gov.uk) at least 10 days before submitting the appeal. Further details are on GOV.UK.

3. The statutory requirements are those set out in Section 79(6) of the Town and Country Planning Act 1990, namely Sections 70(1) and 72(1) of the Act.

4. If either the local planning authority or the Secretary of State refuses permission to develop land or grants it subject to conditions, the owner may claim that they can neither put the land to a reasonably beneficial use in its existing state nor render the land capable of a reasonably beneficial use by the carrying out of any development which has been or would be permitted.

In these circumstances, the owner may serve a purchase notice on the Council in whose area the land is situated. This notice will require the Council to purchase his interest in the land in accordance with the provisions of Part VI of the Town and Country Planning Act 1990

5. In certain circumstances, a claim may be made against the local planning authority for compensation, where permission is refused or granted subject to conditions by the Secretary of State on appeal or on a reference of the application to them. The circumstances in which such compensation is payable are set out in Section 114 of the Town and Country Planning Act 1990.



STANDING ADVICE - DEVELOPMENT LOW RISK AREA

The proposed development lies within a coal mining area which may contain unrecorded coal mining related hazards. If any coal mining feature is encountered during development, this should be reported immediately to the Mining Remediation Authority on 0345 762 6846 or if a hazard is encountered on site call the emergency line 0800 288 4242.

Further information is also available on the Mining Remediation Authority website at: [Mining Remediation Authority - GOV.UK](https://www.mra.gov.uk)

Standing Advice valid from 1st January 2025 until 31st December 2026