
7. Daylight, Sunlight and Overshadowing

Appendix 7.1 – Drawings of the Baseline and Proposed Assessment Scenarios;



SOURCES OF INFORMATION

IR02-20240312-VU.CITY (TILES)
IR66-20241104 - SEW (PLOT K DESIGN FREEZE)
IR67-20241104- SHEDDKM (PLOT J UPDATED DESIGN FREEZE)

ALL INFORMATION DISPLAYED IS SUBJECT TO A COMPLETE VERIFIABLE SITE SURVEY BEING UNDERTAKEN. GIA TAKES NO RESPONSIBILITY ON THE ACCURACY OR RELIABILITY OF THE DISPLAYED DATA SINCE A VERIFIED SITE SURVEY WAS NOT MADE AVAILABLE PRIOR TO THE GENERATION OF SUCH INFORMATION.

NOTES:
EXISTING SCENARIO IN SEPIA
ALL HEIGHTS AND DIMENSIONS GIVEN IN m AOD

N.B. DO NOT SCALE OFF THIS DRAWING

PROJECT:


MAYFIELD PHASE 1B, MANCHESTER

DRAWING NAME:
PLAN VIEW EXISTING

DWN BY	SCALE	CHK BY	DATE	REV No.
EW	NTS	SP	15/11/2024	-
PROJ No.	REL No.	ADDR No.	IS No.	DWG No.
20569	07	####	01	01

gia
The Whitehouse
Belvedere Road
London SE1 8GA
t 020 7202 1400
f 020 7202 1401
mail@gia.uk.com
www.gia.uk.com

LONDON • DUBLIN • MANCHESTER • BELFAST • BRISTOL



SOURCES OF INFORMATION

IR02-20240312-VU.CITY (TILES)
IR66-20241104 - SEW (PLOT K DESIGN FREEZE)
IR67-20241104- SHEDDKM (PLOT J UPDATED DESIGN FREEZE)

ALL INFORMATION DISPLAYED IS SUBJECT TO A COMPLETE VERIFIABLE SITE SURVEY BEING UNDERTAKEN. GIA TAKES NO RESPONSIBILITY ON THE ACCURACY OR RELIABILITY OF THE DISPLAYED DATA SINCE A VERIFIED SITE SURVEY WAS NOT MADE AVAILABLE PRIOR TO THE GENERATION OF SUCH INFORMATION.

NOTES:
EXISTING SCENARIO IN SEPIA
ALL HEIGHTS AND DIMENSIONS GIVEN IN m AOD

N.B. DO NOT SCALE OFF THIS DRAWING

PROJECT:
MAYFIELD PHASE 1B, MANCHESTER

DRAWING NAME:
3D VIEW1 EXISTING

DWN BY	SCALE	CHK BY	DATE	REV No.
EW	NTS	SP	15/11/2024	-
PROJ No.	REL No.	ADDR No.	IS No.	DWG No.
20569	07	-	01	02

gia
The Whitehouse
Belvedere Road
London SE1 8GA
t 020 7202 1400
f 020 7202 1401
mail@gia.uk.com
www.gia.uk.com
LONDON • DUBLIN • MANCHESTER • BELFAST • BRISTOL

Brydon Avenue
37-49
79-83
80-85
82-86
94
49.628
50.158
58.541
25-41
Poddock Street
51.255
Hoyle Street
Calebread Street
60.682
46.319
Mancunian Way
UNITE STUDENTS
MILL POINT
90.574
PICCADILLY
POINT
61.252
London Road
52.127
STAR & GARTER
FAIRFIELD STREET
53.621
84-90
BULLS HEAD
HOTEL
84 LONDON ROAD
57.316
1-42

SOURCES OF INFORMATION

IR02-20240312-VU.CITY (TILES)
IR66-20241104 - SEW (PLOT K DESIGN FREEZE)
IR67-20241104- SHEDDKM (PLOT J UPDATED DESIGN FREEZE)

ALL INFORMATION DISPLAYED IS SUBJECT TO A COMPLETE VERIFIABLE SITE SURVEY BEING UNDERTAKEN. GIA TAKES NO RESPONSIBILITY ON THE ACCURACY OR RELIABILITY OF THE DISPLAYED DATA SINCE A VERIFIED SITE SURVEY WAS NOT MADE AVAILABLE PRIOR TO THE GENERATION OF SUCH INFORMATION.

NOTES:
EXISTING SCENARIO IN SEPIA
ALL HEIGHTS AND DIMENSIONS GIVEN IN m AOD

N.B. DO NOT SCALE OFF THIS DRAWING


PROJECT:
MAYFIELD PHASE 1B, MANCHESTER

DRAWING NAME:
3D VIEW2 EXISTING

DWN BY	SCALE	CHK BY	DATE	REV No.
EW	NTS	SP	15/11/2024	-
PROJ No.	REL No.	ADDR No.	IS No.	DWG No.
20569	07	-	01	03

gia
The Whitehouse
Belvedere Road
London SE1 8GA
t 020 7202 1400
f 020 7202 1401
mail@gia.uk.com
www.gia.uk.com

LONDON • DUBLIN • MANCHESTER • BELFAST • BRISTOL



SOURCES OF INFORMATION

IR02-20240312-VU.CITY (TILES)
IR66-20241104 - SEW (PLOT K DESIGN FREEZE)
IR67-20241104- SHEDDKM (PLOT J UPDATED DESIGN FREEZE)

ALL INFORMATION DISPLAYED IS SUBJECT TO A COMPLETE VERIFIABLE SITE SURVEY BEING UNDERTAKEN. GIA TAKES NO RESPONSIBILITY ON THE ACCURACY OR RELIABILITY OF THE DISPLAYED DATA SINCE A VERIFIED SITE SURVEY WAS NOT MADE AVAILABLE PRIOR TO THE GENERATION OF SUCH INFORMATION.

NOTES:
PROPOSED SCENARIO IN TEAL
ALL HEIGHTS AND DIMENSIONS GIVEN IN m AOD

N.B. DO NOT SCALE OFF THIS DRAWING

PROJECT:


MAYFIELD PHASE 1B, MANCHESTER

DRAWING NAME:
PLAN VIEW PROPOSED

DWN BY	SCALE	CHK BY	DATE	REV No.
EW	NTS	SP	15/11/2024	-
PROJ No.	REL No.	ADDR No.	IS No.	DWG No.
20569	07	-	01	04

gia
The Whitehouse
Belvedere Road
London SE1 8GA
t 020 7202 1400
f 020 7202 1401
mail@gia.uk.com
www.gia.uk.com

LONDON • DUBLIN • MANCHESTER • BELFAST • BRISTOL



SOURCES OF INFORMATION

IR02-20240312-VU.CITY (TILES)
IR66-20241104 - SEW (PLOT K DESIGN FREEZE)
IR67-20241104- SHEDDKM (PLOT J UPDATED DESIGN FREEZE)

ALL INFORMATION DISPLAYED IS SUBJECT TO A COMPLETE VERIFIABLE SITE SURVEY BEING UNDERTAKEN. GIA TAKES NO RESPONSIBILITY ON THE ACCURACY OR RELIABILITY OF THE DISPLAYED DATA SINCE A VERIFIED SITE SURVEY WAS NOT MADE AVAILABLE PRIOR TO THE GENERATION OF SUCH INFORMATION.

NOTES:
PROPOSED SCENARIO IN TEAL
ALL HEIGHTS AND DIMENSIONS GIVEN IN m AOD

N.B. DO NOT SCALE OFF THIS DRAWING

PROJECT:


MAYFIELD PHASE 1B, MANCHESTER

DRAWING NAME:
3D VIEW1 PROPOSED

DWN BY	SCALE	CHK BY	DATE	REV No.
EW	NTS	SP	15/11/2024	-
PROJ No.	REL No.	ADDR No.	IS No.	DWG No.
20569	07	-	01	05

gia
The Whitehouse
Belvedere Road
London SE1 8GA
t 020 7202 1400
f 020 7202 1401
mail@gia.uk.com
www.gia.uk.com

LONDON • DUBLIN • MANCHESTER • BELFAST • BRISTOL



SOURCES OF INFORMATION

IR02-20240312-VU.CITY (TILES)
IR66-20241104 - SEW (PLOT K DESIGN FREEZE)
IR67-20241104- SHEDDKM (PLOT J UPDATED DESIGN FREEZE)

ALL INFORMATION DISPLAYED IS SUBJECT TO A COMPLETE VERIFIABLE SITE SURVEY BEING UNDERTAKEN. GIA TAKES NO RESPONSIBILITY ON THE ACCURACY OR RELIABILITY OF THE DISPLAYED DATA SINCE A VERIFIED SITE SURVEY WAS NOT MADE AVAILABLE PRIOR TO THE GENERATION OF SUCH INFORMATION.

NOTES:
PROPOSED SCENARIO IN TEAL
ALL HEIGHTS AND DIMENSIONS GIVEN IN m AOD

N.B. DO NOT SCALE OFF THIS DRAWING

PROJECT:
MAYFIELD PHASE 1B,
MANCHESTER

DRAWING NAME:
3D VIEW2 PROPOSED

DWN BY	SCALE	CHK BY	DATE	REV No.
EW	NTS	SP	15/11/2024	-
PROJ No.	REL No.	ADDR No.	IS No.	DWG No.
20569	07	-	01	06

gia
The Whitehouse
Belvedere Road
London SE1 8GA
t 020 7202 1400
f 020 7202 1401
mail@gia.uk.com
www.gia.uk.com

LONDON • DUBLIN • MANCHESTER • BELFAST • BRISTOL

Appendix 7.2 – Daylight and Sunlight Results for Baseline v Proposed;

					VSC(WINDOW)			NSL				APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
25-41 PADDOCK STREET & 21 THIRSK STREET																	
F00	R1	Residential	Unknown	W1/F00	37.9	25.5	12.4	32.7	99.5	0	0						
				W2/F00	37.8	25.7	12.1	32									
				W37/F00	34.7	27.5	7.2	20.7									
	R2	Residential	Unknown	W3/F00	37.7	26	11.7	31	81.8	2.6	15.4						
	R3	Residential	Unknown	W4/F00	37.7	26.4	11.3	30	99.3	0	0						
				W5/F00	37.6	26.7	10.9	29									
	R4	Residential	Unknown	W6/F00	37.5	26.8	10.7	28.5	99	0	0						
				W7/F00	37.1	26.8	10.3	27.8									
	R5	Residential	Unknown	W8/F00	36.9	27.4	9.5	25.7	83.7	2.6	12.7						
	R6	Residential	Unknown	W9/F00	36.7	27.8	8.9	24.3	95.4	0	0.1						
	R7	Residential	Unknown	W10/F00	36.2	27.7	8.5	23.5	98.8	0	0						
				W11/F00	35.4	27.3	8.1	22.9									
	R8	Residential	Unknown	W12/F00	34.8	27	7.8	22.4	99.1	0	0						
				W13/F00	34.5	27	7.5	21.7									
	R9	Residential	Unknown	W14/F00	33.2	25.8	7.4	22.3	99.1	0.1	0.3						
				W15/F00	31.5	24.4	7.1	22.5									
	R10	Residential	Unknown	W16/F00	35.7	26.3	9.4	26.3	61.3	5.9	35.8						
	R11	Residential	Unknown	W17/F00	36.1	26.4	9.7	26.9	92.7	1.1	6.5						
				W18/F00	36.2	26.3	9.9	27.3									
	R12	Residential	Unknown	W19/F00	36.3	26.2	10.1	27.8	94.2	0.9	5.4						
				W20/F00	36.5	26.1	10.4	28.5									
	R13	Residential	Unknown	W21/F00	36.6	25.8	10.8	29.5	93.5	0.9	6.2						
				W22/F00	36.6	25.6	11	30.1									
	R14	Residential	Unknown	W23/F00	36.5	25.4	11.1	30.4	83.7	1.7	15.2						
	R15	Residential	Unknown	W24/F00	31.7	28	3.7	11.7	98.7	0.1	0.4	40	9	40	9	0	0
				W25/F00	31	31	0	0									
				W26/F00	30.9	26.7	4.2	13.6									
	R17	Residential	Unknown	W29/F00	29.9	29.9	0	0	90.9	0	0	87	21	87	21	0	0
				W32/F00	32.9	32.9	0	0									
	R18	Residential	Unknown	W30/F00	30.1	24.9	5.2	17.3	89.3	1.8	10.1						

					VSC(WINDOW)			NSL				APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W31/F00	30.7	24	6.7	21.8									
	R19	Residential	Unknown	W33/F00	25.9	25.9	0	0	87.4	0.6	4.8	70	13	70	13	0	0
				W34/F00	34.8	28.9	5.9	17									
F01	R1	Residential	Unknown	W1/F01	31.8	19.8	12	37.7	99.6	0	0						
				W2/F01	29.9	18.4	11.5	38.5									
				W38/F01	37.3	30.2	7.1	19									
				W39/F01	37.2	29.9	7.3	19.6									
	R2	Residential	Unknown	W3/F01	31.8	20.3	11.5	36.2	99.8	0	0						
	R3	Residential	Unknown	W4/F01	29.9	18.9	11	36.8	66.3	2.5	31.1						
	R4	Residential	Unknown	W5/F01	29.9	19.1	10.8	36.1	78.2	1.6	18.5						
	R5	Residential	Unknown	W6/F01	31.7	21	10.7	33.8	97.8	0.1	1.6						
	R6	Residential	Unknown	W7/F01	29.8	19.7	10.1	33.9	80.3	1.4	16.5						
	R7	Residential	Unknown	W8/F01	31.7	21.6	10.1	31.9	97.9	0.1	1.2						
	R8	Residential	Unknown	W9/F01	31.6	22.1	9.5	30.1	98.8	0	0						
	R9	Residential	Unknown	W10/F01	29.7	20.6	9.1	30.6	81.5	1.3	15.3						
	R10	Residential	Unknown	W11/F01	29.6	20.8	8.8	29.7	83.9	1.1	12.4						
	R11	Residential	Unknown	W12/F01	31.3	22.5	8.8	28.1	97	0.2	1.9						
	R12	Residential	Unknown	W13/F01	31.1	22.8	8.3	26.7	98.7	0	0.3						
	R13	Residential	Unknown	W14/F01	29.1	21.1	8	27.5	81.7	1.3	15.4						
	R14	Residential	Unknown	W15/F01	28.9	21.2	7.7	26.6	87.4	0.8	8.9						
	R15	Residential	Unknown	W16/F01	30.5	22.9	7.6	24.9	98.2	0.1	1						
	R16	Residential	Unknown	W17/F01	30	22.8	7.2	24	99.7	0	0						
	R17	Residential	Unknown	W18/F01	27.6	20.6	7	25.4	85.8	0.9	10.8						
	R18	Residential	Unknown	W19/F01	30.4	21.5	8.9	29.3	70.5	2.1	26.8						
	R19	Residential	Unknown	W20/F01	30.5	21.4	9.1	29.8	95.2	0.4	4.5						
	R20	Residential	Unknown	W21/F01	30.7	21.2	9.5	30.9	81	1.6	18.5						
	R21	Residential	Unknown	W22/F01	30.8	21.1	9.7	31.5	77.4	1.6	19.7						
	R22	Residential	Unknown	W23/F01	30.9	20.9	10	32.4	62	2.7	35.9						
	R23	Residential	Unknown	W24/F01	30.9	20.7	10.2	33	88.7	0.9	11						
	R24	Residential	Unknown	W25/F01	31	20.5	10.5	33.9	82.9	2.3	15.4						
				W26/F01	31.1	20.3	10.8	34.7									

					VSC(WINDOW)			NSL				APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R25	Residential	Unknown	W27/F01	31.1	20.1	11	35.4	82.9	1.8	16						
	R26	Residential	Unknown	W28/F01	28.9	23.8	5.1	17.6	98.5	0.1	0.4	55	15	55	15	0	0
				W29/F01	34.9	34.9	0	0									
				W30/F01	26.7	21.5	5.2	19.5									
				W31/F01	34.6	34.6	0	0									
	R27	Residential	Unknown	W32/F01	28.2	22.3	5.9	20.9	94.5	0.5	5.3						
	R28	Residential	Unknown	W33/F01	34.1	34.1	0	0	93.4	0	0	95	27	95	27	0	0
				W35/F01	34.2	34.2	0	0									
	R29	Residential	Unknown	W34/F01	26.7	20.3	6.4	24	84.4	0.1	1.6						
	R30	Residential	Unknown	W36/F01	27.7	27.7	0	0	89.2	0.4	2.4	69	15	69	15	0	0
				W37/F01	37.2	30.3	6.9	18.5									
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET																	
F00	R2	Residential	Unknown	W3/F00	36.9	35	1.9	5.1	89.3	1	6.7						
	R3	Residential	Unknown	W4/F00	36.1	34.3	1.8	5	87.8	1.4	8.6						
	R4	Residential	Unknown	W5/F00	34.1	31.4	2.7	7.9	98.4	0	0.2						
				W7/F00	29.5	25	4.5	15.3									
	R6	Residential	Kitchen***	W8/F00	31.8	28.3	3.5	11	94.8	0	0						
	R8	Residential	Kitchen***	W10/F00	31.8	28.2	3.6	11.3	94.5	0	0						
	R10	Residential	Kitchen***	W12/F00	31.7	28	3.7	11.7	94.6	0	0						
	R12	Residential	Kitchen***	W14/F00	30.9	27	3.9	12.6	94.6	0	0						
	R14	Residential	Unknown	W16/F00	33.9	29.7	4.2	12.4	89.7	0.9	6.6						
	R15	Residential	Unknown	W17/F00	34.5	27.4	7.1	20.6	99.5	0	0.5	79	24	79	24	0	0
				W18/F00	34.9	34.9	0	0									
	R17	Residential	Unknown	W20/F00	34.3	26.4	7.9	23	96.6	0.3	3.3						
	R19	Residential	Unknown	W22/F00	34.7	26.1	8.6	24.8	94.9	0.4	4.9						
	R21	Residential	Unknown	W24/F00	34.9	25.9	9	25.8	94.8	0.4	5.1						
	R23	Residential	Unknown	W27/F00	35.6	25.7	9.9	27.8	85.9	1.1	12.8						
F01	R1	Residential	Unknown	W1/F01	38.7	35.4	3.3	8.5	99	0	0.4	39	17	39	17	0	0
				W2/F01	24.3	24.3	0	0									
	R2	Residential	Unknown	W3/F01	25.8	24	1.8	7	99.8	0	0.1	65	22	65	22	0	0

					VSC(WINDOW)			NSL				APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W4/F01	38.2	38.2	0	0									
	R3	Residential	Unknown	W5/F01	25.6	23.7	1.9	7.4	99.9	0	0						
	R4	Residential	Unknown	W6/F01	25.6	23.6	2	7.8	97.2	0	0.1						
	R5	Residential	Unknown	W7/F01	25.5	23.5	2	7.8	99.8	0	0.1						
	R6	Residential	Unknown	W8/F01	24.9	22.2	2.7	10.8	98.7	0.1	0.8						
	R7	Residential	Unknown	W9/F01	24.7	22.1	2.6	10.5	97.7	0	0.2						
	R8	Residential	Bedroom	W10/F01	13.6	10	3.6	26.5	99.8	0	0						
	R10	Residential	Bedroom	W12/F01	13.6	9.9	3.7	27.2	99.8	0	0						
	R12	Residential	Bedroom	W14/F01	13.5	9.7	3.8	28.1	100	0	0						
	R14	Residential	Bedroom	W16/F01	13.4	9.2	4.2	31.3	99.8	0	0						
	R16	Residential	Unknown	W18/F01	36.5	31.5	5	13.7	93.6	0	0						
				W19/F01	36.5	31.3	5.2	14.2									
	R17	Residential	Unknown	W20/F01	22.3	14.8	7.5	33.6	96.5	0.3	3.2						
	R18	Residential	Unknown	W21/F01	22	14.2	7.8	35.5	67.2	2.2	30.8						
	R19	Residential	Unknown	W22/F01	21.9	14	7.9	36.1	94.1	0.5	5.8						
	R20	Residential	Unknown	W23/F01	21.8	13.7	8.1	37.2	66.2	2.3	31.9						
	R21	Residential	Unknown	W24/F01	21.8	13.5	8.3	38.1	92.4	0.7	7.4						
	R22	Residential	Unknown	W25/F01	21.8	13.2	8.6	39.4	67.8	2.2	30.6						
	R23	Residential	Unknown	W26/F01	21.7	13	8.7	40.1	92.1	0.7	7.7						
	R24	Residential	Unknown	W27/F01	21.7	12.7	9	41.5	63.8	2.4	34.4						
	R25	Residential	Unknown	W28/F01	21.6	12.1	9.5	44	81.9	1.6	18						
	R26	Residential	Unknown	W29/F01	22	12.4	9.6	43.6	49.9	3.7	48.7						
F02	R1	Residential	Kitchen***	W1/F02	7	4.9	2.1	30	81.7	0	0						
	R3	Residential	Kitchen***	W3/F02	7.1	4.8	2.3	32.4	81.8	0	0						
	R5	Residential	Kitchen***	W5/F02	7.1	4.6	2.5	35.2	81.8	0	0.1						
	R7	Residential	Kitchen***	W7/F02	7.1	4.4	2.7	38	81.7	0	0						
	R9	Residential	Unknown	W9/F02	36.3	30.9	5.4	14.9	93.3	0	0						
				W10/F02	36.2	30.7	5.5	15.2									
F03	R1	Residential	Bedroom	W1/F03	27.8	23.7	4.1	14.7	99.8	0	0						
	R3	Residential	Bedroom	W3/F03	27.8	23.5	4.3	15.5	99.9	0	0						
	R5	Residential	Bedroom	W5/F03	27.8	23.1	4.7	16.9	99.9	0	0						

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R7	Residential	Bedroom	W7/F03	27.8	22.8	5	18	99.8	0	0						
94 COTTER STREET																	
F00	R1	Residential	Unknown	W1/F00	35.2	25.8	9.4	26.7	94	0.5	5.8						
F01	R1	Residential	Unknown	W1/F01	21.7	12.5	9.2	42.4	88.5	1	11.3						
	R2	Residential	Unknown	W2/F01	21.7	12.3	9.4	43.3	50.7	3.4	47.9						
82 BRYDON AVENUE																	
F00	R1	Residential	Unknown	W1/F00	36.6	34.7	1.9	5.2	85.7	1.5	9.7						
F01	R1	Residential	Unknown	W1/F01	25.6	23.7	1.9	7.4	99.6	0	0.2						
	R2	Residential	Unknown	W2/F01	25.6	23.7	1.9	7.4	97.3	0	0.2						
86 BRYDON AVENUE																	
F00	R1	Residential	Unknown	W1/F00	35.3	33.8	1.5	4.2	84.8	1.6	10.1						
	R2	Residential	Unknown	W2/F00	30.6	30.6	0	0	97.5	0.3	2.1	67	15	67	15	0	0
				W3/F00	33.3	29.6	3.7	11.1									
F01	R1	Residential	Unknown	W1/F01	25.4	23.3	2.1	8.3	99.2	0	0.4						
	R2	Residential	Unknown	W2/F01	25.4	23.4	2	7.9	97.8	0	0.1						
	R3	Residential	Unknown	W3/F01	23.4	23.4	0	0	99.7	0	0.1	56	22	56	22	0	0
				W4/F01	36.1	31	5.1	14.1									
79 BRYDON AVENUE																	
F00	R2	Residential	Kitchen***	W2/F00	35	33.3	1.7	4.9	97.7	0	0.1						
F01	R1	Residential	Unknown	W1/F01	24.7	22.6	2.1	8.5	98.3	0.1	0.6						
	R2	Residential	Unknown	W2/F01	25	23	2	8	96.8	0	0						
37-49 BRYDON AVENUE																	
F00	R1	Residential	Unknown	W1/F00	30.9	29.8	1.1	3.6	96.5	0.2	1.1						
	R4	Residential	Unknown	W6/F00	31.4	31.4	0	0	97.7	0	0						
	R5	Residential	Unknown	W7/F00	31.2	30.4	0.8	2.6	96.9	0.2	1						
	R8	Residential	Unknown	W12/F00	32.2	32.2	0	0	97.7	0	0						

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R9	Residential	Unknown	W13/F00	31.5	30.3	1.2	3.8	97.7	0	0.1						
	R12	Residential	Unknown	W16/F00	32.7	32.7	0	0	97.7	0	0						
	R13	Residential	Unknown	W17/F00	32.1	32.1	0	0	97.4	0	0						
F01	R1	Residential	Unknown	W1/F01	32	30.1	1.9	5.9	99.1	0	0						
	R2	Residential	Unknown	W2/F01	32.1	30.2	1.9	5.9	97.8	0	0						
	R3	Residential	Unknown	W3/F01	32.1	30.3	1.8	5.6	97.8	0	0.1						
	R4	Residential	Unknown	W4/F01	32.1	30.4	1.7	5.3	98.9	0	0.3						
	R5	Residential	Unknown	W5/F01	32.1	30.4	1.7	5.3	99.2	0	0						
	R6	Residential	Unknown	W6/F01	32.1	30.5	1.6	5	97.7	0	0						
	R7	Residential	Unknown	W7/F01	32.2	30.5	1.7	5.3	97.3	0	0						
	R8	Residential	Unknown	W8/F01	32.2	30.6	1.6	5	99.1	0	0						
	R9	Residential	Unknown	W9/F01	30.6	28.8	1.8	5.9	99.2	0	0						
	R10	Residential	Unknown	W10/F01	31.1	29.3	1.8	5.8	97.6	0	0						
	R11	Residential	Unknown	W11/F01	31.6	29.9	1.7	5.4	97.4	0	0						
	R12	Residential	Unknown	W12/F01	32.1	30.5	1.6	5	99.2	0	0						
	R13	Residential	Unknown	W13/F01	31.7	29.9	1.8	5.7	97.6	0	0						
	R14	Residential	Unknown	W14/F01	31.9	30	1.9	6	99	0	0.2						
11-35 BRYDON AVENUE																	
F00	R1	Residential	Unknown	W1/F00	31.3	29.9	1.4	4.5	96.6	0	0						
	R4	Residential	Unknown	W4/F00	30.1	30.1	0	0	96.7	0	0						
	R5	Residential	Unknown	W5/F00	30.3	29.2	1.1	3.6	96.8	0	0						
	R8	Residential	Unknown	W8/F00	29.2	29.2	0	0	96.8	0	0						
	R9	Residential	Unknown	W9/F00	30.4	29.4	1	3.3	96.7	0	0						
	R12	Residential	Unknown	W12/F00	29.7	29.7	0	0	94.7	0	0						
	R13	Residential	Unknown	W13/F00	32.4	31.2	1.2	3.7	97.6	0	0						
	R16	Residential	Unknown	W16/F00	31.1	31.1	0	0	97.5	0	0						
	R17	Residential	Unknown	W17/F00	31.6	30.7	0.9	2.8	97.5	0	0						
	R20	Residential	Unknown	W20/F00	31.3	31.3	0	0	97.6	0	0						
	R21	Residential	Unknown	W21/F00	31.6	30.6	1	3.2	97.5	0	0						
	R24	Residential	Unknown	W24/F00	25.8	25.8	0	0	92.1	0	0						

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R26	Residential	Unknown	W26/F00	31.3	31.3	0	0	97.6	0	0						
F01	R1	Residential	Unknown	W1/F01	32.3	30.7	1.6	5	85	0.8	8.7						
	R2	Residential	Unknown	W2/F01	32.2	30.8	1.4	4.3	92.8	0	0						
	R3	Residential	Unknown	W3/F01	32.2	30.8	1.4	4.3	84.9	0.8	8.6						
	R4	Residential	Unknown	W4/F01	32.1	30.8	1.3	4	92.7	0	0						
	R5	Residential	Unknown	W5/F01	32.1	30.8	1.3	4	86.9	0.6	6.4						
	R6	Residential	Unknown	W6/F01	31.8	30.6	1.2	3.8	91.7	0	0						
	R7	Residential	Unknown	W7/F01	29.8	28.5	1.3	4.4	99	0	0						
	R8	Residential	Unknown	W8/F01	27.9	26.7	1.2	4.3	97.5	0	0						
	R9	Residential	Unknown	W9/F01	27.9	26.8	1.1	3.9	97.5	0	0						
	R10	Residential	Unknown	W10/F01	29.8	28.7	1.1	3.7	99.1	0	0						
	R11	Residential	Unknown	W11/F01	29.8	28.7	1.1	3.7	99.1	0	0						
	R12	Residential	Unknown	W12/F01	28	27	1	3.6	97.2	0	0						
	R13	Residential	Unknown	W13/F01	28.1	27	1.1	3.9	97.5	0	0						
	R14	Residential	Unknown	W14/F01	29.9	28.9	1	3.3	99.1	0	0						
	R15	Residential	Unknown	W15/F01	29.3	28.3	1	3.4	99.1	0	0						
	R16	Residential	Unknown	W16/F01	27.3	26.4	0.9	3.3	98.8	0	0						
	R17	Residential	Unknown	W17/F01	27.3	26.4	0.9	3.3	97.6	0	0						
	R18	Residential	Unknown	W18/F01	28.9	28	0.9	3.1	98.9	0	0						
	R19	Residential	Unknown	W19/F01	26.9	26.1	0.8	3	98.5	0	0						
	R20	Residential	Unknown	W20/F01	28.8	28	0.8	2.8	99	0	0						
81 BRYDON AVENUE																	
F00	R1	Residential	Kitchen***	W1/F00	34.3	32.3	2	5.8	97.8	0	0.1						
F01	R1	Residential	Unknown	W1/F01	24.6	22.3	2.3	9.3	98.2	0.1	0.6						
	R2	Residential	Unknown	W2/F01	24.6	22.5	2.1	8.5	97	0	0						
83 BRYDON AVENUE																	
F00	R1	Residential	Kitchen***	W1/F00	33.7	31.6	2.1	6.2	97.7	0	0.2						
F01	R1	Residential	Unknown	W1/F01	24.6	22.2	2.4	9.8	98.2	0.1	0.8						
	R2	Residential	Unknown	W2/F01	24.6	22.2	2.4	9.8	96.8	0	0						

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
10-42 FAIRFIELD STREET																	
F01	R1	Residential	Bedroom	W1/F01	21.9	21.8	0.1	0.5	84.1	0	0	62	11	62	11	0	0
				W2/F01	22.2	22.2	0	0									
	R3	Residential	Bedroom	W5/F01	20	20	0	0	95.9	0	0	63	16	63	16	0	0
				W6/F01	30.4	30.3	0.1	0.3									
				W7/F01	25.8	25.7	0.1	0.4									
	R4	Residential	Bedroom	W8/F01	29.2	29.2	0	0	97.9	0	0						
				W9/F01	28.4	28.4	0	0									
F02	R1	Residential	Bedroom	W1/F02	23.9	23.9	0	0	76.6	0	0	66	13	66	13	0	0
				W2/F02	24.2	24.2	0	0									
	R3	Residential	Bedroom	W5/F02	25.4	25.4	0	0	99.2	0	0	74	16	74	16	0	0
				W6/F02	33.5	33.5	0	0									
				W7/F02	31.4	31.3	0.1	0.3									
	R4	Residential	Bedroom	W8/F02	31	30.9	0.1	0.3	98.5	0	0						
				W9/F02	30.6	30.6	0	0									
F03	R1	Residential	Bedroom	W1/F03	25.5	25.5	0	0	74.5	0	0	65	14	65	14	0	0
				W2/F03	25.5	25.5	0	0									
	R3	Residential	Bedroom	W4/F03	21.9	21.9	0	0	100	0	0	70	17	70	17	0	0
				W5/F03	22.6	22.6	0	0									
				W6/F03	31.3	31.2	0.1	0.3									
				W7/F03	31.7	31.6	0.1	0.3									
				W8/F03	29.1	29.1	0	0									
				W9/F03	28.1	28	0.1	0.4									
	R4	Residential	Bedroom	W10/F03	31.9	31.8	0.1	0.3	91.9	0	0						
				W11/F03	32.6	32.5	0.1	0.3									
BULLS HEAD HOTEL 84 LONDON ROAD																	
F01	R1	Residential	Bedroom	W1/F01	29.1	29.1	0	0	99.7	0	0						
				W10/F01	32.7	32.7	0	0									
	R2	Residential	Kitchen***	W2/F01	28	28	0	0	96	0	0						

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R6	Residential	Bedroom	W7/F01	21.5	21.5	0	0	93.7	0	0	44	6	44	6	0	0
	R7	Residential	Bedroom	W8/F01	22.9	22.9	0	0	97.6	0	0	49	9	49	9	0	0
				W9/F01	32.9	32.9	0	0									
F02	R2	Residential	Bedroom	W2/F02	28.9	28.9	0	0	95.4	0	0						
	R3	Residential	Bedroom	W3/F02	28	28	0	0	86.1	0	0						
	R5	Residential	Bedroom	W5/F02	22.9	22.9	0	0	99.9	0	0	63	16	63	16	0	0
				W6/F02	23.9	23.9	0	0									
				W8/F02*	72.8	72.8	0	0									
	R6	Residential	Bedroom	W7/F02	24.9	24.9	0	0	87.4	0	0	49	11	49	11	0	0
	R7	Residential	Bedroom	W9/F02	25.9	25.9	0	0	98	0	0	67	17	67	17	0	0
				W10/F02	33.1	33.1	0	0									
				W12/F02*	86.8	86.8	0	0									
STAR & GARTER FAIRFIELD STREET																	
F02	R1**	Residential	Unknown	W1/F02	33.5	33.5	0	0	97	0	0						
				W2/F02	33.2	33.2	0	0									
	R2	Residential	Unknown	W3/F02	32	32	0	0	92.4	0	0						
	R3	Residential	Unknown	W4/F02	32.5	32.2	0.3	0.9	92	0	0	83	24	83	24	0	0
				W5/F02	32.6	32.3	0.3	0.9									
PICCADILLY POINT																	
F00	R1**	Student	LKD	W1/F00	25.7	25.7	0	0	99.2	0	0						
	R2**	Student	LKD	W2/F00	28.5	27.7	0.8	2.8	98	0	0	62	14	59	11	4.8	21.4
	R3	Student	Bedroom	W3/F00	27.8	26.9	0.9	3.2	98.6	0	0	59	13	56	10	5.1	23.1
	R4	Student	Bedroom	W4/F00	27.3	26.3	1	3.7	97.8	0	0	58	12	55	9	5.2	25
	R5	Student	Bedroom	W5/F00	26.5	25.4	1.1	4.2	99.2	0	0	57	12	55	10	3.5	16.7
	R6	Student	Bedroom	W6/F00	25.6	24.4	1.2	4.7	91.7	0	0	55	12	52	9	5.5	25
	R7	Student	Bedroom	W7/F00	24.6	23.4	1.2	4.9	88.9	0	0	54	12	51	9	5.6	25
	R8	Student	Studio-Apt	W8/F00	23.4	22.2	1.2	5.1	77.3	0	0	49	9	46	6	6.1	33.3
				W9/F00	21.7	20.5	1.2	5.5									
	R9	Student	Bedroom	W10/F00	19.3	18.2	1.1	5.7	21.8	0	0	41	7	38	4	7.3	42.9

					VSC(WINDOW)			NSL				APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R10	Student	Bedroom	W11/F00	17.8	16.6	1.2	6.7	29.5	0	0	39	5	36	2	7.7	60
	R11	Student	Bedroom	W12/F00	16.3	15.1	1.2	7.4	20.4	0	0	33	4	30	1	9.1	75
	R12	Student	Bedroom	W13/F00	15.2	14.1	1.1	7.2	27.9	0	0	33	3	30	0	9.1	100
	R13	Student	Bedroom	W14/F00	13.8	13	0.8	5.8	20.4	0	0	33	2	31	0	6.1	100
	R14**	Student	LKD	W15/F00	12.8	12.3	0.5	3.9	12.8	0	0	29	1	28	0	3.4	100
F01	R1	Student	LKD	W1/F01	28.9	28.9	0	0	98.6	0	0.1						
				W2/F01	17.2	16.9	0.3	1.7									
	R2**	Student	LKD	W3/F01	29.9	29	0.9	3	97.1	0	0	68	16	66	14	2.9	12.5
	R3	Student	Bedroom	W4/F01	28.8	27.7	1.1	3.8	97	0	0	60	12	58	10	3.3	16.7
	R4	Student	Bedroom	W5/F01	28	26.9	1.1	3.9	98.1	0	0	60	12	58	10	3.3	16.7
	R5	Student	Bedroom	W6/F01	26.9	25.8	1.1	4.1	92.8	0	0	57	11	55	9	3.5	18.2
	R6	Student	Bedroom	W7/F01	26.1	24.9	1.2	4.6	97.8	0	0	57	11	55	9	3.5	18.2
	R7	Student	Studio-Apt	W8/F01	25	23.8	1.2	4.8	93.8	0	0	55	10	52	7	5.5	30
				W9/F01	24	22.9	1.1	4.6									
	R8	Student	Bedroom	W10/F01	20.6	19.5	1.1	5.3	36.1	0	0	47	6	44	3	6.4	50
	R9	Student	Bedroom	W11/F01	19	17.9	1.1	5.8	26.2	0	0	44	4	41	1	6.8	75
	R10	Student	Bedroom	W12/F01	17.7	16.6	1.1	6.2	26.6	0	0	42	4	39	1	7.1	75
	R11	Student	Bedroom	W13/F01	16.5	15.4	1.1	6.7	25.6	0	0	41	3	38	0	7.3	100
	R12	Student	Bedroom	W14/F01	15.5	14.7	0.8	5.2	24.7	0	0	37	2	35	0	5.4	100
	R13**	Student	Bedroom	W15/F01	14.7	14.2	0.5	3.4	21.2	0	0.1	35	1	34	0	2.9	100
	R14	Student	Unknown	W16/F01	13.7	13.5	0.2	1.5	48.2	3.9	5.7	37	1	36	0	2.7	100
				W17/F01	13	12.9	0.1	0.8									
				W18/F01	12.7	12.7	0	0									
				W19/F01	12.5	12.5	0	0									
				W20/F01	12.3	12.3	0	0									
				W21/F01	12.1	12.1	0	0									
				W22/F01	12	12	0	0									
				W23/F01	12	12	0	0									
	R15	Student	Bedroom	W24/F01	12	12	0	0	23.6	0	0	32	0	32	0	0	0
				W25/F01	12	12	0	0									
				W26/F01	12.1	12.1	0	0									

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
F02	R2	Student	Bedroom	W2/F02	30.5	30.5	0	0	99.8	0	0						
	R3	Student	LKD	W3/F02	26.8	26.2	0.6	2.2	94.6	0.2	0.6	69	16	67	14	2.9	12.5
				W4/F02	31.4	30.4	1	3.2									
				W5/F02	30.8	29.8	1	3.2									
	R4	Student	Bedroom	W6/F02	30.7	29.6	1.1	3.6	98	0	0	69	15	67	13	2.9	13.3
				W7/F02	29.9	28.8	1.1	3.7									
	R5	Student	Bedroom	W8/F02	29.3	28.2	1.1	3.8	98.3	0	0	64	13	62	11	3.1	15.4
	R6**	Student	Studio-Apt	W9/F02	28.1	27	1.1	3.9	91.2	0	0	63	13	61	11	3.2	15.4
				W10/F02	27.5	26.3	1.2	4.4									
	R7	Student	Studio-Apt	W11/F02	26.2	25.1	1.1	4.2	76.3	1	4.9	56	8	53	5	5.4	37.5
				W12/F02	24.1	23	1.1	4.6									
	R8	Student	Studio-Apt	W13/F02	22.2	21.1	1.1	5	50.1	0	0.2	53	6	51	4	3.8	33.3
				W14/F02	20.8	19.7	1.1	5.3									
	R9	Student	Studio-Apt	W15/F02	19.2	18.1	1.1	5.7	23.9	0	0	49	4	47	2	4.1	50
				W16/F02	18.4	17.4	1	5.4									
	R10	Student	Studio-Apt	W17/F02	17.2	16.5	0.7	4.1	22.1	0	0.2	45	3	44	2	2.2	33.3
				W18/F02	16.6	16.1	0.5	3									
	R11**	Student	LKD	W19/F02	15.8	15.6	0.2	1.3	22.4	0	0.1	41	2	40	1	2.4	50
	R12	Student	Bedroom	W20/F02	15.2	15.1	0.1	0.7	25.6	0	0.5	39	1	39	1	0	0
	R13	Student	Bedroom	W21/F02	14.9	14.9	0	0	24.8	0	0	37	0	37	0	0	0
	R14	Student	Bedroom	W22/F02	14.7	14.7	0	0	27	0	0	36	1	36	1	0	0
	R15	Student	Bedroom	W23/F02	14.5	14.5	0	0	25.6	0	0	37	1	37	1	0	0
	R16	Student	Studio-Apt	W24/F02	14.4	14.4	0	0	25.3	0	0	37	1	37	1	0	0
				W25/F02	14.4	14.4	0	0									
	R17	Student	Studio-Apt	W26/F02	14.3	14.3	0	0	23.6	0	0	38	1	38	1	0	0
				W27/F02	14.4	14.4	0	0									
	R18	Student	Studio-Apt	W28/F02	14.5	14.5	0	0	27.4	0	0	38	0	38	0	0	0
				W29/F02	14.6	14.6	0	0									
	R19	Student	Bedroom	W30/F02	14.7	14.7	0	0	35.5	0	0	34	0	34	0	0	0
	R20**	Student	LKD	W31/F02	14.8	14.8	0	0	22.7	0	0	35	1	35	1	0	0
F03	R2	Student	Bedroom	W2/F03	32.1	32.1	0	0	99.8	0	0						

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R3	Student	LKD	W3/F03	30.2	29.4	0.8	2.6	96.4	0.1	0.4	74	19	72	17	2.7	10.5
				W4/F03	32.7	31.5	1.2	3.7									
				W5/F03	32.1	31	1.1	3.4									
	R4	Student	Bedroom	W6/F03	31.4	30.2	1.2	3.8	81	0	0	69	15	66	12	4.3	20
	R5	Student	Bedroom	W7/F03	30.3	29.2	1.1	3.6	91.5	0	0	68	15	65	12	4.4	20
	R6	Student	Studio-Apt	W8/F03	29.7	28.6	1.1	3.7	92.8	0	0	68	16	66	14	2.9	12.5
				W9/F03	28.4	27.3	1.1	3.9									
	R7	Student	Studio-Apt	W10/F03	27.5	26.4	1.1	4	85.8	0.2	0.8	61	11	59	9	3.3	18.2
				W11/F03	25.9	24.8	1.1	4.2									
	R8**	Student	Studio-Apt	W12/F03	24	22.9	1.1	4.6	68.2	0	0.1	60	10	58	8	3.3	20
				W13/F03	22.7	21.6	1.1	4.8									
	R9	Student	Studio-Apt	W14/F03	21.3	20.3	1	4.7	46.5	0.3	2.2	54	7	52	5	3.7	28.6
				W15/F03	20	19	1	5									
	R10	Student	Studio-Apt	W16/F03	19.4	18.6	0.8	4.1	30.6	2.9	21.5	51	3	50	2	2	33.3
				W17/F03	18.5	18.1	0.4	2.2									
	R11**	Student	LKD	W18/F03	17.9	17.6	0.3	1.7	25.1	0	0.1	48	2	47	1	2.1	50
	R12	Student	Bedroom	W19/F03	17.3	17.3	0	0	29.8	0	0	47	2	47	2	0	0
	R13	Student	Bedroom	W20/F03	17.1	17.1	0	0	28.7	0	0	47	2	47	2	0	0
	R14	Student	Bedroom	W21/F03	16.8	16.8	0	0	28.8	0	0	44	2	44	2	0	0
	R15	Student	Bedroom	W22/F03	16.7	16.7	0	0	28.5	0	0	44	1	44	1	0	0
	R16**	Student	Studio-Apt	W23/F03	16.6	16.6	0	0	26.5	0	0	44	2	44	2	0	0
				W24/F03	16.7	16.7	0	0									
	R17	Student	Studio-Apt	W25/F03	16.7	16.7	0	0	29.7	0	0	44	2	44	2	0	0
				W26/F03	16.8	16.8	0	0									
	R18	Student	Studio-Apt	W27/F03	16.9	16.9	0	0	34.2	0	0	46	2	46	2	0	0
				W28/F03	17.1	17.1	0	0									
	R19	Student	Bedroom	W29/F03	17.2	17.2	0	0	35.9	0	0	43	2	43	2	0	0
	R20**	Student	LKD	W30/F03	17.5	17.5	0	0	28.6	0	0	41	2	41	2	0	0
F04	R2	Student	Bedroom	W2/F04	33.8	33.8	0	0	99.8	0	0						
	R3	Student	LKD	W3/F04	32.8	31.9	0.9	2.7	97.6	0	0	77	21	75	19	2.6	9.5
				W4/F04	33.9	32.6	1.3	3.8									

					VSC(WINDOW)			NSL				APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R4	Student	Bedroom	W5/F04	33.1	31.9	1.2	3.6	98.8	0	0	74	19	72	17	2.7	10.5
				W6/F04	32.3	31.1	1.2	3.7									
	R5	Student	Bedroom	W7/F04	31.6	30.4	1.2	3.8	93	0	0	70	16	68	14	2.9	12.5
	R6**	Student	Studio-Apt	W8/F04	30.7	29.6	1.1	3.6	92.5	0	0	70	16	68	14	2.9	12.5
				W9/F04	29.9	28.8	1.1	3.7									
	R7	Student	Studio-Apt	W10/F04	28.8	27.8	1	3.5	92.3	0	0	65	12	63	10	3.1	16.7
				W11/F04	27.9	26.8	1.1	3.9									
	R8	Student	Studio-Apt	W12/F04	25.4	24.4	1	3.9	53	0.1	0.7	63	11	61	9	3.2	18.2
				W13/F04	24	23	1	4.2									
	R9	Student	Studio-Apt	W14/F04	22.9	21.9	1	4.4	33.4	0	0	58	7	56	5	3.4	28.6
				W15/F04	22.1	21.1	1	4.5									
	R10	Student	Studio-Apt	W16/F04	21.4	20.7	0.7	3.3	31.5	0	0.1	57	5	56	4	1.8	20
				W17/F04	20.8	20.3	0.5	2.4									
	R11**	Student	LKD	W18/F04	20.2	20	0.2	1	29	0	0.1	52	3	51	2	1.9	33.3
	R12	Student	Bedroom	W19/F04	19.8	19.7	0.1	0.5	34.9	0	0	50	1	50	1	0	0
	R13	Student	Bedroom	W20/F04	19.5	19.5	0	0	34.5	0	0	50	1	50	1	0	0
	R14	Student	Bedroom	W21/F04	19.4	19.4	0	0	34.5	0	0	49	1	49	1	0	0
	R15	Student	Bedroom	W22/F04	19.3	19.3	0	0	34.1	0	0	50	2	50	2	0	0
	R16	Student	Studio-Apt	W23/F04	19.3	19.3	0	0	35.3	0	0	51	3	51	3	0	0
				W24/F04	19.4	19.4	0	0									
	R17	Student	Studio-Apt	W25/F04	19.4	19.4	0	0	36.5	0	0	48	2	48	2	0	0
				W26/F04	19.6	19.6	0	0									
	R18	Student	Studio-Apt	W27/F04	19.8	19.8	0	0	40	0	0	53	6	53	6	0	0
				W28/F04	20	20	0	0									
	R19	Student	Bedroom	W29/F04	20.2	20.2	0	0	48	0	0	50	3	50	3	0	0
	R20**	Student	LKD	W30/F04	20.3	20.3	0	0	34.9	0	0	48	2	48	2	0	0
F05	R2	Student	Bedroom	W2/F05	35.4	35.4	0	0	99.8	0	0						
	R3	Student	LKD	W3/F05	34	33.2	0.8	2.4	98.1	0	0	78	22	76	20	2.6	9.1
				W4/F05	34.9	33.7	1.2	3.4									
				W5/F05	34.4	33.3	1.1	3.2									
	R4	Student	Bedroom	W6/F05	33.6	32.5	1.1	3.3	78.6	0	0	73	18	71	16	2.7	11.1

					VSC(WINDOW)			NSL				APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R5	Student	Bedroom	W7/F05	33.1	32	1.1	3.3	97.9	0	0	72	17	70	15	2.8	11.8
	R6**	Student	Studio-Apt	W8/F05	32.2	31.1	1.1	3.4	98.3	0	0	72	17	70	15	2.8	11.8
				W9/F05	31.4	30.3	1.1	3.5									
	R7	Student	Studio-Apt	W10/F05	30.3	29.3	1	3.3	90.8	0.1	0.4	68	13	66	11	2.9	15.4
				W11/F05	29	28	1	3.4									
	R8**	Student	Studio-Apt	W12/F05	27.5	26.5	1	3.6	73	0	0	66	12	64	10	3	16.7
				W13/F05	26.4	25.5	0.9	3.4									
	R9	Student	Studio-Apt	W14/F05	25.3	24.3	1	4	51.2	0	0.3	62	10	60	8	3.2	20
				W15/F05	24.7	23.8	0.9	3.6									
	R10	Student	Studio-Apt	W16/F05	24	23.3	0.7	2.9	39.8	0	0	61	9	60	8	1.6	11.1
				W17/F05	23.5	23.1	0.4	1.7									
	R11**	Student	LKD	W18/F05	23.1	22.9	0.2	0.9	36.7	0	0	57	6	56	5	1.8	16.7
	R12	Student	Bedroom	W19/F05	22.7	22.7	0	0	45.6	0	0	57	5	57	5	0	0
	R13	Student	Bedroom	W20/F05	22.6	22.6	0	0	46.5	0	0	59	6	59	6	0	0
	R14	Student	Bedroom	W21/F05	22.4	22.4	0	0	45.7	0	0	58	6	58	6	0	0
	R15	Student	Bedroom	W22/F05	22.4	22.4	0	0	45.1	0	0	57	5	57	5	0	0
	R16	Student	Studio-Apt	W23/F05	22.5	22.5	0	0	47.7	0	0	55	3	55	3	0	0
				W24/F05	22.6	22.6	0	0									
	R17	Student	Studio-Apt	W25/F05	22.7	22.7	0	0	53.6	0	0	57	6	57	6	0	0
				W26/F05	23	23	0	0									
	R18	Student	Studio-Apt	W27/F05	23.2	23.2	0	0	62.6	0	0	58	7	58	7	0	0
				W28/F05	23.4	23.4	0	0									
	R19	Student	Bedroom	W29/F05	23.6	23.6	0	0	67	0	0	56	6	56	6	0	0
	R20**	Student	LKD	W30/F05	23.7	23.7	0	0	45.9	0	0	57	7	57	7	0	0
F06	R2	Student	Bedroom	W2/F06	36.8	36.8	0	0	99.8	0	0						
				W3/F06	36.1	35.4	0.7	1.9									
	R3**	Student	LKD	W4/F06	35.9	34.8	1.1	3.1	97.7	0.2	0.7	79	24	77	22	2.5	8.3
				W5/F06	35.4	34.3	1.1	3.1									
	R4	Student	Bedroom	W6/F06	34.6	33.5	1.1	3.2	82.4	0	0	74	19	72	17	2.7	10.5
	R5	Student	Bedroom	W7/F06	34.3	33.2	1.1	3.2	98.8	0	0	74	19	72	17	2.7	10.5
	R6**	Student	Studio-Apt	W8/F06	33.3	32.3	1	3	95.5	0	0	73	18	71	16	2.7	11.1

PROJECT NO: 20569
PROJECT NAME: MAYFIELD PHASE 1B
15/11/2024 12:31:26

DAYLIGHT SUNLIGHT ANALYSIS
EXISTING VS. PROPOSED
RELEASE 7 ,ISSUE 1

ITERATION NO.: IR66
ARCHITECT: STUDIO EGRET WEST

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W9/F06	32.7	31.7	1	3.1									
	R7	Student	Studio-Apt	W10/F06	31.9	30.9	1	3.1	87.3	0.7	3	71	16	69	14	2.8	12.5
				W11/F06	30.5	29.6	0.9	3									
	R8	Student	Studio-Apt	W12/F06	29.4	28.5	0.9	3.1	66.7	0.1	0.5	70	15	68	13	2.9	13.3
				W13/F06	28.6	27.7	0.9	3.1									
	R9	Student	Studio-Apt	W14/F06	27.7	26.8	0.9	3.2	59.8	0	0	67	12	65	10	3	16.7
				W15/F06	27.3	26.4	0.9	3.3									
	R10	Student	Studio-Apt	W16/F06	26.9	26.2	0.7	2.6	52.7	0	0	67	12	66	11	1.5	8.3
				W17/F06	26.6	26.1	0.5	1.9									
	R11**	Student	LKD	W18/F06	26.2	26.1	0.1	0.4	49.7	0	0	64	11	63	10	1.6	9.1
	R12	Student	Bedroom	W19/F06	26	26	0	0	64.8	0	0	64	10	64	10	0	0
	R13	Student	Bedroom	W20/F06	26	26	0	0	61.3	0	0	64	10	64	10	0	0
	R14	Student	Bedroom	W21/F06	26	26	0	0	60.9	0	0	64	10	64	10	0	0
	R15	Student	Bedroom	W22/F06	26	26	0	0	59.9	0	0	64	10	64	10	0	0
	R16	Student	Studio-Apt	W23/F06	26.1	26	0.1	0.4	64.2	0	0	65	10	65	10	0	0
				W24/F06	26.2	26.2	0	0									
	R17	Student	Studio-Apt	W25/F06	26.3	26.3	0	0	66.5	0	0	66	11	66	11	0	0
				W26/F06	26.5	26.5	0	0									
	R18	Student	Studio-Apt	W27/F06	26.9	26.9	0	0	84.2	0	0	65	12	65	12	0	0
				W28/F06	27.1	27.1	0	0									
	R19	Student	Bedroom	W29/F06	27.3	27.3	0	0	91.5	0	0	62	10	62	10	0	0
	R20**	Student	LKD	W30/F06	27.4	27.4	0	0	74.6	0	0	62	10	62	10	0	0
F07	R2	Student	Bedroom	W2/F07	37.3	37.3	0	0	99.8	0	0						
				W3/F07	36.4	35.6	0.8	2.2									
	R3**	Student	LKD	W4/F07	36.8	35.7	1.1	3	97.8	0.2	0.7	79	24	77	22	2.5	8.3
				W5/F07	36.5	35.4	1.1	3									
	R4	Student	Bedroom	W6/F07	36	34.9	1.1	3.1	94.9	0	0	78	23	76	21	2.6	8.7
	R5	Student	Bedroom	W7/F07	35.4	34.4	1	2.8	98.3	0	0	75	20	73	18	2.7	10
	R6	Student	Studio-Apt	W8/F07	35	34	1	2.9	95.6	0	0	76	21	74	19	2.6	9.5
				W9/F07	34.2	33.2	1	2.9									
	R7	Student	Studio-Apt	W10/F07	33.7	32.7	1	3	96	0	0.1	75	20	73	18	2.7	10

					VSC(WINDOW)			NSL				APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W11/F07	32.8	31.9	0.9	2.7									
	R8**	Student	Studio-Apt	W12/F07	31.8	30.9	0.9	2.8	81.7	0	0	73	18	71	16	2.7	11.1
				W13/F07	31.2	30.3	0.9	2.9									
	R9	Student	Studio-Apt	W14/F07	30.7	29.8	0.9	2.9	86.6	0	0.1	71	16	69	14	2.8	12.5
				W15/F07	30.2	29.4	0.8	2.6									
	R10	Student	Studio-Apt	W16/F07	30.1	29.4	0.7	2.3	76.6	1.3	4.8	71	16	70	15	1.4	6.2
				W17/F07	29.8	29.4	0.4	1.3									
	R11**	Student	LKD	W18/F07	29.7	29.5	0.2	0.7	75.8	0	0	70	15	69	14	1.4	6.7
	R12	Student	Bedroom	W19/F07	29.7	29.6	0.1	0.3	89.4	0	0	69	14	69	14	0	0
	R13	Student	Bedroom	W20/F07	29.6	29.6	0	0	90.4	0	0	69	14	69	14	0	0
	R14	Student	Bedroom	W21/F07	29.6	29.6	0	0	89.3	0	0	69	14	69	14	0	0
	R15	Student	Bedroom	W22/F07	29.8	29.7	0.1	0.3	87	0	0	70	15	70	15	0	0
	R16**	Student	Studio-Apt	W23/F07	29.8	29.8	0	0	86	0	0	72	17	72	17	0	0
				W24/F07	30	30	0	0									
	R17	Student	Studio-Apt	W25/F07	30.2	30.2	0	0	91.4	0	0	73	18	73	18	0	0
				W26/F07	30.5	30.5	0	0									
	R18	Student	Studio-Apt	W27/F07	30.7	30.7	0	0	95.8	0	0	74	19	74	19	0	0
				W28/F07	30.9	30.9	0	0									
	R19	Student	Bedroom	W29/F07	31	31	0	0	98.5	0	0	71	19	71	19	0	0
	R20**	Student	LKD	W30/F07	31.2	31.2	0	0	96.4	0	0	68	16	68	16	0	0
F08	R2	Student	Bedroom	W2/F08	37.7	37.7	0	0	99.8	0	0						
				W3/F08	36.4	35.7	0.7	1.9									
	R3**	Student	LKD	W4/F08	37.7	36.6	1.1	2.9	94.3	0.1	0.5	83	28	81	26	2.4	7.1
	R4	Student	Bedroom	W5/F08	37.3	36.3	1	2.7	98.9	0	0	83	28	81	26	2.4	7.1
				W6/F08	37	36	1	2.7									
	R5	Student	Bedroom	W7/F08	36.7	35.7	1	2.7	98.3	0	0	79	24	77	22	2.5	8.3
	R6**	Student	Studio-Apt	W8/F08	36.2	35.3	0.9	2.5	98.6	0	0	79	24	77	22	2.5	8.3
				W9/F08	35.9	35	0.9	2.5									
	R7	Student	Studio-Apt	W10/F08	35.4	34.5	0.9	2.5	97.5	0	0	79	24	77	22	2.5	8.3
				W11/F08	35	34.1	0.9	2.6									
	R8	Student	Studio-Apt	W12/F08	34.2	33.3	0.9	2.6	95.7	0	0	78	23	76	21	2.6	8.7

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W13/F08	33.7	32.9	0.8	2.4									
	R9	Student	Studio-Apt	W14/F08	33.5	32.6	0.9	2.7	97.7	0	0	78	23	76	21	2.6	8.7
				W15/F08	33.4	32.6	0.8	2.4									
	R10	Student	Studio-Apt	W16/F08	33.3	32.7	0.6	1.8	99.1	0	0	78	23	77	22	1.3	4.3
				W17/F08	33.3	32.9	0.4	1.2									
	R11**	Student	LKD	W18/F08	33.3	33.1	0.2	0.6	99.6	0	0	79	24	78	23	1.3	4.2
	R12	Student	Bedroom	W19/F08	33.4	33.3	0.1	0.3	98.3	0	0	77	22	77	22	0	0
	R13	Student	Bedroom	W20/F08	33.4	33.4	0	0	98.6	0	0	77	22	77	22	0	0
	R14	Student	Bedroom	W21/F08	33.5	33.5	0	0	98.5	0	0	77	22	77	22	0	0
	R15	Student	Bedroom	W22/F08	33.6	33.6	0	0	97.4	0	0	78	23	78	23	0	0
	R16	Student	Studio-Apt	W23/F08	33.8	33.8	0	0	97.9	0	0	78	23	78	23	0	0
				W24/F08	33.9	33.9	0	0									
	R17	Student	Studio-Apt	W25/F08	34.1	34	0.1	0.3	98.5	0	0	78	23	78	23	0	0
				W26/F08	34.3	34.2	0.1	0.3									
	R18	Student	Studio-Apt	W27/F08	34.5	34.4	0.1	0.3	98.3	0	0	78	23	78	23	0	0
				W28/F08	34.7	34.5	0.2	0.6									
	R19	Student	Bedroom	W29/F08	34.7	34.6	0.1	0.3	98.5	0	0	76	22	76	22	0	0
	R20**	Student	LKD	W30/F08	34.7	34.6	0.1	0.3	98.5	0	0	74	21	74	21	0	0
F09	R2	Student	Bedroom	W2/F09	38	38	0	0	99.8	0	0						
				W3/F09	35.7	35	0.7	2									
	R3	Student	LKD	W4/F09	36.5	35.8	0.7	1.9	98.7	0	0	85	29	83	27	2.4	6.9
				W5/F09	38.4	37.5	0.9	2.3									
				W6/F09	38.3	37.3	1	2.6									
	R4	Student	Bedroom	W7/F09	38.1	37.1	1	2.6	93.3	0	0	84	29	82	27	2.4	6.9
	R5	Student	Bedroom	W8/F09	37.9	36.9	1	2.6	98	0	0	84	29	82	27	2.4	6.9
	R6**	Student	Studio-Apt	W9/F09	37.7	36.7	1	2.7	98.3	0	0	84	29	82	27	2.4	6.9
				W10/F09	37.4	36.5	0.9	2.4									
	R7	Student	Studio-Apt	W11/F09	37.1	36.3	0.8	2.2	98.3	0	0	84	29	82	27	2.4	6.9
				W12/F09	36.8	36	0.8	2.2									
	R8**	Student	Studio-Apt	W13/F09	36.5	35.7	0.8	2.2	98.5	0	0	84	29	82	27	2.4	6.9
				W14/F09	36.4	35.5	0.9	2.5									

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R9	Student	Studio-Apt	W15/F09	36.3	35.5	0.8	2.2	98.8	0	0	80	25	78	23	2.5	8
				W16/F09	36.3	35.5	0.8	2.2									
	R10**	Student	Studio-Apt	W17/F09	36.5	35.9	0.6	1.6	99.1	0	0	81	26	80	25	1.2	3.8
				W18/F09	36.5	36	0.5	1.4									
	R11**	Student	LKD	W19/F09	36.6	36.3	0.3	0.8	99.6	0	0	81	26	80	25	1.2	3.8
	R12	Student	Bedroom	W20/F09	36.7	36.6	0.1	0.3	98.3	0	0	79	24	79	24	0	0
	R13	Student	Bedroom	W21/F09	36.8	36.7	0.1	0.3	98.9	0	0	79	24	79	24	0	0
	R14	Student	Bedroom	W22/F09	36.9	36.9	0	0	98.5	0	0	79	24	79	24	0	0
	R15	Student	Bedroom	W23/F09	37	37	0	0	98.9	0	0	79	24	79	24	0	0
	R16	Student	Studio-Apt	W24/F09	37.1	37	0.1	0.3	97.9	0	0	80	25	80	25	0	0
				W25/F09	37.1	36.9	0.2	0.5									
	R17	Student	Studio-Apt	W26/F09	37.2	36.9	0.3	0.8	97.5	0	0	81	26	80	25	1.2	3.8
				W27/F09	37.3	37	0.3	0.8									
	R18	Student	Studio-Apt	W28/F09	37.3	37	0.3	0.8	98.2	0	0	81	26	80	25	1.2	3.8
				W29/F09	37.3	36.9	0.4	1.1									
	R19	Student	Bedroom	W30/F09	37.2	36.8	0.4	1.1	97.3	0	0	80	25	79	24	1.2	4
	R20**	Student	LKD	W31/F09	37.1	36.7	0.4	1.1	98.3	0	0	80	25	79	24	1.2	4
F10	R1	Student	Bedroom	W1/F10	38.2	38.2	0	0	99.8	0	0						
	R2	Student	LKD	W2/F10	36.6	35.9	0.7	1.9	98.7	0	0	85	29	83	27	2.4	6.9
				W3/F10	39.1	38.2	0.9	2.3									
				W4/F10	39	38.1	0.9	2.3									
	R3	Student	Bedroom	W5/F10	38.9	38	0.9	2.3	92	0	0	84	29	82	27	2.4	6.9
	R4	Student	Bedroom	W6/F10	38.9	38	0.9	2.3	98.3	0	0	84	29	82	27	2.4	6.9
	R5	Student	Studio-Apt	W7/F10	38.8	37.9	0.9	2.3	97.8	0	0	84	29	82	27	2.4	6.9
				W8/F10	38.7	37.8	0.9	2.3									
	R6	Student	Studio-Apt	W9/F10	38.6	37.7	0.9	2.3	98.3	0	0	84	29	82	27	2.4	6.9
				W10/F10	38.5	37.7	0.8	2.1									
	R7**	Student	Studio-Apt	W11/F10	38.4	37.6	0.8	2.1	98.3	0	0	84	29	82	27	2.4	6.9
				W12/F10	38.3	37.5	0.8	2.1									
	R8	Student	Studio-Apt	W13/F10	38.3	37.6	0.7	1.8	98.3	0	0	84	29	82	27	2.4	6.9
				W14/F10	38.4	37.6	0.8	2.1									

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R9	Student	Studio-Apt	W15/F10	38.4	37.7	0.7	1.8	99.2	0	0	84	29	82	27	2.4	6.9
				W16/F10	38.4	37.8	0.6	1.6									
	R10**	Student	LKD	W17/F10	38.4	37.9	0.5	1.3	99.6	0	0	84	29	83	28	1.2	3.4
	R11	Student	Bedroom	W18/F10	38.6	38.1	0.5	1.3	98.9	0	0	81	26	80	25	1.2	3.8
	R12	Student	Bedroom	W19/F10	38.5	38.2	0.3	0.8	98.9	0	0	80	25	79	24	1.2	4
	R13	Student	Bedroom	W20/F10	38.6	38.3	0.3	0.8	98.7	0	0	81	26	80	25	1.2	3.8
	R14	Student	Bedroom	W21/F10	38.7	38.4	0.3	0.8	97.6	0	0	80	25	80	25	0	0
	R15**	Student	Studio-Apt	W22/F10	38.7	38.4	0.3	0.8	97.8	0	0	81	26	80	25	1.2	3.8
				W23/F10	38.7	38.3	0.4	1									
	R16	Student	Studio-Apt	W24/F10	38.6	38.2	0.4	1	98.3	0	0	81	26	80	25	1.2	3.8
				W25/F10	38.6	38.1	0.5	1.3									
F11	R1	Student	Bedroom	W1/F11	38.5	38.5	0	0	99.8	0	0						
	R2	Student	LKD	W2/F11	36.6	36	0.6	1.6	98.4	0	0	85	29	84	28	1.2	3.4
				W3/F11	39.5	38.6	0.9	2.3									
	R3	Student	Bedroom	W4/F11	39.5	38.6	0.9	2.3	98.8	0	0	84	29	83	28	1.2	3.4
				W5/F11	39.5	38.6	0.9	2.3									
	R4	Student	Bedroom	W6/F11	39.5	38.6	0.9	2.3	98.3	0	0	84	29	83	28	1.2	3.4
	R5**	Student	Studio-Apt	W7/F11	39.4	38.6	0.8	2	98.6	0	0	84	29	83	28	1.2	3.4
				W8/F11	39.4	38.6	0.8	2									
	R6	Student	Studio-Apt	W9/F11	39.4	38.6	0.8	2	98	0	0	84	29	82	27	2.4	6.9
				W10/F11	39.4	38.6	0.8	2									
	R7	Student	Studio-Apt	W11/F11	39.4	38.6	0.8	2	98.2	0	0	84	29	82	27	2.4	6.9
				W12/F11	39.4	38.7	0.7	1.8									
	R8	Student	Studio-Apt	W13/F11	39.3	38.6	0.7	1.8	97.8	0	0	84	29	82	27	2.4	6.9
				W14/F11	39.4	38.7	0.7	1.8									
	R9**	Student	Studio-Apt	W15/F11	39.3	38.6	0.7	1.8	99.1	0	0	84	29	82	27	2.4	6.9
				W16/F11	39.3	38.7	0.6	1.5									
	R10**	Student	LKD	W17/F11	39.3	38.6	0.7	1.8	99.6	0	0	84	29	83	28	1.2	3.4
	R11	Student	Bedroom	W18/F11	39.3	38.7	0.6	1.5	98.3	0	0	83	28	82	27	1.2	3.6
	R12	Student	Bedroom	W19/F11	39.3	38.7	0.6	1.5	98.6	0	0	83	28	82	27	1.2	3.6
	R13	Student	Bedroom	W20/F11	39.3	38.7	0.6	1.5	98.5	0	0	83	28	82	27	1.2	3.6

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R14	Student	Bedroom	W21/F11	39.2	38.6	0.6	1.5	97.4	0	0	83	28	82	27	1.2	3.6
	R15	Student	Bedroom	W22/F11	39.2	38.6	0.6	1.5	98	0	0	83	28	82	27	1.2	3.6
				W23/F11	39.2	38.6	0.6	1.5									
	R16	Student	Studio-Apt	W24/F11	39.1	38.6	0.5	1.3	97.9	0	0	82	27	81	26	1.2	3.7
				W25/F11	39.1	38.5	0.6	1.5									
F12	R1	Student	Bedroom	W1/F12	38.6	38.6	0	0	99.8	0	0						
	R2	Student	LKD	W2/F12	35.7	35.1	0.6	1.7	98.7	0	0	85	29	84	28	1.2	3.4
				W3/F12	39.5	38.7	0.8	2									
				W4/F12	39.5	38.7	0.8	2									
	R3	Student	Bedroom	W5/F12	39.5	38.7	0.8	2	93.3	0	0	84	29	83	28	1.2	3.4
	R4	Student	Bedroom	W6/F12	39.5	38.7	0.8	2	97.9	0	0	84	29	83	28	1.2	3.4
	R5**	Student	Studio-Apt	W7/F12	39.5	38.7	0.8	2	98.3	0	0	84	29	83	28	1.2	3.4
				W8/F12	39.5	38.7	0.8	2									
	R6	Student	Studio-Apt	W9/F12	39.5	38.7	0.8	2	98.3	0	0	84	29	82	27	2.4	6.9
				W10/F12	39.5	38.8	0.7	1.8									
	R7**	Student	Studio-Apt	W11/F12	39.4	38.7	0.7	1.8	98.3	0	0	84	29	82	27	2.4	6.9
				W12/F12	39.4	38.7	0.7	1.8									
	R8	Student	Studio-Apt	W13/F12	39.4	38.7	0.7	1.8	98.8	0	0	84	29	82	27	2.4	6.9
				W14/F12	39.4	38.8	0.6	1.5									
	R9**	Student	Studio-Apt	W15/F12	39.4	38.8	0.6	1.5	99.3	0	0	84	29	82	27	2.4	6.9
				W16/F12	39.4	38.8	0.6	1.5									
	R10**	Student	LKD	W17/F12	39.4	38.8	0.6	1.5	99.6	0	0	84	29	83	28	1.2	3.4
	R11	Student	Bedroom	W18/F12	39.4	38.8	0.6	1.5	98.9	0	0	83	28	82	27	1.2	3.6
	R12	Student	Bedroom	W19/F12	39.4	38.8	0.6	1.5	98.9	0	0	83	28	82	27	1.2	3.6
	R13	Student	Bedroom	W20/F12	39.4	38.8	0.6	1.5	98.7	0	0	83	28	82	27	1.2	3.6
	R14	Student	Bedroom	W21/F12	39.4	38.8	0.6	1.5	98.9	0	0	83	28	82	27	1.2	3.6
	R15	Student	Bedroom	W22/F12	39.4	38.8	0.6	1.5	97.8	0	0	83	28	82	27	1.2	3.6
				W23/F12	39.3	38.8	0.5	1.3									
	R16	Student	Studio-Apt	W24/F12	39.3	38.8	0.5	1.3	97.7	0	0	84	29	83	28	1.2	3.4
				W25/F12	39.3	38.8	0.5	1.3									
F13	R1	Student	Bedroom	W1/F13	38.7	38.7	0	0	99.8	0	0						

					VSC(WINDOW)			NSL				APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R2**	Student	LKD	W2/F13	39.6	38.8	0.8	2	95.7	0.1	0.3	84	29	83	28	1.2	3.4
				W3/F13	39.5	38.7	0.8	2									
	R3	Student	Bedroom	W4/F13	39.5	38.7	0.8	2	91.9	0	0	84	29	83	28	1.2	3.4
	R4	Student	Bedroom	W5/F13	39.5	38.8	0.7	1.8	98.3	0	0	84	29	83	28	1.2	3.4
	R5	Student	Studio-Apt	W6/F13	39.5	38.8	0.7	1.8	97.9	0	0	84	29	83	28	1.2	3.4
				W7/F13	39.5	38.8	0.7	1.8									
	R6	Student	Studio-Apt	W8/F13	39.5	38.8	0.7	1.8	98.3	0	0	84	29	82	27	2.4	6.9
				W9/F13	39.5	38.9	0.6	1.5									
	R7**	Student	Studio-Apt	W10/F13	39.5	38.9	0.6	1.5	98.5	0	0	84	29	82	27	2.4	6.9
				W11/F13	39.5	38.8	0.7	1.8									
	R8	Student	Studio-Apt	W12/F13	39.5	38.8	0.7	1.8	98.4	0	0	84	29	82	27	2.4	6.9
				W13/F13	39.5	38.9	0.6	1.5									
	R9	Student	Studio-Apt	W14/F13	39.5	38.9	0.6	1.5	99.2	0	0	84	29	82	27	2.4	6.9
				W15/F13	39.5	38.9	0.6	1.5									
F14	R1	Student	Bedroom	W1/F14	38.8	38.8	0	0	99.8	0	0						
				W2/F14	36.5	36	0.5	1.4									
	R2**	Student	LKD	W3/F14	39.6	38.8	0.8	2	94.5	0.1	0.2	84	29	83	28	1.2	3.4
	R3	Student	Bedroom	W4/F14	39.6	38.8	0.8	2	98.9	0	0	84	29	83	28	1.2	3.4
				W5/F14	39.6	38.9	0.7	1.8									
	R4	Student	Bedroom	W6/F14	39.6	38.9	0.7	1.8	98.3	0	0	84	29	83	28	1.2	3.4
	R5**	Student	Studio-Apt	W7/F14	39.5	38.8	0.7	1.8	98.6	0	0	84	29	83	28	1.2	3.4
				W8/F14	39.6	38.9	0.7	1.8									
	R6	Student	Studio-Apt	W9/F14	39.5	38.9	0.6	1.5	98	0	0	84	29	82	27	2.4	6.9
				W10/F14	39.6	38.9	0.7	1.8									
	R7	Student	Studio-Apt	W11/F14	39.6	38.9	0.7	1.8	98	0	0	84	29	82	27	2.4	6.9
				W12/F14	39.5	38.9	0.6	1.5									
	R8	Student	Studio-Apt	W13/F14	39.5	38.9	0.6	1.5	97.8	0	0	84	29	82	27	2.4	6.9
				W14/F14	39.5	38.9	0.6	1.5									
	R9**	Student	Studio-Apt	W15/F14	39.5	38.9	0.6	1.5	99.1	0	0	84	29	82	27	2.4	6.9
				W16/F14	39.4	38.9	0.5	1.3									
F15	R1	Student	Bedroom	W1/F15	38.9	38.9	0	0	99.8	0	0						

					VSC(WINDOW)			NSL				APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W2/F15	36.5	36.1	0.4	1.1									
	R2**	Student	LKD	W3/F15	39.6	38.9	0.7	1.8	95.8	0.1	0.2	84	29	83	28	1.2	3.4
				W4/F15	39.5	38.9	0.6	1.5									
	R3	Student	Bedroom	W5/F15	39.6	38.9	0.7	1.8	93.3	0	0	84	29	83	28	1.2	3.4
	R4	Student	Bedroom	W6/F15	39.5	38.9	0.6	1.5	98	0	0	84	29	83	28	1.2	3.4
	R5**	Student	Studio-Apt	W7/F15	39.6	38.9	0.7	1.8	98.3	0	0	84	29	83	28	1.2	3.4
				W8/F15	39.5	38.9	0.6	1.5									
	R6	Student	Studio-Apt	W9/F15	39.6	39	0.6	1.5	98.3	0	0	84	29	82	27	2.4	6.9
				W10/F15	39.6	39	0.6	1.5									
	R7**	Student	Studio-Apt	W11/F15	39.5	39	0.5	1.3	98.4	0	0	84	29	82	27	2.4	6.9
				W12/F15	39.5	39	0.5	1.3									
	R8	Student	Studio-Apt	W13/F15	39.5	39	0.5	1.3	98.8	0	0	84	29	82	27	2.4	6.9
				W14/F15	39.5	39	0.5	1.3									
	R9**	Student	Studio-Apt	W15/F15	39.5	39	0.5	1.3	99.3	0	0	84	29	82	27	2.4	6.9
				W16/F15	39.5	39	0.5	1.3									
F16	R1	Student	Bedroom	W1/F16	39	39	0	0	99.8	0	0						
				W2/F16	35.8	35.3	0.5	1.4									
	R2**	Student	LKD	W3/F16	39.6	39	0.6	1.5	94.7	0	0.1	84	29	83	28	1.2	3.4
	R3	Student	Bedroom	W4/F16	39.6	39	0.6	1.5	98.9	0	0	84	29	83	28	1.2	3.4
				W5/F16	39.6	39	0.6	1.5									
	R4	Student	Bedroom	W6/F16	39.6	39	0.6	1.5	98.3	0	0	84	29	83	28	1.2	3.4
	R5**	Student	Studio-Apt	W7/F16	39.5	38.9	0.6	1.5	98.6	0	0	84	29	83	28	1.2	3.4
				W8/F16	39.6	39	0.6	1.5									
	R6	Student	Studio-Apt	W9/F16	39.6	39	0.6	1.5	98	0	0	84	29	83	28	1.2	3.4
				W10/F16	39.6	39	0.6	1.5									
F17	R1	Student	Bedroom	W1/F17	39.1	39.1	0	0	99.8	0	0						
	R2	Student	LKD	W2/F17	36.2	35.8	0.4	1.1	97.4	0	0	85	29	84	28	1.2	3.4
				W3/F17	39.6	39	0.6	1.5									
				W4/F17	39.6	39	0.6	1.5									
	R3	Student	Bedroom	W5/F17	39.6	39	0.6	1.5	93.3	0	0	84	29	83	28	1.2	3.4
	R4	Student	Bedroom	W6/F17	39.5	39	0.5	1.3	97.9	0	0	84	29	83	28	1.2	3.4

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R5**	Student	Studio-Apt	W7/F17	39.6	39	0.6	1.5	98.3	0	0	84	29	83	28	1.2	3.4
				W8/F17	39.6	39	0.6	1.5									
	R6	Student	Studio-Apt	W9/F17	39.6	39.1	0.5	1.3	98.1	0	0	84	29	83	28	1.2	3.4
				W10/F17	39.6	39.1	0.5	1.3									
F18	R1	Student	Bedroom	W1/F18	39.2	39.2	0	0	99.8	0	0						
	R2**	Student	LKD	W2/F18	39.6	39.1	0.5	1.3	94.6	0	0.1	84	29	83	28	1.2	3.4
	R3	Student	Bedroom	W3/F18	39.6	39.1	0.5	1.3	98.8	0	0	84	29	83	28	1.2	3.4
				W4/F18	39.6	39.1	0.5	1.3									
	R4	Student	Bedroom	W5/F18	39.6	39	0.6	1.5	98.3	0	0	84	29	83	28	1.2	3.4
	R5**	Student	Studio-Apt	W6/F18	39.6	39.1	0.5	1.3	98.6	0	0	84	29	83	28	1.2	3.4
				W7/F18	39.6	39.1	0.5	1.3									
	R6	Student	Studio-Apt	W8/F18	39.6	39.1	0.5	1.3	97.4	0	0	84	29	84	29	0	0
				W9/F18	39.6	39.1	0.5	1.3									
UNITE STUDENTS MILL POINT																	
F00	R1	Student	Unknown	W1/F00	27.6	26.7	0.9	3.3	86.8	0.6	3	61	8	60	7	1.6	12.5
				W2/F00	27.3	26.5	0.8	2.9									
	R2	Student	Unknown	W3/F00	26.9	25.7	1.2	4.5	78.5	1.3	6.8	61	11	60	10	1.6	9.1
				W4/F00	23.8	22.7	1.1	4.6									
	R3	Student	Unknown	W5/F00	23.6	22.5	1.1	4.7	70.5	0	0	61	11	60	10	1.6	9.1
				W6/F00	23	21.9	1.1	4.8									
	R4	Student	Unknown	W7/F00	22.2	21.1	1.1	5	67.2	2.4	13.3	55	5	54	4	1.8	20
				W8/F00	22.7	21.7	1	4.4									
	R5	Student	Unknown	W9/F00	13.9	13.9	0	0	42.2	0	0	46	4	45	3	2.2	25
				W10/F00	19.4	18.5	0.9	4.6									
	R6	Student	Unknown	W11/F00	18.2	17.3	0.9	4.9	51.2	0	0.1	44	3	43	2	2.3	33.3
				W12/F00	16.1	15.2	0.9	5.6									
	R7	Student	Unknown	W13/F00	18.7	18.2	0.5	2.7	37.1	0	0.8	47	1	46	0	2.1	100
	R8	Student	Unknown	W14/F00	11.7	11.7	0	0	41.6	0	0	36	1	36	1	0	0
				W15/F00	13.6	13.6	0	0									
	R9	Student	Unknown	W16/F00	16.5	16.1	0.4	2.4	40.6	1.3	12.1	43	1	43	1	0	0

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W17/F00	14.1	13.7	0.4	2.8									
	R10	Student	Unknown	W18/F00	16.6	16.5	0.1	0.6	37.7	0.4	3.8	42	0	42	0	0	0
				W19/F00	14	13.9	0.1	0.7									
	R11	Student	Unknown	W20/F00	13.4	13.3	0.1	0.7	29.9	0	0	33	1	33	1	0	0
				W21/F00	14	13.9	0.1	0.7									
	R12	Student	Unknown	W22/F00	10.6	10.6	0	0	35.1	0	0	31	0	31	0	0	0
				W23/F00	12.7	12.7	0	0									
	R13	Student	Unknown	W24/F00	12.7	12.7	0	0	29.5	0	0	28	1	28	1	0	0
				W25/F00	10.4	10.4	0	0									
	R14	Student	Unknown	W26/F00	18.1	18.1	0	0	48	0	0						
	R15	Student	Unknown	W27/F00	18	18	0	0	79	0	0						
				W28/F00	17.4	17.4	0	0									
	R16	Student	Unknown	W29/F00	17.7	17.7	0	0	71.4	0	0						
				W30/F00	17.7	17.7	0	0									
	R17	Student	Unknown	W31/F00	17.1	17.1	0	0	81	0	0						
				W32/F00	16	16	0	0									
	R18	Student	Unknown	W33/F00	26.3	26.2	0.1	0.4	90.7	0	0						
	R27**	Student	Unknown	W51/F00	33.5	33.5	0	0	98.7	0	0	67	25	67	25	0	0
				W52/F00	33.3	33.3	0	0									
F01	R1	Student	Unknown	W1/F01	30.1	28.9	1.2	4	87.7	0.6	2.9	65	12	63	10	3.1	16.7
				W2/F01	29.2	28	1.2	4.1									
	R2	Student	Unknown	W3/F01	28.3	27.1	1.2	4.2	78.7	1.4	7.1	63	12	62	11	1.6	8.3
				W4/F01	25.1	23.9	1.2	4.8									
	R3	Student	Unknown	W5/F01	21.2	20.7	0.5	2.4	67.1	1.8	10.1	66	12	65	11	1.5	8.3
				W6/F01	23.6	22.5	1.1	4.7									
	R4	Student	Unknown	W7/F01	22.9	21.9	1	4.4	68.4	2.4	12.8	62	8	61	7	1.6	12.5
				W8/F01	24.5	23.5	1	4.1									
	R5	Student	Unknown	W9/F01	15.6	15.6	0	0	46.5	0	0	48	6	47	5	2.1	16.7
				W10/F01	19.9	18.9	1	5									
	R6	Student	Unknown	W11/F01	19	18.1	0.9	4.7	53.9	0	0	47	5	46	4	2.1	20
				W12/F01	17.2	16.3	0.9	5.2									

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R7	Student	Unknown	W13/F01	22.5	21.8	0.7	3.1	95.4	0	0	54	3	53	2	1.9	33.3
	R8	Student	Unknown	W14/F01	13.2	13.2	0	0	46.1	0	0	41	3	40	2	2.4	33.3
				W15/F01	14.5	14.3	0.2	1.4									
	R9	Student	Unknown	W16/F01	17.9	17.5	0.4	2.2	43	1.3	11.5	46	1	46	1	0	0
				W17/F01	15.5	15.2	0.3	1.9									
	R10	Student	Unknown	W18/F01	18.7	18.6	0.1	0.5	40.5	0.4	3.5	47	0	47	0	0	0
				W19/F01	14.6	14.5	0.1	0.7									
	R11	Student	Unknown	W20/F01	14.6	14.5	0.1	0.7	30.6	0	0.1	35	0	35	0	0	0
	R12	Student	Unknown	W21/F01	13.5	13.5	0	0	33.5	0	0	25	0	25	0	0	0
	R13	Student	Unknown	W22/F01	12.6	12.5	0.1	0.8	37.2	0	0	35	0	35	0	0	0
				W23/F01	14.6	14.6	0	0									
	R14	Student	Unknown	W24/F01	14.5	14.5	0	0	50.2	0	0	36	4	36	4	0	0
				W25/F01	14.4	14.4	0	0									
	R15	Student	Unknown	W26/F01	19.8	19.8	0	0	79.3	0	0						
				W27/F01	19	19	0	0									
	R16	Student	Unknown	W28/F01	19	19	0	0	82.3	0	0						
				W29/F01	19.1	19.1	0	0									
	R17	Student	Unknown	W30/F01	18.2	18.2	0	0	77.2	0	0						
				W31/F01	19.5	19.5	0	0									
	R18	Student	Unknown	W32/F01	18.7	18.7	0	0	84.2	0	0						
				W33/F01	17.4	17.4	0	0									
	R27**	Student	Unknown	W51/F01	34.4	34.4	0	0	98.8	0	0	68	25	68	25	0	0
				W52/F01	34.2	34.2	0	0									
F02	R1	Student	Unknown	W1/F02	31.3	30.1	1.2	3.8	88.1	0.5	2.5	67	14	65	12	3	14.3
				W2/F02	30.5	29.3	1.2	3.9									
	R2	Student	Unknown	W3/F02	29.6	28.5	1.1	3.7	79.5	1.3	6.7	66	15	65	14	1.5	6.7
				W4/F02	26.4	25.3	1.1	4.2									
	R3	Student	Unknown	W5/F02	22.8	22.3	0.5	2.2	70.7	1.7	9.3	68	14	67	13	1.5	7.1
				W6/F02	27.3	26.3	1	3.7									
	R4	Student	Unknown	W7/F02	27	26	1	3.7	71.6	2.1	11.2	64	10	63	9	1.6	10
				W8/F02	26.4	25.4	1	3.8									

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R5	Student	Unknown	W9/F02	17.4	17.4	0	0	54	0	0	52	9	51	8	1.9	11.1
				W10/F02	23.6	22.7	0.9	3.8									
	R6	Student	Unknown	W11/F02	22.3	21.4	0.9	4	60.4	0	0	50	8	49	7	2	12.5
				W12/F02	18.6	17.7	0.9	4.8									
	R7	Student	Unknown	W13/F02	24.7	24.1	0.6	2.4	98.6	0	0	59	7	58	6	1.7	14.3
	R8	Student	Unknown	W14/F02	15.2	15.2	0	0	55.1	0	0	45	6	44	5	2.2	16.7
				W15/F02	19	18.8	0.2	1.1									
	R9	Student	Unknown	W16/F02	21	20.5	0.5	2.4	48.7	1.1	9.1	49	4	49	4	0	0
				W17/F02	17.1	16.8	0.3	1.8									
	R10	Student	Unknown	W18/F02	21.1	20.9	0.2	0.9	46.2	0.3	2.8	52	1	52	1	0	0
				W19/F02	20	19.9	0.1	0.5									
	R11	Student	Unknown	W20/F02	19.3	19.2	0.1	0.5	41.2	0	0	49	1	49	1	0	0
	R12	Student	Unknown	W21/F02	15.5	15.5	0	0	39.2	0	0	34	0	34	0	0	0
	R13	Student	Unknown	W22/F02	14.8	14.8	0	0	43.2	0	0	44	0	44	0	0	0
				W23/F02	16.9	16.8	0.1	0.6									
	R14	Student	Unknown	W24/F02	16.7	16.7	0	0	53.9	0	0	43	4	43	4	0	0
				W25/F02	16.5	16.5	0	0									
	R15	Student	Unknown	W26/F02	21.8	21.7	0.1	0.5	82.6	0	0						
				W27/F02	22.3	22.3	0	0									
	R16	Student	Unknown	W28/F02	22.4	22.4	0	0	84.5	0	0						
				W29/F02	20.7	20.7	0	0									
	R17	Student	Unknown	W30/F02	19.7	19.7	0	0	78.2	0	0						
				W31/F02	21.1	21.1	0	0									
	R18	Student	Unknown	W32/F02	20.3	20.3	0	0	86.5	0	0						
				W33/F02	18.9	18.9	0	0									
	R19	Student	Unknown	W34/F02	38.3	36.4	1.9	5	98.1	0	0	58	19	57	18	1.7	5.3
				W35/F02	38.2	36.3	1.9	5									
	R20	Student	Unknown	W36/F02	38	36.1	1.9	5	97.8	0	0	56	18	55	17	1.8	5.6
				W37/F02	33.6	31.7	1.9	5.7									
	R21	Student	Unknown	W38/F02	34.6	32.7	1.9	5.5	97.6	0	0	60	19	59	18	1.7	5.3
				W39/F02	38	36.1	1.9	5									

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R22	Student	Unknown	W40/F02	38.3	36.4	1.9	5	98.4	0	0	59	19	58	18	1.7	5.3
				W41/F02	38.3	36.5	1.8	4.7									
	R23	Student	Unknown	W42/F02	38.3	36.5	1.8	4.7	99	0	0	58	19	57	18	1.7	5.3
				W43/F02	38.3	36.5	1.8	4.7									
	R24	Student	Unknown	W44/F02	37.9	36.2	1.7	4.5	97.1	0	0	56	18	55	18	1.8	0
				W45/F02	33.9	32.2	1.7	5									
	R25	Student	Unknown	W46/F02	35.7	34	1.7	4.8	98.6	0	0	64	22	63	22	1.6	0
				W47/F02	37.9	36.2	1.7	4.5									
				W48/F02	38.3	36.7	1.6	4.2									
	R27**	Student	Unknown	W51/F02	35.3	35.3	0	0	98.8	0	0	68	25	68	25	0	0
				W52/F02	35	35	0	0									
F03	R1	Student	Unknown	W1/F03	32.6	31.4	1.2	3.7	89.3	0.5	2.2	70	17	68	15	2.9	11.8
				W2/F03	31.9	30.7	1.2	3.8									
	R2	Student	Unknown	W3/F03	31.1	30	1.1	3.5	81.7	1.2	6	67	16	66	15	1.5	6.2
				W4/F03	27.7	26.6	1.1	4									
	R3	Student	Unknown	W5/F03	24.4	23.9	0.5	2	74	1.4	7.5	71	17	70	16	1.4	5.9
				W6/F03	29.1	28.1	1	3.4									
	R4	Student	Unknown	W7/F03	28.9	27.9	1	3.5	74.7	1.8	9.2	68	14	67	13	1.5	7.1
				W8/F03	28.4	27.4	1	3.5									
	R5	Student	Unknown	W9/F03	19.3	19.3	0	0	63.8	0	0	56	13	55	12	1.8	7.7
				W10/F03	25.6	24.7	0.9	3.5									
	R6	Student	Unknown	W11/F03	24.1	23.2	0.9	3.7	69.5	0	0.1	51	9	50	8	2	11.1
				W12/F03	19.9	19.1	0.8	4									
	R7	Student	Unknown	W13/F03	27.2	26.5	0.7	2.6	98.5	0	0	62	9	61	8	1.6	11.1
	R8	Student	Unknown	W14/F03	17.2	17.2	0	0	65.2	0	0	50	10	49	9	2	10
				W15/F03	21.3	21.2	0.1	0.5									
	R9	Student	Unknown	W16/F03	23.4	22.9	0.5	2.1	57.6	0.6	4.7	53	7	53	7	0	0
				W17/F03	18.8	18.5	0.3	1.6									
	R10	Student	Unknown	W18/F03	23.8	23.7	0.1	0.4	53.4	0.3	2.2	55	3	55	3	0	0
				W19/F03	22.8	22.7	0.1	0.4									
	R11	Student	Unknown	W20/F03	22.1	22	0.1	0.5	50.6	0	0	54	3	54	3	0	0

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R12	Student	Unknown	W21/F03	17.9	17.8	0.1	0.6	45.8	0	0	38	0	38	0	0	0
	R13	Student	Unknown	W22/F03	17.5	17.5	0	0	52.4	0	0	50	1	50	1	0	0
				W23/F03	19.6	19.6	0	0									
	R14	Student	Unknown	W24/F03	19.4	19.4	0	0	59.9	0	0	51	6	51	6	0	0
				W25/F03	19.1	19.1	0	0									
	R15	Student	Unknown	W26/F03	23.8	23.8	0	0	85.9	0	0						
				W27/F03	24.3	24.3	0	0									
	R16	Student	Unknown	W28/F03	24.3	24.3	0	0	89	0	0						
				W29/F03	22.1	22.1	0	0									
	R17	Student	Unknown	W30/F03	21.2	21.2	0	0	81.5	0	0						
				W31/F03	22.9	22.9	0	0									
	R18	Student	Unknown	W32/F03	22	22	0	0	88.8	0	0						
				W33/F03	20.4	20.4	0	0									
	R19	Student	Unknown	W34/F03	38.6	36.7	1.9	4.9	98.2	0	0	58	19	57	18	1.7	5.3
				W35/F03	38.5	36.6	1.9	4.9									
	R20	Student	Unknown	W36/F03	38.2	36.4	1.8	4.7	97.6	0	0	56	18	55	17	1.8	5.6
				W37/F03	33.8	31.9	1.9	5.6									
	R21	Student	Unknown	W38/F03	34.8	33	1.8	5.2	97.6	0	0	59	19	58	18	1.7	5.3
				W39/F03	38.2	36.4	1.8	4.7									
	R22	Student	Unknown	W40/F03	38.5	36.7	1.8	4.7	98	0	0	59	19	58	18	1.7	5.3
				W41/F03	38.5	36.8	1.7	4.4									
	R23	Student	Unknown	W42/F03	38.5	36.8	1.7	4.4	98.7	0	0	58	19	58	19	0	0
				W43/F03	38.5	36.8	1.7	4.4									
	R24	Student	Unknown	W44/F03	38.1	36.5	1.6	4.2	97	0	0	56	18	55	18	1.8	0
				W45/F03	34.1	32.5	1.6	4.7									
	R25	Student	Unknown	W46/F03	35.9	34.3	1.6	4.5	98.4	0	0	64	22	63	22	1.6	0
				W47/F03	38.1	36.5	1.6	4.2									
				W48/F03	38.5	37	1.5	3.9									
	R26	Student	Unknown	W49/F03	38.7	37.2	1.5	3.9	99.8	0	0	97	29	96	29	1	0
				W50/F03	36.7	36.7	0	0									
	R27**	Student	Unknown	W51/F03	35.8	35.8	0	0	98.8	0	0	69	25	69	25	0	0

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W52/F03	35.4	35.4	0	0									
F04	R1	Student	Unknown	W1/F04	33.9	32.7	1.2	3.5	93	0.1	0.3	72	19	71	18	1.4	5.3
				W2/F04	33.3	32.2	1.1	3.3									
	R2	Student	Unknown	W3/F04	32.6	31.5	1.1	3.4	85.7	0.9	4.4	69	18	68	17	1.4	5.6
				W4/F04	29.1	28.1	1	3.4									
	R3	Student	Unknown	W5/F04	26.1	25.6	0.5	1.9	80.4	1.2	5.9	73	19	72	18	1.4	5.3
				W6/F04	30.9	29.9	1	3.2									
	R4	Student	Unknown	W7/F04	30.8	29.8	1	3.2	81	1.4	6.6	73	19	72	18	1.4	5.3
				W8/F04	30.4	29.5	0.9	3									
	R5	Student	Unknown	W9/F04	21.3	21.3	0	0	77.3	0	0	59	16	58	15	1.7	6.2
				W10/F04	27.6	26.8	0.8	2.9									
	R6	Student	Unknown	W11/F04	26	25.1	0.9	3.5	84.1	0	0	54	12	53	11	1.9	8.3
				W12/F04	21.3	20.4	0.9	4.2									
	R7	Student	Unknown	W13/F04	29.7	29.1	0.6	2	98.5	0	0	67	14	66	13	1.5	7.1
	R8	Student	Unknown	W14/F04	19.2	19.2	0	0	79.6	0	0	51	12	50	11	2	8.3
				W15/F04	23.8	23.6	0.2	0.8									
	R9	Student	Unknown	W16/F04	25.9	25.4	0.5	1.9	71.6	0.1	0.6	57	11	57	11	0	0
				W17/F04	20.5	20.2	0.3	1.5									
	R10	Student	Unknown	W18/F04	26.8	26.6	0.2	0.7	66.6	0.2	1	62	10	62	10	0	0
				W19/F04	25.9	25.8	0.1	0.4									
	R11	Student	Unknown	W20/F04	25.2	25.2	0	0	64.3	0	0	58	7	58	7	0	0
	R12	Student	Unknown	W21/F04	20.6	20.6	0	0	56.1	0	0	42	3	42	3	0	0
	R13	Student	Unknown	W22/F04	20.8	20.8	0	0	64.3	0.1	0.4	58	7	58	7	0	0
				W23/F04	22.9	22.9	0	0									
	R14	Student	Unknown	W24/F04	22.6	22.6	0	0	68.5	0.3	1.5	53	6	53	6	0	0
				W25/F04	22.3	22.3	0	0									
	R15	Student	Unknown	W26/F04	26	25.9	0.1	0.4	88.2	0	0						
				W27/F04	26.3	26.3	0	0									
	R16	Student	Unknown	W28/F04	26.2	26.2	0	0	91.5	0	0						
				W29/F04	23.6	23.6	0	0									
	R17	Student	Unknown	W30/F04	22.8	22.8	0	0	85.6	0	0						

					VSC(WINDOW)			NSL				APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W31/F04	24.8	24.8	0	0									
	R18	Student	Unknown	W32/F04	23.9	23.9	0	0	91.6	0	0						
				W33/F04	22.2	22.2	0	0									
	R19	Student	Unknown	W34/F04	38.7	36.9	1.8	4.7	98.1	0	0	58	19	57	18	1.7	5.3
				W35/F04	38.7	36.9	1.8	4.7									
	R20	Student	Unknown	W36/F04	38.4	36.7	1.7	4.4	97.6	0	0	56	18	55	17	1.8	5.6
				W37/F04	33.9	32.2	1.7	5									
	R21	Student	Unknown	W38/F04	35	33.2	1.8	5.1	97.7	0	0	59	19	58	18	1.7	5.3
				W39/F04	38.4	36.7	1.7	4.4									
	R22	Student	Unknown	W40/F04	38.7	37	1.7	4.4	98	0	0	59	19	58	18	1.7	5.3
				W41/F04	38.7	37	1.7	4.4									
	R23	Student	Unknown	W42/F04	38.7	37.1	1.6	4.1	98.7	0	0	58	19	58	19	0	0
				W43/F04	38.7	37	1.7	4.4									
	R24	Student	Unknown	W44/F04	38.3	36.7	1.6	4.2	96.9	0	0	56	18	55	18	1.8	0
				W45/F04	34.3	32.7	1.6	4.7									
	R25	Student	Unknown	W46/F04	36.1	34.6	1.5	4.2	98.4	0	0	64	22	63	22	1.6	0
				W47/F04	38.4	36.8	1.6	4.2									
				W48/F04	38.7	37.3	1.4	3.6									
	R26	Student	Unknown	W49/F04	39	37.5	1.5	3.8	99.9	0	0	97	29	96	29	1	0
				W50/F04	37.1	37.1	0	0									
	R27**	Student	Unknown	W51/F04	36.2	36.2	0	0	98.9	0	0	70	25	70	25	0	0
				W52/F04	35.8	35.8	0	0									
F05	R1	Student	Unknown	W1/F05	35.1	34.1	1	2.8	97.2	0	0	76	23	75	22	1.3	4.3
				W2/F05	34.6	33.6	1	2.9									
	R2	Student	Unknown	W3/F05	34	33	1	2.9	93	0.3	1.4	73	22	72	21	1.4	4.5
				W4/F05	30.5	29.5	1	3.3									
	R3	Student	Unknown	W5/F05	27.8	27.3	0.5	1.8	90	0.9	3.9	77	23	76	22	1.3	4.3
				W6/F05	32.7	31.8	0.9	2.8									
	R4	Student	Unknown	W7/F05	32.7	31.8	0.9	2.8	91.8	0.7	3.2	76	22	75	21	1.3	4.5
				W8/F05	32.4	31.5	0.9	2.8									
	R5	Student	Unknown	W9/F05	23.2	23.2	0	0	93.6	0	0	62	19	61	18	1.6	5.3

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W10/F05	29.7	28.8	0.9	3									
	R6	Student	Unknown	W11/F05	27.8	27	0.8	2.9	98.2	0	0	59	17	58	16	1.7	5.9
				W12/F05	22.6	21.8	0.8	3.5									
	R7	Student	Unknown	W13/F05	32.2	31.6	0.6	1.9	98.5	0	0	73	20	72	19	1.4	5
	R8	Student	Unknown	W14/F05	21.3	21.3	0	0	95.8	0	0.1	57	18	56	17	1.8	5.6
				W15/F05	26.3	26.1	0.2	0.8									
	R9	Student	Unknown	W16/F05	28.4	27.9	0.5	1.8	89.5	0	0.1	61	15	61	15	0	0
				W17/F05	22.3	21.9	0.4	1.8									
	R10	Student	Unknown	W18/F05	29.9	29.7	0.2	0.7	88	0	0	67	14	67	14	0	0
				W19/F05	29.2	29.1	0.1	0.3									
	R11	Student	Unknown	W20/F05	28.7	28.5	0.2	0.7	79.9	0	0	63	12	63	12	0	0
	R12	Student	Unknown	W21/F05	23.7	23.6	0.1	0.4	75.6	0.1	1	48	9	48	9	0	0
	R13	Student	Unknown	W22/F05	24.5	24.4	0.1	0.4	84.3	0.1	0.4	62	11	62	11	0	0
				W23/F05	26.6	26.5	0.1	0.4									
	R14	Student	Unknown	W24/F05	26.3	26.2	0.1	0.4	84.4	0.6	2.9	62	11	62	11	0	0
				W25/F05	25.9	25.8	0.1	0.4									
	R15	Student	Unknown	W26/F05	28.1	28.1	0	0	90.3	0	0						
				W27/F05	28.3	28.3	0	0									
	R16	Student	Unknown	W28/F05	28.2	28.2	0	0	93.5	0	0						
				W29/F05	25	25	0	0									
	R17	Student	Unknown	W30/F05	24.4	24.4	0	0	90.4	0	0						
				W31/F05	26.9	26.9	0	0									
	R18	Student	Unknown	W32/F05	26	26	0	0	95.1	0	0						
				W33/F05	24.2	24.2	0	0									
	R19	Student	Unknown	W34/F05	38.9	37.1	1.8	4.6	98.1	0	0	58	19	57	18	1.7	5.3
				W35/F05	38.8	37	1.8	4.6									
	R20	Student	Unknown	W36/F05	38.5	36.8	1.7	4.4	97.6	0	0	56	18	55	17	1.8	5.6
				W37/F05	34	32.3	1.7	5									
	R21	Student	Unknown	W38/F05	35.1	33.4	1.7	4.8	97.7	0	0	59	19	58	18	1.7	5.3
				W39/F05	38.5	36.9	1.6	4.2									
	R22	Student	Unknown	W40/F05	38.8	37.2	1.6	4.1	98	0	0	59	19	58	18	1.7	5.3

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W41/F05	38.8	37.2	1.6	4.1									
	R23	Student	Unknown	W42/F05	38.8	37.3	1.5	3.9	98.7	0	0	58	19	58	19	0	0
				W43/F05	38.8	37.2	1.6	4.1									
	R24	Student	Unknown	W44/F05	38.5	36.9	1.6	4.2	96.9	0	0	56	18	55	18	1.8	0
				W45/F05	34.4	32.9	1.5	4.4									
	R25	Student	Unknown	W46/F05	36.3	34.8	1.5	4.1	98.4	0	0	64	22	63	22	1.6	0
				W47/F05	38.5	37.1	1.4	3.6									
				W48/F05	38.9	37.5	1.4	3.6									
	R26	Student	Unknown	W49/F05	39.2	37.8	1.4	3.6	99.8	0	0	97	29	96	29	1	0
				W50/F05	37.6	37.6	0	0									
	R27**	Student	Unknown	W51/F05	36.5	36.5	0	0	98.9	0	0	71	25	71	25	0	0
				W52/F05	36.1	36.1	0	0									
F06	R1	Student	Unknown	W1/F06	36.3	35.3	1	2.8	98.9	0	0	81	28	80	27	1.2	3.6
				W2/F06	36	35	1	2.8									
	R2	Student	Unknown	W3/F06	35.4	34.5	0.9	2.5	97.6	0	0	76	25	75	24	1.3	4
				W4/F06	31.9	30.9	1	3.1									
	R3	Student	Unknown	W5/F06	29.4	28.9	0.5	1.7	97.5	0	0.1	81	28	80	27	1.2	3.6
				W6/F06	34.5	33.6	0.9	2.6									
	R4	Student	Unknown	W7/F06	34.5	33.6	0.9	2.6	98.5	0	0	81	27	80	26	1.2	3.7
				W8/F06	34.4	33.6	0.8	2.3									
	R5	Student	Unknown	W9/F06	25	25	0	0	96.4	0	0	66	23	65	22	1.5	4.3
				W10/F06	31.6	30.8	0.8	2.5									
	R6	Student	Unknown	W11/F06	29.7	28.9	0.8	2.7	99	0	0	64	22	63	21	1.6	4.5
				W12/F06	23.9	23.2	0.7	2.9									
	R7	Student	Unknown	W13/F06	34.6	34	0.6	1.7	98.7	0	0	79	26	78	25	1.3	3.8
	R8	Student	Unknown	W14/F06	23.3	23.3	0	0	98.7	0	0	61	22	61	22	0	0
				W15/F06	28.7	28.4	0.3	1									
	R9	Student	Unknown	W16/F06	30.8	30.3	0.5	1.6	95.8	0	0	65	20	65	20	0	0
				W17/F06	24	23.5	0.5	2.1									
	R10	Student	Unknown	W18/F06	32.7	32.4	0.3	0.9	98.3	0	0	74	21	74	21	0	0
				W19/F06	32.2	31.9	0.3	0.9									

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R11	Student	Unknown	W20/F06	31.8	31.5	0.3	0.9	97.7	0	0	71	20	71	20	0	0
	R12	Student	Unknown	W21/F06	26.6	26.4	0.2	0.8	97	0.1	1.3	53	14	53	14	0	0
	R13	Student	Unknown	W22/F06	28.1	27.9	0.2	0.7	98	0	0	69	17	69	17	0	0
				W23/F06	30.5	30.3	0.2	0.7									
	R14	Student	Unknown	W24/F06	29.9	29.7	0.2	0.7	98.1	0	0	68	19	68	19	0	0
				W25/F06	27.9	27.7	0.2	0.7									
	R15	Student	Unknown	W26/F06	30.1	30.1	0	0	93.8	0	0						
				W27/F06	30.1	30.1	0	0									
	R16	Student	Unknown	W28/F06	29.9	29.9	0	0	96.2	0	0						
				W29/F06	26.3	26.3	0	0									
	R17	Student	Unknown	W30/F06	26.2	26.2	0	0	95.2	0	0						
				W31/F06	29.1	29.1	0	0									
	R18	Student	Unknown	W32/F06	28.3	28.3	0	0	97.9	0	0						
				W33/F06	26.7	26.7	0	0									
	R19	Student	Unknown	W34/F06	38.8	37.1	1.7	4.4	98.1	0	0	58	19	57	18	1.7	5.3
				W35/F06	38.7	37.1	1.6	4.1									
	R20	Student	Unknown	W36/F06	38.6	37	1.6	4.1	97.6	0	0	56	18	55	17	1.8	5.6
				W37/F06	34.1	32.5	1.6	4.7									
	R21	Student	Unknown	W38/F06	35.1	33.6	1.5	4.3	97.6	0	0	58	19	57	18	1.7	5.3
				W39/F06	38.6	37	1.6	4.1									
	R22	Student	Unknown	W40/F06	38.9	37.3	1.6	4.1	98.4	0	0	58	19	57	18	1.7	5.3
				W41/F06	38.9	37.4	1.5	3.9									
	R23	Student	Unknown	W42/F06	38.9	37.4	1.5	3.9	99	0	0	58	19	58	19	0	0
				W43/F06	38.9	37.4	1.5	3.9									
	R24	Student	Unknown	W44/F06	38.5	37.1	1.4	3.6	97	0	0	56	18	56	18	0	0
				W45/F06	34.5	33	1.5	4.3									
	R25	Student	Unknown	W46/F06	36.4	35	1.4	3.8	98.6	0	0	64	22	64	22	0	0
				W47/F06	38.7	37.3	1.4	3.6									
				W48/F06	39.1	37.7	1.4	3.6									
	R26	Student	Unknown	W49/F06	39.3	38	1.3	3.3	99.9	0	0	98	29	97	29	1	0
				W50/F06	37.9	37.9	0	0									

					VSC(WINDOW)			NSL				APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R27**	Student	Unknown	W51/F06	36.8	36.8	0	0	98.9	0	0	73	25	73	25	0	0
				W52/F06	36.4	36.4	0	0									
F07	R1	Student	Unknown	W1/F07	37.4	36.5	0.9	2.4	99.5	0	0	82	29	81	28	1.2	3.4
				W2/F07	37.1	36.2	0.9	2.4									
	R2	Student	Unknown	W3/F07	36.7	35.8	0.9	2.5	97.3	0	0	79	28	78	27	1.3	3.6
				W4/F07	33.1	32.3	0.8	2.4									
	R3	Student	Unknown	W5/F07	30.8	30.3	0.5	1.6	97.2	0	0	82	29	81	28	1.2	3.4
				W6/F07	35.8	35	0.8	2.2									
	R4	Student	Unknown	W7/F07	36	35.1	0.9	2.5	98	0	0	83	29	82	28	1.2	3.4
				W8/F07	36	35.2	0.8	2.2									
	R5	Student	Unknown	W9/F07	26.4	26.4	0	0	96.4	0	0	71	27	70	26	1.4	3.7
				W10/F07	33.2	32.5	0.7	2.1									
	R6	Student	Unknown	W11/F07	31.3	30.5	0.8	2.6	99.1	0	0	64	22	63	21	1.6	4.5
				W12/F07	25.1	24.4	0.7	2.8									
	R7	Student	Unknown	W13/F07	36.9	36.3	0.6	1.6	99.1	0	0	80	27	79	26	1.2	3.7
	R8	Student	Unknown	W14/F07	25.1	25.1	0	0	98.7	0	0.2	66	25	65	24	1.5	4
				W15/F07	30.8	30.5	0.3	1									
	R9	Student	Unknown	W16/F07	33	32.4	0.6	1.8	95.8	0	0	69	24	68	23	1.4	4.2
				W17/F07	25.2	24.7	0.5	2									
	R10	Student	Unknown	W18/F07	32.9	32.5	0.4	1.2	97.1	0	0	74	25	74	25	0	0
				W19/F07	32.4	32	0.4	1.2									
	R11	Student	Unknown	W20/F07	32.2	31.8	0.4	1.2	96.6	0	0	72	24	72	24	0	0
	R12	Student	Unknown	W21/F07	27.4	27	0.4	1.5	97.6	0	0	56	18	56	18	0	0
	R13	Student	Unknown	W22/F07	29.4	29.1	0.3	1	97.9	0	0	71	23	70	22	1.4	4.3
				W23/F07	31.5	31.2	0.3	1									
	R14	Student	Unknown	W24/F07	31.6	31.3	0.3	0.9	97.2	0	0	71	23	70	22	1.4	4.3
	R15	Student	Unknown	W25/F07	28.6	28.5	0.1	0.3	95.4	0	0						
				W26/F07	28.4	28.4	0	0									
	R16	Student	Unknown	W27/F07	28.3	28.3	0	0	96.3	0	0						
				W28/F07	24.7	24.7	0	0									
	R17	Student	Unknown	W29/F07	27.7	27.7	0	0	96.1	0	0						

PROJECT NO: 20569
PROJECT NAME: MAYFIELD PHASE 1B
15/11/2024 12:31:26

DAYLIGHT SUNLIGHT ANALYSIS
EXISTING VS. PROPOSED
RELEASE 7 ,ISSUE 1

ITERATION NO.: IR66
ARCHITECT: STUDIO EGRET WEST

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W30/F07	31.1	31.1	0	0									
	R18	Student	Unknown	W31/F07	30.6	30.6	0	0	98.1	0	0						
				W32/F07	29.5	29.5	0	0									
	R19	Student	Unknown	W33/F07	36.4	34.8	1.6	4.4	97.8	0	0	57	19	56	18	1.8	5.3
				W34/F07	38	36.5	1.5	3.9									
	R20	Student	Unknown	W35/F07	38.2	36.7	1.5	3.9	97.4	0	0	56	18	55	17	1.8	5.6
				W36/F07	34.3	32.7	1.6	4.7									
	R21	Student	Unknown	W37/F07	34.7	33.2	1.5	4.3	97.2	0	0	57	19	56	18	1.8	5.3
				W38/F07	38.3	36.8	1.5	3.9									
	R22	Student	Unknown	W39/F07	38.5	37	1.5	3.9	97.5	0	0	57	19	56	18	1.8	5.3
				W40/F07	38.6	37.1	1.5	3.9									
	R23	Student	Unknown	W41/F07	38.6	37.1	1.5	3.9	98.2	0	0	57	19	57	19	0	0
				W42/F07	38.5	37.1	1.4	3.6									
	R24	Student	Unknown	W43/F07	38.2	36.8	1.4	3.7	96.7	0	0	56	18	56	18	0	0
				W44/F07	34.3	33	1.3	3.8									
	R25	Student	Unknown	W45/F07	36.4	35.1	1.3	3.6	98.5	0	0	64	22	64	22	0	0
				W46/F07	38.7	37.4	1.3	3.4									
				W47/F07	39.1	37.8	1.3	3.3									
	R26	Student	Unknown	W48/F07	39.4	38.2	1.2	3	99.9	0	0	99	29	98	29	1	0
				W49/F07	38.2	38.2	0	0									
	R27**	Student	Unknown	W50/F07	36.8	36.8	0	0	98.6	0	0	75	25	75	25	0	0
				W51/F07	36.3	36.3	0	0									
F08	R1	Student	Unknown	W1/F08	38	37.1	0.9	2.4	97.7	0	0	82	29	81	28	1.2	3.4
				W2/F08	37.8	36.9	0.9	2.4									
	R2	Student	Unknown	W3/F08	37.5	36.6	0.9	2.4	97.2	0	0	79	28	78	27	1.3	3.6
				W4/F08	33.7	32.9	0.8	2.4									
	R3	Student	Unknown	W5/F08	29.7	29.4	0.3	1	97	0.1	0.3	75	29	74	28	1.3	3.4
				W6/F08	34.3	33.5	0.8	2.3									
	R4	Student	Unknown	W7/F08	34.7	33.9	0.8	2.3	98.2	0	0	79	29	78	28	1.3	3.4
				W8/F08	34.9	34.1	0.8	2.3									
	R5	Student	Unknown	W9/F08	24.3	24.3	0	0	96.3	0	0	67	28	66	27	1.5	3.6

					VSC(WINDOW)			NSL				APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W10/F08	32.6	31.9	0.7	2.1									
	R6	Student	Unknown	W11/F08	31	30.3	0.7	2.3	99.4	0	0	64	23	63	22	1.6	4.3
				W12/F08	24.8	24.1	0.7	2.8									
	R7	Student	Unknown	W13/F08	25	25	0	0	98.7	0	0.2	64	26	63	25	1.6	3.8
				W14/F08	30.8	30.5	0.3	1									
	R8	Student	Unknown	W15/F08	33	32.4	0.6	1.8	96.6	0	0	71	25	70	24	1.4	4
				W16/F08	25.3	24.7	0.6	2.4									
	R9	Student	Unknown	W17/F08	27.5	27.4	0.1	0.4	96.7	0	0						
				W18/F08	30.6	30.6	0	0									
	R10	Student	Unknown	W19/F08	30.5	30.4	0.1	0.3	98.3	0	0						
				W20/F08	30.1	30.1	0	0									
	R11	Student	Unknown	W21/F08	36.1	34.6	1.5	4.2	49.7	0	0.2	51	18	50	17	2	5.6
	R12	Student	Unknown	W22/F08	35.8	34.3	1.5	4.2	97.4	0	0	51	18	50	17	2	5.6
				W23/F08	32.4	31	1.4	4.3									
	R13	Student	Unknown	W24/F08	32.9	31.4	1.5	4.6	97.2	0	0	51	18	50	17	2	5.6
				W25/F08	35.8	34.4	1.4	3.9									
	R14	Student	Unknown	W26/F08	35.9	34.5	1.4	3.9	97.5	0	0	51	18	50	17	2	5.6
				W27/F08	36	34.6	1.4	3.9									
	R15	Student	Unknown	W28/F08	36	34.6	1.4	3.9	98.2	0	0	51	18	51	18	0	0
				W29/F08	35.9	34.6	1.3	3.6									
	R16	Student	Unknown	W30/F08	35.8	34.5	1.3	3.6	96.5	0	0	51	18	51	18	0	0
				W31/F08	32.5	31.2	1.3	4									
	R17	Student	Unknown	W32/F08	36.2	34.9	1.3	3.6	98	0	0	64	22	64	22	0	0
				W33/F08	38.6	37.3	1.3	3.4									
				W34/F08	39	37.8	1.2	3.1									
	R18	Student	Unknown	W35/F08	39.5	38.3	1.2	3	99.9	0	0	99	29	98	29	1	0
				W36/F08	38.4	38.4	0	0									
	R19**	Student	Unknown	W37/F08	34.4	34.4	0	0	98.9	0	0	74	25	74	25	0	0
				W38/F08	33.9	33.9	0	0									
F09	R1	Student	Unknown	W1/F09	35.8	34.9	0.9	2.5	97.8	0	0	77	29	76	28	1.3	3.4
				W2/F09	35.5	34.7	0.8	2.3									

					VSC(WINDOW)			NSL				APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R2	Student	Unknown	W3/F09	35.4	34.6	0.8	2.3	96.9	0	0	76	28	75	27	1.3	3.6
				W4/F09	32.4	31.6	0.8	2.5									
	R3	Student	Unknown	W6/F09	34.4	33.2	1.2	3.5	98	0	0	56	19	56	19	0	0
				W7/F09	36.9	35.7	1.2	3.3									
				W8/F09	37.5	36.4	1.1	2.9									
	R4	Student	Unknown	W9/F09	39.5	38.4	1.1	2.8	100	0	0	100	29	99	29	1	0
				W10/F09	38.6	38.6	0	0									
	R5**	Student	Unknown	W11/F09	36.4	36.1	0.3	0.8	92.6	0	0						

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 25-41 PADDOCK STREET & 21 THIRSK ST
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL1

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
25-41 PADDOCK STREET & 21 THIRSK STREET								
F00	R1	RESIDENTIAL	UNKNOWN	13.0	99.5	99.5	0.0	0
F00	R2	RESIDENTIAL	UNKNOWN	17.7	96.7	81.8	2.6	15.4
F00	R3	RESIDENTIAL	UNKNOWN	18.6	99.3	99.3	0.0	0
F00	R4	RESIDENTIAL	UNKNOWN	21.3	99	99	0.0	0
F00	R5	RESIDENTIAL	UNKNOWN	21.6	95.9	83.7	2.6	12.7
F00	R6	RESIDENTIAL	UNKNOWN	22.1	95.5	95.4	0.0	0.1

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 25-41 PADDOCK STREET & 21 THIRSK ST
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL2

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
25-41 PADDOCK STREET & 21 THIRSK STREET								
F00	R7	RESIDENTIAL	UNKNOWN	21.7	98.8	98.8	0.0	0
F00	R8	RESIDENTIAL	UNKNOWN	21.2	99.2	99.1	0.0	0
F00	R9	RESIDENTIAL	UNKNOWN	18.7	99.3	99.1	0.1	0.3
F00	R10	RESIDENTIAL	UNKNOWN	17.1	95.4	61.3	5.9	35.8
F00	R11	RESIDENTIAL	UNKNOWN	17.8	99.1	92.7	1.1	6.5
F00	R12	RESIDENTIAL	UNKNOWN	16.4	99.5	94.2	0.9	5.4

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 25-41 PADDOCK STREET & 21 THIRSK ST
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL3

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
25-41 PADDOCK STREET & 21 THIRSK STREET								
F00	R13	RESIDENTIAL	UNKNOWN	15.2	99.7	93.5	0.9	6.2
F00	R14	RESIDENTIAL	UNKNOWN	11.6	98.7	83.7	1.7	15.2
F00	R15	RESIDENTIAL	UNKNOWN	13.1	99.1	98.7	0.1	0.4
F00	R17	RESIDENTIAL	UNKNOWN	13.7	90.9	90.9	0.0	0
F00	R18	RESIDENTIAL	UNKNOWN	17.9	99.3	89.3	1.8	10.1
F00	R19	RESIDENTIAL	UNKNOWN	13.7	91.8	87.4	0.6	4.8

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 25-41 PADDOCK STREET & 21 THIRSK ST
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL4

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
25-41 PADDOCK STREET & 21 THIRSK STREET								
F01	R1	RESIDENTIAL	UNKNOWN	19.6	99.7	99.6	0.0	0
F01	R2	RESIDENTIAL	UNKNOWN	8.9	99.8	99.8	0.0	0
F01	R3	RESIDENTIAL	UNKNOWN	8.4	96.3	66.3	2.5	31.1
F01	R4	RESIDENTIAL	UNKNOWN	8.9	95.9	78.2	1.6	18.5
F01	R5	RESIDENTIAL	UNKNOWN	9.2	99.4	97.8	0.1	1.6
F01	R6	RESIDENTIAL	UNKNOWN	8.9	96.1	80.3	1.4	16.5

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 25-41 PADDOCK STREET & 21 THIRSK ST
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL5

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
25-41 PADDOCK STREET & 21 THIRSK STREET								
F01	R7	RESIDENTIAL	UNKNOWN	11.9	99.1	97.9	0.1	1.2
F01	R8	RESIDENTIAL	UNKNOWN	12.4	98.8	98.8	0.0	0
F01	R9	RESIDENTIAL	UNKNOWN	8.9	96.3	81.5	1.3	15.3
F01	R10	RESIDENTIAL	UNKNOWN	8.9	95.8	83.9	1.1	12.4
F01	R11	RESIDENTIAL	UNKNOWN	12.8	98.8	97	0.2	1.9
F01	R12	RESIDENTIAL	UNKNOWN	12.4	99	98.7	0.0	0.3

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 25-41 PADDOCK STREET & 21 THIRSK ST
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL6

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
25-41 PADDOCK STREET & 21 THIRSK STREET								
F01	R13	RESIDENTIAL	UNKNOWN	8.9	96.6	81.7	1.3	15.4
F01	R14	RESIDENTIAL	UNKNOWN	8.9	95.9	87.4	0.8	8.9
F01	R15	RESIDENTIAL	UNKNOWN	11.9	99.2	98.2	0.1	1
F01	R16	RESIDENTIAL	UNKNOWN	9.3	99.7	99.7	0.0	0
F01	R17	RESIDENTIAL	UNKNOWN	8.9	96.3	85.8	0.9	10.8
F01	R18	RESIDENTIAL	UNKNOWN	8.2	96.4	70.5	2.1	26.8

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 25-41 PADDOCK STREET & 21 THIRSK ST
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL7

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
25-41 PADDOCK STREET & 21 THIRSK STREET								
F01	R19	RESIDENTIAL	UNKNOWN	8.6	99.7	95.2	0.4	4.5
F01	R20	RESIDENTIAL	UNKNOWN	8.9	99.4	81	1.6	18.5
F01	R21	RESIDENTIAL	UNKNOWN	8.5	96.4	77.4	1.6	19.7
F01	R22	RESIDENTIAL	UNKNOWN	7.8	96.6	62	2.7	35.9
F01	R23	RESIDENTIAL	UNKNOWN	8.2	99.7	88.7	0.9	11
F01	R24	RESIDENTIAL	UNKNOWN	15.2	98.1	82.9	2.3	15.4

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 25-41 PADDOCK STREET & 21 THIRSK ST
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL8

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
25-41 PADDOCK STREET & 21 THIRSK STREET								
F01	R25	RESIDENTIAL	UNKNOWN	11.6	98.7	82.9	1.8	16
F01	R26	RESIDENTIAL	UNKNOWN	19.6	98.9	98.5	0.1	0.4
F01	R27	RESIDENTIAL	UNKNOWN	8.9	99.7	94.5	0.5	5.3
F01	R28	RESIDENTIAL	UNKNOWN	17.9	93.4	93.4	0.0	0
F01	R29	RESIDENTIAL	UNKNOWN	8.5	85.8	84.4	0.1	1.6
F01	R30	RESIDENTIAL	UNKNOWN	17.9	91.5	89.2	0.4	2.4

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL9

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F00	R2	RESIDENTIAL	UNKNOWN	15.6	95.7	89.3	1.0	6.7
F00	R3	RESIDENTIAL	UNKNOWN	16.5	96.1	87.8	1.4	8.6
F00	R4	RESIDENTIAL	UNKNOWN	6.8	98.5	98.4	0.0	0.2
F00	R6	RESIDENTIAL	KITCHEN	6.4	94.8	94.8	0.0	0
F00	R8	RESIDENTIAL	KITCHEN	6.4	94.5	94.5	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL10

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F00	R10	RESIDENTIAL	KITCHEN	6.4	94.6	94.6	0.0	0
F00	R12	RESIDENTIAL	KITCHEN	6.4	94.6	94.6	0.0	0
F00	R14	RESIDENTIAL	UNKNOWN	13.7	96	89.7	0.9	6.6
F00	R15	RESIDENTIAL	UNKNOWN	8.4	100	99.5	0.0	0.5
F00	R17	RESIDENTIAL	UNKNOWN	8.8	99.9	96.6	0.3	3.3

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL11

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F00	R19	RESIDENTIAL	UNKNOWN	9.0	99.9	94.9	0.4	4.9
F00	R21	RESIDENTIAL	UNKNOWN	8.8	99.8	94.8	0.4	5.1
F00	R23	RESIDENTIAL	UNKNOWN	8.8	98.6	85.9	1.1	12.8

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL12

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F01	R1	RESIDENTIAL	UNKNOWN	7.5	99.4	99	0.0	0.4
F01	R2	RESIDENTIAL	UNKNOWN	7.7	99.8	99.8	0.0	0.1
F01	R3	RESIDENTIAL	UNKNOWN	7.6	99.9	99.9	0.0	0
F01	R4	RESIDENTIAL	UNKNOWN	7.9	97.3	97.2	0.0	0.1
F01	R5	RESIDENTIAL	UNKNOWN	8.2	99.9	99.8	0.0	0.1
F01	R6	RESIDENTIAL	UNKNOWN	8.8	99.5	98.7	0.1	0.8

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL13

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F01	R7	RESIDENTIAL	UNKNOWN	7.5	97.8	97.7	0.0	0.2
F01	R8	RESIDENTIAL	BEDROOM	10.5	99.8	99.8	0.0	0
F01	R10	RESIDENTIAL	BEDROOM	10.5	99.8	99.8	0.0	0
F01	R12	RESIDENTIAL	BEDROOM	10.5	100	100	0.0	0
F01	R14	RESIDENTIAL	BEDROOM	10.5	99.8	99.8	0.0	0
F01	R16	RESIDENTIAL	UNKNOWN	13.7	93.7	93.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL14

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F01	R17	RESIDENTIAL	UNKNOWN	8.4	99.7	96.5	0.3	3.2
F01	R18	RESIDENTIAL	UNKNOWN	7.3	97.2	67.2	2.2	30.8
F01	R19	RESIDENTIAL	UNKNOWN	8.8	100	94.1	0.5	5.8
F01	R20	RESIDENTIAL	UNKNOWN	7.3	97.2	66.2	2.3	31.9
F01	R21	RESIDENTIAL	UNKNOWN	9.0	99.8	92.4	0.7	7.4
F01	R22	RESIDENTIAL	UNKNOWN	7.3	97.7	67.8	2.2	30.6

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL15

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F01	R23	RESIDENTIAL	UNKNOWN	8.8	99.8	92.1	0.7	7.7
F01	R24	RESIDENTIAL	UNKNOWN	7.2	97.3	63.8	2.4	34.4
F01	R25	RESIDENTIAL	UNKNOWN	8.8	99.8	81.9	1.6	18
F01	R26	RESIDENTIAL	UNKNOWN	7.8	97.2	49.9	3.7	48.7

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL16

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F02	R1	RESIDENTIAL	KITCHEN	6.4	81.7	81.7	0.0	0
F02	R3	RESIDENTIAL	KITCHEN	6.4	81.8	81.8	0.0	0
F02	R5	RESIDENTIAL	KITCHEN	6.4	81.9	81.8	0.0	0.1
F02	R7	RESIDENTIAL	KITCHEN	6.4	81.7	81.7	0.0	0
F02	R9	RESIDENTIAL	UNKNOWN	13.7	93.3	93.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL17

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F03	R1	RESIDENTIAL	BEDROOM	10.5	99.8	99.8	0.0	0
F03	R3	RESIDENTIAL	BEDROOM	10.5	99.9	99.9	0.0	0
F03	R5	RESIDENTIAL	BEDROOM	10.5	99.9	99.9	0.0	0
F03	R7	RESIDENTIAL	BEDROOM	10.5	99.8	99.8	0.0	0

NSL CONTOURS


PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 94 COTTER STREET
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL18

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F00



F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
94 COTTER STREET								
F00	R1	RESIDENTIAL	UNKNOWN	8.9	99.9	94	0.5	5.8
F01	R1	RESIDENTIAL	UNKNOWN	8.9	99.8	88.5	1.0	11.3
F01	R2	RESIDENTIAL	UNKNOWN	7.3	97.2	50.7	3.4	47.9

NSL CONTOURS


PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 82 BRYDON AVENUE
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL19

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F00




F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
82 BRYDON AVENUE								
F00	R1	RESIDENTIAL	UNKNOWN	16.9	94.9	85.7	1.5	9.7
F01	R1	RESIDENTIAL	UNKNOWN	8.4	99.8	99.6	0.0	0.2
F01	R2	RESIDENTIAL	UNKNOWN	8.1	97.5	97.3	0.0	0.2

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 86 BRYDON AVENUE
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL20

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F00



F01



F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
86 BRYDON AVENUE								
F00	R1	RESIDENTIAL	UNKNOWN	16.6	94.3	84.8	1.6	10.1
F00	R2	RESIDENTIAL	UNKNOWN	16.1	99.6	97.5	0.3	2.1
F01	R1	RESIDENTIAL	UNKNOWN	8.7	99.6	99.2	0.0	0.4
F01	R2	RESIDENTIAL	UNKNOWN	7.5	97.8	97.8	0.0	0.1
F01	R3	RESIDENTIAL	UNKNOWN	8.5	99.7	99.7	0.0	0.1

NSL CONTOURS


PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 79 BRYDON AVENUE
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL21

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F00



F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
79 BRYDON AVENUE								
F00	R2	RESIDENTIAL	KITCHEN	7.2	97.8	97.7	0.0	0.1
F01	R1	RESIDENTIAL	UNKNOWN	9.3	98.9	98.3	0.1	0.6
F01	R2	RESIDENTIAL	UNKNOWN	7.5	96.8	96.8	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 37-49 BRYDON AVENUE
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL22

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
37-49 BRYDON AVENUE								
F00	R1	RESIDENTIAL	UNKNOWN	19.3	97.6	96.5	0.2	1.1
F00	R4	RESIDENTIAL	UNKNOWN	19.1	97.7	97.7	0.0	0
F00	R5	RESIDENTIAL	UNKNOWN	19.1	97.8	96.9	0.2	1
F00	R8	RESIDENTIAL	UNKNOWN	19.2	97.7	97.7	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 37-49 BRYDON AVENUE
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL23

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
37-49 BRYDON AVENUE								
F00	R9	RESIDENTIAL	UNKNOWN	19.0	97.7	97.7	0.0	0.1
F00	R12	RESIDENTIAL	UNKNOWN	19.2	97.7	97.7	0.0	0
F00	R13	RESIDENTIAL	UNKNOWN	19.1	97.4	97.4	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 37-49 BRYDON AVENUE
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL24

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
37-49 BRYDON AVENUE								
F01	R1	RESIDENTIAL	UNKNOWN	10.9	99.2	99.1	0.0	0
F01	R2	RESIDENTIAL	UNKNOWN	7.9	97.9	97.8	0.0	0
F01	R3	RESIDENTIAL	UNKNOWN	7.9	98	97.8	0.0	0.1
F01	R4	RESIDENTIAL	UNKNOWN	10.7	99.2	98.9	0.0	0.3
F01	R5	RESIDENTIAL	UNKNOWN	10.8	99.2	99.2	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 37-49 BRYDON AVENUE
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL25

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
37-49 BRYDON AVENUE								
F01	R6	RESIDENTIAL	UNKNOWN	7.9	97.7	97.7	0.0	0
F01	R7	RESIDENTIAL	UNKNOWN	7.9	97.3	97.3	0.0	0
F01	R8	RESIDENTIAL	UNKNOWN	10.9	99.1	99.1	0.0	0
F01	R9	RESIDENTIAL	UNKNOWN	10.7	99.3	99.2	0.0	0
F01	R10	RESIDENTIAL	UNKNOWN	7.9	97.6	97.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 37-49 BRYDON AVENUE
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL26

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
37-49 BRYDON AVENUE								
F01	R11	RESIDENTIAL	UNKNOWN	7.9	97.4	97.4	0.0	0
F01	R12	RESIDENTIAL	UNKNOWN	10.9	99.2	99.2	0.0	0
F01	R13	RESIDENTIAL	UNKNOWN	7.9	97.6	97.6	0.0	0
F01	R14	RESIDENTIAL	UNKNOWN	10.8	99.2	99	0.0	0.2

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 11-35 BRYDON AVENUE
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL27

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
11-35 BRYDON AVENUE								
F00	R1	RESIDENTIAL	UNKNOWN	10.3	96.6	96.6	0.0	0
F00	R4	RESIDENTIAL	UNKNOWN	10.3	96.7	96.7	0.0	0
F00	R5	RESIDENTIAL	UNKNOWN	10.4	96.8	96.8	0.0	0
F00	R8	RESIDENTIAL	UNKNOWN	10.4	96.8	96.8	0.0	0
F00	R9	RESIDENTIAL	UNKNOWN	10.3	96.7	96.7	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 11-35 BRYDON AVENUE
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL28

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
11-35 BRYDON AVENUE								
F00	R12	RESIDENTIAL	UNKNOWN	10.2	94.7	94.7	0.0	0
F00	R13	RESIDENTIAL	UNKNOWN	19.4	97.6	97.6	0.0	0
F00	R16	RESIDENTIAL	UNKNOWN	19.2	97.5	97.5	0.0	0
F00	R17	RESIDENTIAL	UNKNOWN	19.3	97.5	97.5	0.0	0
F00	R20	RESIDENTIAL	UNKNOWN	19.0	97.6	97.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 11-35 BRYDON AVENUE
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL29

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
11-35 BRYDON AVENUE								
F00	R21	RESIDENTIAL	UNKNOWN	19.1	97.5	97.5	0.0	0
F00	R24	RESIDENTIAL	UNKNOWN	19.3	92.1	92.1	0.0	0
F00	R26	RESIDENTIAL	UNKNOWN	19.2	97.6	97.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 11-35 BRYDON AVENUE
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL30

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
11-35 BRYDON AVENUE								
F01	R1	RESIDENTIAL	UNKNOWN	10.3	93.1	85	0.8	8.7
F01	R2	RESIDENTIAL	UNKNOWN	10.3	92.8	92.8	0.0	0
F01	R3	RESIDENTIAL	UNKNOWN	10.4	92.9	84.9	0.8	8.6
F01	R4	RESIDENTIAL	UNKNOWN	10.4	92.7	92.7	0.0	0
F01	R5	RESIDENTIAL	UNKNOWN	10.3	92.9	86.9	0.6	6.4

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 11-35 BRYDON AVENUE
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL31

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
11-35 BRYDON AVENUE								
F01	R6	RESIDENTIAL	UNKNOWN	10.2	91.7	91.7	0.0	0
F01	R7	RESIDENTIAL	UNKNOWN	11.8	99	99	0.0	0
F01	R8	RESIDENTIAL	UNKNOWN	7.1	97.5	97.5	0.0	0
F01	R9	RESIDENTIAL	UNKNOWN	7.1	97.5	97.5	0.0	0
F01	R10	RESIDENTIAL	UNKNOWN	11.7	99.1	99.1	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 11-35 BRYDON AVENUE
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL32

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
11-35 BRYDON AVENUE								
F01	R11	RESIDENTIAL	UNKNOWN	11.7	99.1	99.1	0.0	0
F01	R12	RESIDENTIAL	UNKNOWN	7.1	97.2	97.2	0.0	0
F01	R13	RESIDENTIAL	UNKNOWN	7.1	97.5	97.5	0.0	0
F01	R14	RESIDENTIAL	UNKNOWN	11.4	99.1	99.1	0.0	0
F01	R15	RESIDENTIAL	UNKNOWN	11.6	99.1	99.1	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 11-35 BRYDON AVENUE
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL33

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
11-35 BRYDON AVENUE								
F01	R16	RESIDENTIAL	UNKNOWN	7.1	98.8	98.8	0.0	0
F01	R17	RESIDENTIAL	UNKNOWN	7.1	97.6	97.6	0.0	0
F01	R18	RESIDENTIAL	UNKNOWN	11.8	98.9	98.9	0.0	0
F01	R19	RESIDENTIAL	UNKNOWN	7.1	98.5	98.5	0.0	0
F01	R20	RESIDENTIAL	UNKNOWN	11.7	99	99	0.0	0

NSL CONTOURS


PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 81 BRYDON AVENUE
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL34

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F00



F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
81 BRYDON AVENUE								
F00	R1	RESIDENTIAL	KITCHEN	7.2	97.9	97.8	0.0	0.1
F01	R1	RESIDENTIAL	UNKNOWN	9.2	98.8	98.2	0.1	0.6
F01	R2	RESIDENTIAL	UNKNOWN	7.5	97	97	0.0	0

NSL CONTOURS


PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 83 BRYDON AVENUE
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL35

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F00




F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
83 BRYDON AVENUE								
F00	R1	RESIDENTIAL	KITCHEN	6.9	97.9	97.7	0.0	0.2
F01	R1	RESIDENTIAL	UNKNOWN	8.9	98.9	98.2	0.1	0.8
F01	R2	RESIDENTIAL	UNKNOWN	7.5	96.8	96.8	0.0	0

NSL CONTOURS


PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-42 FAIRFIELD STREET
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL36

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F01



F01



F02




F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-42 FAIRFIELD STREET								
F01	R1	RESIDENTIAL	BEDROOM	27.0	84.1	84.1	0.0	0
F01	R3	RESIDENTIAL	BEDROOM	39.0	95.9	95.9	0.0	0
F01	R4	RESIDENTIAL	BEDROOM	28.3	97.9	97.9	0.0	0
F02	R1	RESIDENTIAL	BEDROOM	25.3	76.6	76.6	0.0	0
F02	R3	RESIDENTIAL	BEDROOM	38.2	99.2	99.2	0.0	0
F02	R4	RESIDENTIAL	BEDROOM	35.5	98.5	98.5	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-42 FAIRFIELD STREET
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL37

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-42 FAIRFIELD STREET								
F03	R1	RESIDENTIAL	BEDROOM	16.1	74.5	74.5	0.0	0
F03	R3	RESIDENTIAL	BEDROOM	34.8	100	100	0.0	0
F03	R4	RESIDENTIAL	BEDROOM	24.7	91.9	91.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: BULLS HEAD HOTEL 84 LONDON ROAD
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL38

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
BULLS HEAD HOTEL 84 LONDON ROAD								
F01	R1	RESIDENTIAL	BEDROOM	7.5	99.7	99.7	0.0	0
F01	R2	RESIDENTIAL	KITCHEN	9.7	96	96	0.0	0
F01	R6	RESIDENTIAL	BEDROOM	11.4	93.7	93.7	0.0	0
F01	R7	RESIDENTIAL	BEDROOM	16.5	97.6	97.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: BULLS HEAD HOTEL 84 LONDON ROAD
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL39

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
BULLS HEAD HOTEL 84 LONDON ROAD								
F02	R2	RESIDENTIAL	BEDROOM	9.8	95.4	95.4	0.0	0
F02	R3	RESIDENTIAL	BEDROOM	12.4	86.1	86.1	0.0	0
F02	R5	RESIDENTIAL	BEDROOM	14.4	99.9	99.9	0.0	0
F02	R6	RESIDENTIAL	BEDROOM	11.6	87.4	87.4	0.0	0
F02	R7	RESIDENTIAL	BEDROOM	16.5	98	98	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: STAR & GARTER FAIRFIELD STREET
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL40

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
STAR & GARTER FAIRFIELD STREET								
F02	R1	RESIDENTIAL	UNKNOWN	33.4	97	97	0.0	0
F02	R2	RESIDENTIAL	UNKNOWN	16.4	92.4	92.4	0.0	0
F02	R3	RESIDENTIAL	UNKNOWN	26.1	92	92	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL41

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F00	R1	RESIDENTIAL	LKD	21.2	99.2	99.2	0.0	0
F00	R2	RESIDENTIAL	LKD	20.8	98	98	0.0	0
F00	R3	RESIDENTIAL	BEDROOM	10.6	98.6	98.6	0.0	0
F00	R4	RESIDENTIAL	BEDROOM	10.6	97.8	97.8	0.0	0
F00	R5	RESIDENTIAL	BEDROOM	10.5	99.2	99.2	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL42

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F00	R6	RESIDENTIAL	BEDROOM	11.2	91.7	91.7	0.0	0
F00	R7	RESIDENTIAL	BEDROOM	11.1	88.9	88.9	0.0	0
F00	R8	RESIDENTIAL	STUDIO-APT	25.8	77.4	77.3	0.0	0
F00	R9	RESIDENTIAL	BEDROOM	11.2	21.8	21.8	0.0	0
F00	R10	RESIDENTIAL	BEDROOM	11.1	29.5	29.5	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL43

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F00	R11	RESIDENTIAL	BEDROOM	10.3	20.4	20.4	0.0	0
F00	R12	RESIDENTIAL	BEDROOM	10.5	27.9	27.9	0.0	0
F00	R13	RESIDENTIAL	BEDROOM	11.3	20.4	20.4	0.0	0
F00	R14	RESIDENTIAL	LKD	20.3	12.8	12.8	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL44

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F01	R1	RESIDENTIAL	LKD	21.2	98.7	98.6	0.0	0.1
F01	R2	RESIDENTIAL	LKD	20.8	97.1	97.1	0.0	0
F01	R3	RESIDENTIAL	BEDROOM	11.4	97	97	0.0	0
F01	R4	RESIDENTIAL	BEDROOM	11.4	98.1	98.1	0.0	0
F01	R5	RESIDENTIAL	BEDROOM	12.1	92.8	92.8	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL45

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F01	R6	RESIDENTIAL	BEDROOM	12.0	97.8	97.8	0.0	0
F01	R7	RESIDENTIAL	STUDIO-APT	27.0	93.8	93.8	0.0	0
F01	R8	RESIDENTIAL	BEDROOM	13.3	36.1	36.1	0.0	0
F01	R9	RESIDENTIAL	BEDROOM	10.7	26.2	26.2	0.0	0
F01	R10	RESIDENTIAL	BEDROOM	11.2	26.6	26.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL46

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F01	R11	RESIDENTIAL	BEDROOM	11.4	25.6	25.6	0.0	0
F01	R12	RESIDENTIAL	BEDROOM	12.2	24.7	24.7	0.0	0
F01	R13	RESIDENTIAL	BEDROOM	20.3	21.2	21.2	0.0	0.1
F01	R14	RESIDENTIAL	UNKNOWN	135.0	51.1	48.2	3.9	5.7
F01	R15	RESIDENTIAL	BEDROOM	49.2	23.6	23.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL47

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F02	R2	RESIDENTIAL	BEDROOM	14.7	99.8	99.8	0.0	0
F02	R3	RESIDENTIAL	LKD	29.7	95.1	94.6	0.2	0.6
F02	R4	RESIDENTIAL	BEDROOM	16.5	98	98	0.0	0
F02	R5	RESIDENTIAL	BEDROOM	11.1	98.3	98.3	0.0	0
F02	R6	RESIDENTIAL	STUDIO-APT	25.0	91.2	91.2	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL48

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F02	R7	RESIDENTIAL	STUDIO-APT	26.9	80.1	76.3	1.0	4.9
F02	R8	RESIDENTIAL	STUDIO-APT	24.1	50.2	50.1	0.0	0.2
F02	R9	RESIDENTIAL	STUDIO-APT	23.5	23.9	23.9	0.0	0
F02	R10	RESIDENTIAL	STUDIO-APT	33.2	22.2	22.1	0.0	0.2
F02	R11	RESIDENTIAL	LKD	23.4	22.4	22.4	0.0	0.1

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL49

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F02	R12	RESIDENTIAL	BEDROOM	10.4	25.8	25.6	0.0	0.5
F02	R13	RESIDENTIAL	BEDROOM	10.6	24.8	24.8	0.0	0
F02	R14	RESIDENTIAL	BEDROOM	10.5	27	27	0.0	0
F02	R15	RESIDENTIAL	BEDROOM	11.0	25.6	25.6	0.0	0
F02	R16	RESIDENTIAL	STUDIO-APT	25.2	25.3	25.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL50

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F02	R17	RESIDENTIAL	STUDIO-APT	27.6	23.6	23.6	0.0	0
F02	R18	RESIDENTIAL	STUDIO-APT	25.7	27.4	27.4	0.0	0
F02	R19	RESIDENTIAL	BEDROOM	11.1	35.5	35.5	0.0	0
F02	R20	RESIDENTIAL	LKD	19.7	22.7	22.7	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL51

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F03	R2	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F03	R3	RESIDENTIAL	LKD	30.2	96.8	96.4	0.1	0.4
F03	R4	RESIDENTIAL	BEDROOM	17.5	81	81	0.0	0
F03	R5	RESIDENTIAL	BEDROOM	12.0	91.5	91.5	0.0	0
F03	R6	RESIDENTIAL	STUDIO-APT	26.0	92.8	92.8	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL52

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F03	R7	RESIDENTIAL	STUDIO-APT	27.7	86.5	85.8	0.2	0.8
F03	R8	RESIDENTIAL	STUDIO-APT	25.0	68.3	68.2	0.0	0.1
F03	R9	RESIDENTIAL	STUDIO-APT	24.4	47.6	46.5	0.3	2.2
F03	R10	RESIDENTIAL	STUDIO-APT	34.2	39	30.6	2.9	21.5
F03	R11	RESIDENTIAL	LKD	23.4	25.1	25.1	0.0	0.1

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL53

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F03	R12	RESIDENTIAL	BEDROOM	11.4	29.8	29.8	0.0	0
F03	R13	RESIDENTIAL	BEDROOM	11.5	28.7	28.7	0.0	0
F03	R14	RESIDENTIAL	BEDROOM	11.5	28.8	28.8	0.0	0
F03	R15	RESIDENTIAL	BEDROOM	11.9	28.5	28.5	0.0	0
F03	R16	RESIDENTIAL	STUDIO-APT	26.5	26.5	26.5	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL54

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F03	R17	RESIDENTIAL	STUDIO-APT	28.7	29.7	29.7	0.0	0
F03	R18	RESIDENTIAL	STUDIO-APT	27.0	34.2	34.2	0.0	0
F03	R19	RESIDENTIAL	BEDROOM	12.3	35.9	35.9	0.0	0
F03	R20	RESIDENTIAL	LKD	19.7	28.6	28.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL55

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F04	R2	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F04	R3	RESIDENTIAL	LKD	29.7	97.6	97.6	0.0	0
F04	R4	RESIDENTIAL	BEDROOM	18.0	98.8	98.8	0.0	0
F04	R5	RESIDENTIAL	BEDROOM	12.0	93	93	0.0	0
F04	R6	RESIDENTIAL	STUDIO-APT	26.0	92.5	92.5	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL56

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F04	R7	RESIDENTIAL	STUDIO-APT	27.7	92.3	92.3	0.0	0
F04	R8	RESIDENTIAL	STUDIO-APT	25.0	53.3	53	0.1	0.7
F04	R9	RESIDENTIAL	STUDIO-APT	24.4	33.4	33.4	0.0	0
F04	R10	RESIDENTIAL	STUDIO-APT	34.2	31.5	31.5	0.0	0.1
F04	R11	RESIDENTIAL	LKD	23.4	29	29	0.0	0.1

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL57

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F04	R12	RESIDENTIAL	BEDROOM	11.4	34.9	34.9	0.0	0
F04	R13	RESIDENTIAL	BEDROOM	11.5	34.5	34.5	0.0	0
F04	R14	RESIDENTIAL	BEDROOM	11.5	34.5	34.5	0.0	0
F04	R15	RESIDENTIAL	BEDROOM	11.9	34.1	34.1	0.0	0
F04	R16	RESIDENTIAL	STUDIO-APT	26.5	35.3	35.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL58

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F04	R17	RESIDENTIAL	STUDIO-APT	28.7	36.5	36.5	0.0	0
F04	R18	RESIDENTIAL	STUDIO-APT	27.0	40	40	0.0	0
F04	R19	RESIDENTIAL	BEDROOM	12.3	48	48	0.0	0
F04	R20	RESIDENTIAL	LKD	19.7	34.9	34.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL59

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F05	R2	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F05	R3	RESIDENTIAL	LKD	30.2	98.1	98.1	0.0	0
F05	R4	RESIDENTIAL	BEDROOM	17.5	78.6	78.6	0.0	0
F05	R5	RESIDENTIAL	BEDROOM	12.0	97.9	97.9	0.0	0
F05	R6	RESIDENTIAL	STUDIO-APT	26.0	98.3	98.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL60

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F05	R7	RESIDENTIAL	STUDIO-APT	27.7	91.2	90.8	0.1	0.4
F05	R8	RESIDENTIAL	STUDIO-APT	25.0	73	73	0.0	0
F05	R9	RESIDENTIAL	STUDIO-APT	24.4	51.3	51.2	0.0	0.3
F05	R10	RESIDENTIAL	STUDIO-APT	34.2	39.8	39.8	0.0	0
F05	R11	RESIDENTIAL	LKD	23.4	36.7	36.7	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL61

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F05	R12	RESIDENTIAL	BEDROOM	11.4	45.6	45.6	0.0	0
F05	R13	RESIDENTIAL	BEDROOM	11.5	46.5	46.5	0.0	0
F05	R14	RESIDENTIAL	BEDROOM	11.5	45.7	45.7	0.0	0
F05	R15	RESIDENTIAL	BEDROOM	11.9	45.1	45.1	0.0	0
F05	R16	RESIDENTIAL	STUDIO-APT	26.5	47.7	47.7	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL62

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F05	R17	RESIDENTIAL	STUDIO-APT	28.7	53.6	53.6	0.0	0
F05	R18	RESIDENTIAL	STUDIO-APT	27.0	62.6	62.6	0.0	0
F05	R19	RESIDENTIAL	BEDROOM	12.3	67	67	0.0	0
F05	R20	RESIDENTIAL	LKD	19.7	45.9	45.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL63

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F06	R2	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F06	R3	RESIDENTIAL	LKD	32.6	98.4	97.7	0.2	0.7
F06	R4	RESIDENTIAL	BEDROOM	15.2	82.4	82.4	0.0	0
F06	R5	RESIDENTIAL	BEDROOM	12.0	98.8	98.8	0.0	0
F06	R6	RESIDENTIAL	STUDIO-APT	26.0	95.5	95.5	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL64

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F06


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F06	R7	RESIDENTIAL	STUDIO-APT	27.7	90	87.3	0.7	3
F06	R8	RESIDENTIAL	STUDIO-APT	25.0	67	66.7	0.1	0.5
F06	R9	RESIDENTIAL	STUDIO-APT	24.4	59.8	59.8	0.0	0
F06	R10	RESIDENTIAL	STUDIO-APT	34.2	52.7	52.7	0.0	0
F06	R11	RESIDENTIAL	LKD	23.4	49.7	49.7	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL65

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F06


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F06	R12	RESIDENTIAL	BEDROOM	11.4	64.8	64.8	0.0	0
F06	R13	RESIDENTIAL	BEDROOM	11.5	61.3	61.3	0.0	0
F06	R14	RESIDENTIAL	BEDROOM	11.5	60.9	60.9	0.0	0
F06	R15	RESIDENTIAL	BEDROOM	11.9	59.9	59.9	0.0	0
F06	R16	RESIDENTIAL	STUDIO-APT	26.5	64.2	64.2	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL66

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F06	R17	RESIDENTIAL	STUDIO-APT	28.7	66.5	66.5	0.0	0
F06	R18	RESIDENTIAL	STUDIO-APT	27.0	84.2	84.2	0.0	0
F06	R19	RESIDENTIAL	BEDROOM	12.3	91.5	91.5	0.0	0
F06	R20	RESIDENTIAL	LKD	19.7	74.6	74.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL67

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F07


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F07	R2	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F07	R3	RESIDENTIAL	LKD	32.6	98.5	97.8	0.2	0.7
F07	R4	RESIDENTIAL	BEDROOM	15.2	94.9	94.9	0.0	0
F07	R5	RESIDENTIAL	BEDROOM	12.0	98.3	98.3	0.0	0
F07	R6	RESIDENTIAL	STUDIO-APT	26.0	95.6	95.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL68

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F07


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F07	R7	RESIDENTIAL	STUDIO-APT	27.7	96.1	96	0.0	0.1
F07	R8	RESIDENTIAL	STUDIO-APT	25.0	81.7	81.7	0.0	0
F07	R9	RESIDENTIAL	STUDIO-APT	24.4	86.7	86.6	0.0	0.1
F07	R10	RESIDENTIAL	STUDIO-APT	34.2	80.4	76.6	1.3	4.8
F07	R11	RESIDENTIAL	LKD	23.4	75.8	75.8	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL69

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F07


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F07	R12	RESIDENTIAL	BEDROOM	11.4	89.4	89.4	0.0	0
F07	R13	RESIDENTIAL	BEDROOM	11.5	90.4	90.4	0.0	0
F07	R14	RESIDENTIAL	BEDROOM	11.5	89.3	89.3	0.0	0
F07	R15	RESIDENTIAL	BEDROOM	11.9	87	87	0.0	0
F07	R16	RESIDENTIAL	STUDIO-APT	26.5	86	86	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL70

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F07


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F07	R17	RESIDENTIAL	STUDIO-APT	28.7	91.4	91.4	0.0	0
F07	R18	RESIDENTIAL	STUDIO-APT	27.0	95.8	95.8	0.0	0
F07	R19	RESIDENTIAL	BEDROOM	12.3	98.5	98.5	0.0	0
F07	R20	RESIDENTIAL	LKD	19.7	96.4	96.4	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL71

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F08

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F08	R2	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F08	R3	RESIDENTIAL	LKD	29.7	94.7	94.3	0.1	0.5
F08	R4	RESIDENTIAL	BEDROOM	18.0	98.9	98.9	0.0	0
F08	R5	RESIDENTIAL	BEDROOM	12.0	98.3	98.3	0.0	0
F08	R6	RESIDENTIAL	STUDIO-APT	26.0	98.6	98.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL72

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F08


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F08	R7	RESIDENTIAL	STUDIO-APT	27.7	97.5	97.5	0.0	0
F08	R8	RESIDENTIAL	STUDIO-APT	25.0	95.7	95.7	0.0	0
F08	R9	RESIDENTIAL	STUDIO-APT	24.4	97.7	97.7	0.0	0
F08	R10	RESIDENTIAL	STUDIO-APT	34.2	99.1	99.1	0.0	0
F08	R11	RESIDENTIAL	LKD	23.4	99.6	99.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL73

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F08


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F08	R12	RESIDENTIAL	BEDROOM	11.4	98.3	98.3	0.0	0
F08	R13	RESIDENTIAL	BEDROOM	11.5	98.6	98.6	0.0	0
F08	R14	RESIDENTIAL	BEDROOM	11.5	98.5	98.5	0.0	0
F08	R15	RESIDENTIAL	BEDROOM	11.9	97.4	97.4	0.0	0
F08	R16	RESIDENTIAL	STUDIO-APT	26.5	97.9	97.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL74

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F08


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F08	R17	RESIDENTIAL	STUDIO-APT	28.7	98.5	98.5	0.0	0
F08	R18	RESIDENTIAL	STUDIO-APT	27.0	98.3	98.3	0.0	0
F08	R19	RESIDENTIAL	BEDROOM	12.3	98.5	98.5	0.0	0
F08	R20	RESIDENTIAL	LKD	19.7	98.5	98.5	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL75

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F09


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F09	R2	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F09	R3	RESIDENTIAL	LKD	30.2	98.7	98.7	0.0	0
F09	R4	RESIDENTIAL	BEDROOM	17.5	93.3	93.3	0.0	0
F09	R5	RESIDENTIAL	BEDROOM	12.0	98	98	0.0	0
F09	R6	RESIDENTIAL	STUDIO-APT	26.0	98.3	98.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL76

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F09


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F09	R7	RESIDENTIAL	STUDIO-APT	27.7	98.3	98.3	0.0	0
F09	R8	RESIDENTIAL	STUDIO-APT	25.0	98.5	98.5	0.0	0
F09	R9	RESIDENTIAL	STUDIO-APT	24.4	98.8	98.8	0.0	0
F09	R10	RESIDENTIAL	STUDIO-APT	34.2	99.1	99.1	0.0	0
F09	R11	RESIDENTIAL	LKD	23.4	99.6	99.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL77

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F09


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F09	R12	RESIDENTIAL	BEDROOM	11.4	98.3	98.3	0.0	0
F09	R13	RESIDENTIAL	BEDROOM	11.5	98.9	98.9	0.0	0
F09	R14	RESIDENTIAL	BEDROOM	11.5	98.5	98.5	0.0	0
F09	R15	RESIDENTIAL	BEDROOM	11.9	98.9	98.9	0.0	0
F09	R16	RESIDENTIAL	STUDIO-APT	26.5	97.9	97.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL78

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F09


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F09	R17	RESIDENTIAL	STUDIO-APT	28.7	97.5	97.5	0.0	0
F09	R18	RESIDENTIAL	STUDIO-APT	27.0	98.2	98.2	0.0	0
F09	R19	RESIDENTIAL	BEDROOM	12.3	97.3	97.3	0.0	0
F09	R20	RESIDENTIAL	LKD	19.7	98.3	98.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL79

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F10


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F10	R1	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F10	R2	RESIDENTIAL	LKD	30.2	98.7	98.7	0.0	0
F10	R3	RESIDENTIAL	BEDROOM	17.5	92	92	0.0	0
F10	R4	RESIDENTIAL	BEDROOM	12.0	98.3	98.3	0.0	0
F10	R5	RESIDENTIAL	STUDIO-APT	26.0	97.8	97.8	0.0	0
F10	R6	RESIDENTIAL	STUDIO-APT	27.7	98.3	98.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL80

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F10

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F10	R7	RESIDENTIAL	STUDIO-APT	25.0	98.3	98.3	0.0	0
F10	R8	RESIDENTIAL	STUDIO-APT	24.4	98.3	98.3	0.0	0
F10	R9	RESIDENTIAL	STUDIO-APT	34.2	99.2	99.2	0.0	0
F10	R10	RESIDENTIAL	LKD	23.4	99.6	99.6	0.0	0
F10	R11	RESIDENTIAL	BEDROOM	11.4	98.9	98.9	0.0	0
F10	R12	RESIDENTIAL	BEDROOM	11.5	98.9	98.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL81

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID




F10

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F10	R13	RESIDENTIAL	BEDROOM	11.5	98.7	98.7	0.0	0
F10	R14	RESIDENTIAL	BEDROOM	11.9	97.6	97.6	0.0	0
F10	R15	RESIDENTIAL	STUDIO-APT	26.5	97.8	97.8	0.0	0
F10	R16	RESIDENTIAL	STUDIO-APT	28.7	98.3	98.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL82

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F11

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F11	R1	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F11	R2	RESIDENTIAL	LKD	29.7	98.4	98.4	0.0	0
F11	R3	RESIDENTIAL	BEDROOM	18.0	98.8	98.8	0.0	0
F11	R4	RESIDENTIAL	BEDROOM	12.0	98.3	98.3	0.0	0
F11	R5	RESIDENTIAL	STUDIO-APT	26.0	98.6	98.6	0.0	0
F11	R6	RESIDENTIAL	STUDIO-APT	27.7	98	98	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL83

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F11


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F11	R7	RESIDENTIAL	STUDIO-APT	25.0	98.2	98.2	0.0	0
F11	R8	RESIDENTIAL	STUDIO-APT	24.4	97.8	97.8	0.0	0
F11	R9	RESIDENTIAL	STUDIO-APT	34.2	99.1	99.1	0.0	0
F11	R10	RESIDENTIAL	LKD	23.4	99.6	99.6	0.0	0
F11	R11	RESIDENTIAL	BEDROOM	11.4	98.3	98.3	0.0	0
F11	R12	RESIDENTIAL	BEDROOM	11.5	98.6	98.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL84

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F11


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F11	R13	RESIDENTIAL	BEDROOM	11.5	98.5	98.5	0.0	0
F11	R14	RESIDENTIAL	BEDROOM	11.9	97.4	97.4	0.0	0
F11	R15	RESIDENTIAL	BEDROOM	26.5	98	98	0.0	0
F11	R16	RESIDENTIAL	STUDIO-APT	29.3	97.9	97.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL85

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F12


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F12	R1	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F12	R2	RESIDENTIAL	LKD	30.2	98.7	98.7	0.0	0
F12	R3	RESIDENTIAL	BEDROOM	17.5	93.3	93.3	0.0	0
F12	R4	RESIDENTIAL	BEDROOM	12.0	97.9	97.9	0.0	0
F12	R5	RESIDENTIAL	STUDIO-APT	26.0	98.3	98.3	0.0	0
F12	R6	RESIDENTIAL	STUDIO-APT	27.7	98.3	98.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL86

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F12


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F12	R7	RESIDENTIAL	STUDIO-APT	25.0	98.3	98.3	0.0	0
F12	R8	RESIDENTIAL	STUDIO-APT	24.4	98.8	98.8	0.0	0
F12	R9	RESIDENTIAL	STUDIO-APT	34.2	99.3	99.3	0.0	0
F12	R10	RESIDENTIAL	LKD	23.4	99.6	99.6	0.0	0
F12	R11	RESIDENTIAL	BEDROOM	11.4	98.9	98.9	0.0	0
F12	R12	RESIDENTIAL	BEDROOM	11.5	98.9	98.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL87

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F12

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F12	R13	RESIDENTIAL	BEDROOM	11.5	98.7	98.7	0.0	0
F12	R14	RESIDENTIAL	BEDROOM	11.9	98.9	98.9	0.0	0
F12	R15	RESIDENTIAL	BEDROOM	26.5	97.8	97.8	0.0	0
F12	R16	RESIDENTIAL	STUDIO-APT	29.3	97.7	97.7	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL88

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F13

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F13	R1	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F13	R2	RESIDENTIAL	LKD	30.2	96	95.7	0.1	0.3
F13	R3	RESIDENTIAL	BEDROOM	17.5	91.9	91.9	0.0	0
F13	R4	RESIDENTIAL	BEDROOM	12.0	98.3	98.3	0.0	0
F13	R5	RESIDENTIAL	STUDIO-APT	26.0	97.9	97.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL89

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID




F13


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F13	R6	RESIDENTIAL	STUDIO-APT	27.7	98.3	98.3	0.0	0
F13	R7	RESIDENTIAL	STUDIO-APT	25.0	98.5	98.5	0.0	0
F13	R8	RESIDENTIAL	STUDIO-APT	24.4	98.4	98.4	0.0	0
F13	R9	RESIDENTIAL	STUDIO-APT	34.2	99.2	99.2	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL90

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F14

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F14	R1	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F14	R2	RESIDENTIAL	LKD	29.7	94.7	94.5	0.1	0.2
F14	R3	RESIDENTIAL	BEDROOM	18.0	98.9	98.9	0.0	0
F14	R4	RESIDENTIAL	BEDROOM	12.0	98.3	98.3	0.0	0
F14	R5	RESIDENTIAL	STUDIO-APT	26.0	98.6	98.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL91

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID




F14

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F14	R6	RESIDENTIAL	STUDIO-APT	27.7	98	98	0.0	0
F14	R7	RESIDENTIAL	STUDIO-APT	25.0	98	98	0.0	0
F14	R8	RESIDENTIAL	STUDIO-APT	24.4	97.8	97.8	0.0	0
F14	R9	RESIDENTIAL	STUDIO-APT	34.9	99.1	99.1	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL92

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F15

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F15	R1	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F15	R2	RESIDENTIAL	LKD	30.2	96	95.8	0.1	0.2
F15	R3	RESIDENTIAL	BEDROOM	17.5	93.3	93.3	0.0	0
F15	R4	RESIDENTIAL	BEDROOM	12.0	98	98	0.0	0
F15	R5	RESIDENTIAL	STUDIO-APT	26.0	98.3	98.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL93

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID




F15

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F15	R6	RESIDENTIAL	STUDIO-APT	27.7	98.3	98.3	0.0	0
F15	R7	RESIDENTIAL	STUDIO-APT	25.0	98.4	98.4	0.0	0
F15	R8	RESIDENTIAL	STUDIO-APT	24.4	98.8	98.8	0.0	0
F15	R9	RESIDENTIAL	STUDIO-APT	34.9	99.3	99.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL94

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F16

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F16	R1	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F16	R2	RESIDENTIAL	LKD	29.7	94.9	94.7	0.0	0.1
F16	R3	RESIDENTIAL	BEDROOM	18.0	98.9	98.9	0.0	0
F16	R4	RESIDENTIAL	BEDROOM	12.0	98.3	98.3	0.0	0
F16	R5	RESIDENTIAL	STUDIO-APT	26.0	98.6	98.6	0.0	0
F16	R6	RESIDENTIAL	STUDIO-APT	27.7	98	98	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL95

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F17

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F17	R1	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F17	R2	RESIDENTIAL	LKD	30.2	97.5	97.4	0.0	0
F17	R3	RESIDENTIAL	BEDROOM	17.5	93.3	93.3	0.0	0
F17	R4	RESIDENTIAL	BEDROOM	12.0	97.9	97.9	0.0	0
F17	R5	RESIDENTIAL	STUDIO-APT	26.0	98.3	98.3	0.0	0
F17	R6	RESIDENTIAL	STUDIO-APT	28.0	98.1	98.1	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PICCADILLY POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL96

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F18


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F18	R1	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F18	R2	RESIDENTIAL	LKD	29.7	94.7	94.6	0.0	0.1
F18	R3	RESIDENTIAL	BEDROOM	18.0	98.8	98.8	0.0	0
F18	R4	RESIDENTIAL	BEDROOM	12.0	98.3	98.3	0.0	0
F18	R5	RESIDENTIAL	STUDIO-APT	26.0	98.6	98.6	0.0	0
F18	R6	RESIDENTIAL	STUDIO-APT	28.0	97.4	97.4	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL97

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F00	R1	RESIDENTIAL	UNKNOWN	23.9	89.5	86.8	0.6	3
F00	R2	RESIDENTIAL	UNKNOWN	23.0	84.3	78.5	1.3	6.8
F00	R3	RESIDENTIAL	UNKNOWN	23.8	70.5	70.5	0.0	0
F00	R4	RESIDENTIAL	UNKNOWN	23.7	77.5	67.2	2.4	13.3
F00	R5	RESIDENTIAL	UNKNOWN	23.5	42.2	42.2	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL98

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F00	R6	RESIDENTIAL	UNKNOWN	15.2	51.2	51.2	0.0	0.1
F00	R7	RESIDENTIAL	UNKNOWN	15.5	37.4	37.1	0.0	0.8
F00	R8	RESIDENTIAL	UNKNOWN	15.4	41.6	41.6	0.0	0
F00	R9	RESIDENTIAL	UNKNOWN	22.7	46.2	40.6	1.3	12.1
F00	R10	RESIDENTIAL	UNKNOWN	24.1	39.2	37.7	0.4	3.8

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL99

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F00	R11	RESIDENTIAL	UNKNOWN	14.9	29.9	29.9	0.0	0
F00	R12	RESIDENTIAL	UNKNOWN	20.5	35.1	35.1	0.0	0
F00	R13	RESIDENTIAL	UNKNOWN	23.8	29.5	29.5	0.0	0
F00	R14	RESIDENTIAL	UNKNOWN	25.0	48	48	0.0	0
F00	R15	RESIDENTIAL	UNKNOWN	22.2	79	79	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL100

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F00	R16	RESIDENTIAL	UNKNOWN	24.7	71.4	71.4	0.0	0
F00	R17	RESIDENTIAL	UNKNOWN	22.9	81	81	0.0	0
F00	R18	RESIDENTIAL	UNKNOWN	20.8	90.7	90.7	0.0	0
F00	R27	RESIDENTIAL	UNKNOWN	31.5	98.7	98.7	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL101

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F01	R1	RESIDENTIAL	UNKNOWN	23.9	90.2	87.7	0.6	2.9
F01	R2	RESIDENTIAL	UNKNOWN	23.0	84.7	78.7	1.4	7.1
F01	R3	RESIDENTIAL	UNKNOWN	23.8	74.7	67.1	1.8	10.1
F01	R4	RESIDENTIAL	UNKNOWN	23.7	78.4	68.4	2.4	12.8
F01	R5	RESIDENTIAL	UNKNOWN	23.5	46.5	46.5	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL102

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F01	R6	RESIDENTIAL	UNKNOWN	15.2	53.9	53.9	0.0	0
F01	R7	RESIDENTIAL	UNKNOWN	15.5	95.4	95.4	0.0	0
F01	R8	RESIDENTIAL	UNKNOWN	15.4	46.1	46.1	0.0	0
F01	R9	RESIDENTIAL	UNKNOWN	22.7	48.5	43	1.3	11.5
F01	R10	RESIDENTIAL	UNKNOWN	24.1	42	40.5	0.4	3.5

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL103

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F01	R11	RESIDENTIAL	UNKNOWN	14.9	30.6	30.6	0.0	0.1
F01	R12	RESIDENTIAL	UNKNOWN	11.1	33.5	33.5	0.0	0
F01	R13	RESIDENTIAL	UNKNOWN	20.5	37.2	37.2	0.0	0
F01	R14	RESIDENTIAL	UNKNOWN	23.8	50.2	50.2	0.0	0
F01	R15	RESIDENTIAL	UNKNOWN	25.0	79.3	79.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL104

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F01	R16	RESIDENTIAL	UNKNOWN	22.2	82.3	82.3	0.0	0
F01	R17	RESIDENTIAL	UNKNOWN	24.7	77.2	77.2	0.0	0
F01	R18	RESIDENTIAL	UNKNOWN	22.9	84.2	84.2	0.0	0
F01	R27	RESIDENTIAL	UNKNOWN	31.5	98.8	98.8	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL105

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F02	R1	RESIDENTIAL	UNKNOWN	23.9	90.3	88.1	0.5	2.5
F02	R2	RESIDENTIAL	UNKNOWN	23.0	85.2	79.5	1.3	6.7
F02	R3	RESIDENTIAL	UNKNOWN	23.8	77.9	70.7	1.7	9.3
F02	R4	RESIDENTIAL	UNKNOWN	23.7	80.6	71.6	2.1	11.2
F02	R5	RESIDENTIAL	UNKNOWN	23.5	54	54	0.0	0
F02	R6	RESIDENTIAL	UNKNOWN	15.2	60.4	60.4	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL106

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F02	R7	RESIDENTIAL	UNKNOWN	15.5	98.6	98.6	0.0	0
F02	R8	RESIDENTIAL	UNKNOWN	15.4	55.1	55.1	0.0	0
F02	R9	RESIDENTIAL	UNKNOWN	22.7	53.6	48.7	1.1	9.1
F02	R10	RESIDENTIAL	UNKNOWN	24.1	47.5	46.2	0.3	2.8
F02	R11	RESIDENTIAL	UNKNOWN	14.9	41.2	41.2	0.0	0
F02	R12	RESIDENTIAL	UNKNOWN	11.1	39.2	39.2	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL107

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F02	R13	RESIDENTIAL	UNKNOWN	20.5	43.2	43.2	0.0	0
F02	R14	RESIDENTIAL	UNKNOWN	23.8	53.9	53.9	0.0	0
F02	R15	RESIDENTIAL	UNKNOWN	25.0	82.6	82.6	0.0	0
F02	R16	RESIDENTIAL	UNKNOWN	22.2	84.5	84.5	0.0	0
F02	R17	RESIDENTIAL	UNKNOWN	24.7	78.2	78.2	0.0	0
F02	R18	RESIDENTIAL	UNKNOWN	22.9	86.5	86.5	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL108

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F02	R19	RESIDENTIAL	UNKNOWN	23.3	98.1	98.1	0.0	0
F02	R20	RESIDENTIAL	UNKNOWN	22.8	97.8	97.8	0.0	0
F02	R21	RESIDENTIAL	UNKNOWN	24.2	97.6	97.6	0.0	0
F02	R22	RESIDENTIAL	UNKNOWN	24.4	98.4	98.4	0.0	0
F02	R23	RESIDENTIAL	UNKNOWN	20.7	99	99	0.0	0
F02	R24	RESIDENTIAL	UNKNOWN	27.4	97.1	97.1	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL109

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F02	R25	RESIDENTIAL	UNKNOWN	33.7	98.6	98.6	0.0	0
F02	R27	RESIDENTIAL	UNKNOWN	31.5	98.8	98.8	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL110

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F03	R1	RESIDENTIAL	UNKNOWN	23.9	91.3	89.3	0.5	2.2
F03	R2	RESIDENTIAL	UNKNOWN	23.0	86.8	81.7	1.2	6
F03	R3	RESIDENTIAL	UNKNOWN	23.8	80.1	74	1.4	7.5
F03	R4	RESIDENTIAL	UNKNOWN	23.7	82.3	74.7	1.8	9.2
F03	R5	RESIDENTIAL	UNKNOWN	23.5	63.8	63.8	0.0	0
F03	R6	RESIDENTIAL	UNKNOWN	15.2	69.5	69.5	0.0	0.1

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL111

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F03	R7	RESIDENTIAL	UNKNOWN	15.5	98.5	98.5	0.0	0
F03	R8	RESIDENTIAL	UNKNOWN	15.4	65.2	65.2	0.0	0
F03	R9	RESIDENTIAL	UNKNOWN	22.7	60.4	57.6	0.6	4.7
F03	R10	RESIDENTIAL	UNKNOWN	24.1	54.6	53.4	0.3	2.2
F03	R11	RESIDENTIAL	UNKNOWN	14.9	50.6	50.6	0.0	0
F03	R12	RESIDENTIAL	UNKNOWN	11.1	45.8	45.8	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL112

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F03	R13	RESIDENTIAL	UNKNOWN	20.5	52.4	52.4	0.0	0
F03	R14	RESIDENTIAL	UNKNOWN	23.8	59.9	59.9	0.0	0
F03	R15	RESIDENTIAL	UNKNOWN	25.0	85.9	85.9	0.0	0
F03	R16	RESIDENTIAL	UNKNOWN	22.2	89	89	0.0	0
F03	R17	RESIDENTIAL	UNKNOWN	24.7	81.5	81.5	0.0	0
F03	R18	RESIDENTIAL	UNKNOWN	22.9	88.8	88.8	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL113

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F03	R19	RESIDENTIAL	UNKNOWN	23.3	98.2	98.2	0.0	0
F03	R20	RESIDENTIAL	UNKNOWN	22.8	97.6	97.6	0.0	0
F03	R21	RESIDENTIAL	UNKNOWN	24.2	97.6	97.6	0.0	0
F03	R22	RESIDENTIAL	UNKNOWN	24.4	98	98	0.0	0
F03	R23	RESIDENTIAL	UNKNOWN	20.7	98.7	98.7	0.0	0
F03	R24	RESIDENTIAL	UNKNOWN	27.4	97	97	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL114

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F03	R25	RESIDENTIAL	UNKNOWN	33.7	98.4	98.4	0.0	0
F03	R26	RESIDENTIAL	UNKNOWN	34.9	99.8	99.8	0.0	0
F03	R27	RESIDENTIAL	UNKNOWN	31.5	98.8	98.8	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL115

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F04	R1	RESIDENTIAL	UNKNOWN	23.9	93.2	93	0.1	0.3
F04	R2	RESIDENTIAL	UNKNOWN	23.0	89.6	85.7	0.9	4.4
F04	R3	RESIDENTIAL	UNKNOWN	23.8	85.4	80.4	1.2	5.9
F04	R4	RESIDENTIAL	UNKNOWN	23.7	86.7	81	1.4	6.6
F04	R5	RESIDENTIAL	UNKNOWN	23.5	77.3	77.3	0.0	0
F04	R6	RESIDENTIAL	UNKNOWN	15.2	84.1	84.1	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL116

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F04	R7	RESIDENTIAL	UNKNOWN	15.5	98.5	98.5	0.0	0
F04	R8	RESIDENTIAL	UNKNOWN	15.4	79.6	79.6	0.0	0
F04	R9	RESIDENTIAL	UNKNOWN	22.7	72	71.6	0.1	0.6
F04	R10	RESIDENTIAL	UNKNOWN	24.1	67.3	66.6	0.2	1
F04	R11	RESIDENTIAL	UNKNOWN	14.9	64.3	64.3	0.0	0
F04	R12	RESIDENTIAL	UNKNOWN	11.1	56.1	56.1	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL117

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F04	R13	RESIDENTIAL	UNKNOWN	20.5	64.6	64.3	0.1	0.4
F04	R14	RESIDENTIAL	UNKNOWN	23.8	69.6	68.5	0.3	1.5
F04	R15	RESIDENTIAL	UNKNOWN	25.0	88.2	88.2	0.0	0
F04	R16	RESIDENTIAL	UNKNOWN	22.2	91.5	91.5	0.0	0
F04	R17	RESIDENTIAL	UNKNOWN	24.7	85.6	85.6	0.0	0
F04	R18	RESIDENTIAL	UNKNOWN	22.9	91.6	91.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL118

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F04	R19	RESIDENTIAL	UNKNOWN	23.3	98.1	98.1	0.0	0
F04	R20	RESIDENTIAL	UNKNOWN	22.8	97.6	97.6	0.0	0
F04	R21	RESIDENTIAL	UNKNOWN	24.2	97.7	97.7	0.0	0
F04	R22	RESIDENTIAL	UNKNOWN	24.4	98	98	0.0	0
F04	R23	RESIDENTIAL	UNKNOWN	20.7	98.7	98.7	0.0	0
F04	R24	RESIDENTIAL	UNKNOWN	27.4	96.9	96.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL119

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F04	R25	RESIDENTIAL	UNKNOWN	33.7	98.4	98.4	0.0	0
F04	R26	RESIDENTIAL	UNKNOWN	34.9	99.9	99.9	0.0	0
F04	R27	RESIDENTIAL	UNKNOWN	31.5	98.9	98.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL120

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F05	R1	RESIDENTIAL	UNKNOWN	23.9	97.2	97.2	0.0	0
F05	R2	RESIDENTIAL	UNKNOWN	23.0	94.3	93	0.3	1.4
F05	R3	RESIDENTIAL	UNKNOWN	23.8	93.7	90	0.9	3.9
F05	R4	RESIDENTIAL	UNKNOWN	23.7	94.8	91.8	0.7	3.2
F05	R5	RESIDENTIAL	UNKNOWN	23.5	93.6	93.6	0.0	0
F05	R6	RESIDENTIAL	UNKNOWN	15.2	98.2	98.2	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL121

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F05	R7	RESIDENTIAL	UNKNOWN	15.5	98.5	98.5	0.0	0
F05	R8	RESIDENTIAL	UNKNOWN	15.4	95.8	95.8	0.0	0.1
F05	R9	RESIDENTIAL	UNKNOWN	22.7	89.6	89.5	0.0	0.1
F05	R10	RESIDENTIAL	UNKNOWN	24.1	88	88	0.0	0
F05	R11	RESIDENTIAL	UNKNOWN	14.9	79.9	79.9	0.0	0
F05	R12	RESIDENTIAL	UNKNOWN	11.1	76.3	75.6	0.1	1

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL122

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F05	R13	RESIDENTIAL	UNKNOWN	20.5	84.6	84.3	0.1	0.4
F05	R14	RESIDENTIAL	UNKNOWN	23.8	87	84.4	0.6	2.9
F05	R15	RESIDENTIAL	UNKNOWN	25.0	90.3	90.3	0.0	0
F05	R16	RESIDENTIAL	UNKNOWN	22.2	93.5	93.5	0.0	0
F05	R17	RESIDENTIAL	UNKNOWN	24.7	90.4	90.4	0.0	0
F05	R18	RESIDENTIAL	UNKNOWN	22.9	95.1	95.1	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL123

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F05	R19	RESIDENTIAL	UNKNOWN	23.3	98.1	98.1	0.0	0
F05	R20	RESIDENTIAL	UNKNOWN	22.8	97.6	97.6	0.0	0
F05	R21	RESIDENTIAL	UNKNOWN	24.2	97.7	97.7	0.0	0
F05	R22	RESIDENTIAL	UNKNOWN	24.4	98	98	0.0	0
F05	R23	RESIDENTIAL	UNKNOWN	20.7	98.7	98.7	0.0	0
F05	R24	RESIDENTIAL	UNKNOWN	27.4	96.9	96.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL124

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F05	R25	RESIDENTIAL	UNKNOWN	33.7	98.4	98.4	0.0	0
F05	R26	RESIDENTIAL	UNKNOWN	34.9	99.8	99.8	0.0	0
F05	R27	RESIDENTIAL	UNKNOWN	31.5	98.9	98.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL125

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F06


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F06	R1	RESIDENTIAL	UNKNOWN	23.9	98.9	98.9	0.0	0
F06	R2	RESIDENTIAL	UNKNOWN	23.0	97.6	97.6	0.0	0
F06	R3	RESIDENTIAL	UNKNOWN	23.8	97.7	97.5	0.0	0.1
F06	R4	RESIDENTIAL	UNKNOWN	23.7	98.5	98.5	0.0	0
F06	R5	RESIDENTIAL	UNKNOWN	23.5	96.4	96.4	0.0	0
F06	R6	RESIDENTIAL	UNKNOWN	15.2	99	99	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL126

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F06	R7	RESIDENTIAL	UNKNOWN	15.5	98.7	98.7	0.0	0
F06	R8	RESIDENTIAL	UNKNOWN	15.4	98.7	98.7	0.0	0
F06	R9	RESIDENTIAL	UNKNOWN	22.7	95.8	95.8	0.0	0
F06	R10	RESIDENTIAL	UNKNOWN	24.1	98.3	98.3	0.0	0
F06	R11	RESIDENTIAL	UNKNOWN	14.9	97.7	97.7	0.0	0
F06	R12	RESIDENTIAL	UNKNOWN	11.1	98.3	97	0.1	1.3

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL127

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F06	R13	RESIDENTIAL	UNKNOWN	20.5	98	98	0.0	0
F06	R14	RESIDENTIAL	UNKNOWN	23.8	98.1	98.1	0.0	0
F06	R15	RESIDENTIAL	UNKNOWN	25.0	93.8	93.8	0.0	0
F06	R16	RESIDENTIAL	UNKNOWN	22.2	96.2	96.2	0.0	0
F06	R17	RESIDENTIAL	UNKNOWN	24.7	95.2	95.2	0.0	0
F06	R18	RESIDENTIAL	UNKNOWN	22.9	97.9	97.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL128

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F06	R19	RESIDENTIAL	UNKNOWN	23.3	98.1	98.1	0.0	0
F06	R20	RESIDENTIAL	UNKNOWN	22.8	97.6	97.6	0.0	0
F06	R21	RESIDENTIAL	UNKNOWN	24.2	97.6	97.6	0.0	0
F06	R22	RESIDENTIAL	UNKNOWN	24.4	98.4	98.4	0.0	0
F06	R23	RESIDENTIAL	UNKNOWN	20.7	99	99	0.0	0
F06	R24	RESIDENTIAL	UNKNOWN	27.4	97	97	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL129

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F06	R25	RESIDENTIAL	UNKNOWN	33.7	98.6	98.6	0.0	0
F06	R26	RESIDENTIAL	UNKNOWN	34.9	99.9	99.9	0.0	0
F06	R27	RESIDENTIAL	UNKNOWN	31.5	98.9	98.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL130

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F07


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F07	R1	RESIDENTIAL	UNKNOWN	23.9	99.5	99.5	0.0	0
F07	R2	RESIDENTIAL	UNKNOWN	23.0	97.3	97.3	0.0	0
F07	R3	RESIDENTIAL	UNKNOWN	23.8	97.2	97.2	0.0	0
F07	R4	RESIDENTIAL	UNKNOWN	23.7	98	98	0.0	0
F07	R5	RESIDENTIAL	UNKNOWN	23.5	96.4	96.4	0.0	0
F07	R6	RESIDENTIAL	UNKNOWN	15.2	99.1	99.1	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL131

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F07	R7	RESIDENTIAL	UNKNOWN	15.5	99.1	99.1	0.0	0
F07	R8	RESIDENTIAL	UNKNOWN	15.4	98.9	98.7	0.0	0.2
F07	R9	RESIDENTIAL	UNKNOWN	22.7	95.8	95.8	0.0	0
F07	R10	RESIDENTIAL	UNKNOWN	24.1	97.1	97.1	0.0	0
F07	R11	RESIDENTIAL	UNKNOWN	14.9	96.6	96.6	0.0	0
F07	R12	RESIDENTIAL	UNKNOWN	11.1	97.6	97.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL132

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F07	R13	RESIDENTIAL	UNKNOWN	20.3	97.9	97.9	0.0	0
F07	R14	RESIDENTIAL	UNKNOWN	12.1	97.3	97.2	0.0	0
F07	R15	RESIDENTIAL	UNKNOWN	25.0	95.4	95.4	0.0	0
F07	R16	RESIDENTIAL	UNKNOWN	22.2	96.3	96.3	0.0	0
F07	R17	RESIDENTIAL	UNKNOWN	24.7	96.1	96.1	0.0	0
F07	R18	RESIDENTIAL	UNKNOWN	22.9	98.1	98.1	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL133

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F07	R19	RESIDENTIAL	UNKNOWN	23.3	97.8	97.8	0.0	0
F07	R20	RESIDENTIAL	UNKNOWN	22.8	97.4	97.4	0.0	0
F07	R21	RESIDENTIAL	UNKNOWN	24.2	97.2	97.2	0.0	0
F07	R22	RESIDENTIAL	UNKNOWN	24.4	97.5	97.5	0.0	0
F07	R23	RESIDENTIAL	UNKNOWN	20.7	98.2	98.2	0.0	0
F07	R24	RESIDENTIAL	UNKNOWN	27.4	96.7	96.7	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL134

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F07


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F07	R25	RESIDENTIAL	UNKNOWN	33.7	98.5	98.5	0.0	0
F07	R26	RESIDENTIAL	UNKNOWN	34.9	99.9	99.9	0.0	0
F07	R27	RESIDENTIAL	UNKNOWN	31.5	98.6	98.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL135

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F08


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F08	R1	RESIDENTIAL	UNKNOWN	23.9	97.7	97.7	0.0	0
F08	R2	RESIDENTIAL	UNKNOWN	23.0	97.2	97.2	0.0	0
F08	R3	RESIDENTIAL	UNKNOWN	23.8	97.3	97	0.1	0.3
F08	R4	RESIDENTIAL	UNKNOWN	23.7	98.2	98.2	0.0	0
F08	R5	RESIDENTIAL	UNKNOWN	23.4	96.3	96.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL136

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F08

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F08	R6	RESIDENTIAL	UNKNOWN	15.1	99.4	99.4	0.0	0
F08	R7	RESIDENTIAL	UNKNOWN	15.4	98.9	98.7	0.0	0.2
F08	R8	RESIDENTIAL	UNKNOWN	23.0	96.6	96.6	0.0	0
F08	R9	RESIDENTIAL	UNKNOWN	24.7	96.7	96.7	0.0	0
F08	R10	RESIDENTIAL	UNKNOWN	22.9	98.3	98.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL137

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F08

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F08	R11	RESIDENTIAL	UNKNOWN	23.3	49.8	49.7	0.0	0.2
F08	R12	RESIDENTIAL	UNKNOWN	22.8	97.4	97.4	0.0	0
F08	R13	RESIDENTIAL	UNKNOWN	24.2	97.2	97.2	0.0	0
F08	R14	RESIDENTIAL	UNKNOWN	24.4	97.5	97.5	0.0	0
F08	R15	RESIDENTIAL	UNKNOWN	20.7	98.2	98.2	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL138

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F08


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F08	R16	RESIDENTIAL	UNKNOWN	27.4	96.5	96.5	0.0	0
F08	R17	RESIDENTIAL	UNKNOWN	33.7	98	98	0.0	0
F08	R18	RESIDENTIAL	UNKNOWN	34.9	99.9	99.9	0.0	0
F08	R19	RESIDENTIAL	UNKNOWN	31.4	98.9	98.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 18/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS01-NSL139

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F09

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F09	R1	RESIDENTIAL	UNKNOWN	23.6	97.8	97.8	0.0	0
F09	R2	RESIDENTIAL	UNKNOWN	24.1	96.9	96.9	0.0	0
F09	R3	RESIDENTIAL	UNKNOWN	33.7	98	98	0.0	0
F09	R4	RESIDENTIAL	UNKNOWN	34.9	100	100	0.0	0
F09	R5	RESIDENTIAL	UNKNOWN	31.8	92.6	92.6	0.0	0

Appendix 7.3 - Overshadowing Results for Baseline v Proposed;

DAYLIGHT & SUNLIGHT

TRANSIENT OVERSHADOWING ASSESSMENT

Mayfield Phase 1B, Manchester

23 November 2024

GIA No: **20569**

PROJECT DATA:

Client	**Mayfield Partnership**
Architect	**SEW & ShedKM**
Project Title	**Mayfield Phase 1B, Manchester**
Project Number	**20569**

REPORT DATA:

Report Title	**Transient Overshadowing Assessment**
GIA Department	**Daylight & Sunlight**
Dated	**23 November 2024**

Prepared by	**ES**
Checked by	**PC**
Type	**Planning**

Revisions	No:	Date:	Notes:	Signed:

DISCLAIMER:

N.B This report has been prepared for Mayfield Partnership by GIA as their appointed Daylight & Sunlight consultants. This report is intended solely for Mayfield Partnership and may contain confidential information. No part or whole of its contents may be disclosed to or relied upon by any Third Parties without the express written consent of GIA. It is accurate as at the time of publication and based upon the information we have been provided with as set out in the report. It does not take into account changes that have taken place since the report was written nor does it take into account private information on internal layouts and room uses of adjoining properties unless this information is publicly available.

SOURCES OF INFORMATION:

Information Received	**IR-69 & 70-20569**
Release Number	**Rel_08_20569_DSD**
Issue Number	**01**
Site Photos	**GIA**
3D models	**GIA surveys / VU.CITY**
OS Data	**FIND Maps**

Map data © Crown copyright and database rights 2017. OS 100047514

CONTENTS

1 **TRANSIENT OVERSHADOWING ASSESSMENT** 2

1.1 21st March 2

1.1 21st June 8

1.1 21st December 16

USER TIP:
Return to the contents list from any page by clicking on the GIA logo.


TRANSIENT OVERSHADOWING ASSESSMENT
21ST MARCH (08:00 - 11:00 GMT)


EXISTING







PROPOSED





CUMULATIVE







EXISTING







PROPOSED





CUMULATIVE







TRANSIENT OVERSHADOWING ASSESSMENT
21ST MARCH (12:00 - 15:00 GMT)


EXISTING







PROPOSED





CUMULATIVE







EXISTING







PROPOSED






CUMULATIVE







TRANSIENT OVERSHADOWING ASSESSMENT
21ST MARCH (16:00 - 17:00 GMT)


EXISTING







PROPOSED





CUMULATIVE






TRANSIENT OVERSHADOWING ASSESSMENT
21ST JUNE (06:00 - 09:00 BST)


EXISTING







PROPOSED





CUMULATIVE







EXISTING






PROPOSED





CUMULATIVE






TRANSIENT OVERSHADOWING ASSESSMENT
21ST JUNE (10:00 - 13:00 BST)


EXISTING






PROPOSED







CUMULATIVE







EXISTING





PROPOSED






CUMULATIVE







TRANSIENT OVERSHADOWING ASSESSMENT
21ST JUNE (14:00 - 17:00 BST)


EXISTING







PROPOSED







CUMULATIVE







EXISTING







PROPOSED






CUMULATIVE







TRANSIENT OVERSHADOWING ASSESSMENT
21ST JUNE (18:00 - 19:00 BST)


EXISTING







PROPOSED






CUMULATIVE






TRANSIENT OVERSHADOWING ASSESSMENT
21ST DECEMBER (09:00 - 12:00 GMT)


EXISTING







PROPOSED






CUMULATIVE







EXISTING







PROPOSED






CUMULATIVE







TRANSIENT OVERSHADOWING ASSESSMENT
21ST DECEMBER (13:00 - 14:00 GMT)


EXISTING







PROPOSED





CUMULATIVE





gia

For further details please contact us on:

LONDON

T 0207202 1400

E mail@gia.uk.com

The Whitehouse
Belvedere Road
London SE1 8GA

MANCHESTER

T 0161 672 5100

E manchester@gia.uk.com

2 Commercial Street
Manchester
M15 4RQ

BELFAST

T 02892 449 674

E belfast@gia.uk.com

River House
48-60 High Street
Belfast BT1 2BE

BRISTOL

T 0117 374 1504

E bristol@gia.uk.com

33 Bristol
Colston Avenue
Bristol BS1 4UA


DUBLIN

T 0207202 1400

E hello@giasurveyors.ie

77 Lower Camden Street
Dublin Ireland
D02 XE80

GIA SURVEYORS LIMITED incorporated and registered in England and Wales with company number 14032508 whose registered office is at The Whitehouse, Belvedere Road, London SE1 8GA



SOURCES OF INFORMATION

IR02-20240312-VU.CITY (TILES)
IR66-20241104 - SEW (PLOT K DESIGN FREEZE)
IR68- 20241111 - SHEDDKM (ADDITIONAL DESIGN FREEZE)

ALL INFORMATION DISPLAYED IS SUBJECT TO A COMPLETE VERIFIABLE SITE SURVEY BEING UNDERTAKEN. GIA TAKES NO RESPONSIBILITY ON THE ACCURACY OR RELIABILITY OF THE DISPLAYED DATA SINCE A VERIFIED SITE SURVEY WAS NOT MADE AVAILABLE PRIOR TO THE GENERATION OF SUCH INFORMATION.

Units: Pass/Fail

0 120

NOTES:
PROPOSED SCENARIO IN TEAL
ALL HEIGHTS AND DIMENSIONS GIVEN IN m AOD

N.B. DO NOT SCALE OFF THIS DRAWING

PROJECT:


MAYFIELD PHASE 1B, MANCHESTER

DRAWING NAME:
PLAN VIEW PROPOSED
SUNLIGHT HOURS ON GROUND - 21ST MARCH

DWN BY	SCALE	CHK BY	DATE	REV No.
EW	NTS	ES	25/11/2024	-
PROJ No.	REL No.	ADDR No.	IS No.	DWG No.
20569	08	-	01	05

gia
The Whitehouse
Belvedere Road
London SE1 8GA
t 020 7202 1400
f 020 7202 1401
mail@gia.uk.com
www.gia.uk.com

LONDON • DUBLIN • MANCHESTER • BELFAST • BRISTOL



SOURCES OF INFORMATION

IR02-20240312-VU.CITY (TILES)
IR66-20241104 - SEW (PLOT K DESIGN FREEZE)
IR68- 20241111 - SHEDDKM (ADDITIONAL DESIGN FREEZE)

ALL INFORMATION DISPLAYED IS SUBJECT TO A COMPLETE VERIFIABLE SITE SURVEY BEING UNDERTAKEN. GIA TAKES NO RESPONSIBILITY ON THE ACCURACY OR RELIABILITY OF THE DISPLAYED DATA SINCE A VERIFIED SITE SURVEY WAS NOT MADE AVAILABLE PRIOR TO THE GENERATION OF SUCH INFORMATION.

Units: Pass/Fail

0 120

NOTES:
EXISTING SCENARIO AS SHOWN
ALL HEIGHTS AND DIMENSIONS GIVEN IN m AOD

N.B. DO NOT SCALE OFF THIS DRAWING

PROJECT:

MAYFIELD PHASE 1B, MANCHESTER


DRAWING NAME:
PLAN VIEW EXISTING
SUNLIGHT HOURS ON GROUND - 21ST MARCH

DWN BY	SCALE	CHK BY	DATE	REV No.
EW	NTS	ES	26/11/2024	-
PROJ No.	REL No.	ADDR No.	IS No.	DWG No.
20569	08	-	03	01

gia
The Whitehouse
Belvedere Road
London SE1 8GA
t 020 7202 1400
f 020 7202 1401
mail@gia.uk.com
www.gia.uk.com

LONDON • DUBLIN • MANCHESTER • BELFAST • BRISTOL

Appendix 7.4 – Drawings of the Baseline and Proposed + Cumulatives Assessment Scenarios;



SOURCES OF INFORMATION

IR02-20240312-VU.CITY (TILES)
IR66-20241104 - SEW (PLOT K DESIGN FREEZE)
IR67-20241104- SHEDDKM (PLOT J UPDATED DESIGN FREEZE)

ALL INFORMATION DISPLAYED IS SUBJECT TO A COMPLETE VERIFIABLE SITE SURVEY BEING UNDERTAKEN. GIA TAKES NO RESPONSIBILITY ON THE ACCURACY OR RELIABILITY OF THE DISPLAYED DATA SINCE A VERIFIED SITE SURVEY WAS NOT MADE AVAILABLE PRIOR TO THE GENERATION OF SUCH INFORMATION.

NOTES:
EXISTING SCENARIO IN SEPIA
ALL HEIGHTS AND DIMENSIONS GIVEN IN m AOD

N.B. DO NOT SCALE OFF THIS DRAWING

PROJECT:


MAYFIELD PHASE 1B, MANCHESTER

DRAWING NAME:
PLAN VIEW EXISTING

DWN BY	SCALE	CHK BY	DATE	REV No.
EW	NTS	SP	15/11/2024	-
PROJ No.	REL No.	ADDR No.	IS No.	DWG No.
20569	07	-	02	01

gia
The Whitehouse
Belvedere Road
London SE1 8GA
t 020 7202 1400
f 020 7202 1401
mail@gia.uk.com
www.gia.uk.com

LONDON • DUBLIN • MANCHESTER • BELFAST • BRISTOL



SOURCES OF INFORMATION

IR02-20240312-VU.CITY (TILES)
IR66-20241104 - SEW (PLOT K DESIGN FREEZE)
IR67-20241104- SHEDDKM (PLOT J UPDATED DESIGN FREEZE)

ALL INFORMATION DISPLAYED IS SUBJECT TO A COMPLETE VERIFIABLE SITE SURVEY BEING UNDERTAKEN. GIA TAKES NO RESPONSIBILITY ON THE ACCURACY OR RELIABILITY OF THE DISPLAYED DATA SINCE A VERIFIED SITE SURVEY WAS NOT MADE AVAILABLE PRIOR TO THE GENERATION OF SUCH INFORMATION.

NOTES:
EXISTING SCENARIO IN SEPIA
ALL HEIGHTS AND DIMENSIONS GIVEN IN m AOD

N.B. DO NOT SCALE OFF THIS DRAWING


PROJECT:
MAYFIELD PHASE 1B, MANCHESTER

DRAWING NAME:
3D VIEW1 EXISTING

DWN BY	SCALE	CHK BY	DATE	REV No.
EW	NTS	SP	15/11/2024	-
PROJ No.	REL No.	ADDR No.	IS No.	DWG No.
20569	07	-	02	02

gia
The Whitehouse
Belvedere Road
London SE1 8GA
t 020 7202 1400
f 020 7202 1401
mail@gia.uk.com
www.gia.uk.com

LONDON • DUBLIN • MANCHESTER • BELFAST • BRISTOL



SOURCES OF INFORMATION

IR02-20240312-VU.CITY (TILES)
IR66-20241104 - SEW (PLOT K DESIGN FREEZE)
IR67-20241104- SHEDDKM (PLOT J UPDATED DESIGN FREEZE)

ALL INFORMATION DISPLAYED IS SUBJECT TO A COMPLETE VERIFIABLE SITE SURVEY BEING UNDERTAKEN. GIA TAKES NO RESPONSIBILITY ON THE ACCURACY OR RELIABILITY OF THE DISPLAYED DATA SINCE A VERIFIED SITE SURVEY WAS NOT MADE AVAILABLE PRIOR TO THE GENERATION OF SUCH INFORMATION.

NOTES:
EXISTING SCENARIO IN SEPIA
ALL HEIGHTS AND DIMENSIONS GIVEN IN m AOD

N.B. DO NOT SCALE OFF THIS DRAWING

PROJECT:
MAYFIELD PHASE 1B, MANCHESTER

DRAWING NAME:
3D VIEW2 EXISTING

DWN BY	SCALE	CHK BY	DATE	REV No.
EW	NTS	SP	15/11/2024	-
PROJ No.	REL No.	ADDR No.	IS No.	DWG No.
20569	07	-	02	03

gia
The Whitehouse
Belvedere Road
London SE1 8GA
t 020 7202 1400
f 020 7202 1401
mail@gia.uk.com
www.gia.uk.com

LONDON • DUBLIN • MANCHESTER • BELFAST • BRISTOL



SOURCES OF INFORMATION

IR02-20240312-VU.CITY (TILES)
IR66-20241104 - SEW (PLOT K DESIGN FREEZE)
IR67-20241104- SHEDDKM (PLOT J UPDATED DESIGN FREEZE)

ALL INFORMATION DISPLAYED IS SUBJECT TO A COMPLETE VERIFIABLE SITE SURVEY BEING UNDERTAKEN. GIA TAKES NO RESPONSIBILITY ON THE ACCURACY OR RELIABILITY OF THE DISPLAYED DATA SINCE A VERIFIED SITE SURVEY WAS NOT MADE AVAILABLE PRIOR TO THE GENERATION OF SUCH INFORMATION.

NOTES:
PROPOSED SCENARIO IN TEAL
CONSENTED SCENARIO IN ORANGE
ALL HEIGHTS AND DIMENSIONS GIVEN IN m AOD

N.B. DO NOT SCALE OFF THIS DRAWING

PROJECT:


MAYFIELD PHASE 1B, MANCHESTER

DRAWING NAME:
PLAN VIEW PROPOSED

DWN BY	SCALE	CHK BY	DATE	REV No.
EW	NTS	SP	15/11/2024	-
PROJ No.	REL No.	ADDR No.	IS No.	DWG No.
20569	07	-	02	04

gia
The Whitehouse
Belvedere Road
London SE1 8GA
t 020 7202 1400
f 020 7202 1401
mail@gia.uk.com
www.gia.uk.com

LONDON • DUBLIN • MANCHESTER • BELFAST • BRISTOL



SOURCES OF INFORMATION

IR02-20240312-VU.CITY (TILES)
IR66-20241104 - SEW (PLOT K DESIGN FREEZE)
IR67-20241104- SHEDDKM (PLOT J UPDATED DESIGN FREEZE)

ALL INFORMATION DISPLAYED IS SUBJECT TO A COMPLETE VERIFIABLE SITE SURVEY BEING UNDERTAKEN. GIA TAKES NO RESPONSIBILITY ON THE ACCURACY OR RELIABILITY OF THE DISPLAYED DATA SINCE A VERIFIED SITE SURVEY WAS NOT MADE AVAILABLE PRIOR TO THE GENERATION OF SUCH INFORMATION.

NOTES:
PROPOSED SCENARIO IN TEAL
CONSENTED SCENARIO IN ORANGE
ALL HEIGHTS AND DIMENSIONS GIVEN IN m AOD

N.B. DO NOT SCALE OFF THIS DRAWING


PROJECT:
MAYFIELD PHASE 1B, MANCHESTER

DRAWING NAME:
3D VIEW1 PROPOSED

DWN BY	SCALE	CHK BY	DATE	REV No.
EW	NTS	SP	15/11/2024	-
PROJ No.	REL No.	ADDR No.	IS No.	DWG No.
20569	07	-	02	05

gia
The Whitehouse
Belvedere Road
London SE1 8GA
t 020 7202 1400
f 020 7202 1401
mail@gia.uk.com
www.gia.uk.com

LONDON • DUBLIN • MANCHESTER • BELFAST • BRISTOL



SOURCES OF INFORMATION

IR02-20240312-VU.CITY (TILES)
IR66-20241104 - SEW (PLOT K DESIGN FREEZE)
IR67-20241104- SHEDDKM (PLOT J UPDATED DESIGN FREEZE)

ALL INFORMATION DISPLAYED IS SUBJECT TO A COMPLETE VERIFIABLE SITE SURVEY BEING UNDERTAKEN. GIA TAKES NO RESPONSIBILITY ON THE ACCURACY OR RELIABILITY OF THE DISPLAYED DATA SINCE A VERIFIED SITE SURVEY WAS NOT MADE AVAILABLE PRIOR TO THE GENERATION OF SUCH INFORMATION.

NOTES:
PROPOSED SCENARIO IN TEAL
CONSENTED SCENARIO IN ORANGE
ALL HEIGHTS AND DIMENSIONS GIVEN IN m AOD

N.B. DO NOT SCALE OFF THIS DRAWING

PROJECT:
MAYFIELD PHASE 1B, MANCHESTER

DRAWING NAME:
3D VIEW2 PROPOSED

DWN BY	SCALE	CHK BY	DATE	REV No.
EW	NTS	SP	15/11/2024	-
PROJ No.	REL No.	ADDR No.	IS No.	DWG No.
20569	07	-	02	06

gia
The Whitehouse
Belvedere Road
London SE1 8GA
t 020 7202 1400
f 020 7202 1401
mail@gia.uk.com
www.gia.uk.com

LONDON • DUBLIN • MANCHESTER • BELFAST • BRISTOL

Appendix 7.5 – Daylight and Sunlight Results for Baseline v Proposed + Cumulatives;

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
25-41 PADDOCK STREET & 21 THIRSK STREET																	
F00	R1	Residential	Unknown	W1/F00	37.9	25.4	12.5	33	99.5	0	0						
				W2/F00	37.8	25.6	12.2	32.3									
				W37/F00	34.7	26.5	8.2	23.6									
	R2	Residential	Unknown	W3/F00	37.7	25.9	11.8	31.3	81.4	2.7	15.8						
	R3	Residential	Unknown	W4/F00	37.7	26.3	11.4	30.2	99.3	0	0						
				W5/F00	37.6	26.5	11.1	29.5									
	R4	Residential	Unknown	W6/F00	37.5	26.7	10.8	28.8	99	0	0						
				W7/F00	37.1	26.7	10.4	28									
	R5	Residential	Unknown	W8/F00	36.9	27.3	9.6	26	83.7	2.6	12.7						
	R6	Residential	Unknown	W9/F00	36.7	27.7	9	24.5	95.4	0	0.1						
	R7	Residential	Unknown	W10/F00	36.2	27.6	8.6	23.8	98.8	0	0						
				W11/F00	35.4	27.3	8.1	22.9									
	R8	Residential	Unknown	W12/F00	34.8	27	7.8	22.4	99.1	0	0						
				W13/F00	34.5	26.9	7.6	22									
	R9	Residential	Unknown	W14/F00	33.2	25.8	7.4	22.3	99.1	0.1	0.3						
				W15/F00	31.5	24.3	7.2	22.9									
	R10	Residential	Unknown	W16/F00	35.7	26	9.7	27.2	60.2	6	36.9						
	R11	Residential	Unknown	W17/F00	36.1	26	10.1	28	91.8	1.3	7.4						
				W18/F00	36.2	25.9	10.3	28.5									
	R12	Residential	Unknown	W19/F00	36.3	25.9	10.4	28.7	91.8	1.3	7.7						
				W20/F00	36.5	25.7	10.8	29.6									
	R13	Residential	Unknown	W21/F00	36.6	25.5	11.1	30.3	92.6	1.1	7.1						
				W22/F00	36.6	25.3	11.3	30.9									
	R14	Residential	Unknown	W23/F00	36.5	25.1	11.4	31.2	82.5	1.9	16.4						
	R15	Residential	Unknown	W24/F00	31.7	28	3.7	11.7	98.7	0.1	0.4	40	9	40	9	0	0
				W25/F00	31	31	0	0									
				W26/F00	30.9	26.6	4.3	13.9									
	R17	Residential	Unknown	W29/F00	29.9	29.9	0	0	90.9	0	0	87	21	87	21	0	0
				W32/F00	32.9	32.9	0	0									
	R18	Residential	Unknown	W30/F00	30.1	24.9	5.2	17.3	89.3	1.8	10.1						

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W31/F00	30.7	24	6.7	21.8									
	R19	Residential	Unknown	W33/F00	25.9	25.9	0	0	86.7	0.7	5.5	70	13	70	13	0	0
				W34/F00	34.8	27.9	6.9	19.8									
F01	R1	Residential	Unknown	W1/F01	31.8	19.6	12.2	38.4	99.6	0	0						
				W2/F01	29.9	18.3	11.6	38.8									
				W38/F01	37.3	29.3	8	21.4									
				W39/F01	37.2	29.1	8.1	21.8									
	R2	Residential	Unknown	W3/F01	31.8	20.2	11.6	36.5	99.8	0	0						
	R3	Residential	Unknown	W4/F01	29.9	18.7	11.2	37.5	66.3	2.5	31.1						
	R4	Residential	Unknown	W5/F01	29.9	19	10.9	36.5	78.2	1.6	18.5						
	R5	Residential	Unknown	W6/F01	31.7	20.9	10.8	34.1	97.8	0.1	1.6						
	R6	Residential	Unknown	W7/F01	29.8	19.7	10.1	33.9	80.3	1.4	16.5						
	R7	Residential	Unknown	W8/F01	31.7	21.5	10.2	32.2	97.9	0.1	1.2						
	R8	Residential	Unknown	W9/F01	31.6	22	9.6	30.4	98.8	0	0						
	R9	Residential	Unknown	W10/F01	29.7	20.5	9.2	31	81.5	1.3	15.3						
	R10	Residential	Unknown	W11/F01	29.6	20.7	8.9	30.1	83.9	1.1	12.4						
	R11	Residential	Unknown	W12/F01	31.3	22.5	8.8	28.1	97	0.2	1.9						
	R12	Residential	Unknown	W13/F01	31.1	22.7	8.4	27	98.7	0	0.3						
	R13	Residential	Unknown	W14/F01	29.1	21.1	8	27.5	81.7	1.3	15.4						
	R14	Residential	Unknown	W15/F01	28.9	21.1	7.8	27	87.4	0.8	8.9						
	R15	Residential	Unknown	W16/F01	30.5	22.9	7.6	24.9	98.2	0.1	1						
	R16	Residential	Unknown	W17/F01	30	22.7	7.3	24.3	99.7	0	0						
	R17	Residential	Unknown	W18/F01	27.6	20.6	7	25.4	85.8	0.9	10.8						
	R18	Residential	Unknown	W19/F01	30.4	21.1	9.3	30.6	68.3	2.3	29.1						
	R19	Residential	Unknown	W20/F01	30.5	21	9.5	31.1	92.9	0.6	6.8						
	R20	Residential	Unknown	W21/F01	30.7	20.9	9.8	31.9	79	1.8	20.6						
	R21	Residential	Unknown	W22/F01	30.8	20.8	10	32.5	74.9	1.8	22.4						
	R22	Residential	Unknown	W23/F01	30.9	20.6	10.3	33.3	60	2.9	37.9						
	R23	Residential	Unknown	W24/F01	30.9	20.4	10.5	34	86.5	1.1	13.2						
	R24	Residential	Unknown	W25/F01	31	20.2	10.8	34.8	81.8	2.5	16.6						
				W26/F01	31.1	20.1	11	35.4									

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R25	Residential	Unknown	W27/F01	31.1	19.8	11.3	36.3	81.6	2	17.3						
	R26	Residential	Unknown	W28/F01	28.9	23.8	5.1	17.6	98.5	0.1	0.4	55	15	55	15	0	0
				W29/F01	34.9	34.9	0	0									
				W30/F01	26.7	21.4	5.3	19.9									
				W31/F01	34.6	34.6	0	0									
	R27	Residential	Unknown	W32/F01	28.2	22.2	6	21.3	94.5	0.5	5.3						
	R28	Residential	Unknown	W33/F01	34.1	34.1	0	0	93.4	0	0	95	27	95	27	0	0
				W35/F01	34.2	34.2	0	0									
	R29	Residential	Unknown	W34/F01	26.7	20.2	6.5	24.3	84.4	0.1	1.6						
	R30	Residential	Unknown	W36/F01	27.7	27.7	0	0	89.2	0.4	2.5	69	15	69	15	0	0
				W37/F01	37.2	29.4	7.8	21									
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET																	
F00	R2	Residential	Unknown	W3/F00	36.9	35	1.9	5.1	89.3	1	6.7						
	R3	Residential	Unknown	W4/F00	36.1	34.3	1.8	5	87.8	1.4	8.6						
	R4	Residential	Unknown	W5/F00	34.1	31.4	2.7	7.9	98.4	0	0.2						
				W7/F00	29.5	25	4.5	15.3									
	R6	Residential	Kitchen***	W8/F00	31.8	28	3.8	11.9	94.8	0	0						
	R8	Residential	Kitchen***	W10/F00	31.8	27.9	3.9	12.3	94.5	0	0						
	R10	Residential	Kitchen***	W12/F00	31.7	27.7	4	12.6	94.6	0	0						
	R12	Residential	Kitchen***	W14/F00	30.9	26.9	4	12.9	94.6	0	0						
	R14	Residential	Unknown	W16/F00	33.9	29.7	4.2	12.4	89.7	0.9	6.6						
	R15	Residential	Unknown	W17/F00	34.5	27.3	7.2	20.9	99.4	0	0.5	79	24	78	24	1.3	0
				W18/F00	34.9	34.9	0	0									
	R17	Residential	Unknown	W20/F00	34.3	26.4	7.9	23	96.6	0.3	3.3						
	R19	Residential	Unknown	W22/F00	34.7	26	8.7	25.1	94.9	0.4	4.9						
	R21	Residential	Unknown	W24/F00	34.9	25.7	9.2	26.4	94.8	0.4	5.1						
	R23	Residential	Unknown	W27/F00	35.6	25.6	10	28.1	85.9	1.1	12.9						
F01	R1	Residential	Unknown	W1/F01	38.7	35.4	3.3	8.5	99	0	0.4	39	17	39	17	0	0
				W2/F01	24.3	24.3	0	0									
	R2	Residential	Unknown	W3/F01	25.8	24	1.8	7	99.8	0	0.1	65	22	65	22	0	0

					VSC(WINDOW)			NSL				APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W4/F01	38.2	38.2	0	0									
	R3	Residential	Unknown	W5/F01	25.6	23.7	1.9	7.4	99.9	0	0						
	R4	Residential	Unknown	W6/F01	25.6	23.6	2	7.8	97.2	0	0.1						
	R5	Residential	Unknown	W7/F01	25.5	23.5	2	7.8	99.8	0	0.1						
	R6	Residential	Unknown	W8/F01	24.9	22.2	2.7	10.8	98.7	0.1	0.8						
	R7	Residential	Unknown	W9/F01	24.7	22.1	2.6	10.5	97.7	0	0.2						
	R8	Residential	Bedroom	W10/F01	13.6	9.7	3.9	28.7	99.8	0	0						
	R10	Residential	Bedroom	W12/F01	13.6	9.6	4	29.4	99.8	0	0						
	R12	Residential	Bedroom	W14/F01	13.5	9.4	4.1	30.4	100	0	0						
	R14	Residential	Bedroom	W16/F01	13.4	9	4.4	32.8	99.8	0	0						
	R16	Residential	Unknown	W18/F01	36.5	31.3	5.2	14.2	93.4	0	0.3						
				W19/F01	36.5	31.1	5.4	14.8									
	R17	Residential	Unknown	W20/F01	22.3	14.7	7.6	34.1	96.3	0.3	3.5						
	R18	Residential	Unknown	W21/F01	22	14.1	7.9	35.9	66.9	2.2	31.2						
	R19	Residential	Unknown	W22/F01	21.9	13.8	8.1	37	93.8	0.5	6.2						
	R20	Residential	Unknown	W23/F01	21.8	13.5	8.3	38.1	65.8	2.3	32.3						
	R21	Residential	Unknown	W24/F01	21.8	13.3	8.5	39	92.1	0.7	7.7						
	R22	Residential	Unknown	W25/F01	21.8	13	8.8	40.4	67.5	2.2	31						
	R23	Residential	Unknown	W26/F01	21.7	12.8	8.9	41	91.8	0.7	8						
	R24	Residential	Unknown	W27/F01	21.7	12.5	9.2	42.4	63.5	2.4	34.7						
	R25	Residential	Unknown	W28/F01	21.6	12	9.6	44.4	81.6	1.6	18.2						
	R26	Residential	Unknown	W29/F01	22	12.3	9.7	44.1	49.6	3.7	49						
F02	R1	Residential	Kitchen***	W1/F02	7	4.6	2.4	34.3	81.7	0	0						
	R3	Residential	Kitchen***	W3/F02	7.1	4.5	2.6	36.6	81.8	0	0						
	R5	Residential	Kitchen***	W5/F02	7.1	4.4	2.7	38	81.8	0	0.1						
	R7	Residential	Kitchen***	W7/F02	7.1	4.1	3	42.3	81.7	0	0						
	R9	Residential	Unknown	W9/F02	36.3	30.6	5.7	15.7	93.3	0	0						
				W10/F02	36.2	30.4	5.8	16									
F03	R1	Residential	Bedroom	W1/F03	27.8	23.4	4.4	15.8	99.8	0	0						
	R3	Residential	Bedroom	W3/F03	27.8	23.2	4.6	16.5	99.9	0	0						
	R5	Residential	Bedroom	W5/F03	27.8	22.9	4.9	17.6	99.9	0	0						

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R7	Residential	Bedroom	W7/F03	27.8	22.6	5.2	18.7	99.8	0	0						
94 COTTER STREET																	
F00	R1	Residential	Unknown	W1/F00	35.2	25.7	9.5	27	94	0.5	5.9						
F01	R1	Residential	Unknown	W1/F01	21.7	12.4	9.3	42.9	88.2	1	11.6						
	R2	Residential	Unknown	W2/F01	21.7	12.2	9.5	43.8	50.3	3.4	48.3						
82 BRYDON AVENUE																	
F00	R1	Residential	Unknown	W1/F00	36.6	34.7	1.9	5.2	85.7	1.5	9.7						
F01	R1	Residential	Unknown	W1/F01	25.6	23.7	1.9	7.4	99.6	0	0.2						
	R2	Residential	Unknown	W2/F01	25.6	23.7	1.9	7.4	97.3	0	0.2						
86 BRYDON AVENUE																	
F00	R1	Residential	Unknown	W1/F00	35.3	33.8	1.5	4.2	84.8	1.6	10.1						
	R2	Residential	Unknown	W2/F00	30.6	30.6	0	0	97.5	0.3	2.1	67	15	67	15	0	0
				W3/F00	33.3	29.5	3.8	11.4									
F01	R1	Residential	Unknown	W1/F01	25.4	23.3	2.1	8.3	99.2	0	0.4						
	R2	Residential	Unknown	W2/F01	25.4	23.4	2	7.9	97.8	0	0.1						
	R3	Residential	Unknown	W3/F01	23.4	23.4	0	0	99.7	0	0.1	56	22	56	22	0	0
				W4/F01	36.1	30.9	5.2	14.4									
79 BRYDON AVENUE																	
F00	R2	Residential	Kitchen***	W2/F00	35	33.3	1.7	4.9	97.7	0	0.1						
F01	R1	Residential	Unknown	W1/F01	24.7	22.6	2.1	8.5	98.3	0.1	0.6						
	R2	Residential	Unknown	W2/F01	25	23	2	8	96.8	0	0						
37-49 BRYDON AVENUE																	
F00	R1	Residential	Unknown	W1/F00	30.9	29.8	1.1	3.6	96.5	0.2	1.1						
	R4	Residential	Unknown	W6/F00	31.4	31.4	0	0	97.7	0	0						
	R5	Residential	Unknown	W7/F00	31.2	30.4	0.8	2.6	96.9	0.2	1						
	R8	Residential	Unknown	W12/F00	32.2	32.2	0	0	97.7	0	0						

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R9	Residential	Unknown	W13/F00	31.5	30.3	1.2	3.8	97.7	0	0.1						
	R12	Residential	Unknown	W16/F00	32.7	32.7	0	0	97.7	0	0						
	R13	Residential	Unknown	W17/F00	32.1	32.1	0	0	97.4	0	0						
F01	R1	Residential	Unknown	W1/F01	32	30.1	1.9	5.9	99.1	0	0						
	R2	Residential	Unknown	W2/F01	32.1	30.2	1.9	5.9	97.8	0	0						
	R3	Residential	Unknown	W3/F01	32.1	30.3	1.8	5.6	97.8	0	0.1						
	R4	Residential	Unknown	W4/F01	32.1	30.4	1.7	5.3	98.9	0	0.3						
	R5	Residential	Unknown	W5/F01	32.1	30.4	1.7	5.3	99.2	0	0						
	R6	Residential	Unknown	W6/F01	32.1	30.5	1.6	5	97.7	0	0						
	R7	Residential	Unknown	W7/F01	32.2	30.5	1.7	5.3	97.3	0	0						
	R8	Residential	Unknown	W8/F01	32.2	30.6	1.6	5	99.1	0	0						
	R9	Residential	Unknown	W9/F01	30.6	28.8	1.8	5.9	99.2	0	0						
	R10	Residential	Unknown	W10/F01	31.1	29.3	1.8	5.8	97.6	0	0						
	R11	Residential	Unknown	W11/F01	31.6	29.9	1.7	5.4	97.4	0	0						
	R12	Residential	Unknown	W12/F01	32.1	30.4	1.7	5.3	99.2	0	0						
	R13	Residential	Unknown	W13/F01	31.7	29.9	1.8	5.7	97.6	0	0						
	R14	Residential	Unknown	W14/F01	31.9	30	1.9	6	99	0	0.2						
11-35 BRYDON AVENUE																	
F00	R1	Residential	Unknown	W1/F00	31.3	29.9	1.4	4.5	96.6	0	0						
	R4	Residential	Unknown	W4/F00	30.1	30.1	0	0	96.7	0	0						
	R5	Residential	Unknown	W5/F00	30.3	29.2	1.1	3.6	96.8	0	0						
	R8	Residential	Unknown	W8/F00	29.2	29.2	0	0	96.8	0	0						
	R9	Residential	Unknown	W9/F00	30.4	29.4	1	3.3	96.7	0	0						
	R12	Residential	Unknown	W12/F00	29.7	29.7	0	0	94.7	0	0						
	R13	Residential	Unknown	W13/F00	32.4	31.2	1.2	3.7	97.6	0	0						
	R16	Residential	Unknown	W16/F00	31.1	31.1	0	0	97.5	0	0						
	R17	Residential	Unknown	W17/F00	31.6	30.7	0.9	2.8	97.5	0	0						
	R20	Residential	Unknown	W20/F00	31.3	31.3	0	0	97.6	0	0						
	R21	Residential	Unknown	W21/F00	31.6	30.6	1	3.2	97.5	0	0						
	R24	Residential	Unknown	W24/F00	25.8	25.8	0	0	92.1	0	0						

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R26	Residential	Unknown	W26/F00	31.3	31.3	0	0	97.6	0	0						
F01	R1	Residential	Unknown	W1/F01	32.3	30.7	1.6	5	85	0.8	8.7						
	R2	Residential	Unknown	W2/F01	32.2	30.8	1.4	4.3	92.8	0	0						
	R3	Residential	Unknown	W3/F01	32.2	30.8	1.4	4.3	84.9	0.8	8.6						
	R4	Residential	Unknown	W4/F01	32.1	30.8	1.3	4	92.7	0	0						
	R5	Residential	Unknown	W5/F01	32.1	30.8	1.3	4	86.9	0.6	6.4						
	R6	Residential	Unknown	W6/F01	31.8	30.6	1.2	3.8	91.7	0	0						
	R7	Residential	Unknown	W7/F01	29.8	28.5	1.3	4.4	99	0	0						
	R8	Residential	Unknown	W8/F01	27.9	26.7	1.2	4.3	97.5	0	0						
	R9	Residential	Unknown	W9/F01	27.9	26.7	1.2	4.3	97.5	0	0						
	R10	Residential	Unknown	W10/F01	29.8	28.7	1.1	3.7	99.1	0	0						
	R11	Residential	Unknown	W11/F01	29.8	28.7	1.1	3.7	99.1	0	0						
	R12	Residential	Unknown	W12/F01	28	27	1	3.6	97.2	0	0						
	R13	Residential	Unknown	W13/F01	28.1	27	1.1	3.9	97.5	0	0						
	R14	Residential	Unknown	W14/F01	29.9	28.9	1	3.3	99.1	0	0						
	R15	Residential	Unknown	W15/F01	29.3	28.3	1	3.4	99.1	0	0						
	R16	Residential	Unknown	W16/F01	27.3	26.3	1	3.7	98.8	0	0						
	R17	Residential	Unknown	W17/F01	27.3	26.3	1	3.7	97.6	0	0						
	R18	Residential	Unknown	W18/F01	28.9	28	0.9	3.1	98.9	0	0						
	R19	Residential	Unknown	W19/F01	26.9	26	0.9	3.3	98.5	0	0						
	R20	Residential	Unknown	W20/F01	28.8	28	0.8	2.8	99	0	0						
81 BRYDON AVENUE																	
F00	R1	Residential	Kitchen***	W1/F00	34.3	32.3	2	5.8	97.8	0	0.1						
F01	R1	Residential	Unknown	W1/F01	24.6	22.3	2.3	9.3	98.2	0.1	0.6						
	R2	Residential	Unknown	W2/F01	24.6	22.5	2.1	8.5	97	0	0						
83 BRYDON AVENUE																	
F00	R1	Residential	Kitchen***	W1/F00	33.7	31.6	2.1	6.2	97.7	0	0.2						
F01	R1	Residential	Unknown	W1/F01	24.6	22.2	2.4	9.8	98.2	0.1	0.8						
	R2	Residential	Unknown	W2/F01	24.6	22.2	2.4	9.8	96.8	0	0						

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
10-42 FAIRFIELD STREET																	
F01	R1	Residential	Bedroom	W1/F01	21.9	21.8	0.1	0.5	84.1	0	0	62	11	62	11	0	0
				W2/F01	22.2	22.2	0	0									
	R3	Residential	Bedroom	W5/F01	20	20	0	0	95.9	0	0	63	16	63	16	0	0
				W6/F01	30.4	30.3	0.1	0.3									
				W7/F01	25.8	25.7	0.1	0.4									
	R4	Residential	Bedroom	W8/F01	29.2	29.2	0	0	97.9	0	0						
				W9/F01	28.4	28.4	0	0									
F02	R1	Residential	Bedroom	W1/F02	23.9	23.9	0	0	76.6	0	0	66	13	66	13	0	0
				W2/F02	24.2	24.2	0	0									
	R3	Residential	Bedroom	W5/F02	25.4	25.4	0	0	99.2	0	0	74	16	74	16	0	0
				W6/F02	33.5	33.5	0	0									
				W7/F02	31.4	31.3	0.1	0.3									
	R4	Residential	Bedroom	W8/F02	31	30.9	0.1	0.3	98.5	0	0						
				W9/F02	30.6	30.6	0	0									
F03	R1	Residential	Bedroom	W1/F03	25.5	25.5	0	0	74.5	0	0	65	14	65	14	0	0
				W2/F03	25.5	25.5	0	0									
	R3	Residential	Bedroom	W4/F03	21.9	21.9	0	0	100	0	0	70	17	70	17	0	0
				W5/F03	22.6	22.6	0	0									
				W6/F03	31.3	31.2	0.1	0.3									
				W7/F03	31.7	31.6	0.1	0.3									
				W8/F03	29.1	29.1	0	0									
				W9/F03	28.1	28	0.1	0.4									
	R4	Residential	Bedroom	W10/F03	31.9	31.8	0.1	0.3	91.9	0	0						
				W11/F03	32.6	32.5	0.1	0.3									
BULLS HEAD HOTEL 84 LONDON ROAD																	
F01	R1	Residential	Bedroom	W1/F01	29.1	29.1	0	0	99.7	0	0						
				W10/F01	32.7	32.7	0	0									
	R2	Residential	Kitchen***	W2/F01	28	28	0	0	96	0	0						

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R6	Residential	Bedroom	W7/F01	21.5	21.5	0	0	93.7	0	0	44	6	44	6	0	0
	R7	Residential	Bedroom	W8/F01	22.9	22.9	0	0	97.6	0	0	49	9	49	9	0	0
				W9/F01	32.9	32.9	0	0									
F02	R2	Residential	Bedroom	W2/F02	28.9	28.9	0	0	95.4	0	0						
	R3	Residential	Bedroom	W3/F02	28	28	0	0	86.1	0	0						
	R5	Residential	Bedroom	W5/F02	22.9	22.9	0	0	99.9	0	0	63	16	63	16	0	0
				W6/F02	23.9	23.9	0	0									
				W8/F02*	72.8	72.8	0	0									
	R6	Residential	Bedroom	W7/F02	24.9	24.9	0	0	87.4	0	0	49	11	49	11	0	0
	R7	Residential	Bedroom	W9/F02	25.9	25.9	0	0	98	0	0	67	17	67	17	0	0
				W10/F02	33.1	33.1	0	0									
				W12/F02*	86.8	86.8	0	0									
STAR & GARTER FAIRFIELD STREET																	
F02	R1**	Residential	Unknown	W1/F02	33.5	33.5	0	0	97	0	0						
				W2/F02	33.2	33.2	0	0									
	R2	Residential	Unknown	W3/F02	32	32	0	0	92.4	0	0						
	R3	Residential	Unknown	W4/F02	32.5	32.2	0.3	0.9	92	0	0	83	24	83	24	0	0
				W5/F02	32.6	32.3	0.3	0.9									
PICCADILLY POINT																	
F00	R1**	Student	LKD	W1/F00	25.7	25.7	0	0	99.2	0	0						
	R2**	Student	LKD	W2/F00	28.5	25.4	3.1	10.9	86.4	2.4	11.8	62	14	58	10	6.5	28.6
	R3	Student	Bedroom	W3/F00	27.8	24.7	3.1	11.2	98.6	0	0.1	59	13	55	9	6.8	30.8
	R4	Student	Bedroom	W4/F00	27.3	24.1	3.2	11.7	97.8	0	0	58	12	54	8	6.9	33.3
	R5	Student	Bedroom	W5/F00	26.5	23.4	3.1	11.7	99.2	0	0	57	12	54	9	5.3	25
	R6	Student	Bedroom	W6/F00	25.6	22.4	3.2	12.5	91.7	0	0	55	12	51	8	7.3	33.3
	R7	Student	Bedroom	W7/F00	24.6	21.6	3	12.2	88.9	0	0	54	12	50	8	7.4	33.3
	R8	Student	Studio-Apt	W8/F00	23.4	20.4	3	12.8	72.3	1.3	6.6	49	9	45	5	8.2	44.4
				W9/F00	21.7	18.8	2.9	13.4									
	R9	Student	Bedroom	W10/F00	19.3	16.9	2.4	12.4	21.7	0	0.1	41	7	37	3	9.8	57.1

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R10	Student	Bedroom	W11/F00	17.8	15.7	2.1	11.8	29.5	0	0.2	39	5	35	1	10.3	80
	R11	Student	Bedroom	W12/F00	16.3	14.5	1.8	11	20.4	0	0.1	33	4	29	0	12.1	100
	R12	Student	Bedroom	W13/F00	15.2	13.8	1.4	9.2	27.9	0	0.2	33	3	30	0	9.1	100
	R13	Student	Bedroom	W14/F00	13.8	12.9	0.9	6.5	20.4	0	0	33	2	31	0	6.1	100
	R14**	Student	LKD	W15/F00	12.8	12.3	0.5	3.9	12.8	0	0	29	1	28	0	3.4	100
F01	R1	Student	LKD	W1/F01	28.9	28.9	0	0	98.6	0	0.1						
				W2/F01	17.2	16.8	0.4	2.3									
	R2**	Student	LKD	W3/F01	29.9	27	2.9	9.7	96.8	0.1	0.3	68	16	64	12	5.9	25
	R3	Student	Bedroom	W4/F01	28.8	25.8	3	10.4	97	0	0	60	12	56	8	6.7	33.3
	R4	Student	Bedroom	W5/F01	28	25.1	2.9	10.4	97.8	0	0.3	60	12	57	9	5	25
	R5	Student	Bedroom	W6/F01	26.9	24	2.9	10.8	92.8	0	0	57	11	54	8	5.3	27.3
	R6	Student	Bedroom	W7/F01	26.1	23.2	2.9	11.1	97.8	0	0	57	11	54	8	5.3	27.3
	R7	Student	Studio-Apt	W8/F01	25	22.2	2.8	11.2	93.8	0	0	55	10	51	6	7.3	40
				W9/F01	24	21.3	2.7	11.3									
	R8	Student	Bedroom	W10/F01	20.6	18.4	2.2	10.7	36.1	0	0.1	47	6	43	2	8.5	66.7
	R9	Student	Bedroom	W11/F01	19	17.1	1.9	10	26.2	0	0	44	4	40	0	9.1	100
	R10	Student	Bedroom	W12/F01	17.7	16.1	1.6	9	26.6	0	0.1	42	4	38	0	9.5	100
	R11	Student	Bedroom	W13/F01	16.5	15.3	1.2	7.3	25.6	0	0	41	3	38	0	7.3	100
	R12	Student	Bedroom	W14/F01	15.5	14.6	0.9	5.8	24.7	0	0	37	2	35	0	5.4	100
	R13**	Student	Bedroom	W15/F01	14.7	14.1	0.6	4.1	21.2	0	0.1	35	1	34	0	2.9	100
	R14	Student	Unknown	W16/F01	13.7	13.5	0.2	1.5	48.2	3.9	5.7	37	1	36	0	2.7	100
				W17/F01	13	12.9	0.1	0.8									
				W18/F01	12.7	12.7	0	0									
				W19/F01	12.5	12.5	0	0									
				W20/F01	12.3	12.3	0	0									
				W21/F01	12.1	12.1	0	0									
				W22/F01	12	12	0	0									
				W23/F01	12	12	0	0									
	R15	Student	Bedroom	W24/F01	12	12	0	0	23.6	0	0	32	0	32	0	0	0
				W25/F01	12	12	0	0									
				W26/F01	12.1	12.1	0	0									

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
F02	R2	Student	Bedroom	W2/F02	30.5	30.5	0	0	99.8	0	0						
	R3	Student	LKD	W3/F02	26.8	26	0.8	3	93.4	0.5	1.8	69	16	65	12	5.8	25
				W4/F02	31.4	28.6	2.8	8.9									
				W5/F02	30.8	28	2.8	9.1									
	R4	Student	Bedroom	W6/F02	30.7	27.9	2.8	9.1	97.1	0.1	0.9	69	15	66	12	4.3	20
				W7/F02	29.9	27.1	2.8	9.4									
	R5	Student	Bedroom	W8/F02	29.3	26.5	2.8	9.6	98.3	0	0	64	13	61	10	4.7	23.1
	R6**	Student	Studio-Apt	W9/F02	28.1	25.4	2.7	9.6	91.2	0	0	63	13	60	10	4.8	23.1
				W10/F02	27.5	24.8	2.7	9.8									
	R7	Student	Studio-Apt	W11/F02	26.2	23.7	2.5	9.5	70.7	2.5	11.7	56	8	52	4	7.1	50
				W12/F02	24.1	21.7	2.4	10									
	R8	Student	Studio-Apt	W13/F02	22.2	20.1	2.1	9.5	49.8	0.1	0.7	53	6	49	2	7.5	66.7
				W14/F02	20.8	18.9	1.9	9.1									
	R9	Student	Studio-Apt	W15/F02	19.2	17.8	1.4	7.3	23.9	0	0	49	4	45	0	8.2	100
				W16/F02	18.4	17.3	1.1	6									
	R10	Student	Studio-Apt	W17/F02	17.2	16.5	0.7	4.1	22.1	0	0.2	45	3	43	1	4.4	66.7
				W18/F02	16.6	16.1	0.5	3									
	R11**	Student	LKD	W19/F02	15.8	15.5	0.3	1.9	22.4	0	0.1	41	2	40	1	2.4	50
	R12	Student	Bedroom	W20/F02	15.2	15.1	0.1	0.7	25.6	0	0.5	39	1	39	1	0	0
	R13	Student	Bedroom	W21/F02	14.9	14.9	0	0	24.8	0	0	37	0	37	0	0	0
	R14	Student	Bedroom	W22/F02	14.7	14.7	0	0	27	0	0	36	1	36	1	0	0
	R15	Student	Bedroom	W23/F02	14.5	14.5	0	0	25.6	0	0	37	1	37	1	0	0
	R16	Student	Studio-Apt	W24/F02	14.4	14.4	0	0	25.3	0	0	37	1	37	1	0	0
				W25/F02	14.4	14.4	0	0									
	R17	Student	Studio-Apt	W26/F02	14.3	14.3	0	0	23.6	0	0	38	1	38	1	0	0
				W27/F02	14.4	14.4	0	0									
	R18	Student	Studio-Apt	W28/F02	14.5	14.5	0	0	27.4	0	0	38	0	38	0	0	0
				W29/F02	14.6	14.6	0	0									
	R19	Student	Bedroom	W30/F02	14.7	14.7	0	0	35.5	0	0	34	0	34	0	0	0
	R20**	Student	LKD	W31/F02	14.8	14.8	0	0	22.7	0	0	35	1	35	1	0	0
F03	R2	Student	Bedroom	W2/F03	32.1	32.1	0	0	99.8	0	0						

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R3	Student	LKD	W3/F03	30.2	29.3	0.9	3	95.7	0.3	1.1	74	19	71	16	4.1	15.8
				W4/F03	32.7	29.9	2.8	8.6									
				W5/F03	32.1	29.3	2.8	8.7									
	R4	Student	Bedroom	W6/F03	31.4	28.7	2.7	8.6	81	0	0	69	15	65	11	5.8	26.7
	R5	Student	Bedroom	W7/F03	30.3	27.7	2.6	8.6	91.5	0	0	68	15	64	11	5.9	26.7
	R6	Student	Studio-Apt	W8/F03	29.7	27.1	2.6	8.8	91.9	0.2	0.9	68	16	65	13	4.4	18.8
				W9/F03	28.4	25.9	2.5	8.8									
	R7	Student	Studio-Apt	W10/F03	27.5	25.1	2.4	8.7	82	1.2	5.1	61	11	58	8	4.9	27.3
				W11/F03	25.9	23.6	2.3	8.9									
	R8**	Student	Studio-Apt	W12/F03	24	22	2	8.3	67.5	0.2	1.2	60	10	58	8	3.3	20
				W13/F03	22.7	20.9	1.8	7.9									
	R9	Student	Studio-Apt	W14/F03	21.3	19.9	1.4	6.6	44.2	0.8	7	54	7	52	5	3.7	28.6
				W15/F03	20	19	1	5									
	R10	Student	Studio-Apt	W16/F03	19.4	18.6	0.8	4.1	30.4	2.9	22	51	3	50	2	2	33.3
				W17/F03	18.5	18	0.5	2.7									
	R11**	Student	LKD	W18/F03	17.9	17.6	0.3	1.7	25.1	0	0.1	48	2	47	1	2.1	50
	R12	Student	Bedroom	W19/F03	17.3	17.2	0.1	0.6	29.8	0	0	47	2	47	2	0	0
	R13	Student	Bedroom	W20/F03	17.1	17.1	0	0	28.7	0	0	47	2	47	2	0	0
	R14	Student	Bedroom	W21/F03	16.8	16.8	0	0	28.8	0	0	44	2	44	2	0	0
	R15	Student	Bedroom	W22/F03	16.7	16.7	0	0	28.5	0	0	44	1	44	1	0	0
	R16**	Student	Studio-Apt	W23/F03	16.6	16.6	0	0	26.5	0	0	44	2	44	2	0	0
				W24/F03	16.7	16.7	0	0									
	R17	Student	Studio-Apt	W25/F03	16.7	16.7	0	0	29.7	0	0	44	2	44	2	0	0
				W26/F03	16.8	16.8	0	0									
	R18	Student	Studio-Apt	W27/F03	16.9	16.9	0	0	34.2	0	0	46	2	46	2	0	0
				W28/F03	17.1	17.1	0	0									
	R19	Student	Bedroom	W29/F03	17.2	17.2	0	0	35.9	0	0	43	2	43	2	0	0
	R20**	Student	LKD	W30/F03	17.5	17.5	0	0	28.6	0	0	41	2	41	2	0	0
F04	R2	Student	Bedroom	W2/F04	33.8	33.8	0	0	99.8	0	0						
	R3	Student	LKD	W3/F04	32.8	31.8	1	3	96.7	0.3	1	77	21	75	19	2.6	9.5
				W4/F04	33.9	31.1	2.8	8.3									

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R4	Student	Bedroom	W5/F04	33.1	30.5	2.6	7.9	98.8	0	0	74	19	71	16	4.1	15.8
				W6/F04	32.3	29.8	2.5	7.7									
	R5	Student	Bedroom	W7/F04	31.6	29.1	2.5	7.9	93	0	0	70	16	67	13	4.3	18.8
	R6**	Student	Studio-Apt	W8/F04	30.7	28.3	2.4	7.8	92.5	0	0	70	16	67	13	4.3	18.8
				W9/F04	29.9	27.6	2.3	7.7									
	R7	Student	Studio-Apt	W10/F04	28.8	26.6	2.2	7.6	92.3	0	0	65	12	63	10	3.1	16.7
				W11/F04	27.9	25.7	2.2	7.9									
	R8	Student	Studio-Apt	W12/F04	25.4	23.6	1.8	7.1	52.8	0.1	0.9	63	11	61	9	3.2	18.2
				W13/F04	24	22.4	1.6	6.7									
	R9	Student	Studio-Apt	W14/F04	22.9	21.7	1.2	5.2	33.4	0	0	58	7	56	5	3.4	28.6
				W15/F04	22.1	21.1	1	4.5									
	R10	Student	Studio-Apt	W16/F04	21.4	20.7	0.7	3.3	31.5	0	0.1	57	5	56	4	1.8	20
				W17/F04	20.8	20.3	0.5	2.4									
	R11**	Student	LKD	W18/F04	20.2	20	0.2	1	29	0	0.1	52	3	51	2	1.9	33.3
	R12	Student	Bedroom	W19/F04	19.8	19.7	0.1	0.5	34.9	0	0	50	1	50	1	0	0
	R13	Student	Bedroom	W20/F04	19.5	19.5	0	0	34.5	0	0	50	1	50	1	0	0
	R14	Student	Bedroom	W21/F04	19.4	19.4	0	0	34.5	0	0	49	1	49	1	0	0
	R15	Student	Bedroom	W22/F04	19.3	19.3	0	0	34.1	0	0	50	2	50	2	0	0
	R16	Student	Studio-Apt	W23/F04	19.3	19.3	0	0	35.3	0	0	51	3	51	3	0	0
				W24/F04	19.4	19.4	0	0									
	R17	Student	Studio-Apt	W25/F04	19.4	19.4	0	0	36.5	0	0	48	2	48	2	0	0
				W26/F04	19.6	19.6	0	0									
	R18	Student	Studio-Apt	W27/F04	19.8	19.8	0	0	40	0	0	53	6	53	6	0	0
				W28/F04	20	20	0	0									
	R19	Student	Bedroom	W29/F04	20.2	20.2	0	0	48	0	0	50	3	50	3	0	0
	R20**	Student	LKD	W30/F04	20.3	20.3	0	0	34.9	0	0	48	2	48	2	0	0
F05	R2	Student	Bedroom	W2/F05	35.4	35.4	0	0	99.8	0	0						
	R3	Student	LKD	W3/F05	34	33.1	0.9	2.6	98.1	0	0	78	22	76	20	2.6	9.1
				W4/F05	34.9	32.4	2.5	7.2									
				W5/F05	34.4	32	2.4	7									
	R4	Student	Bedroom	W6/F05	33.6	31.3	2.3	6.8	78.6	0	0	73	18	71	16	2.7	11.1

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R5	Student	Bedroom	W7/F05	33.1	30.8	2.3	6.9	97.9	0	0	72	17	70	15	2.8	11.8
	R6**	Student	Studio-Apt	W8/F05	32.2	30	2.2	6.8	98.3	0	0	72	17	70	15	2.8	11.8
				W9/F05	31.4	29.2	2.2	7									
	R7	Student	Studio-Apt	W10/F05	30.3	28.3	2	6.6	90.8	0.1	0.5	68	13	66	11	2.9	15.4
				W11/F05	29	27	2	6.9									
	R8**	Student	Studio-Apt	W12/F05	27.5	25.7	1.8	6.5	72.9	0	0.1	66	12	64	10	3	16.7
				W13/F05	26.4	24.9	1.5	5.7									
	R9	Student	Studio-Apt	W14/F05	25.3	24	1.3	5.1	50.4	0.2	1.7	62	10	60	8	3.2	20
				W15/F05	24.7	23.7	1	4									
	R10	Student	Studio-Apt	W16/F05	24	23.3	0.7	2.9	39.8	0	0	61	9	60	8	1.6	11.1
				W17/F05	23.5	23.1	0.4	1.7									
	R11**	Student	LKD	W18/F05	23.1	22.9	0.2	0.9	36.7	0	0	57	6	56	5	1.8	16.7
	R12	Student	Bedroom	W19/F05	22.7	22.7	0	0	45.6	0	0	57	5	57	5	0	0
	R13	Student	Bedroom	W20/F05	22.6	22.6	0	0	46.5	0	0	59	6	59	6	0	0
	R14	Student	Bedroom	W21/F05	22.4	22.4	0	0	45.7	0	0	58	6	58	6	0	0
	R15	Student	Bedroom	W22/F05	22.4	22.4	0	0	45.1	0	0	57	5	57	5	0	0
	R16	Student	Studio-Apt	W23/F05	22.5	22.5	0	0	47.7	0	0	55	3	55	3	0	0
				W24/F05	22.6	22.6	0	0									
	R17	Student	Studio-Apt	W25/F05	22.7	22.7	0	0	53.6	0	0	57	6	57	6	0	0
				W26/F05	23	23	0	0									
	R18	Student	Studio-Apt	W27/F05	23.2	23.2	0	0	62.6	0	0	58	7	58	7	0	0
				W28/F05	23.4	23.4	0	0									
	R19	Student	Bedroom	W29/F05	23.6	23.6	0	0	67	0	0	56	6	56	6	0	0
	R20**	Student	LKD	W30/F05	23.7	23.7	0	0	45.9	0	0	57	7	57	7	0	0
F06	R2	Student	Bedroom	W2/F06	36.8	36.8	0	0	99.8	0	0						
				W3/F06	36.1	35.3	0.8	2.2									
	R3**	Student	LKD	W4/F06	35.9	33.6	2.3	6.4	96.7	0.5	1.7	79	24	77	22	2.5	8.3
				W5/F06	35.4	33.2	2.2	6.2									
	R4	Student	Bedroom	W6/F06	34.6	32.5	2.1	6.1	82.4	0	0	74	19	72	17	2.7	10.5
	R5	Student	Bedroom	W7/F06	34.3	32.2	2.1	6.1	98.8	0	0	74	19	72	17	2.7	10.5
	R6**	Student	Studio-Apt	W8/F06	33.3	31.4	1.9	5.7	95.4	0	0	73	18	71	16	2.7	11.1

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W9/F06	32.7	30.8	1.9	5.8									
	R7	Student	Studio-Apt	W10/F06	31.9	30	1.9	6	87	0.8	3.3	71	16	69	14	2.8	12.5
				W11/F06	30.5	28.8	1.7	5.6									
	R8	Student	Studio-Apt	W12/F06	29.4	27.8	1.6	5.4	66.7	0.1	0.5	70	15	68	13	2.9	13.3
				W13/F06	28.6	27.1	1.5	5.2									
	R9	Student	Studio-Apt	W14/F06	27.7	26.6	1.1	4	59.8	0	0	67	12	65	10	3	16.7
				W15/F06	27.3	26.4	0.9	3.3									
	R10	Student	Studio-Apt	W16/F06	26.9	26.2	0.7	2.6	52.7	0	0	67	12	66	11	1.5	8.3
				W17/F06	26.6	26.1	0.5	1.9									
	R11**	Student	LKD	W18/F06	26.2	26	0.2	0.8	49.7	0	0	64	11	63	10	1.6	9.1
	R12	Student	Bedroom	W19/F06	26	26	0	0	64.8	0	0	64	10	64	10	0	0
	R13	Student	Bedroom	W20/F06	26	26	0	0	61.3	0	0	64	10	64	10	0	0
	R14	Student	Bedroom	W21/F06	26	26	0	0	60.9	0	0	64	10	64	10	0	0
	R15	Student	Bedroom	W22/F06	26	26	0	0	59.9	0	0	64	10	64	10	0	0
	R16	Student	Studio-Apt	W23/F06	26.1	26	0.1	0.4	64.2	0	0	65	10	65	10	0	0
				W24/F06	26.2	26.1	0.1	0.4									
	R17	Student	Studio-Apt	W25/F06	26.3	26.3	0	0	66.5	0	0	66	11	66	11	0	0
				W26/F06	26.5	26.5	0	0									
	R18	Student	Studio-Apt	W27/F06	26.9	26.8	0.1	0.4	84.2	0	0	65	12	65	12	0	0
				W28/F06	27.1	27	0.1	0.4									
	R19	Student	Bedroom	W29/F06	27.3	27.3	0	0	91.5	0	0	62	10	62	10	0	0
	R20**	Student	LKD	W30/F06	27.4	27.4	0	0	74.6	0	0	62	10	62	10	0	0
F07	R2	Student	Bedroom	W2/F07	37.3	37.3	0	0	99.8	0	0						
				W3/F07	36.4	35.6	0.8	2.2									
	R3**	Student	LKD	W4/F07	36.8	34.7	2.1	5.7	97.3	0.4	1.2	79	24	77	22	2.5	8.3
				W5/F07	36.5	34.5	2	5.5									
	R4	Student	Bedroom	W6/F07	36	34.1	1.9	5.3	94.9	0	0	78	23	76	21	2.6	8.7
	R5	Student	Bedroom	W7/F07	35.4	33.6	1.8	5.1	98.3	0	0	75	20	73	18	2.7	10
	R6	Student	Studio-Apt	W8/F07	35	33.2	1.8	5.1	95.6	0	0.1	76	21	74	19	2.6	9.5
				W9/F07	34.2	32.5	1.7	5									
	R7	Student	Studio-Apt	W10/F07	33.7	32	1.7	5	95.9	0	0.2	75	20	73	18	2.7	10

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W11/F07	32.8	31.2	1.6	4.9									
	R8**	Student	Studio-Apt	W12/F07	31.8	30.3	1.5	4.7	81.7	0	0	73	18	71	16	2.7	11.1
				W13/F07	31.2	29.8	1.4	4.5									
	R9	Student	Studio-Apt	W14/F07	30.7	29.5	1.2	3.9	86.5	0.1	0.2	71	16	69	14	2.8	12.5
				W15/F07	30.2	29.4	0.8	2.6									
	R10	Student	Studio-Apt	W16/F07	30.1	29.4	0.7	2.3	76.6	1.3	4.8	71	16	70	15	1.4	6.2
				W17/F07	29.8	29.4	0.4	1.3									
	R11**	Student	LKD	W18/F07	29.7	29.5	0.2	0.7	75.8	0	0	70	15	69	14	1.4	6.7
	R12	Student	Bedroom	W19/F07	29.7	29.6	0.1	0.3	89.4	0	0	69	14	69	14	0	0
	R13	Student	Bedroom	W20/F07	29.6	29.6	0	0	90.4	0	0	69	14	69	14	0	0
	R14	Student	Bedroom	W21/F07	29.6	29.6	0	0	89.3	0	0	69	14	69	14	0	0
	R15	Student	Bedroom	W22/F07	29.8	29.7	0.1	0.3	87	0	0	70	15	70	15	0	0
	R16**	Student	Studio-Apt	W23/F07	29.8	29.8	0	0	86	0	0	72	17	72	17	0	0
				W24/F07	30	30	0	0									
	R17	Student	Studio-Apt	W25/F07	30.2	30.2	0	0	91.4	0	0	73	18	73	18	0	0
				W26/F07	30.5	30.5	0	0									
	R18	Student	Studio-Apt	W27/F07	30.7	30.7	0	0	95.8	0	0	74	19	74	19	0	0
				W28/F07	30.9	30.9	0	0									
	R19	Student	Bedroom	W29/F07	31	31	0	0	98.5	0	0	71	19	71	19	0	0
	R20**	Student	LKD	W30/F07	31.2	31.2	0	0	96.4	0	0	68	16	68	16	0	0
F08	R2	Student	Bedroom	W2/F08	37.7	37.7	0	0	99.8	0	0						
				W3/F08	36.4	35.7	0.7	1.9									
	R3**	Student	LKD	W4/F08	37.7	35.8	1.9	5	94.2	0.2	0.6	83	28	81	26	2.4	7.1
	R4	Student	Bedroom	W5/F08	37.3	35.6	1.7	4.6	98.9	0	0	83	28	81	26	2.4	7.1
				W6/F08	37	35.3	1.7	4.6									
	R5	Student	Bedroom	W7/F08	36.7	35	1.7	4.6	98.3	0	0	79	24	77	22	2.5	8.3
	R6**	Student	Studio-Apt	W8/F08	36.2	34.6	1.6	4.4	98.6	0	0	79	24	77	22	2.5	8.3
				W9/F08	35.9	34.3	1.6	4.5									
	R7	Student	Studio-Apt	W10/F08	35.4	33.9	1.5	4.2	97.5	0	0	79	24	77	22	2.5	8.3
				W11/F08	35	33.5	1.5	4.3									
	R8	Student	Studio-Apt	W12/F08	34.2	32.8	1.4	4.1	95.7	0	0	78	23	76	21	2.6	8.7

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W13/F08	33.7	32.5	1.2	3.6									
	R9	Student	Studio-Apt	W14/F08	33.5	32.4	1.1	3.3	97.7	0	0	78	23	76	21	2.6	8.7
				W15/F08	33.4	32.6	0.8	2.4									
	R10	Student	Studio-Apt	W16/F08	33.3	32.7	0.6	1.8	99.1	0	0	78	23	77	22	1.3	4.3
				W17/F08	33.3	32.9	0.4	1.2									
	R11**	Student	LKD	W18/F08	33.3	33.1	0.2	0.6	99.6	0	0	79	24	78	23	1.3	4.2
	R12	Student	Bedroom	W19/F08	33.4	33.3	0.1	0.3	98.3	0	0	77	22	77	22	0	0
	R13	Student	Bedroom	W20/F08	33.4	33.4	0	0	98.6	0	0	77	22	77	22	0	0
	R14	Student	Bedroom	W21/F08	33.5	33.5	0	0	98.5	0	0	77	22	77	22	0	0
	R15	Student	Bedroom	W22/F08	33.6	33.6	0	0	97.4	0	0	78	23	78	23	0	0
	R16	Student	Studio-Apt	W23/F08	33.8	33.8	0	0	97.9	0	0	78	23	78	23	0	0
				W24/F08	33.9	33.9	0	0									
	R17	Student	Studio-Apt	W25/F08	34.1	34	0.1	0.3	98.5	0	0	78	23	78	23	0	0
				W26/F08	34.3	34.2	0.1	0.3									
	R18	Student	Studio-Apt	W27/F08	34.5	34.4	0.1	0.3	98.3	0	0	78	23	78	23	0	0
				W28/F08	34.7	34.5	0.2	0.6									
	R19	Student	Bedroom	W29/F08	34.7	34.6	0.1	0.3	98.5	0	0	76	22	76	22	0	0
	R20**	Student	LKD	W30/F08	34.7	34.6	0.1	0.3	98.5	0	0	74	21	74	21	0	0
F09	R2	Student	Bedroom	W2/F09	38	38	0	0	99.8	0	0						
				W3/F09	35.7	35	0.7	2									
	R3	Student	LKD	W4/F09	36.5	35.8	0.7	1.9	98.7	0	0	85	29	83	27	2.4	6.9
				W5/F09	38.4	36.8	1.6	4.2									
				W6/F09	38.3	36.7	1.6	4.2									
	R4	Student	Bedroom	W7/F09	38.1	36.5	1.6	4.2	93.3	0	0	84	29	82	27	2.4	6.9
	R5	Student	Bedroom	W8/F09	37.9	36.4	1.5	4	98	0	0	84	29	82	27	2.4	6.9
	R6**	Student	Studio-Apt	W9/F09	37.7	36.2	1.5	4	98.3	0	0	84	29	82	27	2.4	6.9
				W10/F09	37.4	36	1.4	3.7									
	R7	Student	Studio-Apt	W11/F09	37.1	35.7	1.4	3.8	98.3	0	0	84	29	82	27	2.4	6.9
				W12/F09	36.8	35.5	1.3	3.5									
	R8**	Student	Studio-Apt	W13/F09	36.5	35.2	1.3	3.6	98.5	0	0	84	29	82	27	2.4	6.9
				W14/F09	36.4	35.1	1.3	3.6									

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R9	Student	Studio-Apt	W15/F09	36.3	35.3	1	2.8	98.8	0	0	80	25	78	23	2.5	8
				W16/F09	36.3	35.5	0.8	2.2									
	R10**	Student	Studio-Apt	W17/F09	36.5	35.9	0.6	1.6	99.1	0	0	81	26	80	25	1.2	3.8
				W18/F09	36.5	36	0.5	1.4									
	R11**	Student	LKD	W19/F09	36.6	36.3	0.3	0.8	99.6	0	0	81	26	80	25	1.2	3.8
	R12	Student	Bedroom	W20/F09	36.7	36.6	0.1	0.3	98.3	0	0	79	24	79	24	0	0
	R13	Student	Bedroom	W21/F09	36.8	36.7	0.1	0.3	98.9	0	0	79	24	79	24	0	0
	R14	Student	Bedroom	W22/F09	36.9	36.8	0.1	0.3	98.5	0	0	79	24	79	24	0	0
	R15	Student	Bedroom	W23/F09	37	36.9	0.1	0.3	98.9	0	0	79	24	79	24	0	0
	R16	Student	Studio-Apt	W24/F09	37.1	36.8	0.3	0.8	97.9	0	0	80	25	79	24	1.2	4
				W25/F09	37.1	36.7	0.4	1.1									
	R17	Student	Studio-Apt	W26/F09	37.2	36.8	0.4	1.1	97.5	0	0	81	26	79	24	2.5	7.7
				W27/F09	37.3	36.9	0.4	1.1									
	R18	Student	Studio-Apt	W28/F09	37.3	36.8	0.5	1.3	98.2	0	0	81	26	79	24	2.5	7.7
				W29/F09	37.3	36.8	0.5	1.3									
	R19	Student	Bedroom	W30/F09	37.2	36.7	0.5	1.3	97.3	0	0	80	25	78	23	2.5	8
	R20**	Student	LKD	W31/F09	37.1	36.6	0.5	1.3	98.3	0	0	80	25	79	24	1.2	4
F10	R1	Student	Bedroom	W1/F10	38.2	38.2	0	0	99.8	0	0						
	R2	Student	LKD	W2/F10	36.6	35.9	0.7	1.9	98.7	0	0	85	29	83	27	2.4	6.9
				W3/F10	39.1	37.6	1.5	3.8									
				W4/F10	39	37.6	1.4	3.6									
	R3	Student	Bedroom	W5/F10	38.9	37.5	1.4	3.6	92	0	0	84	29	82	27	2.4	6.9
	R4	Student	Bedroom	W6/F10	38.9	37.5	1.4	3.6	98.3	0	0	84	29	82	27	2.4	6.9
	R5	Student	Studio-Apt	W7/F10	38.8	37.5	1.3	3.4	97.8	0	0	84	29	82	27	2.4	6.9
				W8/F10	38.7	37.4	1.3	3.4									
	R6	Student	Studio-Apt	W9/F10	38.6	37.3	1.3	3.4	98.3	0	0	84	29	82	27	2.4	6.9
				W10/F10	38.5	37.3	1.2	3.1									
	R7**	Student	Studio-Apt	W11/F10	38.4	37.2	1.2	3.1	98.3	0	0	84	29	82	27	2.4	6.9
				W12/F10	38.3	37.2	1.1	2.9									
	R8	Student	Studio-Apt	W13/F10	38.3	37.3	1	2.6	98.3	0	0	84	29	82	27	2.4	6.9
				W14/F10	38.4	37.5	0.9	2.3									

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R9	Student	Studio-Apt	W15/F10	38.4	37.6	0.8	2.1	99.2	0	0	84	29	82	27	2.4	6.9
				W16/F10	38.4	37.7	0.7	1.8									
	R10**	Student	LKD	W17/F10	38.4	37.8	0.6	1.6	99.6	0	0	84	29	82	27	2.4	6.9
	R11	Student	Bedroom	W18/F10	38.6	38.1	0.5	1.3	98.9	0	0	81	26	80	25	1.2	3.8
	R12	Student	Bedroom	W19/F10	38.5	38.1	0.4	1	98.9	0	0	80	25	79	24	1.2	4
	R13	Student	Bedroom	W20/F10	38.6	38.1	0.5	1.3	98.7	0	0	81	26	79	24	2.5	7.7
	R14	Student	Bedroom	W21/F10	38.7	38.1	0.6	1.6	97.6	0	0	80	25	79	24	1.2	4
	R15**	Student	Studio-Apt	W22/F10	38.7	38.1	0.6	1.6	97.8	0	0	81	26	79	24	2.5	7.7
				W23/F10	38.7	38.1	0.6	1.6									
	R16	Student	Studio-Apt	W24/F10	38.6	38	0.6	1.6	98.3	0	0	81	26	79	24	2.5	7.7
				W25/F10	38.6	37.9	0.7	1.8									
F11	R1	Student	Bedroom	W1/F11	38.5	38.5	0	0	99.8	0	0						
	R2	Student	LKD	W2/F11	36.6	35.9	0.7	1.9	98.4	0	0	85	29	84	28	1.2	3.4
				W3/F11	39.5	38.1	1.4	3.5									
	R3	Student	Bedroom	W4/F11	39.5	38.2	1.3	3.3	98.8	0	0	84	29	83	28	1.2	3.4
				W5/F11	39.5	38.2	1.3	3.3									
	R4	Student	Bedroom	W6/F11	39.5	38.2	1.3	3.3	98.3	0	0	84	29	83	28	1.2	3.4
	R5**	Student	Studio-Apt	W7/F11	39.4	38.2	1.2	3	98.6	0	0	84	29	83	28	1.2	3.4
				W8/F11	39.4	38.3	1.1	2.8									
	R6	Student	Studio-Apt	W9/F11	39.4	38.3	1.1	2.8	98	0	0	84	29	82	27	2.4	6.9
				W10/F11	39.4	38.3	1.1	2.8									
	R7	Student	Studio-Apt	W11/F11	39.4	38.3	1.1	2.8	98.2	0	0	84	29	82	27	2.4	6.9
				W12/F11	39.4	38.3	1.1	2.8									
	R8	Student	Studio-Apt	W13/F11	39.3	38.3	1	2.5	97.8	0	0	84	29	82	27	2.4	6.9
				W14/F11	39.4	38.4	1	2.5									
	R9**	Student	Studio-Apt	W15/F11	39.3	38.4	0.9	2.3	99.1	0	0	84	29	82	27	2.4	6.9
				W16/F11	39.3	38.4	0.9	2.3									
	R10**	Student	LKD	W17/F11	39.3	38.4	0.9	2.3	99.6	0	0	84	29	82	27	2.4	6.9
	R11	Student	Bedroom	W18/F11	39.3	38.4	0.9	2.3	98.3	0	0	83	28	81	26	2.4	7.1
	R12	Student	Bedroom	W19/F11	39.3	38.4	0.9	2.3	98.6	0	0	83	28	81	26	2.4	7.1
	R13	Student	Bedroom	W20/F11	39.3	38.5	0.8	2	98.5	0	0	83	28	81	26	2.4	7.1

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R14	Student	Bedroom	W21/F11	39.2	38.4	0.8	2	97.4	0	0	83	28	81	26	2.4	7.1
	R15	Student	Bedroom	W22/F11	39.2	38.4	0.8	2	98	0	0	83	28	81	26	2.4	7.1
				W23/F11	39.2	38.4	0.8	2									
	R16	Student	Studio-Apt	W24/F11	39.1	38.4	0.7	1.8	97.9	0	0	82	27	80	25	2.4	7.4
				W25/F11	39.1	38.3	0.8	2									
F12	R1	Student	Bedroom	W1/F12	38.6	38.6	0	0	99.8	0	0						
	R2	Student	LKD	W2/F12	35.7	35.1	0.6	1.7	98.7	0	0	85	29	84	28	1.2	3.4
				W3/F12	39.5	38.3	1.2	3									
				W4/F12	39.5	38.3	1.2	3									
	R3	Student	Bedroom	W5/F12	39.5	38.3	1.2	3	93.3	0	0	84	29	83	28	1.2	3.4
	R4	Student	Bedroom	W6/F12	39.5	38.3	1.2	3	97.9	0	0	84	29	83	28	1.2	3.4
	R5**	Student	Studio-Apt	W7/F12	39.5	38.4	1.1	2.8	98.3	0	0	84	29	83	28	1.2	3.4
				W8/F12	39.5	38.4	1.1	2.8									
	R6	Student	Studio-Apt	W9/F12	39.5	38.4	1.1	2.8	98.3	0	0	84	29	82	27	2.4	6.9
				W10/F12	39.5	38.5	1	2.5									
	R7**	Student	Studio-Apt	W11/F12	39.4	38.5	0.9	2.3	98.3	0	0	84	29	82	27	2.4	6.9
				W12/F12	39.4	38.5	0.9	2.3									
	R8	Student	Studio-Apt	W13/F12	39.4	38.5	0.9	2.3	98.8	0	0	84	29	82	27	2.4	6.9
				W14/F12	39.4	38.5	0.9	2.3									
	R9**	Student	Studio-Apt	W15/F12	39.4	38.5	0.9	2.3	99.3	0	0	84	29	82	27	2.4	6.9
				W16/F12	39.4	38.6	0.8	2									
	R10**	Student	LKD	W17/F12	39.4	38.6	0.8	2	99.6	0	0	84	29	82	27	2.4	6.9
	R11	Student	Bedroom	W18/F12	39.4	38.6	0.8	2	98.9	0	0	83	28	81	26	2.4	7.1
	R12	Student	Bedroom	W19/F12	39.4	38.6	0.8	2	98.9	0	0	83	28	81	26	2.4	7.1
	R13	Student	Bedroom	W20/F12	39.4	38.6	0.8	2	98.7	0	0	83	28	81	26	2.4	7.1
	R14	Student	Bedroom	W21/F12	39.4	38.6	0.8	2	98.9	0	0	83	28	81	26	2.4	7.1
	R15	Student	Bedroom	W22/F12	39.4	38.6	0.8	2	97.8	0	0	83	28	81	26	2.4	7.1
				W23/F12	39.3	38.6	0.7	1.8									
	R16	Student	Studio-Apt	W24/F12	39.3	38.6	0.7	1.8	97.7	0	0	84	29	82	27	2.4	6.9
				W25/F12	39.3	38.6	0.7	1.8									
F13	R1	Student	Bedroom	W1/F13	38.7	38.7	0	0	99.8	0	0						

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R2**	Student	LKD	W2/F13	39.6	38.4	1.2	3	95.7	0.1	0.3	84	29	83	28	1.2	3.4
				W3/F13	39.5	38.4	1.1	2.8									
	R3	Student	Bedroom	W4/F13	39.5	38.4	1.1	2.8	91.9	0	0	84	29	83	28	1.2	3.4
	R4	Student	Bedroom	W5/F13	39.5	38.5	1	2.5	98.3	0	0	84	29	83	28	1.2	3.4
	R5	Student	Studio-Apt	W6/F13	39.5	38.5	1	2.5	97.9	0	0	84	29	83	28	1.2	3.4
				W7/F13	39.5	38.6	0.9	2.3									
	R6	Student	Studio-Apt	W8/F13	39.5	38.6	0.9	2.3	98.3	0	0	84	29	82	27	2.4	6.9
				W9/F13	39.5	38.6	0.9	2.3									
	R7**	Student	Studio-Apt	W10/F13	39.5	38.6	0.9	2.3	98.5	0	0	84	29	82	27	2.4	6.9
				W11/F13	39.5	38.6	0.9	2.3									
	R8	Student	Studio-Apt	W12/F13	39.5	38.6	0.9	2.3	98.4	0	0	84	29	82	27	2.4	6.9
				W13/F13	39.5	38.6	0.9	2.3									
	R9	Student	Studio-Apt	W14/F13	39.5	38.7	0.8	2	99.2	0	0	84	29	82	27	2.4	6.9
				W15/F13	39.5	38.7	0.8	2									
F14	R1	Student	Bedroom	W1/F14	38.8	38.8	0	0	99.8	0	0						
				W2/F14	36.5	36	0.5	1.4									
	R2**	Student	LKD	W3/F14	39.6	38.6	1	2.5	94.5	0.1	0.2	84	29	83	28	1.2	3.4
	R3	Student	Bedroom	W4/F14	39.6	38.6	1	2.5	98.9	0	0	84	29	83	28	1.2	3.4
				W5/F14	39.6	38.6	1	2.5									
	R4	Student	Bedroom	W6/F14	39.6	38.6	1	2.5	98.3	0	0	84	29	83	28	1.2	3.4
	R5**	Student	Studio-Apt	W7/F14	39.5	38.6	0.9	2.3	98.6	0	0	84	29	83	28	1.2	3.4
				W8/F14	39.6	38.7	0.9	2.3									
	R6	Student	Studio-Apt	W9/F14	39.5	38.6	0.9	2.3	98	0	0	84	29	82	27	2.4	6.9
				W10/F14	39.6	38.7	0.9	2.3									
	R7	Student	Studio-Apt	W11/F14	39.6	38.7	0.9	2.3	98	0	0	84	29	82	27	2.4	6.9
				W12/F14	39.5	38.7	0.8	2									
	R8	Student	Studio-Apt	W13/F14	39.5	38.7	0.8	2	97.8	0	0	84	29	82	27	2.4	6.9
				W14/F14	39.5	38.8	0.7	1.8									
	R9**	Student	Studio-Apt	W15/F14	39.5	38.8	0.7	1.8	99.1	0	0	84	29	82	27	2.4	6.9
				W16/F14	39.4	38.7	0.7	1.8									
F15	R1	Student	Bedroom	W1/F15	38.9	38.9	0	0	99.8	0	0						

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W2/F15	36.5	36.1	0.4	1.1									
	R2**	Student	LKD	W3/F15	39.6	38.7	0.9	2.3	95.8	0.1	0.2	84	29	83	28	1.2	3.4
				W4/F15	39.5	38.7	0.8	2									
	R3	Student	Bedroom	W5/F15	39.6	38.7	0.9	2.3	93.3	0	0	84	29	83	28	1.2	3.4
	R4	Student	Bedroom	W6/F15	39.5	38.7	0.8	2	98	0	0	84	29	83	28	1.2	3.4
	R5**	Student	Studio-Apt	W7/F15	39.6	38.7	0.9	2.3	98.3	0	0	84	29	83	28	1.2	3.4
				W8/F15	39.5	38.7	0.8	2									
	R6	Student	Studio-Apt	W9/F15	39.6	38.8	0.8	2	98.3	0	0	84	29	82	27	2.4	6.9
				W10/F15	39.6	38.8	0.8	2									
	R7**	Student	Studio-Apt	W11/F15	39.5	38.8	0.7	1.8	98.4	0	0	84	29	82	27	2.4	6.9
				W12/F15	39.5	38.8	0.7	1.8									
	R8	Student	Studio-Apt	W13/F15	39.5	38.8	0.7	1.8	98.8	0	0	84	29	82	27	2.4	6.9
				W14/F15	39.5	38.9	0.6	1.5									
	R9**	Student	Studio-Apt	W15/F15	39.5	38.8	0.7	1.8	99.3	0	0	84	29	82	27	2.4	6.9
				W16/F15	39.5	38.9	0.6	1.5									
F16	R1	Student	Bedroom	W1/F16	39	39	0	0	99.8	0	0						
				W2/F16	35.8	35.3	0.5	1.4									
	R2**	Student	LKD	W3/F16	39.6	38.8	0.8	2	94.7	0	0.1	84	29	83	28	1.2	3.4
	R3	Student	Bedroom	W4/F16	39.6	38.8	0.8	2	98.9	0	0	84	29	83	28	1.2	3.4
				W5/F16	39.6	38.8	0.8	2									
	R4	Student	Bedroom	W6/F16	39.6	38.8	0.8	2	98.3	0	0	84	29	83	28	1.2	3.4
	R5**	Student	Studio-Apt	W7/F16	39.5	38.8	0.7	1.8	98.6	0	0	84	29	83	28	1.2	3.4
				W8/F16	39.6	38.9	0.7	1.8									
	R6	Student	Studio-Apt	W9/F16	39.6	38.9	0.7	1.8	98	0	0	84	29	83	28	1.2	3.4
				W10/F16	39.6	38.9	0.7	1.8									
F17	R1	Student	Bedroom	W1/F17	39.1	39.1	0	0	99.8	0	0						
	R2	Student	LKD	W2/F17	36.2	35.8	0.4	1.1	97.4	0	0	85	29	84	28	1.2	3.4
				W3/F17	39.6	38.9	0.7	1.8									
				W4/F17	39.6	38.9	0.7	1.8									
	R3	Student	Bedroom	W5/F17	39.6	38.9	0.7	1.8	93.3	0	0	84	29	83	28	1.2	3.4
	R4	Student	Bedroom	W6/F17	39.5	38.9	0.6	1.5	97.9	0	0	84	29	83	28	1.2	3.4

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R5**	Student	Studio-Apt	W7/F17	39.6	38.9	0.7	1.8	98.3	0	0	84	29	83	28	1.2	3.4
				W8/F17	39.6	38.9	0.7	1.8									
	R6	Student	Studio-Apt	W9/F17	39.6	39	0.6	1.5	98.1	0	0	84	29	83	28	1.2	3.4
				W10/F17	39.6	39	0.6	1.5									
F18	R1	Student	Bedroom	W1/F18	39.2	39.2	0	0	99.8	0	0						
	R2**	Student	LKD	W2/F18	39.6	39	0.6	1.5	94.6	0	0.1	84	29	83	28	1.2	3.4
	R3	Student	Bedroom	W3/F18	39.6	39	0.6	1.5	98.8	0	0	84	29	83	28	1.2	3.4
				W4/F18	39.6	39	0.6	1.5									
	R4	Student	Bedroom	W5/F18	39.6	39	0.6	1.5	98.3	0	0	84	29	83	28	1.2	3.4
	R5**	Student	Studio-Apt	W6/F18	39.6	39	0.6	1.5	98.6	0	0	84	29	83	28	1.2	3.4
				W7/F18	39.6	39	0.6	1.5									
	R6	Student	Studio-Apt	W8/F18	39.6	39.1	0.5	1.3	97.4	0	0	84	29	84	29	0	0
				W9/F18	39.6	39.1	0.5	1.3									
UNITE STUDENTS MILL POINT																	
F00	R1	Student	Unknown	W1/F00	27.6	24.6	3	10.9	77.2	2.9	13.7	61	8	58	6	4.9	25
				W2/F00	27.3	24	3.3	12.1									
	R2	Student	Unknown	W3/F00	26.9	23.3	3.6	13.4	68.2	3.7	19	61	11	55	7	9.8	36.4
				W4/F00	23.8	20.5	3.3	13.9									
	R3	Student	Unknown	W5/F00	23.6	20.8	2.8	11.9	63.4	1.7	10.1	61	11	55	7	9.8	36.4
				W6/F00	23	20.3	2.7	11.7									
	R4	Student	Unknown	W7/F00	22.2	19.7	2.5	11.3	54.5	5.5	29.8	55	5	50	1	9.1	80
				W8/F00	22.7	20.5	2.2	9.7									
	R5	Student	Unknown	W9/F00	13.9	13.9	0	0	38.2	0.9	9.5	46	4	42	1	8.7	75
				W10/F00	19.4	17.7	1.7	8.8									
	R6	Student	Unknown	W11/F00	18.2	16.6	1.6	8.8	47	0.6	8.1	44	3	42	1	4.5	66.7
				W12/F00	16.1	14.6	1.5	9.3									
	R7	Student	Unknown	W13/F00	18.7	17.6	1.1	5.9	37	0.1	0.9	47	1	46	0	2.1	100
	R8	Student	Unknown	W14/F00	11.7	11.7	0	0	41.6	0	0	36	1	36	1	0	0
				W15/F00	13.6	13.6	0	0									
	R9	Student	Unknown	W16/F00	16.5	15.8	0.7	4.2	37.2	2.1	19.6	43	1	43	1	0	0

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W17/F00	14.1	13.3	0.8	5.7									
	R10	Student	Unknown	W18/F00	16.6	16	0.6	3.6	30.9	2	21.3	42	0	41	0	2.4	0
				W19/F00	14	13.5	0.5	3.6									
	R11	Student	Unknown	W20/F00	13.4	12.9	0.5	3.7	29.9	0	0	33	1	32	1	3	0
				W21/F00	14	13.6	0.4	2.9									
	R12	Student	Unknown	W22/F00	10.6	10.6	0	0	35.1	0	0	31	0	30	0	3.2	0
				W23/F00	12.7	12.4	0.3	2.4									
	R13	Student	Unknown	W24/F00	12.7	12.5	0.2	1.6	26.4	0.7	10.5	28	1	27	1	3.6	0
				W25/F00	10.4	10.2	0.2	1.9									
	R14	Student	Unknown	W26/F00	18.1	18	0.1	0.6	48	0	0						
	R15	Student	Unknown	W27/F00	18	18	0	0	79	0	0						
				W28/F00	17.4	17.4	0	0									
	R16	Student	Unknown	W29/F00	17.7	17.7	0	0	71.4	0	0						
				W30/F00	17.7	17.7	0	0									
	R17	Student	Unknown	W31/F00	17.1	17.1	0	0	81	0	0						
				W32/F00	16	16	0	0									
	R18	Student	Unknown	W33/F00	26.3	25.2	1.1	4.2	90.6	0	0.1						
	R27**	Student	Unknown	W51/F00	33.5	33.5	0	0	98.7	0	0	67	25	67	25	0	0
				W52/F00	33.3	33.3	0	0									
F01	R1	Student	Unknown	W1/F01	30.1	26.3	3.8	12.6	79.2	2.6	12.2	65	12	60	8	7.7	33.3
				W2/F01	29.2	25.6	3.6	12.3									
	R2	Student	Unknown	W3/F01	28.3	24.9	3.4	12	70.2	3.3	17	63	12	57	8	9.5	33.3
				W4/F01	25.1	22	3.1	12.4									
	R3	Student	Unknown	W5/F01	21.2	19.5	1.7	8	62.4	2.9	16.4	66	12	61	8	7.6	33.3
				W6/F01	23.6	21.1	2.5	10.6									
	R4	Student	Unknown	W7/F01	22.9	20.6	2.3	10	57.5	5	26.7	62	8	58	4	6.5	50
				W8/F01	24.5	22.4	2.1	8.6									
	R5	Student	Unknown	W9/F01	15.6	15.6	0	0	42.6	0.9	8.4	48	6	45	3	6.2	50
				W10/F01	19.9	18.2	1.7	8.5									
	R6	Student	Unknown	W11/F01	19	17.5	1.5	7.9	50.5	0.5	6.3	47	5	45	3	4.3	40
				W12/F01	17.2	15.8	1.4	8.1									

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R7	Student	Unknown	W13/F01	22.5	21.3	1.2	5.3	95.4	0	0	54	3	53	2	1.9	33.3
	R8	Student	Unknown	W14/F01	13.2	13.2	0	0	46.1	0	0	41	3	40	2	2.4	33.3
				W15/F01	14.5	14.3	0.2	1.4									
	R9	Student	Unknown	W16/F01	17.9	17.1	0.8	4.5	40.9	1.7	15.8	46	1	46	1	0	0
				W17/F01	15.5	14.8	0.7	4.5									
	R10	Student	Unknown	W18/F01	18.7	18.1	0.6	3.2	34.7	1.8	17.5	47	0	46	0	2.1	0
				W19/F01	14.6	14.1	0.5	3.4									
	R11	Student	Unknown	W20/F01	14.6	14.2	0.4	2.7	30.5	0	0.4	35	0	34	0	2.9	0
	R12	Student	Unknown	W21/F01	13.5	13.2	0.3	2.2	33.5	0	0	25	0	24	0	4	0
	R13	Student	Unknown	W22/F01	12.6	12.5	0.1	0.8	37.2	0	0	35	0	34	0	2.9	0
				W23/F01	14.6	14.3	0.3	2.1									
	R14	Student	Unknown	W24/F01	14.5	14.3	0.2	1.4	47.5	0.6	5.4	36	4	35	4	2.8	0
				W25/F01	14.4	14.3	0.1	0.7									
	R15	Student	Unknown	W26/F01	19.8	19.8	0	0	79.3	0	0						
				W27/F01	19	19	0	0									
	R16	Student	Unknown	W28/F01	19	19	0	0	82.3	0	0						
				W29/F01	19.1	19.1	0	0									
	R17	Student	Unknown	W30/F01	18.2	18.2	0	0	77.2	0	0						
				W31/F01	19.5	19.4	0.1	0.5									
	R18	Student	Unknown	W32/F01	18.7	18.7	0	0	84.2	0	0						
				W33/F01	17.4	17.4	0	0									
	R27**	Student	Unknown	W51/F01	34.4	34.4	0	0	98.8	0	0	68	25	68	25	0	0
				W52/F01	34.2	34.2	0	0									
F02	R1	Student	Unknown	W1/F02	31.3	27.8	3.5	11.2	81.3	2.2	10	67	14	63	10	6	28.6
				W2/F02	30.5	27.2	3.3	10.8									
	R2	Student	Unknown	W3/F02	29.6	26.5	3.1	10.5	72.7	2.9	14.7	66	15	62	11	6.1	26.7
				W4/F02	26.4	23.5	2.9	11									
	R3	Student	Unknown	W5/F02	22.8	21.2	1.6	7	66.6	2.7	14.6	68	14	65	11	4.4	21.4
				W6/F02	27.3	25	2.3	8.4									
	R4	Student	Unknown	W7/F02	27	24.9	2.1	7.8	63.1	4.1	21.6	64	10	61	7	4.7	30
				W8/F02	26.4	24.5	1.9	7.2									

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R5	Student	Unknown	W9/F02	17.4	17.4	0	0	50.5	0.8	6.5	52	9	50	7	3.8	22.2
				W10/F02	23.6	22.1	1.5	6.4									
	R6	Student	Unknown	W11/F02	22.3	20.9	1.4	6.3	58.1	0.3	3.7	50	8	49	7	2	12.5
				W12/F02	18.6	17.3	1.3	7									
	R7	Student	Unknown	W13/F02	24.7	23.7	1	4	98.6	0	0	59	7	58	6	1.7	14.3
	R8	Student	Unknown	W14/F02	15.2	15.2	0	0	55.1	0	0	45	6	44	5	2.2	16.7
				W15/F02	19	18.8	0.2	1.1									
	R9	Student	Unknown	W16/F02	21	20.2	0.8	3.8	48.1	1.3	10.3	49	4	49	4	0	0
				W17/F02	17.1	16.4	0.7	4.1									
	R10	Student	Unknown	W18/F02	21.1	20.6	0.5	2.4	41.7	1.4	12.2	52	1	51	1	1.9	0
				W19/F02	20	19.6	0.4	2									
	R11	Student	Unknown	W20/F02	19.3	18.9	0.4	2.1	41.2	0	0	49	1	48	1	2	0
	R12	Student	Unknown	W21/F02	15.5	15.2	0.3	1.9	39.2	0	0	34	0	33	0	2.9	0
	R13	Student	Unknown	W22/F02	14.8	14.8	0	0	43.2	0	0	44	0	43	0	2.3	0
				W23/F02	16.9	16.6	0.3	1.8									
	R14	Student	Unknown	W24/F02	16.7	16.5	0.2	1.2	52.5	0.3	2.5	43	4	42	4	2.3	0
				W25/F02	16.5	16.3	0.2	1.2									
	R15	Student	Unknown	W26/F02	21.8	21.7	0.1	0.5	82.6	0	0						
				W27/F02	22.3	22.2	0.1	0.4									
	R16	Student	Unknown	W28/F02	22.4	22.3	0.1	0.4	84.5	0	0						
				W29/F02	20.7	20.7	0	0									
	R17	Student	Unknown	W30/F02	19.7	19.7	0	0	78.2	0	0						
				W31/F02	21.1	21.1	0	0									
	R18	Student	Unknown	W32/F02	20.3	20.3	0	0	86.5	0	0						
				W33/F02	18.9	18.9	0	0									
	R19	Student	Unknown	W34/F02	38.3	29.1	9.2	24	89.6	2	8.7	58	19	44	14	24.1	26.3
				W35/F02	38.2	29.1	9.1	23.8									
	R20	Student	Unknown	W36/F02	38	28.9	9.1	23.9	87.3	2.4	10.7	56	18	41	13	26.8	27.8
				W37/F02	33.6	24.7	8.9	26.5									
	R21	Student	Unknown	W38/F02	34.6	25.9	8.7	25.1	84.8	3.1	13.1	60	19	48	15	20	21.1
				W39/F02	38	29.5	8.5	22.4									

					VSC(WINDOW)			NSL				APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R22	Student	Unknown	W40/F02	38.3	30	8.3	21.7	83	3.8	15.7	59	19	48	15	18.6	21.1
				W41/F02	38.3	30.2	8.1	21.1									
	R23	Student	Unknown	W42/F02	38.3	30.6	7.7	20.1	86.2	2.7	12.9	58	19	47	15	19	21.1
				W43/F02	38.3	30.7	7.6	19.8									
	R24	Student	Unknown	W44/F02	37.9	30.6	7.3	19.3	87.1	2.7	10.3	56	18	46	15	17.9	16.7
				W45/F02	33.9	26.9	7	20.6									
	R25	Student	Unknown	W46/F02	35.7	29	6.7	18.8	92.6	2	6	64	22	56	20	12.5	9.1
				W47/F02	37.9	31.4	6.5	17.2									
				W48/F02	38.3	32.1	6.2	16.2									
	R27**	Student	Unknown	W51/F02	35.3	35.3	0	0	98.8	0	0	68	25	68	25	0	0
				W52/F02	35	35	0	0									
F03	R1	Student	Unknown	W1/F03	32.6	29.4	3.2	9.8	84	1.7	8	70	17	66	13	5.7	23.5
				W2/F03	31.9	28.8	3.1	9.7									
	R2	Student	Unknown	W3/F03	31.1	28.2	2.9	9.3	76.4	2.4	12.1	67	16	63	12	6	25
				W4/F03	27.7	25.1	2.6	9.4									
	R3	Student	Unknown	W5/F03	24.4	22.9	1.5	6.1	70.2	2.3	12.3	71	17	68	14	4.2	17.6
				W6/F03	29.1	27	2.1	7.2									
	R4	Student	Unknown	W7/F03	28.9	26.9	2	6.9	68.7	3.2	16.5	68	14	65	11	4.4	21.4
				W8/F03	28.4	26.6	1.8	6.3									
	R5	Student	Unknown	W9/F03	19.3	19.3	0	0	61	0.7	4.3	56	13	54	11	3.6	15.4
				W10/F03	25.6	24.2	1.4	5.5									
	R6	Student	Unknown	W11/F03	24.1	22.8	1.3	5.4	68.6	0.1	1.3	51	9	50	8	2	11.1
				W12/F03	19.9	18.7	1.2	6									
	R7	Student	Unknown	W13/F03	27.2	26.2	1	3.7	98.5	0	0	62	9	61	8	1.6	11.1
	R8	Student	Unknown	W14/F03	17.2	17.2	0	0	65.2	0	0	50	10	49	9	2	10
				W15/F03	21.3	21.2	0.1	0.5									
	R9	Student	Unknown	W16/F03	23.4	22.6	0.8	3.4	57.5	0.7	4.8	53	7	53	7	0	0
				W17/F03	18.8	18.2	0.6	3.2									
	R10	Student	Unknown	W18/F03	23.8	23.3	0.5	2.1	51.4	0.8	6	55	3	54	3	1.8	0
				W19/F03	22.8	22.4	0.4	1.8									
	R11	Student	Unknown	W20/F03	22.1	21.7	0.4	1.8	50.6	0	0	54	3	53	3	1.9	0

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R12	Student	Unknown	W21/F03	17.9	17.6	0.3	1.7	45.8	0	0	38	0	37	0	2.6	0
	R13	Student	Unknown	W22/F03	17.5	17.5	0	0	52.4	0	0	50	1	49	1	2	0
				W23/F03	19.6	19.4	0.2	1									
	R14	Student	Unknown	W24/F03	19.4	19.2	0.2	1	59.6	0.1	0.5	51	6	50	6	2	0
				W25/F03	19.1	18.9	0.2	1									
	R15	Student	Unknown	W26/F03	23.8	23.8	0	0	85.9	0	0						
				W27/F03	24.3	24.2	0.1	0.4									
	R16	Student	Unknown	W28/F03	24.3	24.2	0.1	0.4	89	0	0						
				W29/F03	22.1	22.1	0	0									
	R17	Student	Unknown	W30/F03	21.2	21.2	0	0	81.5	0	0						
				W31/F03	22.9	22.9	0	0									
	R18	Student	Unknown	W32/F03	22	22	0	0	88.8	0	0						
				W33/F03	20.4	20.4	0	0									
	R19	Student	Unknown	W34/F03	38.6	30	8.6	22.3	92	1.4	6.3	58	19	45	15	22.4	21.1
				W35/F03	38.5	30.1	8.4	21.8									
	R20	Student	Unknown	W36/F03	38.2	29.9	8.3	21.7	90.4	1.7	7.4	56	18	43	14	23.2	22.2
				W37/F03	33.8	25.6	8.2	24.3									
	R21	Student	Unknown	W38/F03	34.8	26.8	8	23	87.9	2.3	9.9	59	19	49	15	16.9	21.1
				W39/F03	38.2	30.4	7.8	20.4									
	R22	Student	Unknown	W40/F03	38.5	30.9	7.6	19.7	86.6	2.8	11.7	59	19	49	15	16.9	21.1
				W41/F03	38.5	31.1	7.4	19.2									
	R23	Student	Unknown	W42/F03	38.5	31.5	7	18.2	90	1.8	8.8	58	19	48	15	17.2	21.1
				W43/F03	38.5	31.6	6.9	17.9									
	R24	Student	Unknown	W44/F03	38.1	31.5	6.6	17.3	89.8	2	7.5	56	18	47	15	16.1	16.7
				W45/F03	34.1	27.7	6.4	18.8									
	R25	Student	Unknown	W46/F03	35.9	29.8	6.1	17	94.1	1.4	4.3	64	22	56	20	12.5	9.1
				W47/F03	38.1	32.2	5.9	15.5									
				W48/F03	38.5	32.9	5.6	14.5									
	R26	Student	Unknown	W49/F03	38.7	33.6	5.1	13.2	99.8	0	0	97	29	91	28	6.2	3.4
				W50/F03	36.7	36.7	0	0									
	R27**	Student	Unknown	W51/F03	35.8	35.8	0	0	98.8	0	0	69	25	69	25	0	0

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W52/F03	35.4	35.4	0	0									
F04	R1	Student	Unknown	W1/F04	33.9	31	2.9	8.6	88.2	1.2	5.4	72	19	68	15	5.6	21.1
				W2/F04	33.3	30.5	2.8	8.4									
	R2	Student	Unknown	W3/F04	32.6	30	2.6	8	82.1	1.7	8.4	69	18	66	15	4.3	16.7
				W4/F04	29.1	26.8	2.3	7.9									
	R3	Student	Unknown	W5/F04	26.1	24.7	1.4	5.4	77.9	1.8	8.8	73	19	71	17	2.7	10.5
				W6/F04	30.9	29	1.9	6.1									
	R4	Student	Unknown	W7/F04	30.8	29	1.8	5.8	77.8	2.1	10.3	73	19	71	17	2.7	10.5
				W8/F04	30.4	28.8	1.6	5.3									
	R5	Student	Unknown	W9/F04	21.3	21.2	0.1	0.5	76.3	0.2	1.3	59	16	57	14	3.4	12.5
				W10/F04	27.6	26.3	1.3	4.7									
	R6	Student	Unknown	W11/F04	26	24.8	1.2	4.6	84	0	0.1	54	12	53	11	1.9	8.3
				W12/F04	21.3	20.1	1.2	5.6									
	R7	Student	Unknown	W13/F04	29.7	28.8	0.9	3	98.5	0	0	67	14	66	13	1.5	7.1
	R8	Student	Unknown	W14/F04	19.2	19.2	0	0	79.6	0	0	51	12	50	11	2	8.3
				W15/F04	23.8	23.6	0.2	0.8									
	R9	Student	Unknown	W16/F04	25.9	25.2	0.7	2.7	71.6	0.1	0.6	57	11	57	11	0	0
				W17/F04	20.5	20	0.5	2.4									
	R10	Student	Unknown	W18/F04	26.8	26.3	0.5	1.9	66.4	0.2	1.3	62	10	61	10	1.6	0
				W19/F04	25.9	25.5	0.4	1.5									
	R11	Student	Unknown	W20/F04	25.2	24.9	0.3	1.2	64.3	0	0	58	7	57	7	1.7	0
	R12	Student	Unknown	W21/F04	20.6	20.3	0.3	1.5	56.1	0	0	42	3	41	3	2.4	0
	R13	Student	Unknown	W22/F04	20.8	20.8	0	0	64.3	0.1	0.4	58	7	57	7	1.7	0
				W23/F04	22.9	22.7	0.2	0.9									
	R14	Student	Unknown	W24/F04	22.6	22.4	0.2	0.9	68.4	0.3	1.7	53	6	52	6	1.9	0
				W25/F04	22.3	22.1	0.2	0.9									
	R15	Student	Unknown	W26/F04	26	25.9	0.1	0.4	88.2	0	0						
				W27/F04	26.3	26.3	0	0									
	R16	Student	Unknown	W28/F04	26.2	26.2	0	0	91.5	0	0						
				W29/F04	23.6	23.6	0	0									
	R17	Student	Unknown	W30/F04	22.8	22.8	0	0	85.6	0	0						

					VSC(WINDOW)			NSL				APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W31/F04	24.8	24.8	0	0									
	R18	Student	Unknown	W32/F04	23.9	23.8	0.1	0.4	91.6	0	0						
				W33/F04	22.2	22.2	0	0									
	R19	Student	Unknown	W34/F04	38.7	31	7.7	19.9	96.6	0.4	1.6	58	19	49	16	15.5	15.8
				W35/F04	38.7	31	7.7	19.9									
	R20	Student	Unknown	W36/F04	38.4	30.9	7.5	19.5	94.6	0.7	3	56	18	46	15	17.9	16.7
				W37/F04	33.9	26.5	7.4	21.8									
	R21	Student	Unknown	W38/F04	35	27.7	7.3	20.9	92.1	1.3	5.7	59	19	50	16	15.3	15.8
				W39/F04	38.4	31.3	7.1	18.5									
	R22	Student	Unknown	W40/F04	38.7	31.8	6.9	17.8	91.5	1.6	6.7	59	19	52	17	11.9	10.5
				W41/F04	38.7	32	6.7	17.3									
	R23	Student	Unknown	W42/F04	38.7	32.3	6.4	16.5	94.4	0.9	4.4	58	19	51	17	12.1	10.5
				W43/F04	38.7	32.4	6.3	16.3									
	R24	Student	Unknown	W44/F04	38.3	32.3	6	15.7	93.5	0.9	3.6	56	18	49	16	12.5	11.1
				W45/F04	34.3	28.5	5.8	16.9									
	R25	Student	Unknown	W46/F04	36.1	30.6	5.5	15.2	96	0.8	2.5	64	22	59	21	7.8	4.5
				W47/F04	38.4	33	5.4	14.1									
				W48/F04	38.7	33.6	5.1	13.2									
	R26	Student	Unknown	W49/F04	39	34.3	4.7	12.1	99.9	0	0	97	29	92	28	5.2	3.4
				W50/F04	37.1	37.1	0	0									
	R27**	Student	Unknown	W51/F04	36.2	36.2	0	0	98.9	0	0	70	25	70	25	0	0
				W52/F04	35.8	35.8	0	0									
F05	R1	Student	Unknown	W1/F05	35.1	32.6	2.5	7.1	95.7	0.4	1.6	76	23	74	21	2.6	8.7
				W2/F05	34.6	32.2	2.4	6.9									
	R2	Student	Unknown	W3/F05	34	31.8	2.2	6.5	90.3	0.9	4.2	73	22	71	20	2.7	9.1
				W4/F05	30.5	28.4	2.1	6.9									
	R3	Student	Unknown	W5/F05	27.8	26.5	1.3	4.7	89.3	1	4.7	77	23	75	21	2.6	8.7
				W6/F05	32.7	30.9	1.8	5.5									
	R4	Student	Unknown	W7/F05	32.7	31	1.7	5.2	91.6	0.7	3.3	76	22	74	20	2.6	9.1
				W8/F05	32.4	30.9	1.5	4.6									
	R5	Student	Unknown	W9/F05	23.2	23.2	0	0	93.6	0	0	62	19	60	17	3.2	10.5

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W10/F05	29.7	28.4	1.3	4.4									
	R6	Student	Unknown	W11/F05	27.8	26.7	1.1	4	98.2	0	0	59	17	58	16	1.7	5.9
				W12/F05	22.6	21.5	1.1	4.9									
	R7	Student	Unknown	W13/F05	32.2	31.4	0.8	2.5	98.5	0	0	73	20	72	19	1.4	5
	R8	Student	Unknown	W14/F05	21.3	21.3	0	0	95.8	0	0.1	57	18	56	17	1.8	5.6
				W15/F05	26.3	26.1	0.2	0.8									
	R9	Student	Unknown	W16/F05	28.4	27.7	0.7	2.5	89.5	0	0.1	61	15	61	15	0	0
				W17/F05	22.3	21.7	0.6	2.7									
	R10	Student	Unknown	W18/F05	29.9	29.4	0.5	1.7	88	0	0	67	14	66	14	1.5	0
				W19/F05	29.2	28.8	0.4	1.4									
	R11	Student	Unknown	W20/F05	28.7	28.3	0.4	1.4	79.9	0	0	63	12	62	12	1.6	0
	R12	Student	Unknown	W21/F05	23.7	23.3	0.4	1.7	76.3	0	0	48	9	47	9	2.1	0
	R13	Student	Unknown	W22/F05	24.5	24.4	0.1	0.4	83.5	0.2	1.4	62	11	61	11	1.6	0
				W23/F05	26.6	26.3	0.3	1.1									
	R14	Student	Unknown	W24/F05	26.3	26.1	0.2	0.8	83.5	0.8	4	62	11	61	11	1.6	0
				W25/F05	25.9	25.7	0.2	0.8									
	R15	Student	Unknown	W26/F05	28.1	28.1	0	0	90.3	0	0						
				W27/F05	28.3	28.3	0	0									
	R16	Student	Unknown	W28/F05	28.2	28.2	0	0	93.5	0	0						
				W29/F05	25	25	0	0									
	R17	Student	Unknown	W30/F05	24.4	24.4	0	0	90.4	0	0						
				W31/F05	26.9	26.8	0.1	0.4									
	R18	Student	Unknown	W32/F05	26	26	0	0	95.1	0	0						
				W33/F05	24.2	24.2	0	0									
	R19	Student	Unknown	W34/F05	38.9	32	6.9	17.7	97.4	0.2	0.7	58	19	50	16	13.8	15.8
				W35/F05	38.8	31.9	6.9	17.8									
	R20	Student	Unknown	W36/F05	38.5	31.8	6.7	17.4	95.3	0.5	2.3	56	18	47	15	16.1	16.7
				W37/F05	34	27.4	6.6	19.4									
	R21	Student	Unknown	W38/F05	35.1	28.5	6.6	18.8	93.9	0.9	3.8	59	19	52	17	11.9	10.5
				W39/F05	38.5	32.2	6.3	16.4									
	R22	Student	Unknown	W40/F05	38.8	32.6	6.2	16	94.1	0.9	3.9	59	19	52	17	11.9	10.5

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W41/F05	38.8	32.8	6	15.5									
	R23	Student	Unknown	W42/F05	38.8	33.1	5.7	14.7	95.9	0.6	2.8	58	19	51	17	12.1	10.5
				W43/F05	38.8	33.2	5.6	14.4									
	R24	Student	Unknown	W44/F05	38.5	33.1	5.4	14	95.5	0.4	1.5	56	18	49	16	12.5	11.1
				W45/F05	34.4	29.2	5.2	15.1									
	R25	Student	Unknown	W46/F05	36.3	31.3	5	13.8	96.9	0.5	1.5	64	22	59	21	7.8	4.5
				W47/F05	38.5	33.8	4.7	12.2									
				W48/F05	38.9	34.4	4.5	11.6									
	R26	Student	Unknown	W49/F05	39.2	35	4.2	10.7	99.8	0	0	97	29	92	28	5.2	3.4
				W50/F05	37.6	37.6	0	0									
	R27**	Student	Unknown	W51/F05	36.5	36.5	0	0	98.9	0	0	71	25	71	25	0	0
				W52/F05	36.1	36.1	0	0									
F06	R1	Student	Unknown	W1/F06	36.3	34.2	2.1	5.8	98.9	0	0	81	28	79	26	2.5	7.1
				W2/F06	36	33.9	2.1	5.8									
	R2	Student	Unknown	W3/F06	35.4	33.4	2	5.6	97.6	0	0	76	25	74	23	2.6	8
				W4/F06	31.9	30	1.9	6									
	R3	Student	Unknown	W5/F06	29.4	28.3	1.1	3.7	97.5	0	0.1	81	28	79	26	2.5	7.1
				W6/F06	34.5	32.8	1.7	4.9									
	R4	Student	Unknown	W7/F06	34.5	33	1.5	4.3	98.5	0	0	81	27	79	25	2.5	7.4
				W8/F06	34.4	33	1.4	4.1									
	R5	Student	Unknown	W9/F06	25	25	0	0	96.4	0	0	66	23	65	22	1.5	4.3
				W10/F06	31.6	30.4	1.2	3.8									
	R6	Student	Unknown	W11/F06	29.7	28.6	1.1	3.7	99	0	0	64	22	63	21	1.6	4.5
				W12/F06	23.9	22.9	1	4.2									
	R7	Student	Unknown	W13/F06	34.6	33.8	0.8	2.3	98.7	0	0	79	26	78	25	1.3	3.8
	R8	Student	Unknown	W14/F06	23.3	23.3	0	0	98.7	0	0	61	22	61	22	0	0
				W15/F06	28.7	28.4	0.3	1									
	R9	Student	Unknown	W16/F06	30.8	30.1	0.7	2.3	95.8	0	0	65	20	65	20	0	0
				W17/F06	24	23.3	0.7	2.9									
	R10	Student	Unknown	W18/F06	32.7	32.2	0.5	1.5	98.3	0	-0.1	74	21	74	21	0	0
				W19/F06	32.2	31.7	0.5	1.6									

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R11	Student	Unknown	W20/F06	31.8	31.3	0.5	1.6	97.7	0	0	71	20	71	20	0	0
	R12	Student	Unknown	W21/F06	26.6	26.1	0.5	1.9	97	0.1	1.3	53	14	52	14	1.9	0
	R13	Student	Unknown	W22/F06	28.1	27.9	0.2	0.7	98	0	0	69	17	68	17	1.4	0
				W23/F06	30.5	30.1	0.4	1.3									
	R14	Student	Unknown	W24/F06	29.9	29.5	0.4	1.3	98	0	0	68	19	67	19	1.5	0
				W25/F06	27.9	27.5	0.4	1.4									
	R15	Student	Unknown	W26/F06	30.1	30.1	0	0	93.8	0	0						
				W27/F06	30.1	30.1	0	0									
	R16	Student	Unknown	W28/F06	29.9	29.9	0	0	96.2	0	0						
				W29/F06	26.3	26.3	0	0									
	R17	Student	Unknown	W30/F06	26.2	26.2	0	0	95.2	0	0						
				W31/F06	29.1	29.1	0	0									
	R18	Student	Unknown	W32/F06	28.3	28.3	0	0	97.9	0	0						
				W33/F06	26.7	26.7	0	0									
	R19	Student	Unknown	W34/F06	38.8	32.7	6.1	15.7	98	0	0.1	58	19	51	16	12.1	15.8
				W35/F06	38.7	32.7	6	15.5									
	R20	Student	Unknown	W36/F06	38.6	32.6	6	15.5	96.5	0.2	1.1	56	18	49	15	12.5	16.7
				W37/F06	34.1	28.2	5.9	17.3									
	R21	Student	Unknown	W38/F06	35.1	29.3	5.8	16.5	95.6	0.5	2.1	58	19	52	17	10.3	10.5
				W39/F06	38.6	32.9	5.7	14.8									
	R22	Student	Unknown	W40/F06	38.9	33.4	5.5	14.1	96.5	0.5	2	58	19	51	17	12.1	10.5
				W41/F06	38.9	33.6	5.3	13.6									
	R23	Student	Unknown	W42/F06	38.9	33.8	5.1	13.1	97.3	0.4	1.7	58	19	51	17	12.1	10.5
				W43/F06	38.9	33.9	5	12.9									
	R24	Student	Unknown	W44/F06	38.5	33.8	4.7	12.2	96.1	0.2	0.9	56	18	50	16	10.7	11.1
				W45/F06	34.5	29.9	4.6	13.3									
	R25	Student	Unknown	W46/F06	36.4	32	4.4	12.1	97.8	0.2	0.7	64	22	60	21	6.2	4.5
				W47/F06	38.7	34.4	4.3	11.1									
				W48/F06	39.1	35	4.1	10.5									
	R26	Student	Unknown	W49/F06	39.3	35.6	3.7	9.4	99.9	0	0	98	29	93	28	5.1	3.4
				W50/F06	37.9	37.9	0	0									

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R27**	Student	Unknown	W51/F06	36.8	36.8	0	0	98.9	0	0	73	25	73	25	0	0
				W52/F06	36.4	36.4	0	0									
F07	R1	Student	Unknown	W1/F07	37.4	35.5	1.9	5.1	99.5	0	0	82	29	80	27	2.4	6.9
				W2/F07	37.1	35.3	1.8	4.9									
	R2	Student	Unknown	W3/F07	36.7	35	1.7	4.6	97.3	0	0	79	28	77	26	2.5	7.1
				W4/F07	33.1	31.5	1.6	4.8									
	R3	Student	Unknown	W5/F07	30.8	29.7	1.1	3.6	97.2	0	0	82	29	80	27	2.4	6.9
				W6/F07	35.8	34.4	1.4	3.9									
	R4	Student	Unknown	W7/F07	36	34.5	1.5	4.2	98	0	0	83	29	81	27	2.4	6.9
				W8/F07	36	34.6	1.4	3.9									
	R5	Student	Unknown	W9/F07	26.4	26.3	0.1	0.4	96.3	0	0.1	71	27	70	26	1.4	3.7
				W10/F07	33.2	32.1	1.1	3.3									
	R6	Student	Unknown	W11/F07	31.3	30.2	1.1	3.5	99.1	0	0	64	22	63	21	1.6	4.5
				W12/F07	25.1	24.1	1	4									
	R7	Student	Unknown	W13/F07	36.9	36	0.9	2.4	99.1	0	0	80	27	79	26	1.2	3.7
	R8	Student	Unknown	W14/F07	25.1	25.1	0	0	98.7	0	0.2	66	25	65	24	1.5	4
				W15/F07	30.8	30.4	0.4	1.3									
	R9	Student	Unknown	W16/F07	33	32.2	0.8	2.4	95.7	0	0	69	24	68	23	1.4	4.2
				W17/F07	25.2	24.5	0.7	2.8									
	R10	Student	Unknown	W18/F07	32.9	32.3	0.6	1.8	97.1	0	0	74	25	74	25	0	0
				W19/F07	32.4	31.7	0.7	2.2									
	R11	Student	Unknown	W20/F07	32.2	31.6	0.6	1.9	96.6	0	0	72	24	72	24	0	0
	R12	Student	Unknown	W21/F07	27.4	26.8	0.6	2.2	97.6	0	0	56	18	55	18	1.8	0
	R13	Student	Unknown	W22/F07	29.4	29	0.4	1.4	97.9	0	0	71	23	69	22	2.8	4.3
				W23/F07	31.5	30.9	0.6	1.9									
	R14	Student	Unknown	W24/F07	31.6	31	0.6	1.9	97.2	0	0	71	23	69	22	2.8	4.3
	R15	Student	Unknown	W25/F07	28.6	28.5	0.1	0.3	95.4	0	0						
				W26/F07	28.4	28.4	0	0									
	R16	Student	Unknown	W27/F07	28.3	28.3	0	0	96.3	0	0						
				W28/F07	24.7	24.7	0	0									
	R17	Student	Unknown	W29/F07	27.7	27.7	0	0	96.1	0	0						

					VSC(WINDOW)			NSL				APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W30/F07	31.1	31	0.1	0.3									
	R18	Student	Unknown	W31/F07	30.6	30.6	0	0	98.1	0	0						
				W32/F07	29.5	29.5	0	0									
	R19	Student	Unknown	W33/F07	36.4	31.2	5.2	14.3	97.8	0	0	57	19	51	17	10.5	10.5
				W34/F07	38	32.8	5.2	13.7									
	R20	Student	Unknown	W35/F07	38.2	33.1	5.1	13.4	97.1	0.1	0.3	56	18	50	16	10.7	11.1
				W36/F07	34.3	29.2	5.1	14.9									
	R21	Student	Unknown	W37/F07	34.7	29.7	5	14.4	96.4	0.2	0.8	57	19	52	17	8.8	10.5
				W38/F07	38.3	33.4	4.9	12.8									
	R22	Student	Unknown	W39/F07	38.5	33.7	4.8	12.5	96.5	0.2	1	57	19	51	17	10.5	10.5
				W40/F07	38.6	33.9	4.7	12.2									
	R23	Student	Unknown	W41/F07	38.6	34.2	4.4	11.4	97.4	0.1	0.7	57	19	51	17	10.5	10.5
				W42/F07	38.5	34.2	4.3	11.2									
	R24	Student	Unknown	W43/F07	38.2	34.1	4.1	10.7	96.2	0.1	0.5	56	18	51	16	8.9	11.1
				W44/F07	34.3	30.4	3.9	11.4									
	R25	Student	Unknown	W45/F07	36.4	32.6	3.8	10.4	98.3	0.1	0.3	64	22	60	21	6.2	4.5
				W46/F07	38.7	35	3.7	9.6									
				W47/F07	39.1	35.6	3.5	9									
	R26	Student	Unknown	W48/F07	39.4	36.1	3.3	8.4	99.9	0	0	99	29	94	28	5.1	3.4
				W49/F07	38.2	38.2	0	0									
	R27**	Student	Unknown	W50/F07	36.8	36.8	0	0	98.6	0	0	75	25	75	25	0	0
				W51/F07	36.3	36.3	0	0									
F08	R1	Student	Unknown	W1/F08	38	36.4	1.6	4.2	97.7	0	0	82	29	80	27	2.4	6.9
				W2/F08	37.8	36.2	1.6	4.2									
	R2	Student	Unknown	W3/F08	37.5	35.9	1.6	4.3	97.2	0	0	79	28	77	26	2.5	7.1
				W4/F08	33.7	32.2	1.5	4.5									
	R3	Student	Unknown	W5/F08	29.7	28.8	0.9	3	97	0.1	0.3	75	29	73	27	2.7	6.9
				W6/F08	34.3	32.9	1.4	4.1									
	R4	Student	Unknown	W7/F08	34.7	33.4	1.3	3.7	97.4	0.2	0.8	79	29	77	27	2.5	6.9
				W8/F08	34.9	33.6	1.3	3.7									
	R5	Student	Unknown	W9/F08	24.3	24.1	0.2	0.8	96.3	0	0	67	28	65	26	3	7.1

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W10/F08	32.6	31.5	1.1	3.4									
	R6	Student	Unknown	W11/F08	31	29.9	1.1	3.5	99.4	0	0	64	23	62	21	3.1	8.7
				W12/F08	24.8	23.7	1.1	4.4									
	R7	Student	Unknown	W13/F08	25	25	0	0	98.7	0	0.2	64	26	62	24	3.1	7.7
				W14/F08	30.8	30.3	0.5	1.6									
	R8	Student	Unknown	W15/F08	33	32.1	0.9	2.7	96.3	0.1	0.2	71	25	70	24	1.4	4
				W16/F08	25.3	24.4	0.9	3.6									
	R9	Student	Unknown	W17/F08	27.5	27.3	0.2	0.7	96.7	0	0						
				W18/F08	30.6	30.5	0.1	0.3									
	R10	Student	Unknown	W19/F08	30.5	30.4	0.1	0.3	98.3	0	0						
				W20/F08	30.1	30.1	0	0									
	R11	Student	Unknown	W21/F08	36.1	31.7	4.4	12.2	46.2	0.8	7.2	51	18	46	16	9.8	11.1
	R12	Student	Unknown	W22/F08	35.8	31.4	4.4	12.3	97.2	0	0.2	51	18	46	16	9.8	11.1
				W23/F08	32.4	28.1	4.3	13.3									
	R13	Student	Unknown	W24/F08	32.9	28.6	4.3	13.1	96.6	0.2	0.7	51	18	48	17	5.9	5.6
				W25/F08	35.8	31.6	4.2	11.7									
	R14	Student	Unknown	W26/F08	35.9	31.8	4.1	11.4	96.6	0.2	0.9	51	18	47	17	7.8	5.6
				W27/F08	36	32	4	11.1									
	R15	Student	Unknown	W28/F08	36	32.2	3.8	10.6	97.4	0.1	0.7	51	18	48	17	5.9	5.6
				W29/F08	35.9	32.3	3.6	10									
	R16	Student	Unknown	W30/F08	35.8	32.3	3.5	9.8	96	0.1	0.5	51	18	50	17	2	5.6
				W31/F08	32.5	29.1	3.4	10.5									
	R17	Student	Unknown	W32/F08	36.2	32.9	3.3	9.1	97.7	0.1	0.3	64	22	63	21	1.6	4.5
				W33/F08	38.6	35.5	3.1	8									
				W34/F08	39	36	3	7.7									
	R18	Student	Unknown	W35/F08	39.5	36.6	2.9	7.3	99.9	0	0	99	29	97	29	2	0
				W36/F08	38.4	38.4	0	0									
	R19**	Student	Unknown	W37/F08	34.4	34.4	0	0	98.9	0	0	74	25	74	25	0	0
				W38/F08	33.9	33.9	0	0									
F09	R1	Student	Unknown	W1/F09	35.8	34.4	1.4	3.9	97.8	0	0	77	29	75	27	2.6	6.9
				W2/F09	35.5	34.1	1.4	3.9									

					VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R2	Student	Unknown	W3/F09	35.4	34.1	1.3	3.7	96.9	0	0	76	28	74	26	2.6	7.1
				W4/F09	32.4	31.1	1.3	4									
	R3	Student	Unknown	W6/F09	34.4	31.7	2.7	7.8	98	0	0	56	19	55	18	1.8	5.3
				W7/F09	36.9	34.2	2.7	7.3									
				W8/F09	37.5	35	2.5	6.7									
	R4	Student	Unknown	W9/F09	39.5	37.1	2.4	6.1	100	0	0	100	29	98	29	2	0
				W10/F09	38.6	38.6	0	0									
	R5**	Student	Unknown	W11/F09	36.4	35.7	0.7	1.9	92.6	0	0						

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 25-41 PADDOCK STREET & 21 THIRSK ST
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL1

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
25-41 PADDOCK STREET & 21 THIRSK STREET								
F00	R1	RESIDENTIAL	UNKNOWN	13.0	99.5	99.5	0.0	0
F00	R2	RESIDENTIAL	UNKNOWN	17.7	96.7	81.4	2.7	15.8
F00	R3	RESIDENTIAL	UNKNOWN	18.6	99.3	99.3	0.0	0
F00	R4	RESIDENTIAL	UNKNOWN	21.3	99	99	0.0	0
F00	R5	RESIDENTIAL	UNKNOWN	21.6	95.9	83.7	2.6	12.7
F00	R6	RESIDENTIAL	UNKNOWN	22.1	95.5	95.4	0.0	0.1

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 25-41 PADDOCK STREET & 21 THIRSK ST
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL2

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
25-41 PADDOCK STREET & 21 THIRSK STREET								
F00	R7	RESIDENTIAL	UNKNOWN	21.7	98.8	98.8	0.0	0
F00	R8	RESIDENTIAL	UNKNOWN	21.2	99.2	99.1	0.0	0
F00	R9	RESIDENTIAL	UNKNOWN	18.7	99.3	99.1	0.1	0.3
F00	R10	RESIDENTIAL	UNKNOWN	17.1	95.4	60.2	6.0	36.9
F00	R11	RESIDENTIAL	UNKNOWN	17.8	99.1	91.8	1.3	7.4
F00	R12	RESIDENTIAL	UNKNOWN	16.4	99.5	91.8	1.3	7.7

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 25-41 PADDOCK STREET & 21 THIRSK ST
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL3

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
25-41 PADDOCK STREET & 21 THIRSK STREET								
F00	R13	RESIDENTIAL	UNKNOWN	15.2	99.7	92.6	1.1	7.1
F00	R14	RESIDENTIAL	UNKNOWN	11.6	98.7	82.5	1.9	16.4
F00	R15	RESIDENTIAL	UNKNOWN	13.1	99.1	98.7	0.1	0.4
F00	R17	RESIDENTIAL	UNKNOWN	13.7	90.9	90.9	0.0	0
F00	R18	RESIDENTIAL	UNKNOWN	17.9	99.3	89.3	1.8	10.1
F00	R19	RESIDENTIAL	UNKNOWN	13.7	91.8	86.7	0.7	5.5

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 25-41 PADDOCK STREET & 21 THIRSK ST
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL4

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
25-41 PADDOCK STREET & 21 THIRSK STREET								
F01	R1	RESIDENTIAL	UNKNOWN	19.6	99.7	99.6	0.0	0
F01	R2	RESIDENTIAL	UNKNOWN	8.9	99.8	99.8	0.0	0
F01	R3	RESIDENTIAL	UNKNOWN	8.4	96.3	66.3	2.5	31.1
F01	R4	RESIDENTIAL	UNKNOWN	8.9	95.9	78.2	1.6	18.5
F01	R5	RESIDENTIAL	UNKNOWN	9.2	99.4	97.8	0.1	1.6
F01	R6	RESIDENTIAL	UNKNOWN	8.9	96.1	80.3	1.4	16.5

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 25-41 PADDOCK STREET & 21 THIRSK ST
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL5

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
25-41 PADDOCK STREET & 21 THIRSK STREET								
F01	R7	RESIDENTIAL	UNKNOWN	11.9	99.1	97.9	0.1	1.2
F01	R8	RESIDENTIAL	UNKNOWN	12.4	98.8	98.8	0.0	0
F01	R9	RESIDENTIAL	UNKNOWN	8.9	96.3	81.5	1.3	15.3
F01	R10	RESIDENTIAL	UNKNOWN	8.9	95.8	83.9	1.1	12.4
F01	R11	RESIDENTIAL	UNKNOWN	12.8	98.8	97	0.2	1.9
F01	R12	RESIDENTIAL	UNKNOWN	12.4	99	98.7	0.0	0.3

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 25-41 PADDOCK STREET & 21 THIRSK ST
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL6

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
25-41 PADDOCK STREET & 21 THIRSK STREET								
F01	R13	RESIDENTIAL	UNKNOWN	8.9	96.6	81.7	1.3	15.4
F01	R14	RESIDENTIAL	UNKNOWN	8.9	95.9	87.4	0.8	8.9
F01	R15	RESIDENTIAL	UNKNOWN	11.9	99.2	98.2	0.1	1
F01	R16	RESIDENTIAL	UNKNOWN	9.3	99.7	99.7	0.0	0
F01	R17	RESIDENTIAL	UNKNOWN	8.9	96.3	85.8	0.9	10.8
F01	R18	RESIDENTIAL	UNKNOWN	8.2	96.4	68.3	2.3	29.1

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 25-41 PADDOCK STREET & 21 THIRSK ST
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL7

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
25-41 PADDOCK STREET & 21 THIRSK STREET								
F01	R19	RESIDENTIAL	UNKNOWN	8.6	99.7	92.9	0.6	6.8
F01	R20	RESIDENTIAL	UNKNOWN	8.9	99.4	79	1.8	20.6
F01	R21	RESIDENTIAL	UNKNOWN	8.5	96.4	74.9	1.8	22.4
F01	R22	RESIDENTIAL	UNKNOWN	7.8	96.6	60	2.9	37.9
F01	R23	RESIDENTIAL	UNKNOWN	8.2	99.7	86.5	1.1	13.2
F01	R24	RESIDENTIAL	UNKNOWN	15.2	98.1	81.8	2.5	16.6

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 25-41 PADDOCK STREET & 21 THIRSK ST
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL8

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
25-41 PADDOCK STREET & 21 THIRSK STREET								
F01	R25	RESIDENTIAL	UNKNOWN	11.6	98.7	81.6	2.0	17.3
F01	R26	RESIDENTIAL	UNKNOWN	19.6	98.9	98.5	0.1	0.4
F01	R27	RESIDENTIAL	UNKNOWN	8.9	99.7	94.5	0.5	5.3
F01	R28	RESIDENTIAL	UNKNOWN	17.9	93.4	93.4	0.0	0
F01	R29	RESIDENTIAL	UNKNOWN	8.5	85.8	84.4	0.1	1.6
F01	R30	RESIDENTIAL	UNKNOWN	17.9	91.5	89.2	0.4	2.5

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL9

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F00	R2	RESIDENTIAL	UNKNOWN	15.6	95.7	89.3	1.0	6.7
F00	R3	RESIDENTIAL	UNKNOWN	16.5	96.1	87.8	1.4	8.6
F00	R4	RESIDENTIAL	UNKNOWN	6.8	98.5	98.4	0.0	0.2
F00	R6	RESIDENTIAL	KITCHEN	6.4	94.8	94.8	0.0	0
F00	R8	RESIDENTIAL	KITCHEN	6.4	94.5	94.5	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL10

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F00	R10	RESIDENTIAL	KITCHEN	6.4	94.6	94.6	0.0	0
F00	R12	RESIDENTIAL	KITCHEN	6.4	94.6	94.6	0.0	0
F00	R14	RESIDENTIAL	UNKNOWN	13.7	96	89.7	0.9	6.6
F00	R15	RESIDENTIAL	UNKNOWN	8.4	100	99.4	0.0	0.5
F00	R17	RESIDENTIAL	UNKNOWN	8.8	99.9	96.6	0.3	3.3

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL11

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F00	R19	RESIDENTIAL	UNKNOWN	9.0	99.9	94.9	0.4	4.9
F00	R21	RESIDENTIAL	UNKNOWN	8.8	99.8	94.8	0.4	5.1
F00	R23	RESIDENTIAL	UNKNOWN	8.8	98.6	85.9	1.1	12.9

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL12

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F01	R1	RESIDENTIAL	UNKNOWN	7.5	99.4	99	0.0	0.4
F01	R2	RESIDENTIAL	UNKNOWN	7.7	99.8	99.8	0.0	0.1
F01	R3	RESIDENTIAL	UNKNOWN	7.6	99.9	99.9	0.0	0
F01	R4	RESIDENTIAL	UNKNOWN	7.9	97.3	97.2	0.0	0.1
F01	R5	RESIDENTIAL	UNKNOWN	8.2	99.9	99.8	0.0	0.1
F01	R6	RESIDENTIAL	UNKNOWN	8.8	99.5	98.7	0.1	0.8

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL13

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F01	R7	RESIDENTIAL	UNKNOWN	7.5	97.8	97.7	0.0	0.2
F01	R8	RESIDENTIAL	BEDROOM	10.5	99.8	99.8	0.0	0
F01	R10	RESIDENTIAL	BEDROOM	10.5	99.8	99.8	0.0	0
F01	R12	RESIDENTIAL	BEDROOM	10.5	100	100	0.0	0
F01	R14	RESIDENTIAL	BEDROOM	10.5	99.8	99.8	0.0	0
F01	R16	RESIDENTIAL	UNKNOWN	13.7	93.7	93.4	0.0	0.3

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL14

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F01	R17	RESIDENTIAL	UNKNOWN	8.4	99.7	96.3	0.3	3.5
F01	R18	RESIDENTIAL	UNKNOWN	7.3	97.2	66.9	2.2	31.2
F01	R19	RESIDENTIAL	UNKNOWN	8.8	100	93.8	0.5	6.2
F01	R20	RESIDENTIAL	UNKNOWN	7.3	97.2	65.8	2.3	32.3
F01	R21	RESIDENTIAL	UNKNOWN	9.0	99.8	92.1	0.7	7.7
F01	R22	RESIDENTIAL	UNKNOWN	7.3	97.7	67.5	2.2	31

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL15

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F01	R23	RESIDENTIAL	UNKNOWN	8.8	99.8	91.8	0.7	8
F01	R24	RESIDENTIAL	UNKNOWN	7.2	97.3	63.5	2.4	34.7
F01	R25	RESIDENTIAL	UNKNOWN	8.8	99.8	81.6	1.6	18.2
F01	R26	RESIDENTIAL	UNKNOWN	7.8	97.2	49.6	3.7	49

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL16

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F02	R1	RESIDENTIAL	KITCHEN	6.4	81.7	81.7	0.0	0
F02	R3	RESIDENTIAL	KITCHEN	6.4	81.8	81.8	0.0	0
F02	R5	RESIDENTIAL	KITCHEN	6.4	81.9	81.8	0.0	0.1
F02	R7	RESIDENTIAL	KITCHEN	6.4	81.7	81.7	0.0	0
F02	R9	RESIDENTIAL	UNKNOWN	13.7	93.3	93.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL17

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F03	R1	RESIDENTIAL	BEDROOM	10.5	99.8	99.8	0.0	0
F03	R3	RESIDENTIAL	BEDROOM	10.5	99.9	99.9	0.0	0
F03	R5	RESIDENTIAL	BEDROOM	10.5	99.9	99.9	0.0	0
F03	R7	RESIDENTIAL	BEDROOM	10.5	99.8	99.8	0.0	0

NSL CONTOURS


PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 94 COTTER STREET
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL18

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F00



F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
94 COTTER STREET								
F00	R1	RESIDENTIAL	UNKNOWN	8.9	99.9	94	0.5	5.9
F01	R1	RESIDENTIAL	UNKNOWN	8.9	99.8	88.2	1.0	11.6
F01	R2	RESIDENTIAL	UNKNOWN	7.3	97.2	50.3	3.4	48.3

NSL CONTOURS


PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 82 BRYDON AVENUE
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL19

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F00




F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
82 BRYDON AVENUE								
F00	R1	RESIDENTIAL	UNKNOWN	16.9	94.9	85.7	1.5	9.7
F01	R1	RESIDENTIAL	UNKNOWN	8.4	99.8	99.6	0.0	0.2
F01	R2	RESIDENTIAL	UNKNOWN	8.1	97.5	97.3	0.0	0.2

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 86 BRYDON AVENUE
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL20

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F00



F01



F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
86 BRYDON AVENUE								
F00	R1	RESIDENTIAL	UNKNOWN	16.6	94.3	84.8	1.6	10.1
F00	R2	RESIDENTIAL	UNKNOWN	16.1	99.6	97.5	0.3	2.1
F01	R1	RESIDENTIAL	UNKNOWN	8.7	99.6	99.2	0.0	0.4
F01	R2	RESIDENTIAL	UNKNOWN	7.5	97.8	97.8	0.0	0.1
F01	R3	RESIDENTIAL	UNKNOWN	8.5	99.7	99.7	0.0	0.1

NSL CONTOURS


PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 79 BRYDON AVENUE
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL21

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F00



F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
79 BRYDON AVENUE								
F00	R2	RESIDENTIAL	KITCHEN	7.2	97.8	97.7	0.0	0.1
F01	R1	RESIDENTIAL	UNKNOWN	9.3	98.9	98.3	0.1	0.6
F01	R2	RESIDENTIAL	UNKNOWN	7.5	96.8	96.8	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 37-49 BRYDON AVENUE
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL22

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
37-49 BRYDON AVENUE								
F00	R1	RESIDENTIAL	UNKNOWN	19.3	97.6	96.5	0.2	1.1
F00	R4	RESIDENTIAL	UNKNOWN	19.1	97.7	97.7	0.0	0
F00	R5	RESIDENTIAL	UNKNOWN	19.1	97.8	96.9	0.2	1
F00	R8	RESIDENTIAL	UNKNOWN	19.2	97.7	97.7	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 37-49 BRYDON AVENUE
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL23

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
37-49 BRYDON AVENUE								
F00	R9	RESIDENTIAL	UNKNOWN	19.0	97.7	97.7	0.0	0.1
F00	R12	RESIDENTIAL	UNKNOWN	19.2	97.7	97.7	0.0	0
F00	R13	RESIDENTIAL	UNKNOWN	19.1	97.4	97.4	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 37-49 BRYDON AVENUE
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL24

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
37-49 BRYDON AVENUE								
F01	R1	RESIDENTIAL	UNKNOWN	10.9	99.2	99.1	0.0	0
F01	R2	RESIDENTIAL	UNKNOWN	7.9	97.9	97.8	0.0	0
F01	R3	RESIDENTIAL	UNKNOWN	7.9	98	97.8	0.0	0.1
F01	R4	RESIDENTIAL	UNKNOWN	10.7	99.2	98.9	0.0	0.3
F01	R5	RESIDENTIAL	UNKNOWN	10.8	99.2	99.2	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 37-49 BRYDON AVENUE
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL25

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
37-49 BRYDON AVENUE								
F01	R6	RESIDENTIAL	UNKNOWN	7.9	97.7	97.7	0.0	0
F01	R7	RESIDENTIAL	UNKNOWN	7.9	97.3	97.3	0.0	0
F01	R8	RESIDENTIAL	UNKNOWN	10.9	99.1	99.1	0.0	0
F01	R9	RESIDENTIAL	UNKNOWN	10.7	99.3	99.2	0.0	0
F01	R10	RESIDENTIAL	UNKNOWN	7.9	97.6	97.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 37-49 BRYDON AVENUE
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL26

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
37-49 BRYDON AVENUE								
F01	R11	RESIDENTIAL	UNKNOWN	7.9	97.4	97.4	0.0	0
F01	R12	RESIDENTIAL	UNKNOWN	10.9	99.2	99.2	0.0	0
F01	R13	RESIDENTIAL	UNKNOWN	7.9	97.6	97.6	0.0	0
F01	R14	RESIDENTIAL	UNKNOWN	10.8	99.2	99	0.0	0.2

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 11-35 BRYDON AVENUE
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL27

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
11-35 BRYDON AVENUE								
F00	R1	RESIDENTIAL	UNKNOWN	10.3	96.6	96.6	0.0	0
F00	R4	RESIDENTIAL	UNKNOWN	10.3	96.7	96.7	0.0	0
F00	R5	RESIDENTIAL	UNKNOWN	10.4	96.8	96.8	0.0	0
F00	R8	RESIDENTIAL	UNKNOWN	10.4	96.8	96.8	0.0	0
F00	R9	RESIDENTIAL	UNKNOWN	10.3	96.7	96.7	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 11-35 BRYDON AVENUE
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL28

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
11-35 BRYDON AVENUE								
F00	R12	RESIDENTIAL	UNKNOWN	10.2	94.7	94.7	0.0	0
F00	R13	RESIDENTIAL	UNKNOWN	19.4	97.6	97.6	0.0	0
F00	R16	RESIDENTIAL	UNKNOWN	19.2	97.5	97.5	0.0	0
F00	R17	RESIDENTIAL	UNKNOWN	19.3	97.5	97.5	0.0	0
F00	R20	RESIDENTIAL	UNKNOWN	19.0	97.6	97.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 11-35 BRYDON AVENUE
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL29

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
11-35 BRYDON AVENUE								
F00	R21	RESIDENTIAL	UNKNOWN	19.1	97.5	97.5	0.0	0
F00	R24	RESIDENTIAL	UNKNOWN	19.3	92.1	92.1	0.0	0
F00	R26	RESIDENTIAL	UNKNOWN	19.2	97.6	97.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 11-35 BRYDON AVENUE
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL30

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
11-35 BRYDON AVENUE								
F01	R1	RESIDENTIAL	UNKNOWN	10.3	93.1	85	0.8	8.7
F01	R2	RESIDENTIAL	UNKNOWN	10.3	92.8	92.8	0.0	0
F01	R3	RESIDENTIAL	UNKNOWN	10.4	92.9	84.9	0.8	8.6
F01	R4	RESIDENTIAL	UNKNOWN	10.4	92.7	92.7	0.0	0
F01	R5	RESIDENTIAL	UNKNOWN	10.3	92.9	86.9	0.6	6.4

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 11-35 BRYDON AVENUE
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL31

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
11-35 BRYDON AVENUE								
F01	R6	RESIDENTIAL	UNKNOWN	10.2	91.7	91.7	0.0	0
F01	R7	RESIDENTIAL	UNKNOWN	11.8	99	99	0.0	0
F01	R8	RESIDENTIAL	UNKNOWN	7.1	97.5	97.5	0.0	0
F01	R9	RESIDENTIAL	UNKNOWN	7.1	97.5	97.5	0.0	0
F01	R10	RESIDENTIAL	UNKNOWN	11.7	99.1	99.1	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 11-35 BRYDON AVENUE
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL32

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
11-35 BRYDON AVENUE								
F01	R11	RESIDENTIAL	UNKNOWN	11.7	99.1	99.1	0.0	0
F01	R12	RESIDENTIAL	UNKNOWN	7.1	97.2	97.2	0.0	0
F01	R13	RESIDENTIAL	UNKNOWN	7.1	97.5	97.5	0.0	0
F01	R14	RESIDENTIAL	UNKNOWN	11.4	99.1	99.1	0.0	0
F01	R15	RESIDENTIAL	UNKNOWN	11.6	99.1	99.1	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 11-35 BRYDON AVENUE
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL33

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
11-35 BRYDON AVENUE								
F01	R16	RESIDENTIAL	UNKNOWN	7.1	98.8	98.8	0.0	0
F01	R17	RESIDENTIAL	UNKNOWN	7.1	97.6	97.6	0.0	0
F01	R18	RESIDENTIAL	UNKNOWN	11.8	98.9	98.9	0.0	0
F01	R19	RESIDENTIAL	UNKNOWN	7.1	98.5	98.5	0.0	0
F01	R20	RESIDENTIAL	UNKNOWN	11.7	99	99	0.0	0

NSL CONTOURS


PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 81 BRYDON AVENUE
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL34

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F00



F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
81 BRYDON AVENUE								
F00	R1	RESIDENTIAL	KITCHEN	7.2	97.9	97.8	0.0	0.1
F01	R1	RESIDENTIAL	UNKNOWN	9.2	98.8	98.2	0.1	0.6
F01	R2	RESIDENTIAL	UNKNOWN	7.5	97	97	0.0	0

NSL CONTOURS


PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 83 BRYDON AVENUE
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL35

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F00




F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
83 BRYDON AVENUE								
F00	R1	RESIDENTIAL	KITCHEN	6.9	97.9	97.7	0.0	0.2
F01	R1	RESIDENTIAL	UNKNOWN	8.9	98.9	98.2	0.1	0.8
F01	R2	RESIDENTIAL	UNKNOWN	7.5	96.8	96.8	0.0	0

NSL CONTOURS


PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 10-42 FAIRFIELD STREET
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL36

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01



F01



F02




F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-42 FAIRFIELD STREET								
F01	R1	RESIDENTIAL	BEDROOM	27.0	84.1	84.1	0.0	0
F01	R3	RESIDENTIAL	BEDROOM	39.0	95.9	95.9	0.0	0
F01	R4	RESIDENTIAL	BEDROOM	28.3	97.9	97.9	0.0	0
F02	R1	RESIDENTIAL	BEDROOM	25.3	76.6	76.6	0.0	0
F02	R3	RESIDENTIAL	BEDROOM	38.2	99.2	99.2	0.0	0
F02	R4	RESIDENTIAL	BEDROOM	35.5	98.5	98.5	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: 10-42 FAIRFIELD STREET
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL37

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-42 FAIRFIELD STREET								
F03	R1	RESIDENTIAL	BEDROOM	16.1	74.5	74.5	0.0	0
F03	R3	RESIDENTIAL	BEDROOM	34.8	100	100	0.0	0
F03	R4	RESIDENTIAL	BEDROOM	24.7	91.9	91.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: BULLS HEAD HOTEL 84 LONDON ROAD
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL38

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
BULLS HEAD HOTEL 84 LONDON ROAD								
F01	R1	RESIDENTIAL	BEDROOM	7.5	99.7	99.7	0.0	0
F01	R2	RESIDENTIAL	KITCHEN	9.7	96	96	0.0	0
F01	R6	RESIDENTIAL	BEDROOM	11.4	93.7	93.7	0.0	0
F01	R7	RESIDENTIAL	BEDROOM	16.5	97.6	97.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: BULLS HEAD HOTEL 84 LONDON ROAD
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL39

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
BULLS HEAD HOTEL 84 LONDON ROAD								
F02	R2	RESIDENTIAL	BEDROOM	9.8	95.4	95.4	0.0	0
F02	R3	RESIDENTIAL	BEDROOM	12.4	86.1	86.1	0.0	0
F02	R5	RESIDENTIAL	BEDROOM	14.4	99.9	99.9	0.0	0
F02	R6	RESIDENTIAL	BEDROOM	11.6	87.4	87.4	0.0	0
F02	R7	RESIDENTIAL	BEDROOM	16.5	98	98	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: STAR & GARTER FAIRFIELD STREET
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL40

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
STAR & GARTER FAIRFIELD STREET								
F02	R1	RESIDENTIAL	UNKNOWN	33.4	97	97	0.0	0
F02	R2	RESIDENTIAL	UNKNOWN	16.4	92.4	92.4	0.0	0
F02	R3	RESIDENTIAL	UNKNOWN	26.1	92	92	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL41

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F00	R1	RESIDENTIAL	LKD	21.2	99.2	99.2	0.0	0
F00	R2	RESIDENTIAL	LKD	20.8	98	86.4	2.4	11.8
F00	R3	RESIDENTIAL	BEDROOM	10.6	98.6	98.6	0.0	0.1
F00	R4	RESIDENTIAL	BEDROOM	10.6	97.8	97.8	0.0	0
F00	R5	RESIDENTIAL	BEDROOM	10.5	99.2	99.2	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL42

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F00	R6	RESIDENTIAL	BEDROOM	11.2	91.7	91.7	0.0	0
F00	R7	RESIDENTIAL	BEDROOM	11.1	88.9	88.9	0.0	0
F00	R8	RESIDENTIAL	STUDIO-APT	25.8	77.4	72.3	1.3	6.6
F00	R9	RESIDENTIAL	BEDROOM	11.2	21.8	21.7	0.0	0.1
F00	R10	RESIDENTIAL	BEDROOM	11.1	29.5	29.5	0.0	0.2

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL43

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F00	R11	RESIDENTIAL	BEDROOM	10.3	20.4	20.4	0.0	0.1
F00	R12	RESIDENTIAL	BEDROOM	10.5	27.9	27.9	0.0	0.2
F00	R13	RESIDENTIAL	BEDROOM	11.3	20.4	20.4	0.0	0
F00	R14	RESIDENTIAL	LKD	20.3	12.8	12.8	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL44

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F01	R1	RESIDENTIAL	LKD	21.2	98.7	98.6	0.0	0.1
F01	R2	RESIDENTIAL	LKD	20.8	97.1	96.8	0.1	0.3
F01	R3	RESIDENTIAL	BEDROOM	11.4	97	97	0.0	0
F01	R4	RESIDENTIAL	BEDROOM	11.4	98.1	97.8	0.0	0.3
F01	R5	RESIDENTIAL	BEDROOM	12.1	92.8	92.8	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL45

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F01	R6	RESIDENTIAL	BEDROOM	12.0	97.8	97.8	0.0	0
F01	R7	RESIDENTIAL	STUDIO-APT	27.0	93.8	93.8	0.0	0
F01	R8	RESIDENTIAL	BEDROOM	13.3	36.1	36.1	0.0	0.1
F01	R9	RESIDENTIAL	BEDROOM	10.7	26.2	26.2	0.0	0
F01	R10	RESIDENTIAL	BEDROOM	11.2	26.6	26.6	0.0	0.1

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL46

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F01	R11	RESIDENTIAL	BEDROOM	11.4	25.6	25.6	0.0	0
F01	R12	RESIDENTIAL	BEDROOM	12.2	24.7	24.7	0.0	0
F01	R13	RESIDENTIAL	BEDROOM	20.3	21.2	21.2	0.0	0.1
F01	R14	RESIDENTIAL	UNKNOWN	135.0	51.1	48.2	3.9	5.7
F01	R15	RESIDENTIAL	BEDROOM	49.2	23.6	23.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL47

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F02	R2	RESIDENTIAL	BEDROOM	14.7	99.8	99.8	0.0	0
F02	R3	RESIDENTIAL	LKD	29.7	95.1	93.4	0.5	1.8
F02	R4	RESIDENTIAL	BEDROOM	16.5	98	97.1	0.1	0.9
F02	R5	RESIDENTIAL	BEDROOM	11.1	98.3	98.3	0.0	0
F02	R6	RESIDENTIAL	STUDIO-APT	25.0	91.2	91.2	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL48

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F02	R7	RESIDENTIAL	STUDIO-APT	26.9	80.1	70.7	2.5	11.7
F02	R8	RESIDENTIAL	STUDIO-APT	24.1	50.2	49.8	0.1	0.7
F02	R9	RESIDENTIAL	STUDIO-APT	23.5	23.9	23.9	0.0	0
F02	R10	RESIDENTIAL	STUDIO-APT	33.2	22.2	22.1	0.0	0.2
F02	R11	RESIDENTIAL	LKD	23.4	22.4	22.4	0.0	0.1

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL49

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F02	R12	RESIDENTIAL	BEDROOM	10.4	25.8	25.6	0.0	0.5
F02	R13	RESIDENTIAL	BEDROOM	10.6	24.8	24.8	0.0	0
F02	R14	RESIDENTIAL	BEDROOM	10.5	27	27	0.0	0
F02	R15	RESIDENTIAL	BEDROOM	11.0	25.6	25.6	0.0	0
F02	R16	RESIDENTIAL	STUDIO-APT	25.2	25.3	25.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL50

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F02	R17	RESIDENTIAL	STUDIO-APT	27.6	23.6	23.6	0.0	0
F02	R18	RESIDENTIAL	STUDIO-APT	25.7	27.4	27.4	0.0	0
F02	R19	RESIDENTIAL	BEDROOM	11.1	35.5	35.5	0.0	0
F02	R20	RESIDENTIAL	LKD	19.7	22.7	22.7	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL51

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F03	R2	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F03	R3	RESIDENTIAL	LKD	30.2	96.8	95.7	0.3	1.1
F03	R4	RESIDENTIAL	BEDROOM	17.5	81	81	0.0	0
F03	R5	RESIDENTIAL	BEDROOM	12.0	91.5	91.5	0.0	0
F03	R6	RESIDENTIAL	STUDIO-APT	26.0	92.8	91.9	0.2	0.9

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL52

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F03	R7	RESIDENTIAL	STUDIO-APT	27.7	86.5	82	1.2	5.1
F03	R8	RESIDENTIAL	STUDIO-APT	25.0	68.3	67.5	0.2	1.2
F03	R9	RESIDENTIAL	STUDIO-APT	24.4	47.6	44.2	0.8	7
F03	R10	RESIDENTIAL	STUDIO-APT	34.2	39	30.4	2.9	22
F03	R11	RESIDENTIAL	LKD	23.4	25.1	25.1	0.0	0.1

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL53

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F03	R12	RESIDENTIAL	BEDROOM	11.4	29.8	29.8	0.0	0
F03	R13	RESIDENTIAL	BEDROOM	11.5	28.7	28.7	0.0	0
F03	R14	RESIDENTIAL	BEDROOM	11.5	28.8	28.8	0.0	0
F03	R15	RESIDENTIAL	BEDROOM	11.9	28.5	28.5	0.0	0
F03	R16	RESIDENTIAL	STUDIO-APT	26.5	26.5	26.5	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL54

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F03	R17	RESIDENTIAL	STUDIO-APT	28.7	29.7	29.7	0.0	0
F03	R18	RESIDENTIAL	STUDIO-APT	27.0	34.2	34.2	0.0	0
F03	R19	RESIDENTIAL	BEDROOM	12.3	35.9	35.9	0.0	0
F03	R20	RESIDENTIAL	LKD	19.7	28.6	28.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL55

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F04	R2	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F04	R3	RESIDENTIAL	LKD	29.7	97.6	96.7	0.3	1
F04	R4	RESIDENTIAL	BEDROOM	18.0	98.8	98.8	0.0	0
F04	R5	RESIDENTIAL	BEDROOM	12.0	93	93	0.0	0
F04	R6	RESIDENTIAL	STUDIO-APT	26.0	92.5	92.5	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL56

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F04	R7	RESIDENTIAL	STUDIO-APT	27.7	92.3	92.3	0.0	0
F04	R8	RESIDENTIAL	STUDIO-APT	25.0	53.3	52.8	0.1	0.9
F04	R9	RESIDENTIAL	STUDIO-APT	24.4	33.4	33.4	0.0	0
F04	R10	RESIDENTIAL	STUDIO-APT	34.2	31.5	31.5	0.0	0.1
F04	R11	RESIDENTIAL	LKD	23.4	29	29	0.0	0.1

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL57

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F04	R12	RESIDENTIAL	BEDROOM	11.4	34.9	34.9	0.0	0
F04	R13	RESIDENTIAL	BEDROOM	11.5	34.5	34.5	0.0	0
F04	R14	RESIDENTIAL	BEDROOM	11.5	34.5	34.5	0.0	0
F04	R15	RESIDENTIAL	BEDROOM	11.9	34.1	34.1	0.0	0
F04	R16	RESIDENTIAL	STUDIO-APT	26.5	35.3	35.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL58

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F04	R17	RESIDENTIAL	STUDIO-APT	28.7	36.5	36.5	0.0	0
F04	R18	RESIDENTIAL	STUDIO-APT	27.0	40	40	0.0	0
F04	R19	RESIDENTIAL	BEDROOM	12.3	48	48	0.0	0
F04	R20	RESIDENTIAL	LKD	19.7	34.9	34.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL59

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F05	R2	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F05	R3	RESIDENTIAL	LKD	30.2	98.1	98.1	0.0	0
F05	R4	RESIDENTIAL	BEDROOM	17.5	78.6	78.6	0.0	0
F05	R5	RESIDENTIAL	BEDROOM	12.0	97.9	97.9	0.0	0
F05	R6	RESIDENTIAL	STUDIO-APT	26.0	98.3	98.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL60

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F05	R7	RESIDENTIAL	STUDIO-APT	27.7	91.2	90.8	0.1	0.5
F05	R8	RESIDENTIAL	STUDIO-APT	25.0	73	72.9	0.0	0.1
F05	R9	RESIDENTIAL	STUDIO-APT	24.4	51.3	50.4	0.2	1.7
F05	R10	RESIDENTIAL	STUDIO-APT	34.2	39.8	39.8	0.0	0
F05	R11	RESIDENTIAL	LKD	23.4	36.7	36.7	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL61

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F05	R12	RESIDENTIAL	BEDROOM	11.4	45.6	45.6	0.0	0
F05	R13	RESIDENTIAL	BEDROOM	11.5	46.5	46.5	0.0	0
F05	R14	RESIDENTIAL	BEDROOM	11.5	45.7	45.7	0.0	0
F05	R15	RESIDENTIAL	BEDROOM	11.9	45.1	45.1	0.0	0
F05	R16	RESIDENTIAL	STUDIO-APT	26.5	47.7	47.7	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL62

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F05	R17	RESIDENTIAL	STUDIO-APT	28.7	53.6	53.6	0.0	0
F05	R18	RESIDENTIAL	STUDIO-APT	27.0	62.6	62.6	0.0	0
F05	R19	RESIDENTIAL	BEDROOM	12.3	67	67	0.0	0
F05	R20	RESIDENTIAL	LKD	19.7	45.9	45.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL63

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F06


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F06	R2	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F06	R3	RESIDENTIAL	LKD	32.6	98.4	96.7	0.5	1.7
F06	R4	RESIDENTIAL	BEDROOM	15.2	82.4	82.4	0.0	0
F06	R5	RESIDENTIAL	BEDROOM	12.0	98.8	98.8	0.0	0
F06	R6	RESIDENTIAL	STUDIO-APT	26.0	95.5	95.4	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL64

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F06


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F06	R7	RESIDENTIAL	STUDIO-APT	27.7	90	87	0.8	3.3
F06	R8	RESIDENTIAL	STUDIO-APT	25.0	67	66.7	0.1	0.5
F06	R9	RESIDENTIAL	STUDIO-APT	24.4	59.8	59.8	0.0	0
F06	R10	RESIDENTIAL	STUDIO-APT	34.2	52.7	52.7	0.0	0
F06	R11	RESIDENTIAL	LKD	23.4	49.7	49.7	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL65

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F06


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F06	R12	RESIDENTIAL	BEDROOM	11.4	64.8	64.8	0.0	0
F06	R13	RESIDENTIAL	BEDROOM	11.5	61.3	61.3	0.0	0
F06	R14	RESIDENTIAL	BEDROOM	11.5	60.9	60.9	0.0	0
F06	R15	RESIDENTIAL	BEDROOM	11.9	59.9	59.9	0.0	0
F06	R16	RESIDENTIAL	STUDIO-APT	26.5	64.2	64.2	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL66

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F06	R17	RESIDENTIAL	STUDIO-APT	28.7	66.5	66.5	0.0	0
F06	R18	RESIDENTIAL	STUDIO-APT	27.0	84.2	84.2	0.0	0
F06	R19	RESIDENTIAL	BEDROOM	12.3	91.5	91.5	0.0	0
F06	R20	RESIDENTIAL	LKD	19.7	74.6	74.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL67

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F07


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F07	R2	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F07	R3	RESIDENTIAL	LKD	32.6	98.5	97.3	0.4	1.2
F07	R4	RESIDENTIAL	BEDROOM	15.2	94.9	94.9	0.0	0
F07	R5	RESIDENTIAL	BEDROOM	12.0	98.3	98.3	0.0	0
F07	R6	RESIDENTIAL	STUDIO-APT	26.0	95.6	95.6	0.0	0.1

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL68

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F07


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F07	R7	RESIDENTIAL	STUDIO-APT	27.7	96.1	95.9	0.0	0.2
F07	R8	RESIDENTIAL	STUDIO-APT	25.0	81.7	81.7	0.0	0
F07	R9	RESIDENTIAL	STUDIO-APT	24.4	86.7	86.5	0.1	0.2
F07	R10	RESIDENTIAL	STUDIO-APT	34.2	80.4	76.6	1.3	4.8
F07	R11	RESIDENTIAL	LKD	23.4	75.8	75.8	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL69

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F07


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F07	R12	RESIDENTIAL	BEDROOM	11.4	89.4	89.4	0.0	0
F07	R13	RESIDENTIAL	BEDROOM	11.5	90.4	90.4	0.0	0
F07	R14	RESIDENTIAL	BEDROOM	11.5	89.3	89.3	0.0	0
F07	R15	RESIDENTIAL	BEDROOM	11.9	87	87	0.0	0
F07	R16	RESIDENTIAL	STUDIO-APT	26.5	86	86	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL70

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F07


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F07	R17	RESIDENTIAL	STUDIO-APT	28.7	91.4	91.4	0.0	0
F07	R18	RESIDENTIAL	STUDIO-APT	27.0	95.8	95.8	0.0	0
F07	R19	RESIDENTIAL	BEDROOM	12.3	98.5	98.5	0.0	0
F07	R20	RESIDENTIAL	LKD	19.7	96.4	96.4	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL71

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F08

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F08	R2	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F08	R3	RESIDENTIAL	LKD	29.7	94.7	94.2	0.2	0.6
F08	R4	RESIDENTIAL	BEDROOM	18.0	98.9	98.9	0.0	0
F08	R5	RESIDENTIAL	BEDROOM	12.0	98.3	98.3	0.0	0
F08	R6	RESIDENTIAL	STUDIO-APT	26.0	98.6	98.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL72

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F08


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F08	R7	RESIDENTIAL	STUDIO-APT	27.7	97.5	97.5	0.0	0
F08	R8	RESIDENTIAL	STUDIO-APT	25.0	95.7	95.7	0.0	0
F08	R9	RESIDENTIAL	STUDIO-APT	24.4	97.7	97.7	0.0	0
F08	R10	RESIDENTIAL	STUDIO-APT	34.2	99.1	99.1	0.0	0
F08	R11	RESIDENTIAL	LKD	23.4	99.6	99.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL73

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F08


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F08	R12	RESIDENTIAL	BEDROOM	11.4	98.3	98.3	0.0	0
F08	R13	RESIDENTIAL	BEDROOM	11.5	98.6	98.6	0.0	0
F08	R14	RESIDENTIAL	BEDROOM	11.5	98.5	98.5	0.0	0
F08	R15	RESIDENTIAL	BEDROOM	11.9	97.4	97.4	0.0	0
F08	R16	RESIDENTIAL	STUDIO-APT	26.5	97.9	97.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL74

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F08


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F08	R17	RESIDENTIAL	STUDIO-APT	28.7	98.5	98.5	0.0	0
F08	R18	RESIDENTIAL	STUDIO-APT	27.0	98.3	98.3	0.0	0
F08	R19	RESIDENTIAL	BEDROOM	12.3	98.5	98.5	0.0	0
F08	R20	RESIDENTIAL	LKD	19.7	98.5	98.5	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL75

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F09


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F09	R2	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F09	R3	RESIDENTIAL	LKD	30.2	98.7	98.7	0.0	0
F09	R4	RESIDENTIAL	BEDROOM	17.5	93.3	93.3	0.0	0
F09	R5	RESIDENTIAL	BEDROOM	12.0	98	98	0.0	0
F09	R6	RESIDENTIAL	STUDIO-APT	26.0	98.3	98.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL76

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F09


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F09	R7	RESIDENTIAL	STUDIO-APT	27.7	98.3	98.3	0.0	0
F09	R8	RESIDENTIAL	STUDIO-APT	25.0	98.5	98.5	0.0	0
F09	R9	RESIDENTIAL	STUDIO-APT	24.4	98.8	98.8	0.0	0
F09	R10	RESIDENTIAL	STUDIO-APT	34.2	99.1	99.1	0.0	0
F09	R11	RESIDENTIAL	LKD	23.4	99.6	99.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL77

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F09


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F09	R12	RESIDENTIAL	BEDROOM	11.4	98.3	98.3	0.0	0
F09	R13	RESIDENTIAL	BEDROOM	11.5	98.9	98.9	0.0	0
F09	R14	RESIDENTIAL	BEDROOM	11.5	98.5	98.5	0.0	0
F09	R15	RESIDENTIAL	BEDROOM	11.9	98.9	98.9	0.0	0
F09	R16	RESIDENTIAL	STUDIO-APT	26.5	97.9	97.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL78

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F09


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F09	R17	RESIDENTIAL	STUDIO-APT	28.7	97.5	97.5	0.0	0
F09	R18	RESIDENTIAL	STUDIO-APT	27.0	98.2	98.2	0.0	0
F09	R19	RESIDENTIAL	BEDROOM	12.3	97.3	97.3	0.0	0
F09	R20	RESIDENTIAL	LKD	19.7	98.3	98.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL79

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F10


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F10	R1	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F10	R2	RESIDENTIAL	LKD	30.2	98.7	98.7	0.0	0
F10	R3	RESIDENTIAL	BEDROOM	17.5	92	92	0.0	0
F10	R4	RESIDENTIAL	BEDROOM	12.0	98.3	98.3	0.0	0
F10	R5	RESIDENTIAL	STUDIO-APT	26.0	97.8	97.8	0.0	0
F10	R6	RESIDENTIAL	STUDIO-APT	27.7	98.3	98.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL80

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F10


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F10	R7	RESIDENTIAL	STUDIO-APT	25.0	98.3	98.3	0.0	0
F10	R8	RESIDENTIAL	STUDIO-APT	24.4	98.3	98.3	0.0	0
F10	R9	RESIDENTIAL	STUDIO-APT	34.2	99.2	99.2	0.0	0
F10	R10	RESIDENTIAL	LKD	23.4	99.6	99.6	0.0	0
F10	R11	RESIDENTIAL	BEDROOM	11.4	98.9	98.9	0.0	0
F10	R12	RESIDENTIAL	BEDROOM	11.5	98.9	98.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL81

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F10

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F10	R13	RESIDENTIAL	BEDROOM	11.5	98.7	98.7	0.0	0
F10	R14	RESIDENTIAL	BEDROOM	11.9	97.6	97.6	0.0	0
F10	R15	RESIDENTIAL	STUDIO-APT	26.5	97.8	97.8	0.0	0
F10	R16	RESIDENTIAL	STUDIO-APT	28.7	98.3	98.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL82

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F11


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F11	R1	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F11	R2	RESIDENTIAL	LKD	29.7	98.4	98.4	0.0	0
F11	R3	RESIDENTIAL	BEDROOM	18.0	98.8	98.8	0.0	0
F11	R4	RESIDENTIAL	BEDROOM	12.0	98.3	98.3	0.0	0
F11	R5	RESIDENTIAL	STUDIO-APT	26.0	98.6	98.6	0.0	0
F11	R6	RESIDENTIAL	STUDIO-APT	27.7	98	98	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL83

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F11


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F11	R7	RESIDENTIAL	STUDIO-APT	25.0	98.2	98.2	0.0	0
F11	R8	RESIDENTIAL	STUDIO-APT	24.4	97.8	97.8	0.0	0
F11	R9	RESIDENTIAL	STUDIO-APT	34.2	99.1	99.1	0.0	0
F11	R10	RESIDENTIAL	LKD	23.4	99.6	99.6	0.0	0
F11	R11	RESIDENTIAL	BEDROOM	11.4	98.3	98.3	0.0	0
F11	R12	RESIDENTIAL	BEDROOM	11.5	98.6	98.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL84

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F11


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F11	R13	RESIDENTIAL	BEDROOM	11.5	98.5	98.5	0.0	0
F11	R14	RESIDENTIAL	BEDROOM	11.9	97.4	97.4	0.0	0
F11	R15	RESIDENTIAL	BEDROOM	26.5	98	98	0.0	0
F11	R16	RESIDENTIAL	STUDIO-APT	29.3	97.9	97.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL85

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F12


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F12	R1	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F12	R2	RESIDENTIAL	LKD	30.2	98.7	98.7	0.0	0
F12	R3	RESIDENTIAL	BEDROOM	17.5	93.3	93.3	0.0	0
F12	R4	RESIDENTIAL	BEDROOM	12.0	97.9	97.9	0.0	0
F12	R5	RESIDENTIAL	STUDIO-APT	26.0	98.3	98.3	0.0	0
F12	R6	RESIDENTIAL	STUDIO-APT	27.7	98.3	98.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL86

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F12


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F12	R7	RESIDENTIAL	STUDIO-APT	25.0	98.3	98.3	0.0	0
F12	R8	RESIDENTIAL	STUDIO-APT	24.4	98.8	98.8	0.0	0
F12	R9	RESIDENTIAL	STUDIO-APT	34.2	99.3	99.3	0.0	0
F12	R10	RESIDENTIAL	LKD	23.4	99.6	99.6	0.0	0
F12	R11	RESIDENTIAL	BEDROOM	11.4	98.9	98.9	0.0	0
F12	R12	RESIDENTIAL	BEDROOM	11.5	98.9	98.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL87

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F12

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F12	R13	RESIDENTIAL	BEDROOM	11.5	98.7	98.7	0.0	0
F12	R14	RESIDENTIAL	BEDROOM	11.9	98.9	98.9	0.0	0
F12	R15	RESIDENTIAL	BEDROOM	26.5	97.8	97.8	0.0	0
F12	R16	RESIDENTIAL	STUDIO-APT	29.3	97.7	97.7	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL88

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F13


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F13	R1	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F13	R2	RESIDENTIAL	LKD	30.2	96	95.7	0.1	0.3
F13	R3	RESIDENTIAL	BEDROOM	17.5	91.9	91.9	0.0	0
F13	R4	RESIDENTIAL	BEDROOM	12.0	98.3	98.3	0.0	0
F13	R5	RESIDENTIAL	STUDIO-APT	26.0	97.9	97.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL89

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F13


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F13	R6	RESIDENTIAL	STUDIO-APT	27.7	98.3	98.3	0.0	0
F13	R7	RESIDENTIAL	STUDIO-APT	25.0	98.5	98.5	0.0	0
F13	R8	RESIDENTIAL	STUDIO-APT	24.4	98.4	98.4	0.0	0
F13	R9	RESIDENTIAL	STUDIO-APT	34.2	99.2	99.2	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL90

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F14


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F14	R1	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F14	R2	RESIDENTIAL	LKD	29.7	94.7	94.5	0.1	0.2
F14	R3	RESIDENTIAL	BEDROOM	18.0	98.9	98.9	0.0	0
F14	R4	RESIDENTIAL	BEDROOM	12.0	98.3	98.3	0.0	0
F14	R5	RESIDENTIAL	STUDIO-APT	26.0	98.6	98.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL91

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F14

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F14	R6	RESIDENTIAL	STUDIO-APT	27.7	98	98	0.0	0
F14	R7	RESIDENTIAL	STUDIO-APT	25.0	98	98	0.0	0
F14	R8	RESIDENTIAL	STUDIO-APT	24.4	97.8	97.8	0.0	0
F14	R9	RESIDENTIAL	STUDIO-APT	34.9	99.1	99.1	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL92

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F15


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F15	R1	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F15	R2	RESIDENTIAL	LKD	30.2	96	95.8	0.1	0.2
F15	R3	RESIDENTIAL	BEDROOM	17.5	93.3	93.3	0.0	0
F15	R4	RESIDENTIAL	BEDROOM	12.0	98	98	0.0	0
F15	R5	RESIDENTIAL	STUDIO-APT	26.0	98.3	98.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL93

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F15

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F15	R6	RESIDENTIAL	STUDIO-APT	27.7	98.3	98.3	0.0	0
F15	R7	RESIDENTIAL	STUDIO-APT	25.0	98.4	98.4	0.0	0
F15	R8	RESIDENTIAL	STUDIO-APT	24.4	98.8	98.8	0.0	0
F15	R9	RESIDENTIAL	STUDIO-APT	34.9	99.3	99.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL94

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F16

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F16	R1	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F16	R2	RESIDENTIAL	LKD	29.7	94.9	94.7	0.0	0.1
F16	R3	RESIDENTIAL	BEDROOM	18.0	98.9	98.9	0.0	0
F16	R4	RESIDENTIAL	BEDROOM	12.0	98.3	98.3	0.0	0
F16	R5	RESIDENTIAL	STUDIO-APT	26.0	98.6	98.6	0.0	0
F16	R6	RESIDENTIAL	STUDIO-APT	27.7	98	98	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL95

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F17

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F17	R1	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F17	R2	RESIDENTIAL	LKD	30.2	97.5	97.4	0.0	0
F17	R3	RESIDENTIAL	BEDROOM	17.5	93.3	93.3	0.0	0
F17	R4	RESIDENTIAL	BEDROOM	12.0	97.9	97.9	0.0	0
F17	R5	RESIDENTIAL	STUDIO-APT	26.0	98.3	98.3	0.0	0
F17	R6	RESIDENTIAL	STUDIO-APT	28.0	98.1	98.1	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: PICCADILLY POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL96

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F18

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PICCADILLY POINT								
F18	R1	RESIDENTIAL	BEDROOM	15.7	99.8	99.8	0.0	0
F18	R2	RESIDENTIAL	LKD	29.7	94.7	94.6	0.0	0.1
F18	R3	RESIDENTIAL	BEDROOM	18.0	98.8	98.8	0.0	0
F18	R4	RESIDENTIAL	BEDROOM	12.0	98.3	98.3	0.0	0
F18	R5	RESIDENTIAL	STUDIO-APT	26.0	98.6	98.6	0.0	0
F18	R6	RESIDENTIAL	STUDIO-APT	28.0	97.4	97.4	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL97

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F00	R1	RESIDENTIAL	UNKNOWN	23.9	89.5	77.2	2.9	13.7
F00	R2	RESIDENTIAL	UNKNOWN	23.0	84.3	68.2	3.7	19
F00	R3	RESIDENTIAL	UNKNOWN	23.8	70.5	63.4	1.7	10.1
F00	R4	RESIDENTIAL	UNKNOWN	23.7	77.5	54.5	5.5	29.8
F00	R5	RESIDENTIAL	UNKNOWN	23.5	42.2	38.2	0.9	9.5

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL98

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F00	R6	RESIDENTIAL	UNKNOWN	15.2	51.2	47	0.6	8.1
F00	R7	RESIDENTIAL	UNKNOWN	15.5	37.4	37	0.1	0.9
F00	R8	RESIDENTIAL	UNKNOWN	15.4	41.6	41.6	0.0	0
F00	R9	RESIDENTIAL	UNKNOWN	22.7	46.2	37.2	2.1	19.6
F00	R10	RESIDENTIAL	UNKNOWN	24.1	39.2	30.9	2.0	21.3

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL99

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F00	R11	RESIDENTIAL	UNKNOWN	14.9	29.9	29.9	0.0	0
F00	R12	RESIDENTIAL	UNKNOWN	20.5	35.1	35.1	0.0	0
F00	R13	RESIDENTIAL	UNKNOWN	23.8	29.5	26.4	0.7	10.5
F00	R14	RESIDENTIAL	UNKNOWN	25.0	48	48	0.0	0
F00	R15	RESIDENTIAL	UNKNOWN	22.2	79	79	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL100

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F00	R16	RESIDENTIAL	UNKNOWN	24.7	71.4	71.4	0.0	0
F00	R17	RESIDENTIAL	UNKNOWN	22.9	81	81	0.0	0
F00	R18	RESIDENTIAL	UNKNOWN	20.8	90.7	90.6	0.0	0.1
F00	R27	RESIDENTIAL	UNKNOWN	31.5	98.7	98.7	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL101

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F01	R1	RESIDENTIAL	UNKNOWN	23.9	90.2	79.2	2.6	12.2
F01	R2	RESIDENTIAL	UNKNOWN	23.0	84.7	70.2	3.3	17
F01	R3	RESIDENTIAL	UNKNOWN	23.8	74.7	62.4	2.9	16.4
F01	R4	RESIDENTIAL	UNKNOWN	23.7	78.4	57.5	5.0	26.7
F01	R5	RESIDENTIAL	UNKNOWN	23.5	46.5	42.6	0.9	8.4

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL102

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F01	R6	RESIDENTIAL	UNKNOWN	15.2	53.9	50.5	0.5	6.3
F01	R7	RESIDENTIAL	UNKNOWN	15.5	95.4	95.4	0.0	0
F01	R8	RESIDENTIAL	UNKNOWN	15.4	46.1	46.1	0.0	0
F01	R9	RESIDENTIAL	UNKNOWN	22.7	48.5	40.9	1.7	15.8
F01	R10	RESIDENTIAL	UNKNOWN	24.1	42	34.7	1.8	17.5

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL103

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID




F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F01	R11	RESIDENTIAL	UNKNOWN	14.9	30.6	30.5	0.0	0.4
F01	R12	RESIDENTIAL	UNKNOWN	11.1	33.5	33.5	0.0	0
F01	R13	RESIDENTIAL	UNKNOWN	20.5	37.2	37.2	0.0	0
F01	R14	RESIDENTIAL	UNKNOWN	23.8	50.2	47.5	0.6	5.4
F01	R15	RESIDENTIAL	UNKNOWN	25.0	79.3	79.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL104

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F01	R16	RESIDENTIAL	UNKNOWN	22.2	82.3	82.3	0.0	0
F01	R17	RESIDENTIAL	UNKNOWN	24.7	77.2	77.2	0.0	0
F01	R18	RESIDENTIAL	UNKNOWN	22.9	84.2	84.2	0.0	0
F01	R27	RESIDENTIAL	UNKNOWN	31.5	98.8	98.8	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL105

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F02	R1	RESIDENTIAL	UNKNOWN	23.9	90.3	81.3	2.2	10
F02	R2	RESIDENTIAL	UNKNOWN	23.0	85.2	72.7	2.9	14.7
F02	R3	RESIDENTIAL	UNKNOWN	23.8	77.9	66.6	2.7	14.6
F02	R4	RESIDENTIAL	UNKNOWN	23.7	80.6	63.1	4.1	21.6
F02	R5	RESIDENTIAL	UNKNOWN	23.5	54	50.5	0.8	6.5
F02	R6	RESIDENTIAL	UNKNOWN	15.2	60.4	58.1	0.3	3.7

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL106

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F02	R7	RESIDENTIAL	UNKNOWN	15.5	98.6	98.6	0.0	0
F02	R8	RESIDENTIAL	UNKNOWN	15.4	55.1	55.1	0.0	0
F02	R9	RESIDENTIAL	UNKNOWN	22.7	53.6	48.1	1.3	10.3
F02	R10	RESIDENTIAL	UNKNOWN	24.1	47.5	41.7	1.4	12.2
F02	R11	RESIDENTIAL	UNKNOWN	14.9	41.2	41.2	0.0	0
F02	R12	RESIDENTIAL	UNKNOWN	11.1	39.2	39.2	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL107

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F02	R13	RESIDENTIAL	UNKNOWN	20.5	43.2	43.2	0.0	0
F02	R14	RESIDENTIAL	UNKNOWN	23.8	53.9	52.5	0.3	2.5
F02	R15	RESIDENTIAL	UNKNOWN	25.0	82.6	82.6	0.0	0
F02	R16	RESIDENTIAL	UNKNOWN	22.2	84.5	84.5	0.0	0
F02	R17	RESIDENTIAL	UNKNOWN	24.7	78.2	78.2	0.0	0
F02	R18	RESIDENTIAL	UNKNOWN	22.9	86.5	86.5	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL108

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F02	R19	RESIDENTIAL	UNKNOWN	23.3	98.1	89.6	2.0	8.7
F02	R20	RESIDENTIAL	UNKNOWN	22.8	97.8	87.3	2.4	10.7
F02	R21	RESIDENTIAL	UNKNOWN	24.2	97.6	84.8	3.1	13.1
F02	R22	RESIDENTIAL	UNKNOWN	24.4	98.4	83	3.8	15.7
F02	R23	RESIDENTIAL	UNKNOWN	20.7	99	86.2	2.7	12.9
F02	R24	RESIDENTIAL	UNKNOWN	27.4	97.1	87.1	2.7	10.3

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL109

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F02	R25	RESIDENTIAL	UNKNOWN	33.7	98.6	92.6	2.0	6
F02	R27	RESIDENTIAL	UNKNOWN	31.5	98.8	98.8	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL110

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F03	R1	RESIDENTIAL	UNKNOWN	23.9	91.3	84	1.7	8
F03	R2	RESIDENTIAL	UNKNOWN	23.0	86.8	76.4	2.4	12.1
F03	R3	RESIDENTIAL	UNKNOWN	23.8	80.1	70.2	2.3	12.3
F03	R4	RESIDENTIAL	UNKNOWN	23.7	82.3	68.7	3.2	16.5
F03	R5	RESIDENTIAL	UNKNOWN	23.5	63.8	61	0.7	4.3
F03	R6	RESIDENTIAL	UNKNOWN	15.2	69.5	68.6	0.1	1.3

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL111

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F03	R7	RESIDENTIAL	UNKNOWN	15.5	98.5	98.5	0.0	0
F03	R8	RESIDENTIAL	UNKNOWN	15.4	65.2	65.2	0.0	0
F03	R9	RESIDENTIAL	UNKNOWN	22.7	60.4	57.5	0.7	4.8
F03	R10	RESIDENTIAL	UNKNOWN	24.1	54.6	51.4	0.8	6
F03	R11	RESIDENTIAL	UNKNOWN	14.9	50.6	50.6	0.0	0
F03	R12	RESIDENTIAL	UNKNOWN	11.1	45.8	45.8	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL112

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F03	R13	RESIDENTIAL	UNKNOWN	20.5	52.4	52.4	0.0	0
F03	R14	RESIDENTIAL	UNKNOWN	23.8	59.9	59.6	0.1	0.5
F03	R15	RESIDENTIAL	UNKNOWN	25.0	85.9	85.9	0.0	0
F03	R16	RESIDENTIAL	UNKNOWN	22.2	89	89	0.0	0
F03	R17	RESIDENTIAL	UNKNOWN	24.7	81.5	81.5	0.0	0
F03	R18	RESIDENTIAL	UNKNOWN	22.9	88.8	88.8	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL113

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F03	R19	RESIDENTIAL	UNKNOWN	23.3	98.2	92	1.4	6.3
F03	R20	RESIDENTIAL	UNKNOWN	22.8	97.6	90.4	1.7	7.4
F03	R21	RESIDENTIAL	UNKNOWN	24.2	97.6	87.9	2.3	9.9
F03	R22	RESIDENTIAL	UNKNOWN	24.4	98	86.6	2.8	11.7
F03	R23	RESIDENTIAL	UNKNOWN	20.7	98.7	90	1.8	8.8
F03	R24	RESIDENTIAL	UNKNOWN	27.4	97	89.8	2.0	7.5

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL114

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F03	R25	RESIDENTIAL	UNKNOWN	33.7	98.4	94.1	1.4	4.3
F03	R26	RESIDENTIAL	UNKNOWN	34.9	99.8	99.8	0.0	0
F03	R27	RESIDENTIAL	UNKNOWN	31.5	98.8	98.8	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL115

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F04	R1	RESIDENTIAL	UNKNOWN	23.9	93.2	88.2	1.2	5.4
F04	R2	RESIDENTIAL	UNKNOWN	23.0	89.6	82.1	1.7	8.4
F04	R3	RESIDENTIAL	UNKNOWN	23.8	85.4	77.9	1.8	8.8
F04	R4	RESIDENTIAL	UNKNOWN	23.7	86.7	77.8	2.1	10.3
F04	R5	RESIDENTIAL	UNKNOWN	23.5	77.3	76.3	0.2	1.3
F04	R6	RESIDENTIAL	UNKNOWN	15.2	84.1	84	0.0	0.1

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL116

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F04	R7	RESIDENTIAL	UNKNOWN	15.5	98.5	98.5	0.0	0
F04	R8	RESIDENTIAL	UNKNOWN	15.4	79.6	79.6	0.0	0
F04	R9	RESIDENTIAL	UNKNOWN	22.7	72	71.6	0.1	0.6
F04	R10	RESIDENTIAL	UNKNOWN	24.1	67.3	66.4	0.2	1.3
F04	R11	RESIDENTIAL	UNKNOWN	14.9	64.3	64.3	0.0	0
F04	R12	RESIDENTIAL	UNKNOWN	11.1	56.1	56.1	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL117

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F04	R13	RESIDENTIAL	UNKNOWN	20.5	64.6	64.3	0.1	0.4
F04	R14	RESIDENTIAL	UNKNOWN	23.8	69.6	68.4	0.3	1.7
F04	R15	RESIDENTIAL	UNKNOWN	25.0	88.2	88.2	0.0	0
F04	R16	RESIDENTIAL	UNKNOWN	22.2	91.5	91.5	0.0	0
F04	R17	RESIDENTIAL	UNKNOWN	24.7	85.6	85.6	0.0	0
F04	R18	RESIDENTIAL	UNKNOWN	22.9	91.6	91.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL118

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F04	R19	RESIDENTIAL	UNKNOWN	23.3	98.1	96.6	0.4	1.6
F04	R20	RESIDENTIAL	UNKNOWN	22.8	97.6	94.6	0.7	3
F04	R21	RESIDENTIAL	UNKNOWN	24.2	97.7	92.1	1.3	5.7
F04	R22	RESIDENTIAL	UNKNOWN	24.4	98	91.5	1.6	6.7
F04	R23	RESIDENTIAL	UNKNOWN	20.7	98.7	94.4	0.9	4.4
F04	R24	RESIDENTIAL	UNKNOWN	27.4	96.9	93.5	0.9	3.6

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL119

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F04	R25	RESIDENTIAL	UNKNOWN	33.7	98.4	96	0.8	2.5
F04	R26	RESIDENTIAL	UNKNOWN	34.9	99.9	99.9	0.0	0
F04	R27	RESIDENTIAL	UNKNOWN	31.5	98.9	98.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL120

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F05	R1	RESIDENTIAL	UNKNOWN	23.9	97.2	95.7	0.4	1.6
F05	R2	RESIDENTIAL	UNKNOWN	23.0	94.3	90.3	0.9	4.2
F05	R3	RESIDENTIAL	UNKNOWN	23.8	93.7	89.3	1.0	4.7
F05	R4	RESIDENTIAL	UNKNOWN	23.7	94.8	91.6	0.7	3.3
F05	R5	RESIDENTIAL	UNKNOWN	23.5	93.6	93.6	0.0	0
F05	R6	RESIDENTIAL	UNKNOWN	15.2	98.2	98.2	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL121

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F05	R7	RESIDENTIAL	UNKNOWN	15.5	98.5	98.5	0.0	0
F05	R8	RESIDENTIAL	UNKNOWN	15.4	95.8	95.8	0.0	0.1
F05	R9	RESIDENTIAL	UNKNOWN	22.7	89.6	89.5	0.0	0.1
F05	R10	RESIDENTIAL	UNKNOWN	24.1	88	88	0.0	0
F05	R11	RESIDENTIAL	UNKNOWN	14.9	79.9	79.9	0.0	0
F05	R12	RESIDENTIAL	UNKNOWN	11.1	76.3	76.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL122

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F05	R13	RESIDENTIAL	UNKNOWN	20.5	84.6	83.5	0.2	1.4
F05	R14	RESIDENTIAL	UNKNOWN	23.8	87	83.5	0.8	4
F05	R15	RESIDENTIAL	UNKNOWN	25.0	90.3	90.3	0.0	0
F05	R16	RESIDENTIAL	UNKNOWN	22.2	93.5	93.5	0.0	0
F05	R17	RESIDENTIAL	UNKNOWN	24.7	90.4	90.4	0.0	0
F05	R18	RESIDENTIAL	UNKNOWN	22.9	95.1	95.1	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL123

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F05	R19	RESIDENTIAL	UNKNOWN	23.3	98.1	97.4	0.2	0.7
F05	R20	RESIDENTIAL	UNKNOWN	22.8	97.6	95.3	0.5	2.3
F05	R21	RESIDENTIAL	UNKNOWN	24.2	97.7	93.9	0.9	3.8
F05	R22	RESIDENTIAL	UNKNOWN	24.4	98	94.1	0.9	3.9
F05	R23	RESIDENTIAL	UNKNOWN	20.7	98.7	95.9	0.6	2.8
F05	R24	RESIDENTIAL	UNKNOWN	27.4	96.9	95.5	0.4	1.5

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL124

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F05	R25	RESIDENTIAL	UNKNOWN	33.7	98.4	96.9	0.5	1.5
F05	R26	RESIDENTIAL	UNKNOWN	34.9	99.8	99.8	0.0	0
F05	R27	RESIDENTIAL	UNKNOWN	31.5	98.9	98.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL125

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F06	R1	RESIDENTIAL	UNKNOWN	23.9	98.9	98.9	0.0	0
F06	R2	RESIDENTIAL	UNKNOWN	23.0	97.6	97.6	0.0	0
F06	R3	RESIDENTIAL	UNKNOWN	23.8	97.7	97.5	0.0	0.1
F06	R4	RESIDENTIAL	UNKNOWN	23.7	98.5	98.5	0.0	0
F06	R5	RESIDENTIAL	UNKNOWN	23.5	96.4	96.4	0.0	0
F06	R6	RESIDENTIAL	UNKNOWN	15.2	99	99	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL126

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F06	R7	RESIDENTIAL	UNKNOWN	15.5	98.7	98.7	0.0	0
F06	R8	RESIDENTIAL	UNKNOWN	15.4	98.7	98.7	0.0	0
F06	R9	RESIDENTIAL	UNKNOWN	22.7	95.8	95.8	0.0	0
F06	R10	RESIDENTIAL	UNKNOWN	24.1	98.3	98.3	0.0	-0.1
F06	R11	RESIDENTIAL	UNKNOWN	14.9	97.7	97.7	0.0	0
F06	R12	RESIDENTIAL	UNKNOWN	11.1	98.3	97	0.1	1.3

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL127

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F06	R13	RESIDENTIAL	UNKNOWN	20.5	98	98	0.0	0
F06	R14	RESIDENTIAL	UNKNOWN	23.8	98.1	98	0.0	0
F06	R15	RESIDENTIAL	UNKNOWN	25.0	93.8	93.8	0.0	0
F06	R16	RESIDENTIAL	UNKNOWN	22.2	96.2	96.2	0.0	0
F06	R17	RESIDENTIAL	UNKNOWN	24.7	95.2	95.2	0.0	0
F06	R18	RESIDENTIAL	UNKNOWN	22.9	97.9	97.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL128

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F06	R19	RESIDENTIAL	UNKNOWN	23.3	98.1	98	0.0	0.1
F06	R20	RESIDENTIAL	UNKNOWN	22.8	97.6	96.5	0.2	1.1
F06	R21	RESIDENTIAL	UNKNOWN	24.2	97.6	95.6	0.5	2.1
F06	R22	RESIDENTIAL	UNKNOWN	24.4	98.4	96.5	0.5	2
F06	R23	RESIDENTIAL	UNKNOWN	20.7	99	97.3	0.4	1.7
F06	R24	RESIDENTIAL	UNKNOWN	27.4	97	96.1	0.2	0.9

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL129

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F06	R25	RESIDENTIAL	UNKNOWN	33.7	98.6	97.8	0.2	0.7
F06	R26	RESIDENTIAL	UNKNOWN	34.9	99.9	99.9	0.0	0
F06	R27	RESIDENTIAL	UNKNOWN	31.5	98.9	98.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL130

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F07


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F07	R1	RESIDENTIAL	UNKNOWN	23.9	99.5	99.5	0.0	0
F07	R2	RESIDENTIAL	UNKNOWN	23.0	97.3	97.3	0.0	0
F07	R3	RESIDENTIAL	UNKNOWN	23.8	97.2	97.2	0.0	0
F07	R4	RESIDENTIAL	UNKNOWN	23.7	98	98	0.0	0
F07	R5	RESIDENTIAL	UNKNOWN	23.5	96.4	96.3	0.0	0.1
F07	R6	RESIDENTIAL	UNKNOWN	15.2	99.1	99.1	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL131

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F07	R7	RESIDENTIAL	UNKNOWN	15.5	99.1	99.1	0.0	0
F07	R8	RESIDENTIAL	UNKNOWN	15.4	98.9	98.7	0.0	0.2
F07	R9	RESIDENTIAL	UNKNOWN	22.7	95.8	95.7	0.0	0
F07	R10	RESIDENTIAL	UNKNOWN	24.1	97.1	97.1	0.0	0
F07	R11	RESIDENTIAL	UNKNOWN	14.9	96.6	96.6	0.0	0
F07	R12	RESIDENTIAL	UNKNOWN	11.1	97.6	97.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL132

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F07	R13	RESIDENTIAL	UNKNOWN	20.3	97.9	97.9	0.0	0
F07	R14	RESIDENTIAL	UNKNOWN	12.1	97.3	97.2	0.0	0
F07	R15	RESIDENTIAL	UNKNOWN	25.0	95.4	95.4	0.0	0
F07	R16	RESIDENTIAL	UNKNOWN	22.2	96.3	96.3	0.0	0
F07	R17	RESIDENTIAL	UNKNOWN	24.7	96.1	96.1	0.0	0
F07	R18	RESIDENTIAL	UNKNOWN	22.9	98.1	98.1	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL133

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F07	R19	RESIDENTIAL	UNKNOWN	23.3	97.8	97.8	0.0	0
F07	R20	RESIDENTIAL	UNKNOWN	22.8	97.4	97.1	0.1	0.3
F07	R21	RESIDENTIAL	UNKNOWN	24.2	97.2	96.4	0.2	0.8
F07	R22	RESIDENTIAL	UNKNOWN	24.4	97.5	96.5	0.2	1
F07	R23	RESIDENTIAL	UNKNOWN	20.7	98.2	97.4	0.1	0.7
F07	R24	RESIDENTIAL	UNKNOWN	27.4	96.7	96.2	0.1	0.5

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL134

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



F07


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F07	R25	RESIDENTIAL	UNKNOWN	33.7	98.5	98.3	0.1	0.3
F07	R26	RESIDENTIAL	UNKNOWN	34.9	99.9	99.9	0.0	0
F07	R27	RESIDENTIAL	UNKNOWN	31.5	98.6	98.6	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL135

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F08


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F08	R1	RESIDENTIAL	UNKNOWN	23.9	97.7	97.7	0.0	0
F08	R2	RESIDENTIAL	UNKNOWN	23.0	97.2	97.2	0.0	0
F08	R3	RESIDENTIAL	UNKNOWN	23.8	97.3	97	0.1	0.3
F08	R4	RESIDENTIAL	UNKNOWN	23.7	98.2	97.4	0.2	0.8
F08	R5	RESIDENTIAL	UNKNOWN	23.4	96.3	96.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL136

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F08

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F08	R6	RESIDENTIAL	UNKNOWN	15.1	99.4	99.4	0.0	0
F08	R7	RESIDENTIAL	UNKNOWN	15.4	98.9	98.7	0.0	0.2
F08	R8	RESIDENTIAL	UNKNOWN	23.0	96.6	96.3	0.1	0.2
F08	R9	RESIDENTIAL	UNKNOWN	24.7	96.7	96.7	0.0	0
F08	R10	RESIDENTIAL	UNKNOWN	22.9	98.3	98.3	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL137

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F08

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F08	R11	RESIDENTIAL	UNKNOWN	23.3	49.8	46.2	0.8	7.2
F08	R12	RESIDENTIAL	UNKNOWN	22.8	97.4	97.2	0.0	0.2
F08	R13	RESIDENTIAL	UNKNOWN	24.2	97.2	96.6	0.2	0.7
F08	R14	RESIDENTIAL	UNKNOWN	24.4	97.5	96.6	0.2	0.9
F08	R15	RESIDENTIAL	UNKNOWN	20.7	98.2	97.4	0.1	0.7

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL138

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F08


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F08	R16	RESIDENTIAL	UNKNOWN	27.4	96.5	96	0.1	0.5
F08	R17	RESIDENTIAL	UNKNOWN	33.7	98	97.7	0.1	0.3
F08	R18	RESIDENTIAL	UNKNOWN	34.9	99.9	99.9	0.0	0
F08	R19	RESIDENTIAL	UNKNOWN	31.4	98.9	98.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. CUMULATIVE
ADDRESS: UNITE STUDENTS MILL POINT
DATE: 15/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS02-NSL139

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F09

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
UNITE STUDENTS MILL POINT								
F09	R1	RESIDENTIAL	UNKNOWN	23.6	97.8	97.8	0.0	0
F09	R2	RESIDENTIAL	UNKNOWN	24.1	96.9	96.9	0.0	0
F09	R3	RESIDENTIAL	UNKNOWN	33.7	98	98	0.0	0
F09	R4	RESIDENTIAL	UNKNOWN	34.9	100	100	0.0	0
F09	R5	RESIDENTIAL	UNKNOWN	31.8	92.6	92.6	0.0	0

Appendix 7.6 - Overshadowing Results for Baseline v Proposed + Cumulatives; and

SOURCES OF INFORMATION

IR02-20240312-VU.CITY (TILES)
IR66-20241104 - SEW (PLOT K DESIGN FREEZE)
IR68- 20241111 - SHEDDKM (ADDITIONAL DESIGN FREEZE)

ALL INFORMATION DISPLAYED IS SUBJECT TO A COMPLETE VERIFIABLE SITE SURVEY BEING UNDERTAKEN. GIA TAKES NO RESPONSIBILITY ON THE ACCURACY OR RELIABILITY OF THE DISPLAYED DATA SINCE A VERIFIED SITE SURVEY WAS NOT MADE AVAILABLE PRIOR TO THE GENERATION OF SUCH INFORMATION.

Units: Pass/Fail

0 120

NOTES:
PROPOSED SCENARIO IN TEAL
CONSENTED SCENARIO IN ORANGE
ALL HEIGHTS AND DIMENSIONS GIVEN IN m AOD

N.B. DO NOT SCALE OFF THIS DRAWING

PROJECT:


MAYFIELD PHASE 1B, MANCHESTER

DRAWING NAME:
PLAN VIEW CONSENTED
SUNLIGHT HOURS ON GROUND - 21ST MARCH

DWN BY	SCALE	CHK BY	DATE	REV No.
EW	NTS	ES	25/11/2024	-
PROJ No.	REL No.	ADDR No.	IS No.	DWG No.
20569	08	####	02	05

gia
The Whitehouse
Belvedere Road
London SE1 8GA
t 020 7202 1400
f 020 7202 1401
mail@gia.uk.com
www.gia.uk.com

LONDON • DUBLIN • MANCHESTER • BELFAST • BRISTOL



SOURCES OF INFORMATION

IR02-20240312-VU.CITY (TILES)
IR66-20241104 - SEW (PLOT K DESIGN FREEZE)
IR68- 20241111 - SHEDDKM (ADDITIONAL DESIGN FREEZE)

ALL INFORMATION DISPLAYED IS SUBJECT TO A COMPLETE VERIFIABLE SITE SURVEY BEING UNDERTAKEN. GIA TAKES NO RESPONSIBILITY ON THE ACCURACY OR RELIABILITY OF THE DISPLAYED DATA SINCE A VERIFIED SITE SURVEY WAS NOT MADE AVAILABLE PRIOR TO THE GENERATION OF SUCH INFORMATION.

Units: Pass/Fail

0 120

NOTES:
EXISTING SCENARIO AS SHOWN
ALL HEIGHTS AND DIMENSIONS GIVEN IN m AOD

N.B. DO NOT SCALE OFF THIS DRAWING

PROJECT:

MAYFIELD PHASE 1B, MANCHESTER

DRAWING NAME:
PLAN VIEW EXISTING
SUNLIGHT HOURS ON GROUND - 21ST MARCH

DWN BY	SCALE	CHK BY	DATE	REV No.
EW	NTS	ES	26/11/2024	-
PROJ No.	REL No.	ADDR No.	IS No.	DWG No.
20569	08	-	03	01

gia
The Whitehouse
Belvedere Road
London SE1 8GA
t 020 7202 1400
f 020 7202 1401
mail@gia.uk.com
www.gia.uk.com

LONDON • DUBLIN • MANCHESTER • BELFAST • BRISTOL

Appendix 7.7 - Daylight and Sunlight Results for the Baseline v Proposed (No balconies or Overhangs) Assessment Scenario.

					VSC(WINDOW)				NSL					APSH (ROOM)					
														EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET																			
F00	R2	Residential	Unknown	W3/F00	36.9	35	1.9	5.1	95.7	15	89.3	1	6.7						
	R3	Residential	Unknown	W4/F00	36.1	34.3	1.8	5	96.1	15.8	87.8	1.4	8.6						
	R4	Residential	Unknown	W5/F00	34.1	31.4	2.7	7.9	98.5	6.7	98.4	0	0.2						
				W7/F00	29.5	25	4.5	15.3											
	R6	Residential	Kitchen***	W8/F00	35.3	31.8	3.5	9.9	97.3	6.3	97.3	0	0						
	R8	Residential	Kitchen***	W10/F00	35.3	31.6	3.7	10.5	97.4	6.3	97.4	0	0						
	R10	Residential	Kitchen***	W12/F00	35	31.4	3.6	10.3	97.5	6.3	97.5	0	0						
	R12	Residential	Kitchen***	W14/F00	33.8	29.9	3.9	11.5	97.4	6.3	97.4	0	0						
	R14	Residential	Unknown	W16/F00	33.9	29.7	4.2	12.4	96	13.1	89.7	0.9	6.6						
	R15	Residential	Unknown	W17/F00	35.5	28.4	7.1	20	100	8.4	99.5	0	0.5	79	24	79	24	0	0
				W18/F00	35	34.9	0.1	0.3											
	R17	Residential	Unknown	W20/F00	35.6	27.6	8	22.5	99.9	8.8	96.6	0.3	3.3						
	R19	Residential	Unknown	W22/F00	36	27.4	8.6	23.9	99.9	9	94.9	0.4	4.9						
	R21	Residential	Unknown	W24/F00	36.3	27.3	9	24.8	99.8	8.8	94.8	0.4	5.1						
	R23	Residential	Unknown	W27/F00	36.9	27.1	9.8	26.6	99.6	8.8	87	1.1	12.7						
F01	R1	Residential	Unknown	W1/F01	38.7	35.4	3.3	8.5	99.4	7.5	99	0	0.4	39	17	39	17	0	0
				W2/F01	24.3	24.3	0	0											
	R2	Residential	Unknown	W3/F01	25.8	24	1.8	7	99.8	7.7	99.8	0	0.1	65	22	65	22	0	0
				W4/F01	38.2	38.2	0	0											
	R3	Residential	Unknown	W5/F01	25.6	23.7	1.9	7.4	99.9	7.6	99.9	0	0						
	R4	Residential	Unknown	W6/F01	25.6	23.6	2	7.8	97.3	7.7	97.2	0	0.1						
	R5	Residential	Unknown	W7/F01	25.5	23.5	2	7.8	99.9	8.2	99.8	0	0.1						
	R6	Residential	Unknown	W8/F01	24.9	22.2	2.7	10.8	99.5	8.8	98.7	0.1	0.8						
	R7	Residential	Unknown	W9/F01	24.7	22.1	2.6	10.5	97.8	7.4	97.7	0	0.2						
	R8	Residential	Bedroom	W10/F01	36.9	32.9	4	10.8	99.9	10.5	99.9	0	0						
	R10	Residential	Bedroom	W12/F01	36.9	32.8	4.1	11.1	99.9	10.5	99.9	0	0						
	R12	Residential	Bedroom	W14/F01	36.8	32.4	4.4	12	100	10.5	100	0	0						
	R14	Residential	Bedroom	W16/F01	35.7	31	4.7	13.2	99.9	10.5	99.9	0	0						
	R16	Residential	Unknown	W18/F01	36.5	31.5	5	13.7	93.7	12.8	93.6	0	0						
				W19/F01	36.5	31.3	5.2	14.2											
	R17	Residential	Unknown	W20/F01	37.4	29.9	7.5	20.1	99.8	8.4	98.1	0.1	1.7						
	R18	Residential	Unknown	W21/F01	37.5	29.7	7.8	20.8	97.3	7.1	71.6	1.9	26.3						

					VSC(WINDOW)				NSL					APSH (ROOM)					
														EX.		PR.		LOSS %	
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R19	Residential	Unknown	W22/F01	37.5	29.6	7.9	21.1	100	8.8	95.6	0.4	4.4						
	R20	Residential	Unknown	W23/F01	37.6	29.4	8.2	21.8	97.3	7.1	70.4	2	27.7						
	R21	Residential	Unknown	W24/F01	37.6	29.3	8.3	22.1	99.9	9	93.8	0.6	6.1						
	R22	Residential	Unknown	W25/F01	37.7	29.1	8.6	22.8	97.8	7.1	71.7	1.9	26.7						
	R23	Residential	Unknown	W26/F01	37.8	29	8.8	23.3	99.9	8.8	93.8	0.5	6						
	R24	Residential	Unknown	W27/F01	37.8	28.8	9	23.8	97.3	7	69.1	2	29						
	R25	Residential	Unknown	W28/F01	38	28.5	9.5	25	99.9	8.8	84.8	1.3	15.1						
	R26	Residential	Unknown	W29/F01	37.9	28.1	9.8	25.9	97.3	7.6	57.5	3.1	40.8						
F02	R1	Residential	Kitchen***	W1/F02	38	33.8	4.2	11.1	97.4	6.3	97.4	0	0						
	R3	Residential	Kitchen***	W3/F02	38	33.5	4.5	11.8	97.4	6.3	97.4	0	0						
	R5	Residential	Kitchen***	W5/F02	38	33.2	4.8	12.6	97.5	6.3	97.5	0	0						
	R7	Residential	Kitchen***	W7/F02	37.7	32.6	5.1	13.5	97.4	6.3	97.4	0	0						
	R9	Residential	Unknown	W9/F02	36.3	30.9	5.4	14.9	93.3	12.8	93.3	0	0						
				W10/F02	36.2	30.7	5.5	15.2											
F03	R1	Residential	Bedroom	W1/F03	38.5	34.4	4.1	10.6	99.9	10.5	99.9	0	0						
	R3	Residential	Bedroom	W3/F03	38.5	34.2	4.3	11.2	99.9	10.5	99.9	0	0						
	R5	Residential	Bedroom	W5/F03	38.5	33.9	4.6	11.9	99.9	10.5	99.9	0	0						
	R7	Residential	Bedroom	W7/F03	38.5	33.5	5	13	99.9	10.5	99.9	0	0						
94 COTTER STREET																			
F00	R1	Residential	Unknown	W1/F00	36.6	27.2	9.4	25.7	99.9	8.9	94.1	0.5	5.8						
F01	R1	Residential	Unknown	W1/F01	37.9	28.7	9.2	24.3	99.9	8.9	92.3	0.7	7.6						
	R2	Residential	Unknown	W2/F01	38	28.6	9.4	24.7	97.3	7.1	58.8	2.8	39.6						

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 28/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS03-NSL1

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F00	R2	RESIDENTIAL	UNKNOWN	15.6	95.7	89.3	1.0	6.7
F00	R3	RESIDENTIAL	UNKNOWN	16.5	96.1	87.8	1.4	8.6
F00	R4	RESIDENTIAL	UNKNOWN	6.8	98.5	98.4	0.0	0.2
F00	R6	RESIDENTIAL	KITCHEN	6.4	97.3	97.3	0.0	0
F00	R8	RESIDENTIAL	KITCHEN	6.4	97.4	97.4	0.0	0
F00	R10	RESIDENTIAL	KITCHEN	6.4	97.5	97.5	0.0	0
F00	R12	RESIDENTIAL	KITCHEN	6.4	97.4	97.4	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 28/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS03-NSL2

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F00	R15	RESIDENTIAL	UNKNOWN	8.4	100	99.5	0.0	0.5
F00	R17	RESIDENTIAL	UNKNOWN	8.8	99.9	96.6	0.3	3.3
F00	R19	RESIDENTIAL	UNKNOWN	9.0	99.9	94.9	0.4	4.9
F00	R21	RESIDENTIAL	UNKNOWN	8.8	99.8	94.8	0.4	5.1

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 28/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS03-NSL3

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID



F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F01	R1	RESIDENTIAL	UNKNOWN	7.5	99.4	99	0.0	0.4
F01	R2	RESIDENTIAL	UNKNOWN	7.7	99.8	99.8	0.0	0.1
F01	R3	RESIDENTIAL	UNKNOWN	7.6	99.9	99.9	0.0	0
F01	R4	RESIDENTIAL	UNKNOWN	7.9	97.3	97.2	0.0	0.1
F01	R5	RESIDENTIAL	UNKNOWN	8.2	99.9	99.8	0.0	0.1

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 28/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS03-NSL4

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID




F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F01	R7	RESIDENTIAL	UNKNOWN	7.5	97.8	97.7	0.0	0.2
F01	R8	RESIDENTIAL	BEDROOM	10.5	99.9	99.9	0.0	0
F01	R10	RESIDENTIAL	BEDROOM	10.5	99.9	99.9	0.0	0
F01	R12	RESIDENTIAL	BEDROOM	10.5	100	100	0.0	0
F01	R14	RESIDENTIAL	BEDROOM	10.5	99.9	99.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 28/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS03-NSL5

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F01	R17	RESIDENTIAL	UNKNOWN	8.4	99.8	98.1	0.1	1.7
F01	R18	RESIDENTIAL	UNKNOWN	7.3	97.3	71.6	1.9	26.3
F01	R19	RESIDENTIAL	UNKNOWN	8.8	100	95.6	0.4	4.4
F01	R20	RESIDENTIAL	UNKNOWN	7.3	97.3	70.4	2.0	27.7
F01	R21	RESIDENTIAL	UNKNOWN	9.0	99.9	93.8	0.6	6.1

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 28/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS03-NSL6

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F01	R23	RESIDENTIAL	UNKNOWN	8.8	99.9	93.8	0.5	6
F01	R24	RESIDENTIAL	UNKNOWN	7.2	97.3	69.1	2.0	29
F01	R25	RESIDENTIAL	UNKNOWN	8.8	99.9	84.8	1.3	15.1

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 28/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS03-NSL7

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F02	R1	RESIDENTIAL	KITCHEN	6.4	97.4	97.4	0.0	0
F02	R3	RESIDENTIAL	KITCHEN	6.4	97.4	97.4	0.0	0
F02	R5	RESIDENTIAL	KITCHEN	6.4	97.5	97.5	0.0	0
F02	R7	RESIDENTIAL	KITCHEN	6.4	97.4	97.4	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 80 84 85 BRYDON AVENUE 86-92 96 C
DATE: 28/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS03-NSL8

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID




F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
80 84 85 BRYDON AVENUE 86-92 96 COTTER STREET								
F03	R1	RESIDENTIAL	BEDROOM	10.5	99.9	99.9	0.0	0
F03	R3	RESIDENTIAL	BEDROOM	10.5	99.9	99.9	0.0	0
F03	R5	RESIDENTIAL	BEDROOM	10.5	99.9	99.9	0.0	0

NSL CONTOURS

PROJECT: 20569 - MAYFIELD PHASE 1B, MANCHES
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 94 COTTER STREET
DATE: 28/11/2024
SCHEME IR: IR66
DRAWING No.: 20569-REL07-IS03-NSL9

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F00



F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
94 COTTER STREET								
F00	R1	RESIDENTIAL	UNKNOWN	8.9	99.9	94.1	0.5	5.8
F01	R1	RESIDENTIAL	UNKNOWN	8.9	99.9	92.3	0.7	7.6
F01	R2	RESIDENTIAL	UNKNOWN	7.3	97.3	58.8	2.8	39.6