Project Name: 9b First Street - Bl vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
Plot 10b First Street								
First	R1	Residential	Bedroom	W1	24.06	1.32	22.74	0.05
	R2	Residential	Bedroom	W2	24.00	1.28	22.72	0.05
	R3	Residential	Bedroom	W3	23.91	1.21	22.70	0.05
	R4	Residential	Bedroom	W4	23.73	1.23	22.50	0.05
	R5	Residential	Bedroom	W5	23.51	1.17	22.34	0.05
	R6	Residential	LKD	W6	23.26	1.10	22.16	0.05
				W7	23.03	1.08	21.95	0.05
	R7	Residential	Bedroom	W8	22.85	1.17	21.68	0.05
	R8	Residential	Bedroom	W9	22.00	1.16	20.84	0.05
	R9	Residential	Bedroom	W10	21.71	1.12	20.59	0.05
	R10	Residential	LKD	W11	21.40	1.12	20.28	0.05
				W12	21.15	1.16	19.99	0.05
	R11	Residential	Bedroom	W13	20.85	1.20	19.65	0.06
	R12	Residential	Bedroom	W14	20.55	1.23	19.32	0.06
	R13	Residential	Bedroom	W15	20.16	1.27	18.89	0.06
	R14	Residential	Bedroom	W16	19.79	1.40	18.39	0.07
Second	R1	Residential	Bedroom	W1	26.07	9.77	16.30	0.37
	R2	Residential	Bedroom	W2	26.02	8.14	17.88	0.31
	R3	Residential	Bedroom	W3	26.07	6.69	19.38	0.26
	R4	Residential	Bedroom	W4	26.04	5.53	20.51	0.21
	R5	Residential	LKD	W5	25.85	4.59	21.26	0.18
				W6	25.68	3.84	21.84	0.15
	R6	Residential	Bedroom	W7	25.59	3.35	22.24	0.13
	R7	Residential	Bedroom	W8	24.94	2.05	22.89	0.08

Project Name: 9b First Street - Bl vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R8	Residential	Bedroom	W9	24.80	1.94	22.86	0.08
	R9	Residential	LKD	W10	24.69	1.70	22.99	0.07
				W11	24.76	1.62	23.14	0.07
	R10	Residential	Bedroom	W12	24.95	1.62	23.33	0.06
	R11	Residential	Bedroom	W13	25.11	1.55	23.56	0.06
	R12	Residential	Bedroom	W14	25.15	1.55	23.60	0.06
	R13	Residential	Bedroom	W15	25.07	1.51	23.56	0.06
	R14	Residential	Bedroom	W16	24.94	1.43	23.51	0.06
	R15	Residential	Bedroom	W17	24.76	1.47	23.29	0.06
	R16	Residential	Bedroom	W18	24.52	1.39	23.13	0.06
	R17	Residential	LKD	W19	24.25	1.32	22.93	0.05
				W20	24.00	1.30	22.70	0.05
	R18	Residential	Bedroom	W21	23.84	1.40	22.44	0.06
	R19	Residential	Bedroom	W22	22.94	1.39	21.55	0.06
	R20	Residential	Bedroom	W23	22.62	1.35	21.27	0.06
	R21	Residential	LKD	W24	22.28	1.35	20.93	0.06
				W25	22.01	1.39	20.62	0.06
	R22	Residential	Bedroom	W26	21.69	1.44	20.25	0.07
	R23	Residential	Bedroom	W27	21.36	1.47	19.89	0.07
	R24	Residential	Bedroom	W28	20.94	1.51	19.43	0.07
	R25	Residential	Bedroom	W29	20.52	1.65	18.87	0.08
Third	R1	Residential	Bedroom	W1	26.89	10.08	16.81	0.37
	R2	Residential	Bedroom	W2	26.82	8.43	18.39	0.31
	R3	Residential	Bedroom	W3	26.84	6.94	19.90	0.26

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R4	Residential	Bedroom	W4	26.80	5.74	21.06	0.21
	R5	Residential	LKD	W5	26.61	4.77	21.84	0.18
				W6	26.44	3.99	22.45	0.15
	R6	Residential	Bedroom	W7	26.32	3.44	22.88	0.13
	R7	Residential	Bedroom	W8	25.65	2.09	23.56	0.08
	R8	Residential	Bedroom	W9	25.51	1.97	23.54	0.08
	R9	Residential	LKD	W10	25.41	1.75	23.66	0.07
				W11	25.47	1.67	23.80	0.07
	R10	Residential	Bedroom	W12	25.65	1.66	23.99	0.06
	R11	Residential	Bedroom	W13	25.80	1.59	24.21	0.06
	R12	Residential	Bedroom	W14	25.82	1.58	24.24	0.06
	R13	Residential	Bedroom	W15	25.72	1.54	24.18	0.06
	R14	Residential	Bedroom	W16	25.59	1.48	24.11	0.06
	R15	Residential	Bedroom	W17	25.38	1.50	23.88	0.06
	R16	Residential	Bedroom	W18	25.14	1.44	23.70	0.06
	R17	Residential	LKD	W19	24.86	1.37	23.49	0.06
				W20	24.60	1.36	23.24	0.06
	R18	Residential	Bedroom	W21	24.41	1.43	22.98	0.06
	R19	Residential	Bedroom	W22	23.45	1.43	22.02	0.06
	R20	Residential	Bedroom	W23	23.12	1.40	21.72	0.06
	R21	Residential	LKD	W24	22.76	1.41	21.35	0.06
				W25	22.47	1.44	21.03	0.06
	R22	Residential	Bedroom	W26	22.12	1.47	20.65	0.07
	R23	Residential	Bedroom	W27	21.77	1.50	20.27	0.07

Project Name: 9b First Street - Bl vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R24	Residential	Bedroom	W28	21.33	1.54	19.79	0.07
	R25	Residential	Bedroom	W29	20.88	1.68	19.20	0.08
Fourth	R1	Residential	Bedroom	W1	27.99	10.69	17.30	0.38
	R2	Residential	Bedroom	W2	27.89	8.98	18.91	0.32
	R3	Residential	Bedroom	W3	27.89	7.44	20.45	0.27
	R4	Residential	Bedroom	W4	27.84	6.20	21.64	0.22
	R5	Residential	LKD	W5	27.63	5.20	22.43	0.19
				W6	27.46	4.39	23.07	0.16
	R6	Residential	Bedroom	W7	27.38	3.85	23.53	0.14
	R7	Residential	Bedroom	W8	26.69	2.44	24.25	0.09
	R8	Residential	Bedroom	W9	26.55	2.32	24.23	0.09
	R9	Residential	LKD	W10	26.41	2.07	24.34	0.08
				W11	26.46	1.99	24.47	0.08
	R10	Residential	Bedroom	W12	26.64	1.99	24.65	0.07
	R11	Residential	Bedroom	W13	26.79	1.92	24.87	0.07
	R12	Residential	Bedroom	W14	26.81	1.93	24.88	0.07
	R13	Residential	Bedroom	W15	26.69	1.89	24.80	0.07
	R14	Residential	Bedroom	W16	26.53	1.81	24.72	0.07
	R15	Residential	Bedroom	W17	26.32	1.85	24.47	0.07
	R16	Residential	Bedroom	W18	26.05	1.77	24.28	0.07
	R17	Residential	LKD	W19	25.74	1.70	24.04	0.07
				W20	25.47	1.68	23.79	0.07
	R18	Residential	Bedroom	W21	25.30	1.78	23.52	0.07
	R19	Residential	Bedroom	W22	24.25	1.78	22.47	0.07

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R20	Residential	Bedroom	W23	23.89	1.74	22.15	0.07
	R21	Residential	LKD	W24	23.49	1.74	21.75	0.07
				W25	23.19	1.76	21.43	0.08
	R22	Residential	Bedroom	W26	22.82	1.80	21.02	0.08
	R23	Residential	Bedroom	W27	22.44	1.82	20.62	0.08
	R24	Residential	Bedroom	W28	21.97	1.86	20.11	0.08
	R25	Residential	Bedroom	W29	21.52	2.02	19.50	0.09
Fifth	R1	Residential	Bedroom	W1	28.80	11.01	17.79	0.38
	R2	Residential	Bedroom	W2	28.70	9.29	19.41	0.32
	R3	Residential	Bedroom	W3	28.68	7.71	20.97	0.27
	R4	Residential	Bedroom	W4	28.61	6.44	22.17	0.23
	R5	Residential	LKD	W5	28.41	5.42	22.99	0.19
				W6	28.23	4.59	23.64	0.16
	R6	Residential	Bedroom	W7	28.13	4.01	24.12	0.14
	R7	Residential	Bedroom	W8	27.44	2.55	24.89	0.09
	R8	Residential	Bedroom	W9	27.29	2.42	24.87	0.09
	R9	Residential	LKD	W10	27.16	2.19	24.97	0.08
				W11	27.20	2.11	25.09	0.08
	R10	Residential	Bedroom	W12	27.34	2.11	25.23	0.08
	R11	Residential	Bedroom	W13	27.45	2.04	25.41	0.07
	R12	Residential	Bedroom	W14	27.44	2.04	25.40	0.07
	R13	Residential	Bedroom	W15	27.31	2.00	25.31	0.07
	R14	Residential	Bedroom	W16	27.13	1.93	25.20	0.07
	R15	Residential	Bedroom	W17	26.91	1.96	24.95	0.07

Project Name: 9b First Street - Bl vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R16	Residential	Bedroom	W18	26.64	1.89	24.75	0.07
	R17	Residential	LKD	W19	26.32	1.82	24.50	0.07
				W20	26.04	1.81	24.23	0.07
	R18	Residential	Bedroom	W21	25.84	1.89	23.95	0.07
	R19	Residential	Bedroom	W22	24.73	1.89	22.84	0.08
	R20	Residential	Bedroom	W23	24.36	1.86	22.50	0.08
	R21	Residential	LKD	W24	23.94	1.87	22.07	0.08
				W25	23.63	1.89	21.74	0.08
	R22	Residential	Bedroom	W26	23.24	1.92	21.32	0.08
	R23	Residential	Bedroom	W27	22.83	1.93	20.90	0.08
	R24	Residential	Bedroom	W28	22.34	1.98	20.36	0.09
	R25	Residential	Bedroom	W29	21.86	2.12	19.74	0.10
Sixth	R1	Residential	Bedroom	W1	29.90	11.64	18.26	0.39
	R2	Residential	Bedroom	W2	29.77	9.88	19.89	0.33
	R3	Residential	Bedroom	W3	29.74	8.26	21.48	0.28
	R4	Residential	Bedroom	W4	29.65	6.97	22.68	0.24
	R5	Residential	LKD	W5	29.43	5.91	23.52	0.20
				W6	29.25	5.07	24.18	0.17
	R6	Residential	Bedroom	W7	29.18	4.50	24.68	0.15
	R7	Residential	Bedroom	W8	28.48	3.00	25.48	0.11
	R8	Residential	Bedroom	W9	28.33	2.86	25.47	0.10
	R9	Residential	LKD	W10	28.14	2.60	25.54	0.09
				W11	28.16	2.52	25.64	0.09
	R10	Residential	Bedroom	W12	28.29	2.53	25.76	0.09
	R11	Residential	Bedroom	W13	28.36	2.46	25.90	0.09

Project Name: 9b First Street - Bl vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R12	Residential	Bedroom	W14	28.33	2.49	25.84	0.09
	R13	Residential	Bedroom	W15	28.16	2.45	25.71	0.09
	R14	Residential	Bedroom	W16	27.94	2.36	25.58	0.08
	R15	Residential	Bedroom	W17	27.71	2.40	25.31	0.09
	R16	Residential	Bedroom	W18	27.42	2.32	25.10	0.08
	R17	Residential	LKD	W19	27.08	2.24	24.84	0.08
				W20	26.80	2.23	24.57	0.08
	R18	Residential	Bedroom	W21	26.62	2.34	24.28	0.09
	R19	Residential	Bedroom	W22	25.45	2.34	23.11	0.09
	R20	Residential	Bedroom	W23	25.04	2.29	22.75	0.09
	R21	Residential	LKD	W24	24.59	2.30	22.29	0.09
				W25	24.26	2.31	21.95	0.10
	R22	Residential	Bedroom	W26	23.87	2.35	21.52	0.10
	R23	Residential	Bedroom	W27	23.45	2.35	21.10	0.10
	R24	Residential	Bedroom	W28	22.93	2.39	20.54	0.10
	R25	Residential	Bedroom	W29	22.45	2.55	19.90	0.11
Seventh	R1	Residential	Bedroom	W1	30.70	12.03	18.67	0.39
	R2	Residential	Bedroom	W2	30.57	10.25	20.32	0.34
	R3	Residential	Bedroom	W3	30.53	8.60	21.93	0.28
	R4	Residential	Bedroom	W4	30.43	7.30	23.13	0.24
	R5	Residential	LKD	W5	30.21	6.23	23.98	0.21
				W6	30.03	5.36	24.67	0.18
	R6	Residential	Bedroom	W7	29.96	4.76	25.20	0.16
	R7	Residential	Bedroom	W8	29.24	3.22	26.02	0.11

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R8	Residential	Bedroom	W9	29.08	3.09	25.99	0.11
	R9	Residential	LKD	W10	28.89	2.84	26.05	0.10
				W11	28.88	2.76	26.12	0.10
	R10	Residential	Bedroom	W12	28.96	2.77	26.19	0.10
	R11	Residential	Bedroom	W13	29.00	2.71	26.29	0.09
	R12	Residential	Bedroom	W14	28.92	2.72	26.20	0.09
	R13	Residential	Bedroom	W15	28.71	2.68	26.03	0.09
	R14	Residential	Bedroom	W16	28.47	2.61	25.86	0.09
	R15	Residential	Bedroom	W17	28.21	2.64	25.57	0.09
	R16	Residential	Bedroom	W18	27.93	2.57	25.36	0.09
	R17	Residential	LKD	W19	27.60	2.50	25.10	0.09
				W20	27.31	2.48	24.83	0.09
	R18	Residential	Bedroom	W21	27.11	2.57	24.54	0.09
	R19	Residential	Bedroom	W22	25.87	2.57	23.30	0.10
	R20	Residential	Bedroom	W23	25.45	2.54	22.91	0.10
	R21	Residential	LKD	W24	25.00	2.55	22.45	0.10
				W25	24.65	2.57	22.08	0.10
	R22	Residential	Bedroom	W26	24.23	2.58	21.65	0.11
	R23	Residential	Bedroom	W27	23.79	2.58	21.21	0.11
	R24	Residential	Bedroom	W28	23.26	2.61	20.65	0.11
	R25	Residential	Bedroom	W29	22.75	2.75	20.00	0.12
Eighth	R1	Residential	Bedroom	W1	31.78	12.73	19.05	0.40
	R2	Residential	Bedroom	W2	31.62	10.91	20.71	0.35
	R3	Residential	Bedroom	W3	31.57	9.24	22.33	0.29

Project Name: 9b First Street - Bl vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R4	Residential	Bedroom	W4	31.46	7.93	23.53	0.25
	R5	Residential	LKD	W5	31.24	6.84	24.40	0.22
				W6	31.06	5.96	25.10	0.19
	R6	Residential	Bedroom	W7	31.02	5.37	25.65	0.17
	R7	Residential	Bedroom	W8	30.29	3.82	26.47	0.13
	R8	Residential	Bedroom	W9	30.13	3.69	26.44	0.12
	R9	Residential	LKD	W10	29.88	3.41	26.47	0.11
				W11	29.84	3.33	26.51	0.11
	R10	Residential	Bedroom	W12	29.90	3.36	26.54	0.11
	R11	Residential	Bedroom	W13	29.90	3.30	26.60	0.11
	R12	Residential	Bedroom	W14	29.81	3.33	26.48	0.11
	R13	Residential	Bedroom	W15	29.55	3.30	26.25	0.11
	R14	Residential	Bedroom	W16	29.26	3.21	26.05	0.11
	R15	Residential	Bedroom	W17	29.01	3.26	25.75	0.11
	R16	Residential	Bedroom	W18	28.71	3.18	25.53	0.11
	R17	Residential	LKD	W19	28.35	3.09	25.26	0.11
				W20	28.06	3.07	24.99	0.11
	R18	Residential	Bedroom	W21	27.89	3.19	24.70	0.11
	R19	Residential	Bedroom	W22	26.57	3.18	23.39	0.12
	R20	Residential	Bedroom	W23	26.11	3.14	22.97	0.12
	R21	Residential	LKD	W24	25.63	3.14	22.49	0.12
				W25	25.28	3.15	22.13	0.12
	R22	Residential	Bedroom	W26	24.86	3.17	21.69	0.13
	R23	Residential	Bedroom	W27	24.39	3.15	21.24	0.13

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R24	Residential	Bedroom	W28	23.85	3.17	20.68	0.13
	R25	Residential	Bedroom	W29	23.33	3.32	20.01	0.14
Ninth	R1	Residential	Bedroom	W1	32.46	13.19	19.27	0.41
	R2	Residential	Bedroom	W2	32.30	11.38	20.92	0.35
	R3	Residential	Bedroom	W3	32.25	9.69	22.56	0.30
	R4	Residential	Bedroom	W4	32.13	8.39	23.74	0.26
	R5	Residential	LKD	W5	31.91	7.29	24.62	0.23
				W6	31.73	6.41	25.32	0.20
	R6	Residential	Bedroom	W7	31.69	5.80	25.89	0.18
	R7	Residential	Bedroom	W8	30.96	4.25	26.71	0.14
	R8	Residential	Bedroom	W9	30.79	4.12	26.67	0.13
	R9	Residential	LKD	W10	30.54	3.86	26.68	0.13
				W11	30.47	3.79	26.68	0.12
	R10	Residential	Bedroom	W12	30.49	3.81	26.68	0.12
	R11	Residential	Bedroom	W13	30.44	3.75	26.69	0.12
	R12	Residential	Bedroom	W14	30.32	3.78	26.54	0.12
	R13	Residential	Bedroom	W15	30.05	3.74	26.31	0.12
	R14	Residential	Bedroom	W16	29.76	3.67	26.09	0.12
	R15	Residential	Bedroom	W17	29.49	3.71	25.78	0.13
	R16	Residential	Bedroom	W18	29.20	3.63	25.57	0.12
	R17	Residential	LKD	W19	28.85	3.56	25.29	0.12
				W20	28.55	3.54	25.01	0.12
	R18	Residential	Bedroom	W21	28.34	3.64	24.70	0.13
	R19	Residential	Bedroom	W22	26.94	3.62	23.32	0.13

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R20	Residential	Bedroom	W23	26.47	3.59	22.88	0.14
	R21	Residential	LKD	W24	26.00	3.60	22.40	0.14
				W25	25.62	3.60	22.02	0.14
	R22	Residential	Bedroom	W26	25.18	3.60	21.58	0.14
	R23	Residential	Bedroom	W27	24.71	3.57	21.14	0.14
	R24	Residential	Bedroom	W28	24.15	3.58	20.57	0.15
	R25	Residential	Bedroom	W29	23.60	3.69	19.91	0.16
Tenth	R1	Residential	Bedroom	W1	33.31	13.99	19.32	0.42
	R2	Residential	Bedroom	W2	33.12	12.17	20.95	0.37
	R3	Residential	Bedroom	W3	33.05	10.49	22.56	0.32
	R4	Residential	Bedroom	W4	32.93	9.19	23.74	0.28
	R5	Residential	LKD	W5	32.69	8.09	24.60	0.25
				W6	32.52	7.20	25.32	0.22
	R6	Residential	Bedroom	W7	32.52	6.62	25.90	0.20
	R7	Residential	Bedroom	W8	31.80	5.10	26.70	0.16
	R8	Residential	Bedroom	W9	31.63	4.97	26.66	0.16
	R9	Residential	LKD	W10	31.34	4.69	26.65	0.15
				W11	31.25	4.63	26.62	0.15
	R10	Residential	Bedroom	W12	31.23	4.66	26.57	0.15
	R11	Residential	Bedroom	W13	31.15	4.61	26.54	0.15
	R12	Residential	Bedroom	W14	31.04	4.65	26.39	0.15
	R13	Residential	Bedroom	W15	30.76	4.62	26.14	0.15
	R14	Residential	Bedroom	W16	30.46	4.53	25.93	0.15
	R15	Residential	Bedroom	W17	30.20	4.59	25.61	0.15

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R16	Residential	Bedroom	W18	29.89	4.50	25.39	0.15
	R17	Residential	LKD	W19	29.53	4.41	25.12	0.15
				W20	29.22	4.40	24.82	0.15
	R18	Residential	Bedroom	W21	29.03	4.52	24.51	0.16
	R19	Residential	Bedroom	W22	27.55	4.49	23.06	0.16
	R20	Residential	Bedroom	W23	27.06	4.44	22.62	0.16
	R21	Residential	LKD	W24	26.57	4.44	22.13	0.17
				W25	26.19	4.42	21.77	0.17
	R22	Residential	Bedroom	W26	25.75	4.41	21.34	0.17
	R23	Residential	Bedroom	W27	25.26	4.36	20.90	0.17
	R24	Residential	Bedroom	W28	24.69	4.35	20.34	0.18
	R25	Residential	Bedroom	W29	24.14	4.45	19.69	0.18
Eleventh	R1	Residential	Bedroom	W1	33.64	14.47	19.17	0.43
	R2	Residential	Bedroom	W2	33.47	12.69	20.78	0.38
	R3	Residential	Bedroom	W3	33.39	11.03	22.36	0.33
	R4	Residential	Bedroom	W4	33.26	9.76	23.50	0.29
	R5	Residential	LKD	W5	33.06	8.68	24.38	0.26
				W6	32.89	7.82	25.07	0.24
	R6	Residential	Bedroom	W7	32.86	7.20	25.66	0.22
	R7	Residential	Bedroom	W8	32.17	5.73	26.44	0.18
	R8	Residential	Bedroom	W9	32.00	5.60	26.40	0.18
	R9	Residential	LKD	W10	31.73	5.37	26.36	0.17
				W11	31.62	5.31	26.31	0.17
	R10	Residential	Bedroom	W12	31.55	5.33	26.22	0.17
	R11	Residential	Bedroom	W13	31.43	5.29	26.14	0.17

Project Name: 9b First Street - Bl vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R12	Residential	Bedroom	W14	31.28	5.31	25.97	0.17
	R13	Residential	Bedroom	W15	31.00	5.28	25.72	0.17
	R14	Residential	Bedroom	W16	30.72	5.22	25.50	0.17
	R15	Residential	Bedroom	W17	30.44	5.25	25.19	0.17
	R16	Residential	Bedroom	W18	30.14	5.19	24.95	0.17
	R17	Residential	LKD	W19	29.80	5.12	24.68	0.17
				W20	29.49	5.11	24.38	0.17
	R18	Residential	Bedroom	W21	29.24	5.18	24.06	0.18
	R19	Residential	Bedroom	W22	27.72	5.12	22.60	0.18
	R20	Residential	Bedroom	W23	27.23	5.09	22.14	0.19
	R21	Residential	LKD	W24	26.77	5.10	21.67	0.19
				W25	26.37	5.07	21.30	0.19
	R22	Residential	Bedroom	W26	25.91	5.03	20.88	0.19
	R23	Residential	Bedroom	W27	25.41	4.95	20.46	0.19
	R24	Residential	Bedroom	W28	24.83	4.91	19.92	0.20
	R25	Residential	Bedroom	W29	24.24	4.96	19.28	0.20
Twelfth	R1	Residential	Bedroom	W1	34.47	15.73	18.74	0.46
	R2	Residential	Bedroom	W2	34.27	13.98	20.29	0.41
	R3	Residential	Bedroom	W3	34.19	12.36	21.83	0.36
	R4	Residential	Bedroom	W4	34.07	11.13	22.94	0.33
	R5	Residential	LKD	W5	33.86	10.06	23.80	0.30
				W6	33.72	9.24	24.48	0.27
	R6	Residential	Bedroom	W7	33.77	8.73	25.04	0.26
	R7	Residential	Bedroom	W8	33.12	7.35	25.77	0.22

Project Name: 9b First Street - Bl vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R8	Residential	Bedroom	W9	32.96	7.24	25.72	0.22
	R9	Residential	LKD	W10	32.62	6.96	25.66	0.21
				W11	32.49	6.90	25.59	0.21
	R10	Residential	Bedroom	W12	32.43	6.95	25.48	0.21
	R11	Residential	Bedroom	W13	32.28	6.91	25.37	0.21
	R12	Residential	Bedroom	W14	32.16	6.97	25.19	0.22
	R13	Residential	Bedroom	W15	31.88	6.94	24.94	0.22
	R14	Residential	Bedroom	W16	31.57	6.85	24.72	0.22
	R15	Residential	Bedroom	W17	31.32	6.91	24.41	0.22
	R16	Residential	Bedroom	W18	30.98	6.81	24.17	0.22
	R17	Residential	LKD	W19	30.62	6.72	23.90	0.22
				W20	30.31	6.70	23.61	0.22
	R18	Residential	Bedroom	W21	30.12	6.83	23.29	0.23
	R19	Residential	Bedroom	W22	28.55	6.74	21.81	0.24
	R20	Residential	Bedroom	W23	28.03	6.66	21.37	0.24
	R21	Residential	LKD	W24	27.53	6.62	20.91	0.24
				W25	27.14	6.59	20.55	0.24
	R22	Residential	Bedroom	W26	26.70	6.57	20.13	0.25
	R23	Residential	Bedroom	W27	26.20	6.46	19.74	0.25
	R24	Residential	Bedroom	W28	25.61	6.38	19.23	0.25
	R25	Residential	Bedroom	W29	25.05	6.42	18.63	0.26
Thirteenth	R1	Residential	Bedroom	W1	34.86	16.88	17.98	0.48
	R2	Residential	Bedroom	W2	34.67	15.21	19.46	0.44
	R3	Residential	Bedroom	W3	34.60	13.67	20.93	0.40

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R4	Residential	Bedroom	W4	34.50	12.51	21.99	0.36
	R5	Residential	LKD	W5	34.30	11.48	22.82	0.33
				W6	34.18	10.71	23.47	0.31
	R6	Residential	Bedroom	W7	34.26	10.25	24.01	0.30
	R7	Residential	Bedroom	W8	33.65	8.96	24.69	0.27
	R8	Residential	Bedroom	W9	33.48	8.85	24.63	0.26
	R9	Residential	LKD	W10	33.12	8.57	24.55	0.26
				W11	32.97	8.50	24.47	0.26
	R10	Residential	Bedroom	W12	32.88	8.54	24.34	0.26
	R11	Residential	Bedroom	W13	32.71	8.49	24.22	0.26
	R12	Residential	Bedroom	W14	32.59	8.55	24.04	0.26
	R13	Residential	Bedroom	W15	32.32	8.51	23.81	0.26
	R14	Residential	Bedroom	W16	32.00	8.41	23.59	0.26
	R15	Residential	Bedroom	W17	31.77	8.47	23.30	0.27
	R16	Residential	Bedroom	W18	31.42	8.38	23.04	0.27
	R17	Residential	LKD	W19	31.07	8.29	22.78	0.27
				W20	30.76	8.28	22.48	0.27
	R18	Residential	Bedroom	W21	30.58	8.42	22.16	0.28
	R19	Residential	Bedroom	W22	29.00	8.31	20.69	0.29
	R20	Residential	Bedroom	W23	28.48	8.22	20.26	0.29
	R21	Residential	LKD	W24	27.98	8.16	19.82	0.29
				W25	27.58	8.11	19.47	0.29
	R22	Residential	Bedroom	W26	27.15	8.09	19.06	0.30
	R23	Residential	Bedroom	W27	26.65	7.97	18.68	0.30

Project Name: 9b First Street - Bl vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R24	Residential	Bedroom	W28	26.06	7.84	18.22	0.30
	R25	Residential	Bedroom	W29	25.50	7.84	17.66	0.31
First Street South Block A								
First	R1	Residential	Unknown	W1	34.46	33.93	0.53	0.98
	R2	Residential	Unknown	W2	21.67	15.32	6.35	0.71
	R3	Residential	Unknown	W3	21.70	11.94	9.76	0.55
	R4	Residential	Unknown	W4	23.09	12.47	10.62	0.54
	R5	Residential	Unknown	W5	23.85	12.38	11.47	0.52
	R6	Residential	Unknown	W6	20.70	8.45	12.25	0.41
	R7	Residential	Unknown	W7	24.44	11.31	13.13	0.46
	R8	Residential	Unknown	W8	25.41	11.40	14.01	0.45
	R9	Residential	Unknown	W9	26.08	9.77	16.31	0.37
Second	R1	Residential	Unknown	W1	35.52	34.95	0.57	0.98
	R2	Residential	Unknown	W2	23.03	16.73	6.30	0.73
	R3	Residential	Unknown	W3	23.07	13.41	9.66	0.58
	R4	Residential	Unknown	W4	24.47	13.93	10.54	0.57
	R5	Residential	Unknown	W5	25.26	13.80	11.46	0.55
	R6	Residential	Unknown	W6	22.09	9.80	12.29	0.44
	R7	Residential	Unknown	W7	25.99	12.74	13.25	0.49
	R8	Residential	Unknown	W8	27.02	12.80	14.22	0.47
	R9	Residential	Unknown	W9	27.73	11.14	16.59	0.40
	R10	Residential	Unknown	W10	29.46	8.27	21.19	0.28
	R11	Residential	Unknown	W11	17.58	5.35	12.23	0.30

Project Name: 9b First Street - Bl vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R12	Residential	Unknown	W12	17.11	5.46	11.65	0.32
	R13	Residential	Unknown	W13	17.08	5.88	11.20	0.34
	R14	Residential	Unknown	W14	17.41	6.40	11.01	0.37
	R15	Residential	Unknown	W15	17.89	6.94	10.95	0.39
Third	R1	Residential	Unknown	W1	36.00	35.44	0.56	0.98
	R2	Residential	Unknown	W2	23.96	17.77	6.19	0.74
	R3	Residential	Unknown	W3	24.06	14.56	9.50	0.61
	R4	Residential	Unknown	W4	25.47	15.05	10.42	0.59
	R5	Residential	Unknown	W5	26.30	14.91	11.39	0.57
	R6	Residential	Unknown	W6	23.13	10.89	12.24	0.47
	R7	Residential	Unknown	W7	27.10	13.85	13.25	0.51
	R8	Residential	Unknown	W8	28.16	13.88	14.28	0.49
	R9	Residential	Unknown	W9	28.88	12.19	16.69	0.42
	R10	Residential	Unknown	W10	30.56	9.09	21.47	0.30
	R11	Residential	Unknown	W11	17.87	5.62	12.25	0.31
	R12	Residential	Unknown	W12	17.39	5.72	11.67	0.33
	R13	Residential	Unknown	W13	17.33	6.12	11.21	0.35
	R14	Residential	Unknown	W14	17.63	6.63	11.00	0.38
	R15	Residential	Unknown	W15	18.09	7.16	10.93	0.40
Fourth	R1	Residential	Unknown	W1	36.43	35.87	0.56	0.98
	R2	Residential	Unknown	W2	25.04	19.03	6.01	0.76
	R3	Residential	Unknown	W3	25.20	15.93	9.27	0.63

Project Name: 9b First Street - Bl vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R4	Residential	Unknown	W4	26.59	16.41	10.18	0.62
	R5	Residential	Unknown	W5	27.44	16.24	11.20	0.59
	R6	Residential	Unknown	W6	24.23	12.15	12.08	0.50
	R7	Residential	Unknown	W7	28.26	15.13	13.13	0.54
	R8	Residential	Unknown	W8	29.33	15.10	14.23	0.51
	R9	Residential	Unknown	W9	30.04	13.39	16.65	0.45
	R10	Residential	Unknown	W10	31.63	10.03	21.60	0.32
	R11	Residential	Unknown	W11	18.12	5.91	12.21	0.33
	R12	Residential	Unknown	W12	17.62	5.99	11.63	0.34
	R13	Residential	Unknown	W13	17.53	6.37	11.16	0.36
	R14	Residential	Unknown	W14	17.81	6.87	10.94	0.39
	R15	Residential	Unknown	W15	18.26	7.38	10.88	0.40
Fifth	R1	Residential	Unknown	W1	36.82	36.28	0.54	0.99
	R2	Residential	Unknown	W2	26.37	20.58	5.79	0.78
	R3	Residential	Unknown	W3	26.54	17.61	8.93	0.66
	R4	Residential	Unknown	W4	27.90	18.03	9.87	0.65
	R5	Residential	Unknown	W5	28.74	17.82	10.92	0.62
	R6	Residential	Unknown	W6	25.45	13.63	11.82	0.54
	R7	Residential	Unknown	W7	29.53	16.61	12.92	0.56
	R8	Residential	Unknown	W8	30.58	16.52	14.06	0.54
	R9	Residential	Unknown	W9	31.28	14.77	16.51	0.47
	R10	Residential	Unknown	W10	32.71	11.06	21.65	0.34
	R11	Residential	Unknown	W11	18.35	6.21	12.14	0.34

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R12	Residential	Unknown	W12	17.85	6.28	11.57	0.35
	R13	Residential	Unknown	W13	17.73	6.64	11.09	0.37
	R14	Residential	Unknown	W14	17.99	7.11	10.88	0.40
	R15	Residential	Unknown	W15	18.42	7.62	10.80	0.41
Sixth	R1	Residential	Unknown	W1	37.16	36.64	0.52	0.99
	R2	Residential	Unknown	W2	27.97	22.46	5.51	0.80
	R3	Residential	Unknown	W3	28.16	19.61	8.55	0.70
	R4	Residential	Unknown	W4	29.44	19.97	9.47	0.68
	R5	Residential	Unknown	W5	30.22	19.68	10.54	0.65
	R6	Residential	Unknown	W6	26.80	15.34	11.46	0.57
	R7	Residential	Unknown	W7	30.89	18.29	12.60	0.59
	R8	Residential	Unknown	W8	31.91	18.11	13.80	0.57
	R9	Residential	Unknown	W9	32.57	16.34	16.23	0.50
	R10	Residential	Unknown	W10	33.79	12.22	21.57	0.36
	R11	Residential	Unknown	W11	18.58	6.53	12.05	0.35
	R12	Residential	Unknown	W12	18.07	6.58	11.49	0.36
	R13	Residential	Unknown	W13	17.93	6.92	11.01	0.39
	R14	Residential	Unknown	W14	18.17	7.38	10.79	0.41
	R15	Residential	Unknown	W15	18.58	7.88	10.70	0.42
Seventh	R1	Residential	Unknown	W1	37.44	36.93	0.51	0.99
	R2	Residential	Unknown	W2	29.87	24.67	5.20	0.83
	R3	Residential	Unknown	W3	30.08	22.00	8.08	0.73

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R4	Residential	Unknown	W4	31.22	22.25	8.97	0.71
	R5	Residential	Unknown	W5	31.89	21.84	10.05	0.68
	R6	Residential	Unknown	W6	28.25	17.27	10.98	0.61
	R7	Residential	Unknown	W7	32.33	20.18	12.15	0.62
	R8	Residential	Unknown	W8	33.29	19.90	13.39	0.60
	R9	Residential	Unknown	W9	33.88	18.07	15.81	0.53
	R10	Residential	Unknown	W10	34.84	13.56	21.28	0.39
	R11	Residential	Unknown	W11	18.81	6.87	11.94	0.37
	R12	Residential	Unknown	W12	18.29	6.91	11.38	0.38
	R13	Residential	Unknown	W13	18.12	7.23	10.89	0.40
	R14	Residential	Unknown	W14	18.34	7.67	10.67	0.42
	R15	Residential	Unknown	W15	18.73	8.16	10.57	0.44
Eighth	R1	Residential	Unknown	W1	37.68	37.19	0.49	0.99
	R2	Residential	Unknown	W2	32.04	27.11	4.93	0.85
	R3	Residential	Unknown	W3	32.37	24.84	7.53	0.77
	R4	Residential	Unknown	W4	33.18	24.70	8.48	0.74
	R5	Residential	Unknown	W5	33.67	24.12	9.55	0.72
	R6	Residential	Unknown	W6	29.74	19.23	10.51	0.65
	R7	Residential	Unknown	W7	33.78	22.09	11.69	0.65
	R8	Residential	Unknown	W8	34.65	21.69	12.96	0.63
	R9	Residential	Unknown	W9	35.14	19.82	15.32	0.56
	R10	Residential	Unknown	W10	35.78	15.09	20.69	0.42
	R11	Residential	Unknown	W11	19.03	7.23	11.80	0.38

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R12	Residential	Unknown	W12	18.50	7.26	11.24	0.39
	R13	Residential	Unknown	W13	18.30	7.56	10.74	0.41
	R14	Residential	Unknown	W14	18.49	7.98	10.51	0.43
	R15	Residential	Unknown	W15	18.87	8.46	10.41	0.45
Ninth	R1	Residential	Unknown	W1	34.82	27.86	6.96	0.80
	R2	Residential	Unknown	W2	35.14	27.18	7.96	0.77
	R3	Residential	Unknown	W3	35.41	26.43	8.98	0.75
	R4	Residential	Unknown	W4	31.18	21.28	9.90	0.68
	R5	Residential	Unknown	W5	35.17	24.10	11.07	0.69
	R6	Residential	Unknown	W6	35.90	23.58	12.32	0.66
	R7	Residential	Unknown	W7	36.26	21.71	14.55	0.60
	R8	Residential	Unknown	W8	36.60	16.87	19.73	0.46
	R9	Residential	Unknown	W9	19.23	7.59	11.64	0.39
	R10	Residential	Unknown	W10	18.70	7.61	11.09	0.41
	R11	Residential	Unknown	W11	18.47	7.90	10.57	0.43
	R12	Residential	Unknown	W12	18.65	8.31	10.34	0.45
	R13	Residential	Unknown	W13	19.01	8.78	10.23	0.46
Tenth	R1	Residential	Unknown	W1	36.76	30.39	6.37	0.83
	R2	Residential	Unknown	W2	36.91	29.63	7.28	0.80
	R3	Residential	Unknown	W3	37.02	28.78	8.24	0.78
	R4	Residential	Unknown	W4	32.53	23.44	9.09	0.72
	R5	Residential	Unknown	W5	36.47	26.26	10.21	0.72

Project Name: 9b First Street - Bl vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R6	Residential	Unknown	W6	37.06	25.63	11.43	0.69
	R7	Residential	Unknown	W7	37.29	23.82	13.47	0.64
	R8	Residential	Unknown	W8	37.32	18.97	18.35	0.51
	R9	Residential	Unknown	W9	19.42	8.00	11.42	0.41
	R10	Residential	Unknown	W10	18.88	8.00	10.88	0.42
	R11	Residential	Unknown	W11	18.63	8.28	10.35	0.44
	R12	Residential	Unknown	W12	18.78	8.67	10.11	0.46
	R13	Residential	Unknown	W13	19.13	9.13	10.00	0.48
Eleventh	R1	Residential	Unknown	W1	38.11	32.47	5.64	0.85
	R2	Residential	Unknown	W2	38.12	31.74	6.38	0.83
	R3	Residential	Unknown	W3	38.11	30.89	7.22	0.81
	R4	Residential	Unknown	W4	33.48	25.51	7.97	0.76
	R5	Residential	Unknown	W5	37.39	28.40	8.99	0.76
	R6	Residential	Unknown	W6	37.85	27.74	10.11	0.73
	R7	Residential	Unknown	W7	37.96	26.05	11.91	0.69
	R8	Residential	Unknown	W8	37.76	21.36	16.40	0.57
	R9	Residential	Unknown	W9	19.55	8.42	11.13	0.43
	R10	Residential	Unknown	W10	19.01	8.41	10.60	0.44
	R11	Residential	Unknown	W11	18.74	8.66	10.08	0.46
	R12	Residential	Unknown	W12	18.87	9.04	9.83	0.48
	R13	Residential	Unknown	W13	19.21	9.49	9.72	0.49
Twelfth	R1	Residential	Unknown	W1	38.23	33.55	4.68	0.88
	R2	Residential	Unknown	W2	38.23	32.98	5.25	0.86

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R3	Residential	Unknown	W3	38.22	32.31	5.91	0.85
	R4	Residential	Unknown	W4	34.07	27.52	6.55	0.81
	R5	Residential	Unknown	W5	37.79	30.37	7.42	0.80
	R6	Residential	Unknown	W6	38.08	29.68	8.40	0.78
	R7	Residential	Unknown	W7	38.12	28.24	9.88	0.74
	R8	Residential	Unknown	W8	37.89	24.03	13.86	0.63
	R9	Residential	Unknown	W9	19.65	8.87	10.78	0.45
	R10	Residential	Unknown	W10	19.10	8.85	10.25	0.46
	R11	Residential	Unknown	W11	18.82	9.08	9.74	0.48
	R12	Residential	Unknown	W12	18.94	9.45	9.49	0.50
	R13	Residential	Unknown	W13	19.26	9.88	9.38	0.51
Thirteenth	R1	Residential	Unknown	W1	38.26	33.13	5.13	0.87
	R2	Residential	Unknown	W2	38.25	32.47	5.78	0.85
	R3	Residential	Unknown	W3	38.26	31.72	6.54	0.83
	R4	Residential	Unknown	W4	38.23	30.57	7.66	0.80
	R5	Residential	Unknown	W5	37.98	26.93	11.05	0.71
	R6	Residential	Unknown	W6	19.75	9.37	10.38	0.47
	R7	Residential	Unknown	W7	19.20	9.32	9.88	0.49
	R8	Residential	Unknown	W8	18.90	9.53	9.37	0.50
	R9	Residential	Unknown	W9	19.00	9.88	9.12	0.52
	R10	Residential	Unknown	W10	19.32	10.30	9.02	0.53
Fourteenth	R1	Residential	Unknown	W1	38.33	34.47	3.86	0.90

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R2	Residential	Unknown	W2	38.32	34.12	4.20	0.89
	R3	Residential	Unknown	W3	38.32	33.62	4.70	0.88
	R4	Residential	Unknown	W4	38.30	32.88	5.42	0.86
	R5	Residential	Unknown	W5	38.08	29.83	8.25	0.78
	R6	Residential	Unknown	W6	19.86	9.89	9.97	0.50
	R7	Residential	Unknown	W7	19.30	9.82	9.48	0.51
	R8	Residential	Unknown	W8	18.98	10.00	8.98	0.53
	R9	Residential	Unknown	W9	19.07	10.34	8.73	0.54
	R10	Residential	Unknown	W10	19.37	10.75	8.62	0.55
Fifteenth	R1	Residential	Unknown	W1	38.40	35.51	2.89	0.92
	R2	Residential	Unknown	W2	38.38	35.29	3.09	0.92
	R3	Residential	Unknown	W3	38.39	35.02	3.37	0.91
	R4	Residential	Unknown	W4	38.36	34.65	3.71	0.90
	R5	Residential	Unknown	W5	38.19	32.24	5.95	0.84
	R6	Residential	Unknown	W6	19.96	10.42	9.54	0.52
	R7	Residential	Unknown	W7	19.41	10.33	9.08	0.53
	R8	Residential	Unknown	W8	19.06	10.49	8.57	0.55
	R9	Residential	Unknown	W9	19.13	10.82	8.31	0.57
	R10	Residential	Unknown	W10	19.42	11.23	8.19	0.58
Sixteenth	R1	Residential	Unknown	W1	38.46	35.99	2.47	0.94
	R2	Residential	Unknown	W2	38.44	35.79	2.65	0.93
	R3	Residential	Unknown	W3	38.45	35.56	2.89	0.92
	R4	Residential	Unknown	W4	38.43	35.30	3.13	0.92

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R5	Residential	Unknown	W5	38.31	33.23	5.08	0.87
	R6	Residential	Unknown	W6	20.07	10.98	9.09	0.55
	R7	Residential	Unknown	W7	19.51	10.88	8.63	0.56
	R8	Residential	Unknown	W8	19.15	11.03	8.12	0.58
	R9	Residential	Unknown	W9	19.20	11.35	7.85	0.59
	R10	Residential	Unknown	W10	19.48	11.75	7.73	0.60
Seventeenth	R1	Residential	Unknown	W1	38.42	33.63	4.79	0.88
	R2	Residential	Unknown	W2	20.18	11.57	8.61	0.57
	R3	Residential	Unknown	W3	19.62	11.46	8.16	0.58
	R4	Residential	Unknown	W4	19.23	11.60	7.63	0.60
	R5	Residential	Unknown	W5	19.27	11.91	7.36	0.62
	R6	Residential	Unknown	W6	19.53	12.32	7.21	0.63
Eighteenth	R1	Residential	Unknown	W1	38.48	33.99	4.49	0.88
	R2	Residential	Unknown	W2	20.30	12.20	8.10	0.60
	R3	Residential	Unknown	W3	19.73	12.09	7.64	0.61
	R4	Residential	Unknown	W4	19.32	12.21	7.11	0.63
	R5	Residential	Unknown	W5	19.34	12.52	6.82	0.65
	R6	Residential	Unknown	W6	19.59	12.92	6.67	0.66
Nineteenth	R1	Residential	Unknown	W1	38.54	34.36	4.18	0.89
	R2	Residential	Unknown	W2	20.42	12.89	7.53	0.63
	R3	Residential	Unknown	W3	19.85	12.77	7.08	0.64
	R4	Residential	Unknown	W4	19.41	12.87	6.54	0.66

Project Name: 9b First Street - Bl vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R5	Residential	Unknown	W5	19.41	13.17	6.24	0.68
	R6	Residential	Unknown	W6	19.65	13.57	6.08	0.69
Twentieth	R1	Residential	Unknown	W1	38.60	34.75	3.85	0.90
	R2	Residential	Unknown	W2	20.54	13.64	6.90	0.66
	R3	Residential	Unknown	W3	19.96	13.50	6.46	0.68
	R4	Residential	Unknown	W4	19.51	13.58	5.93	0.70
	R5	Residential	Unknown	W5	19.49	13.86	5.63	0.71
	R6	Residential	Unknown	W6	19.71	14.25	5.46	0.72
First Street South Block D								
First	R1	Residential	Unknown	W1	10.44	8.85	1.59	0.85
				W2	19.73	7.37	12.36	0.37
	R2	Residential	Unknown	W3	23.33	8.73	14.60	0.37
	R3	Residential	Unknown	W4	24.91	8.77	16.14	0.35
	R4	Residential	Unknown	W5	26.05	8.52	17.53	0.33
	R5	Residential	Unknown	W6	26.71	8.18	18.53	0.31
	R6	Residential	Unknown	W7	27.32	7.54	19.78	0.28
	R7	Residential	Unknown	W8	27.60	6.95	20.65	0.25
	R8	Residential	Unknown	W9	27.80	5.73	22.07	0.21
				W10	31.73	17.09	14.64	0.54
	R9	Residential	Unknown	W11	32.57	19.99	12.58	0.61
	R10	Residential	Unknown	W12	33.02	21.61	11.41	0.65
	R11	Residential	Unknown	W13	33.63	23.66	9.97	0.70
	R12	Residential	Unknown	W14	33.98	24.97	9.01	0.73
	R13	Residential	Unknown	W15	34.62	27.18	7.44	0.79
				W16	37.18	31.76	5.42	0.85

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
Second	R1	Residential	Unknown	W1	11.00	9.41	1.59	0.86
				W2	20.40	7.94	12.46	0.39
	R2	Residential	Unknown	W3	24.20	9.41	14.79	0.39
	R3	Residential	Unknown	W4	25.82	9.44	16.38	0.37
	R4	Residential	Unknown	W5	26.99	9.15	17.84	0.34
	R5	Residential	Unknown	W6	27.68	8.77	18.91	0.32
	R6	Residential	Unknown	W7	28.33	8.07	20.26	0.28
	R7	Residential	Unknown	W8	28.64	7.43	21.21	0.26
	R8	Residential	Unknown	W9	28.89	6.10	22.79	0.21
				W10	32.36	17.45	14.91	0.54
	R9	Residential	Unknown	W11	33.11	20.41	12.70	0.62
	R10	Residential	Unknown	W12	33.52	22.06	11.46	0.66
	R11	Residential	Unknown	W13	34.06	24.12	9.94	0.71
	R12	Residential	Unknown	W14	34.37	25.43	8.94	0.74
	R13	Residential	Unknown	W15	34.94	27.62	7.32	0.79
				W16	37.53	32.00	5.53	0.85
Third	R1	Residential	Unknown	W1	11.60	10.02	1.58	0.86
				W2	21.08	8.58	12.50	0.41
	R2	Residential	Unknown	W3	25.09	10.16	14.93	0.40
	R3	Residential	Unknown	W4	26.74	10.18	16.56	0.38
	R4	Residential	Unknown	W5	27.95	9.85	18.10	0.35
	R5	Residential	Unknown	W6	28.67	9.41	19.26	0.33
	R6	Residential	Unknown	W7	29.35	8.65	20.70	0.29
	R7	Residential	Unknown	W8	29.69	7.95	21.74	0.27

Project Name: 9b First Street - Bl vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R8	Residential	Unknown	W9	29.98	6.50	23.48	0.22
				W10	32.91	17.80	15.11	0.54
	R9	Residential	Unknown	W11	33.59	20.83	12.76	0.62
	R10	Residential	Unknown	W12	33.94	22.51	11.43	0.66
	R11	Residential	Unknown	W13	34.42	24.57	9.85	0.71
	R12	Residential	Unknown	W14	34.69	25.88	8.81	0.75
	R13	Residential	Unknown	W15	35.20	28.03	7.17	0.80
				W16	37.77	32.20	5.57	0.85
Fourth	R1	Residential	Unknown	W1	12.25	10.69	1.56	0.87
				W2	21.76	9.29	12.47	0.43
	R2	Residential	Unknown	W3	25.98	10.98	15.00	0.42
	R3	Residential	Unknown	W4	27.66	10.99	16.67	0.40
	R4	Residential	Unknown	W5	28.90	10.62	18.28	0.37
	R5	Residential	Unknown	W6	29.63	10.13	19.50	0.34
	R6	Residential	Unknown	W7	30.35	9.30	21.05	0.31
	R7	Residential	Unknown	W8	30.71	8.52	22.19	0.28
	R8	Residential	Unknown	W9	31.06	6.93	24.13	0.22
				W10	33.41	18.16	15.25	0.54
	R9	Residential	Unknown	W11	34.00	21.27	12.73	0.63
	R10	Residential	Unknown	W12	34.31	22.98	11.33	0.67
	R11	Residential	Unknown	W13	34.73	25.04	9.69	0.72
	R12	Residential	Unknown	W14	34.97	26.35	8.62	0.75
	R13	Residential	Unknown	W15	35.43	28.46	6.97	0.80
				W16	37.98	32.38	5.60	0.85
Fifth	R1	Residential	Unknown	W1	12.94	11.42	1.52	0.88
				W2	22.44	10.06	12.38	0.45

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R2	Residential	Unknown	W3	26.86	11.87	14.99	0.44
	R3	Residential	Unknown	W4	28.57	11.87	16.70	0.42
	R4	Residential	Unknown	W5	29.84	11.46	18.38	0.38
	R5	Residential	Unknown	W6	30.60	10.92	19.68	0.36
	R6	Residential	Unknown	W7	31.34	10.00	21.34	0.32
	R7	Residential	Unknown	W8	31.73	9.15	22.58	0.29
	R8	Residential	Unknown	W9	32.12	7.39	24.73	0.23
				W10	33.91	18.48	15.43	0.54
	R9	Residential	Unknown	W11	34.41	21.69	12.72	0.63
	R10	Residential	Unknown	W12	34.67	23.44	11.23	0.68
	R11	Residential	Unknown	W13	35.04	25.52	9.52	0.73
	R12	Residential	Unknown	W14	35.25	26.83	8.42	0.76
	R13	Residential	Unknown	W15	35.65	28.91	6.74	0.81
				W16	38.13	32.51	5.62	0.85
Sixth	R1	Residential	Unknown	W1	13.68	12.21	1.47	0.89
				W2	23.13	10.91	12.22	0.47
	R2	Residential	Unknown	W3	27.71	12.82	14.89	0.46
	R3	Residential	Unknown	W4	29.45	12.82	16.63	0.44
	R4	Residential	Unknown	W5	30.74	12.39	18.35	0.40
	R5	Residential	Unknown	W6	31.53	11.79	19.74	0.37
	R6	Residential	Unknown	W7	32.30	10.78	21.52	0.33
	R7	Residential	Unknown	W8	32.72	9.84	22.88	0.30
	R8	Residential	Unknown	W9	33.17	7.88	25.29	0.24
				W10	34.41	18.76	15.65	0.55

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R9	Residential	Unknown	W11	34.81	22.05	12.76	0.63
	R10	Residential	Unknown	W12	35.02	23.86	11.16	0.68
	R11	Residential	Unknown	W13	35.33	25.98	9.35	0.74
	R12	Residential	Unknown	W14	35.51	27.31	8.20	0.77
	R13	Residential	Unknown	W15	35.86	29.36	6.50	0.82
				W16	38.27	32.63	5.64	0.85
Seventh	R1	Residential	Unknown	W1	14.48	13.06	1.42	0.90
				W2	23.81	11.84	11.97	0.50
	R2	Residential	Unknown	W3	28.54	13.86	14.68	0.49
	R3	Residential	Unknown	W4	30.31	13.86	16.45	0.46
	R4	Residential	Unknown	W5	31.63	13.39	18.24	0.42
	R5	Residential	Unknown	W6	32.45	12.73	19.72	0.39
	R6	Residential	Unknown	W7	33.25	11.62	21.63	0.35
	R7	Residential	Unknown	W8	33.70	10.59	23.11	0.31
	R8	Residential	Unknown	W9	34.19	8.41	25.78	0.25
				W10	34.88	19.03	15.85	0.55
	R9	Residential	Unknown	W11	35.19	22.36	12.83	0.64
	R10	Residential	Unknown	W12	35.36	24.23	11.13	0.69
	R11	Residential	Unknown	W13	35.61	26.39	9.22	0.74
	R12	Residential	Unknown	W14	35.76	27.75	8.01	0.78
	R13	Residential	Unknown	W15	36.06	29.78	6.28	0.83
				W16	38.40	32.77	5.63	0.85
Eighth	R1	Residential	Unknown	W1	15.34	13.99	1.35	0.91
				W2	24.48	12.86	11.62	0.53
	R2	Residential	Unknown	W3	29.35	14.97	14.38	0.51

Project Name: 9b First Street - Bl vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R3	Residential	Unknown	W4	31.14	14.99	16.15	0.48
	R4	Residential	Unknown	W5	32.49	14.48	18.01	0.45
	R5	Residential	Unknown	W6	33.33	13.75	19.58	0.41
	R6	Residential	Unknown	W7	34.16	12.54	21.62	0.37
	R7	Residential	Unknown	W8	34.64	11.41	23.23	0.33
	R8	Residential	Unknown	W9	35.17	8.98	26.19	0.26
				W10	35.35	19.29	16.06	0.55
	R9	Residential	Unknown	W11	35.57	22.66	12.91	0.64
	R10	Residential	Unknown	W12	35.69	24.60	11.09	0.69
	R11	Residential	Unknown	W13	35.89	26.79	9.10	0.75
	R12	Residential	Unknown	W14	36.01	28.15	7.86	0.78
	R13	Residential	Unknown	W15	36.26	30.13	6.13	0.83
				W16	38.53	32.93	5.60	0.85
Ninth	R1	Residential	Unknown	W1	16.26	14.99	1.27	0.92
				W2	25.11	13.97	11.14	0.56
	R2	Residential	Unknown	W3	30.09	16.18	13.91	0.54
	R3	Residential	Unknown	W4	31.91	16.20	15.71	0.51
	R4	Residential	Unknown	W5	33.28	15.66	17.62	0.47
	R5	Residential	Unknown	W6	34.13	14.84	19.29	0.43
	R6	Residential	Unknown	W7	34.98	13.52	21.46	0.39
	R7	Residential	Unknown	W8	35.49	12.28	23.21	0.35
	R8	Residential	Unknown	W9	36.05	9.59	26.46	0.27
				W10	35.78	19.55	16.23	0.55
	R9	Residential	Unknown	W11	35.92	22.97	12.95	0.64
	R10	Residential	Unknown	W12	36.00	24.94	11.06	0.69

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R11	Residential	Unknown	W13	36.15	27.13	9.02	0.75
	R12	Residential	Unknown	W14	36.24	28.49	7.75	0.79
	R13	Residential	Unknown	W15	36.45	30.45	6.00	0.84
				W16	38.66	33.10	5.56	0.86
Tenth	R1	Residential	Unknown	W1	17.25	16.07	1.18	0.93
				W2	25.74	15.18	10.56	0.59
	R2	Residential	Unknown	W3	30.81	17.48	13.33	0.57
	R3	Residential	Unknown	W4	32.65	17.51	15.14	0.54
	R4	Residential	Unknown	W5	34.02	16.91	17.11	0.50
	R5	Residential	Unknown	W6	34.89	16.02	18.87	0.46
	R6	Residential	Unknown	W7	35.76	14.57	21.19	0.41
	R7	Residential	Unknown	W8	36.29	13.20	23.09	0.36
	R8	Residential	Unknown	W9	36.88	10.23	26.65	0.28
				W10	36.19	19.83	16.36	0.55
	R9	Residential	Unknown	W11	36.25	23.28	12.97	0.64
	R10	Residential	Unknown	W12	36.30	25.28	11.02	0.70
	R11	Residential	Unknown	W13	36.40	27.47	8.93	0.75
	R12	Residential	Unknown	W14	36.47	28.83	7.64	0.79
	R13	Residential	Unknown	W15	36.64	30.78	5.86	0.84
				W16	38.79	33.28	5.51	0.86
Eleventh	R1	Residential	Unknown	W1	18.32	17.23	1.09	0.94
				W2	26.32	16.47	9.85	0.63
	R2	Residential	Unknown	W3	31.44	18.86	12.58	0.60
	R3	Residential	Unknown	W4	33.27	18.88	14.39	0.57
	R4	Residential	Unknown	W5	34.63	18.22	16.41	0.53

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R5	Residential	Unknown	W6	35.49	17.25	18.24	0.49
	R6	Residential	Unknown	W7	36.35	15.67	20.68	0.43
	R7	Residential	Unknown	W8	36.88	14.16	22.72	0.38
	R8	Residential	Unknown	W9	37.45	10.90	26.55	0.29
				W10	36.48	20.11	16.37	0.55
	R9	Residential	Unknown	W11	36.50	23.60	12.90	0.65
	R10	Residential	Unknown	W12	36.53	25.63	10.90	0.70
	R11	Residential	Unknown	W13	36.60	27.82	8.78	0.76
	R12	Residential	Unknown	W14	36.66	29.19	7.47	0.80
	R13	Residential	Unknown	W15	36.80	31.11	5.69	0.85
				W16	38.91	33.49	5.42	0.86
Twelfth	R1	Residential	Unknown	W1	19.45	18.46	0.99	0.95
				W2	26.72	17.74	8.98	0.66
	R2	Residential	Unknown	W3	31.83	20.24	11.59	0.64
	R3	Residential	Unknown	W4	33.63	20.27	13.36	0.60
	R4	Residential	Unknown	W5	34.95	19.56	15.39	0.56
	R5	Residential	Unknown	W6	35.79	18.50	17.29	0.52
	R6	Residential	Unknown	W7	36.61	16.78	19.83	0.46
	R7	Residential	Unknown	W8	37.11	15.11	22.00	0.41
	R8	Residential	Unknown	W9	37.65	11.55	26.10	0.31
				W10	36.60	20.41	16.19	0.56
	R9	Residential	Unknown	W11	36.63	23.93	12.70	0.65
	R10	Residential	Unknown	W12	36.65	25.97	10.68	0.71
	R11	Residential	Unknown	W13	36.73	28.16	8.57	0.77

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R12	Residential	Unknown	W14	36.78	29.53	7.25	0.80
	R13	Residential	Unknown	W15	36.92	31.44	5.48	0.85
				W16	39.03	33.71	5.32	0.86
Thirteenth	R1	Residential	Unknown	W1	20.68	19.78	0.90	0.96
				W2	27.17	19.07	8.10	0.70
	R2	Residential	Unknown	W3	32.23	21.59	10.64	0.67
	R3	Residential	Unknown	W4	33.99	21.58	12.41	0.63
	R4	Residential	Unknown	W5	35.26	20.80	14.46	0.59
	R5	Residential	Unknown	W6	36.06	19.66	16.40	0.55
	R6	Residential	Unknown	W7	36.83	17.78	19.05	0.48
	R7	Residential	Unknown	W8	37.32	15.97	21.35	0.43
	R8	Residential	Unknown	W9	37.80	12.22	25.58	0.32
				W10	36.73	20.73	16.00	0.56
	R9	Residential	Unknown	W11	36.76	24.26	12.50	0.66
	R10	Residential	Unknown	W12	36.78	26.32	10.46	0.72
	R11	Residential	Unknown	W13	36.85	28.51	8.34	0.77
	R12	Residential	Unknown	W14	36.91	29.88	7.03	0.81
	R13	Residential	Unknown	W15	37.04	31.77	5.27	0.86
				W16	39.14	33.96	5.18	0.87
Fourteenth	R1	Residential	Unknown	W1	22.03	21.24	0.79	0.96
				W2	27.75	20.53	7.22	0.74
	R2	Residential	Unknown	W3	32.71	22.98	9.73	0.70
	R3	Residential	Unknown	W4	34.40	22.89	11.51	0.67
	R4	Residential	Unknown	W5	35.61	21.98	13.63	0.62
	R5	Residential	Unknown	W6	36.37	20.75	15.62	0.57

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R6	Residential	Unknown	W7	37.07	18.74	18.33	0.51
	R7	Residential	Unknown	W8	37.52	16.82	20.70	0.45
	R8	Residential	Unknown	W9	37.96	12.88	25.08	0.34
				W10	36.86	21.04	15.82	0.57
	R9	Residential	Unknown	W11	36.89	24.59	12.30	0.67
	R10	Residential	Unknown	W12	36.91	26.67	10.24	0.72
	R11	Residential	Unknown	W13	36.98	28.85	8.13	0.78
	R12	Residential	Unknown	W14	37.03	30.22	6.81	0.82
	R13	Residential	Unknown	W15	37.16	32.07	5.09	0.86
				W16	39.23	34.24	4.99	0.87
Fifteenth	R1	Residential	Unknown	W1	23.58	22.89	0.69	0.97
				W2	28.51	22.11	6.40	0.78
	R2	Residential	Unknown	W3	33.30	24.45	8.85	0.73
	R3	Residential	Unknown	W4	34.89	24.22	10.67	0.69
	R4	Residential	Unknown	W5	36.00	23.15	12.85	0.64
	R5	Residential	Unknown	W6	36.70	21.79	14.91	0.59
	R6	Residential	Unknown	W7	37.33	19.64	17.69	0.53
	R7	Residential	Unknown	W8	37.73	17.62	20.11	0.47
	R8	Residential	Unknown	W9	38.11	13.51	24.60	0.35
				W10	36.99	21.38	15.61	0.58
	R9	Residential	Unknown	W11	37.02	24.93	12.09	0.67
	R10	Residential	Unknown	W12	37.04	27.02	10.02	0.73
	R11	Residential	Unknown	W13	37.10	29.19	7.91	0.79
	R12	Residential	Unknown	W14	37.16	30.55	6.61	0.82
	R13	Residential	Unknown	W15	37.28	32.37	4.91	0.87

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
				W16	39.31	34.54	4.77	0.88
Sixteenth	R1	Residential	Unknown	W1	25.35	24.73	0.62	0.98
				W2	29.51	23.67	5.84	0.80
	R2	Residential	Unknown	W3	34.02	25.78	8.24	0.76
	R3	Residential	Unknown	W4	35.47	25.42	10.05	0.72
	R4	Residential	Unknown	W5	36.45	24.21	12.24	0.66
	R5	Residential	Unknown	W6	37.07	22.77	14.30	0.61
	R6	Residential	Unknown	W7	37.60	20.50	17.10	0.55
	R7	Residential	Unknown	W8	37.95	18.38	19.57	0.48
	R8	Residential	Unknown	W9	38.26	14.11	24.15	0.37
				W10	37.11	21.75	15.36	0.59
	R9	Residential	Unknown	W11	37.14	25.31	11.83	0.68
	R10	Residential	Unknown	W12	37.16	27.39	9.77	0.74
	R11	Residential	Unknown	W13	37.23	29.55	7.68	0.79
	R12	Residential	Unknown	W14	37.28	30.90	6.38	0.83
	R13	Residential	Unknown	W15	37.39	32.69	4.70	0.87
				W16	39.37	34.88	4.49	0.89
Seventeenth	R1	Residential	Unknown	W1	27.44	26.87	0.57	0.98
				W2	30.84	25.30	5.54	0.82
	R2	Residential	Unknown	W3	34.88	26.98	7.90	0.77
	R3	Residential	Unknown	W4	36.13	26.45	9.68	0.73
	R4	Residential	Unknown	W5	36.95	25.12	11.83	0.68
	R5	Residential	Unknown	W6	37.46	23.58	13.88	0.63
	R6	Residential	Unknown	W7	37.89	21.22	16.67	0.56
	R7	Residential	Unknown	W8	38.18	19.03	19.15	0.50

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R8	Residential	Unknown	W9	38.41	14.65	23.76	0.38
				W10	37.24	22.16	15.08	0.60
	R9	Residential	Unknown	W11	37.27	25.72	11.55	0.69
	R10	Residential	Unknown	W12	37.29	27.80	9.49	0.75
	R11	Residential	Unknown	W13	37.35	29.93	7.42	0.80
	R12	Residential	Unknown	W14	37.40	31.26	6.14	0.84
	R13	Residential	Unknown	W15	37.51	33.01	4.50	0.88
				W16	39.44	35.25	4.19	0.89
Eighteenth	R1	Residential	Unknown	W1	29.74	29.21	0.53	0.98
				W2	32.52	27.25	5.27	0.84
	R2	Residential	Unknown	W3	35.87	28.29	7.58	0.79
	R3	Residential	Unknown	W4	36.87	27.54	9.33	0.75
	R4	Residential	Unknown	W5	37.49	26.04	11.45	0.69
	R5	Residential	Unknown	W6	37.88	24.43	13.45	0.64
	R6	Residential	Unknown	W7	38.19	21.98	16.21	0.58
	R7	Residential	Unknown	W8	38.41	19.74	18.67	0.51
	R8	Residential	Unknown	W9	38.56	15.28	23.28	0.40
				W10	37.36	22.63	14.73	0.61
	R9	Residential	Unknown	W11	37.39	26.18	11.21	0.70
	R10	Residential	Unknown	W12	37.41	28.24	9.17	0.75
	R11	Residential	Unknown	W13	37.47	30.33	7.14	0.81
	R12	Residential	Unknown	W14	37.52	31.64	5.88	0.84
	R13	Residential	Unknown	W15	37.62	33.33	4.29	0.89
				W16	39.48	35.64	3.84	0.90
Nineteenth	R1	Residential	Unknown	W1	32.36	31.88	0.48	0.99

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
				W2	34.56	29.58	4.98	0.86
	R2	Residential	Unknown	W3	36.95	29.74	7.21	0.80
	R3	Residential	Unknown	W4	37.64	28.73	8.91	0.76
	R4	Residential	Unknown	W5	38.04	27.06	10.98	0.71
	R5	Residential	Unknown	W6	38.30	25.35	12.95	0.66
	R6	Residential	Unknown	W7	38.48	22.83	15.65	0.59
	R7	Residential	Unknown	W8	38.63	20.55	18.08	0.53
	R8	Residential	Unknown	W9	38.70	16.01	22.69	0.41
				W10	37.48	23.16	14.32	0.62
	R9	Residential	Unknown	W11	37.51	26.69	10.82	0.71
	R10	Residential	Unknown	W12	37.53	28.72	8.81	0.77
	R11	Residential	Unknown	W13	37.59	30.75	6.84	0.82
	R12	Residential	Unknown	W14	37.63	32.03	5.60	0.85
	R13	Residential	Unknown	W15	37.73	33.66	4.07	0.89
				W16	39.51	36.06	3.45	0.91
Twentieth	R1	Residential	Unknown	W1	35.23	34.80	0.43	0.99
				W2	36.78	32.13	4.65	0.87
	R2	Residential	Unknown	W3	38.04	31.25	6.79	0.82
	R3	Residential	Unknown	W4	38.41	29.98	8.43	0.78
	R4	Residential	Unknown	W5	38.57	28.15	10.42	0.73
	R5	Residential	Unknown	W6	38.71	26.35	12.36	0.68
	R6	Residential	Unknown	W7	38.76	23.78	14.98	0.61
	R7	Residential	Unknown	W8	38.83	21.46	17.37	0.55
	R8	Residential	Unknown	W9	38.84	16.89	21.95	0.43
				W10	37.60	23.77	13.83	0.63

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R9	Residential	Unknown	W11	37.63	27.25	10.38	0.72
	R10	Residential	Unknown	W12	37.65	29.24	8.41	0.78
	R11	Residential	Unknown	W13	37.70	31.19	6.51	0.83
	R12	Residential	Unknown	W14	37.75	32.43	5.32	0.86
	R13	Residential	Unknown	W15	37.84	33.98	3.86	0.90
				W16	39.54	36.52	3.02	0.92
Twenty-First	R1	Residential	Unknown	W1	37.93	37.52	0.41	0.99
				W2	38.83	34.55	4.28	0.89
	R2	Residential	Unknown	W3	38.98	32.67	6.31	0.84
	R3	Residential	Unknown	W4	39.04	31.16	7.88	0.80
	R4	Residential	Unknown	W5	39.02	29.24	9.78	0.75
	R5	Residential	Unknown	W6	39.04	27.40	11.64	0.70
	R6	Residential	Unknown	W7	39.00	24.82	14.18	0.64
	R7	Residential	Unknown	W8	39.01	22.49	16.52	0.58
	R8	Residential	Unknown	W9	38.96	17.93	21.03	0.46
				W10	37.72	24.47	13.25	0.65
	R9	Residential	Unknown	W11	37.75	27.89	9.86	0.74
	R10	Residential	Unknown	W12	37.77	29.81	7.96	0.79
	R11	Residential	Unknown	W13	37.82	31.68	6.14	0.84
	R12	Residential	Unknown	W14	37.86	32.85	5.01	0.87
	R13	Residential	Unknown	W15	37.95	34.32	3.63	0.90
				W16	39.57	37.00	2.57	0.94
Twenty-Second	R1	Residential	Unknown	W1	38.68	38.31	0.37	0.99
				W2	39.26	35.38	3.88	0.90
	R2	Residential	Unknown	W3	39.22	33.45	5.77	0.85

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R3	Residential	Unknown	W4	39.19	31.96	7.23	0.82
	R4	Residential	Unknown	W5	39.15	30.12	9.03	0.77
	R5	Residential	Unknown	W6	39.16	28.35	10.81	0.72
	R6	Residential	Unknown	W7	39.10	25.88	13.22	0.66
	R7	Residential	Unknown	W8	39.09	23.62	15.47	0.60
	R8	Residential	Unknown	W9	39.03	19.15	19.88	0.49
				W10	37.83	25.30	12.53	0.67
	R9	Residential	Unknown	W11	37.86	28.61	9.25	0.76
	R10	Residential	Unknown	W12	37.88	30.44	7.44	0.80
	R11	Residential	Unknown	W13	37.93	32.19	5.74	0.85
	R12	Residential	Unknown	W14	37.98	33.29	4.69	0.88
	R13	Residential	Unknown	W15	38.06	34.66	3.40	0.91
				W16	39.59	37.48	2.11	0.95
Twenty-Third	R1	Residential	Unknown	W1	38.94	38.63	0.31	0.99
				W2	39.31	35.86	3.45	0.91
	R2	Residential	Unknown	W3	39.26	34.09	5.17	0.87
	R3	Residential	Unknown	W4	39.24	32.73	6.51	0.83
	R4	Residential	Unknown	W5	39.19	31.03	8.16	0.79
	R5	Residential	Unknown	W6	39.20	29.38	9.82	0.75
	R6	Residential	Unknown	W7	39.14	27.07	12.07	0.69
	R7	Residential	Unknown	W8	39.13	24.93	14.20	0.64
	R8	Residential	Unknown	W9	39.07	20.62	18.45	0.53
				W10	37.95	26.29	11.66	0.69
	R9	Residential	Unknown	W11	37.98	29.42	8.56	0.77

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R10	Residential	Unknown	W12	38.00	31.14	6.86	0.82
	R11	Residential	Unknown	W13	38.05	32.75	5.30	0.86
	R12	Residential	Unknown	W14	38.09	33.76	4.33	0.89
	R13	Residential	Unknown	W15	38.17	35.00	3.17	0.92
				W16	39.60	37.97	1.63	0.96
Twenty-Fourth	R1	Residential	Unknown	W1	39.19	38.94	0.25	0.99
				W2	39.35	36.37	2.98	0.92
	R2	Residential	Unknown	W3	39.30	34.81	4.49	0.89
	R3	Residential	Unknown	W4	39.28	33.58	5.70	0.85
	R4	Residential	Unknown	W5	39.24	32.06	7.18	0.82
	R5	Residential	Unknown	W6	39.24	30.57	8.67	0.78
	R6	Residential	Unknown	W7	39.18	28.46	10.72	0.73
	R7	Residential	Unknown	W8	39.17	26.49	12.68	0.68
	R8	Residential	Unknown	W9	39.11	22.44	16.67	0.57
				W10	38.06	27.44	10.62	0.72
	R9	Residential	Unknown	W11	38.09	30.34	7.75	0.80
	R10	Residential	Unknown	W12	38.11	31.90	6.21	0.84
	R11	Residential	Unknown	W13	38.16	33.35	4.81	0.87
	R12	Residential	Unknown	W14	38.20	34.25	3.95	0.90
	R13	Residential	Unknown	W15	38.27	35.36	2.91	0.92
				W16	39.61	38.45	1.16	0.97
Twenty-Fifth	R1	Residential	Unknown	W1	39.42	39.24	0.18	1.00
				W2	39.40	36.90	2.50	0.94
	R2	Residential	Unknown	W3	39.34	35.57	3.77	0.90
	R3	Residential	Unknown	W4	39.32	34.52	4.80	0.88

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R4	Residential	Unknown	W5	39.28	33.20	6.08	0.85
	R5	Residential	Unknown	W6	39.28	31.90	7.38	0.81
	R6	Residential	Unknown	W7	39.22	30.06	9.16	0.77
	R7	Residential	Unknown	W8	39.21	28.31	10.90	0.72
	R8	Residential	Unknown	W9	39.15	24.64	14.51	0.63
				W10	38.18	28.79	9.39	0.75
	R9	Residential	Unknown	W11	38.21	31.36	6.85	0.82
	R10	Residential	Unknown	W12	38.23	32.73	5.50	0.86
	R11	Residential	Unknown	W13	38.27	33.98	4.29	0.89
	R12	Residential	Unknown	W14	38.31	34.76	3.55	0.91
	R13	Residential	Unknown	W15	38.38	35.72	2.66	0.93
				W16	39.61	38.92	0.69	0.98
Twenty-Sixth	R1	Residential	Unknown	W1	39.51	39.38	0.13	1.00
				W2	39.43	37.43	2.00	0.95
	R2	Residential	Unknown	W3	39.37	36.35	3.02	0.92
	R3	Residential	Unknown	W4	39.35	35.50	3.85	0.90
	R4	Residential	Unknown	W5	39.31	34.42	4.89	0.88
	R5	Residential	Unknown	W6	39.31	33.36	5.95	0.85
	R6	Residential	Unknown	W7	39.26	31.83	7.43	0.81
	R7	Residential	Unknown	W8	39.24	30.36	8.88	0.77
	R8	Residential	Unknown	W9	39.19	27.22	11.97	0.69
				W10	38.28	30.34	7.94	0.79
	R9	Residential	Unknown	W11	38.31	32.47	5.84	0.85
	R10	Residential	Unknown	W12	38.33	33.61	4.72	0.88
	R11	Residential	Unknown	W13	38.37	34.64	3.73	0.90

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R12	Residential	Unknown	W14	38.41	35.29	3.12	0.92
	R13	Residential	Unknown	W15	38.48	36.08	2.40	0.94
				W16	39.62	39.34	0.28	0.99
Twenty-Seventh	R1	Residential	Unknown	W1	39.53	39.44	0.09	1.00
				W2	39.45	37.95	1.50	0.96
	R2	Residential	Unknown	W3	39.40	37.15	2.25	0.94
	R3	Residential	Unknown	W4	39.38	36.51	2.87	0.93
	R4	Residential	Unknown	W5	39.33	35.69	3.64	0.91
	R5	Residential	Unknown	W6	39.34	34.88	4.46	0.89
	R6	Residential	Unknown	W7	39.28	33.71	5.57	0.86
	R7	Residential	Unknown	W8	39.27	32.59	6.68	0.83
	R8	Residential	Unknown	W9	39.21	30.15	9.06	0.77
				W10	38.39	32.05	6.34	0.83
	R9	Residential	Unknown	W11	38.42	33.65	4.77	0.88
	R10	Residential	Unknown	W12	38.44	34.52	3.92	0.90
	R11	Residential	Unknown	W13	38.48	35.31	3.17	0.92
	R12	Residential	Unknown	W14	38.52	35.82	2.70	0.93
	R13	Residential	Unknown	W15	38.58	36.45	2.13	0.94
				W16	39.62	39.60	0.02	1.00
Twenty-Eighth	R1	Residential	Unknown	W1	39.55	39.47	0.08	1.00
				W2	39.47	38.44	1.03	0.97
	R2	Residential	Unknown	W3	39.42	37.91	1.51	0.96
	R3	Residential	Unknown	W4	39.40	37.49	1.91	0.95
	R4	Residential	Unknown	W5	39.36	36.94	2.42	0.94
	R5	Residential	Unknown	W6	39.36	36.42	2.94	0.93

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R6	Residential	Unknown	W7	39.31	35.63	3.68	0.91
	R7	Residential	Unknown	W8	39.30	34.88	4.42	0.89
	R8	Residential	Unknown	W9	39.24	33.25	5.99	0.85
				W10	38.50	33.84	4.66	0.88
	R9	Residential	Unknown	W11	38.53	34.84	3.69	0.90
	R10	Residential	Unknown	W12	38.55	35.43	3.12	0.92
	R11	Residential	Unknown	W13	38.58	35.98	2.60	0.93
	R12	Residential	Unknown	W14	38.62	36.34	2.28	0.94
	R13	Residential	Unknown	W15	38.68	36.81	1.87	0.95
				W16	39.62	39.60	0.02	1.00
Twenty-Ninth	R1	Residential	Unknown	W1	39.57	39.50	0.07	1.00
				W2	39.49	38.90	0.59	0.99
	R2	Residential	Unknown	W3	39.44	38.62	0.82	0.98
	R3	Residential	Unknown	W4	39.42	38.40	1.02	0.97
	R4	Residential	Unknown	W5	39.38	38.11	1.27	0.97
	R5	Residential	Unknown	W6	39.38	37.85	1.53	0.96
	R6	Residential	Unknown	W7	39.33	37.44	1.89	0.95
	R7	Residential	Unknown	W8	39.32	37.06	2.26	0.94
	R8	Residential	Unknown	W9	39.26	36.25	3.01	0.92
				W10	38.57	35.51	3.06	0.92
	R9	Residential	Unknown	W11	38.60	35.99	2.61	0.93
	R10	Residential	Unknown	W12	38.62	36.30	2.32	0.94
	R11	Residential	Unknown	W13	38.66	36.62	2.04	0.95
	R12	Residential	Unknown	W14	38.69	36.84	1.85	0.95

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R13	Residential	Unknown	W15	38.74	37.15	1.59	0.96
				W16	39.62	39.60	0.02	1.00
Thirtieth	R1	Residential	Unknown	W1	39.59	39.53	0.06	1.00
				W2	39.51	39.26	0.25	0.99
	R2	Residential	Unknown	W3	39.46	39.18	0.28	0.99
	R3	Residential	Unknown	W4	39.44	39.14	0.30	0.99
	R4	Residential	Unknown	W5	39.40	39.06	0.34	0.99
	R5	Residential	Unknown	W6	39.40	39.04	0.36	0.99
	R6	Residential	Unknown	W7	39.35	38.95	0.40	0.99
	R7	Residential	Unknown	W8	39.34	38.89	0.45	0.99
	R8	Residential	Unknown	W9	39.29	38.75	0.54	0.99
				W10	38.62	36.86	1.76	0.95
	R9	Residential	Unknown	W11	38.65	36.98	1.67	0.96
	R10	Residential	Unknown	W12	38.67	37.07	1.60	0.96
	R11	Residential	Unknown	W13	38.70	37.18	1.52	0.96
	R12	Residential	Unknown	W14	38.73	37.28	1.45	0.96
	R13	Residential	Unknown	W15	38.78	37.46	1.32	0.97
				W16	39.62	39.61	0.01	1.00
Thirty-First	R1	Residential	Unknown	W1	39.59	39.54	0.05	1.00
				W2	39.52	39.35	0.17	1.00
	R2	Residential	Unknown	W3	39.47	39.29	0.18	1.00
	R3	Residential	Unknown	W4	39.45	39.27	0.18	1.00
	R4	Residential	Unknown	W5	39.41	39.22	0.19	1.00
	R5	Residential	Unknown	W6	39.41	39.23	0.18	1.00
	R6	Residential	Unknown	W7	39.37	39.17	0.20	0.99

Project Name: 9b First Street - Bl vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R7	Residential	Unknown	W8	39.36	39.16	0.20	0.99
	R8	Residential	Unknown	W9	39.30	39.09	0.21	0.99
				W10	38.66	37.19	1.47	0.96
	R9	Residential	Unknown	W11	38.69	37.27	1.42	0.96
	R10	Residential	Unknown	W12	38.71	37.33	1.38	0.96
	R11	Residential	Unknown	W13	38.74	37.41	1.33	0.97
	R12	Residential	Unknown	W14	38.77	37.49	1.28	0.97
	R13	Residential	Unknown	W15	38.82	37.63	1.19	0.97
				W16	39.62	39.61	0.01	1.00
Thirty-Second	R1	Residential	Unknown	W1	39.60	39.56	0.04	1.00
				W2	39.53	39.40	0.13	1.00
	R2	Residential	Unknown	W3	39.48	39.34	0.14	1.00
	R3	Residential	Unknown	W4	39.46	39.32	0.14	1.00
	R4	Residential	Unknown	W5	39.43	39.28	0.15	1.00
	R5	Residential	Unknown	W6	39.43	39.28	0.15	1.00
	R6	Residential	Unknown	W7	39.38	39.23	0.15	1.00
	R7	Residential	Unknown	W8	39.37	39.21	0.16	1.00
	R8	Residential	Unknown	W9	39.32	39.15	0.17	1.00
				W10	38.71	37.39	1.32	0.97
	R9	Residential	Unknown	W11	38.73	37.46	1.27	0.97
	R10	Residential	Unknown	W12	38.75	37.51	1.24	0.97
	R11	Residential	Unknown	W13	38.78	37.59	1.19	0.97
	R12	Residential	Unknown	W14	38.81	37.66	1.15	0.97
	R13	Residential	Unknown	W15	38.85	37.79	1.06	0.97
				W16	39.62	39.61	0.01	1.00

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
Thirty-Third	R1	Residential	Unknown	W1	39.61	39.58	0.03	1.00
				W2	39.54	39.44	0.10	1.00
	R2	Residential	Unknown	W3	39.49	39.39	0.10	1.00
	R3	Residential	Unknown	W4	39.48	39.37	0.11	1.00
	R4	Residential	Unknown	W5	39.44	39.33	0.11	1.00
	R5	Residential	Unknown	W6	39.44	39.33	0.11	1.00
	R6	Residential	Unknown	W7	39.40	39.28	0.12	1.00
	R7	Residential	Unknown	W8	39.39	39.27	0.12	1.00
	R8	Residential	Unknown	W9	39.34	39.20	0.14	1.00
				W10	38.75	37.58	1.17	0.97
	R9	Residential	Unknown	W11	38.78	37.64	1.14	0.97
	R10	Residential	Unknown	W12	38.79	37.69	1.10	0.97
	R11	Residential	Unknown	W13	38.82	37.76	1.06	0.97
	R12	Residential	Unknown	W14	38.85	37.82	1.03	0.97
	R13	Residential	Unknown	W15	38.89	37.94	0.95	0.98
				W16	39.62	39.61	0.01	1.00
Thirty-Fourth	R1	Residential	Unknown	W1	39.61	39.59	0.02	1.00
				W2	39.55	39.48	0.07	1.00
	R2	Residential	Unknown	W3	39.50	39.44	0.06	1.00
	R3	Residential	Unknown	W4	39.49	39.42	0.07	1.00
	R4	Residential	Unknown	W5	39.45	39.38	0.07	1.00
	R5	Residential	Unknown	W6	39.45	39.38	0.07	1.00
	R6	Residential	Unknown	W7	39.41	39.33	0.08	1.00
	R7	Residential	Unknown	W8	39.40	39.32	0.08	1.00
	R8	Residential	Unknown	W9	39.36	39.26	0.10	1.00

Project Name: 9b First Street - Bl vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
				W10	38.80	37.76	1.04	0.97
	R9	Residential	Unknown	W11	38.82	37.82	1.00	0.97
	R10	Residential	Unknown	W12	38.83	37.87	0.96	0.98
	R11	Residential	Unknown	W13	38.86	37.93	0.93	0.98
	R12	Residential	Unknown	W14	38.89	37.98	0.91	0.98
	R13	Residential	Unknown	W15	38.93	38.09	0.84	0.98
				W16	39.62	39.61	0.01	1.00
Thirty-Fifth	R1	Residential	Unknown	W1	39.61	39.61	0.00	1.00
				W2	39.55	39.52	0.03	1.00
	R2	Residential	Unknown	W3	39.51	39.48	0.03	1.00
	R3	Residential	Unknown	W4	39.50	39.46	0.04	1.00
	R4	Residential	Unknown	W5	39.46	39.42	0.04	1.00
	R5	Residential	Unknown	W6	39.47	39.43	0.04	1.00
	R6	Residential	Unknown	W7	39.43	39.38	0.05	1.00
	R7	Residential	Unknown	W8	39.42	39.37	0.05	1.00
	R8	Residential	Unknown	W9	39.37	39.31	0.06	1.00
				W10	38.84	37.94	0.90	0.98
	R9	Residential	Unknown	W11	38.86	37.99	0.87	0.98
	R10	Residential	Unknown	W12	38.87	38.03	0.84	0.98
	R11	Residential	Unknown	W13	38.90	38.09	0.81	0.98
	R12	Residential	Unknown	W14	38.92	38.14	0.78	0.98
	R13	Residential	Unknown	W15	38.96	38.23	0.73	0.98
				W16	39.62	39.62	0.00	1.00
Thirty-Sixth	R1	Residential	Unknown	W1	39.62	39.62	0.00	1.00
				W2	39.56	39.55	0.01	1.00

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R2	Residential	Unknown	W3	39.52	39.51	0.01	1.00
	R3	Residential	Unknown	W4	39.51	39.50	0.01	1.00
	R4	Residential	Unknown	W5	39.48	39.46	0.02	1.00
	R5	Residential	Unknown	W6	39.48	39.46	0.02	1.00
	R6	Residential	Unknown	W7	39.44	39.42	0.02	1.00
	R7	Residential	Unknown	W8	39.43	39.41	0.02	1.00
	R8	Residential	Unknown	W9	39.39	39.35	0.04	1.00
				W10	38.88	38.12	0.76	0.98
	R9	Residential	Unknown	W11	38.90	38.16	0.74	0.98
	R10	Residential	Unknown	W12	38.91	38.20	0.71	0.98
	R11	Residential	Unknown	W13	38.94	38.25	0.69	0.98
	R12	Residential	Unknown	W14	38.96	38.29	0.67	0.98
	R13	Residential	Unknown	W15	39.00	38.37	0.63	0.98
				W16	39.62	39.62	0.00	1.00
Thirty-Seventh	R1	Residential	Unknown	W1	39.62	39.62	0.00	1.00
				W2	39.57	39.57	0.00	1.00
	R2	Residential	Unknown	W3	39.53	39.53	0.00	1.00
	R3	Residential	Unknown	W4	39.52	39.52	0.00	1.00
	R4	Residential	Unknown	W5	39.49	39.48	0.01	1.00
	R5	Residential	Unknown	W6	39.49	39.48	0.01	1.00
	R6	Residential	Unknown	W7	39.45	39.44	0.01	1.00
	R7	Residential	Unknown	W8	39.45	39.43	0.02	1.00
	R8	Residential	Unknown	W9	39.41	39.38	0.03	1.00
				W10	38.93	38.29	0.64	0.98
	R9	Residential	Unknown	W11	38.95	38.33	0.62	0.98

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R10	Residential	Unknown	W12	38.96	38.36	0.60	0.98
	R11	Residential	Unknown	W13	38.98	38.40	0.58	0.99
	R12	Residential	Unknown	W14	39.00	38.44	0.56	0.99
	R13	Residential	Unknown	W15	39.03	38.51	0.52	0.99
				W16	39.62	39.62	0.00	1.00
Thirty-Eighth	R1	Residential	Unknown	W1	39.62	39.62	0.00	1.00
				W2	39.57	39.57	0.00	1.00
	R2	Residential	Unknown	W3	39.54	39.54	0.00	1.00
	R3	Residential	Unknown	W4	39.53	39.52	0.01	1.00
	R4	Residential	Unknown	W5	39.50	39.49	0.01	1.00
	R5	Residential	Unknown	W6	39.50	39.49	0.01	1.00
	R6	Residential	Unknown	W7	39.47	39.45	0.02	1.00
	R7	Residential	Unknown	W8	39.46	39.45	0.01	1.00
	R8	Residential	Unknown	W9	39.42	39.40	0.02	1.00
				W10	38.97	38.39	0.58	0.99
	R9	Residential	Unknown	W11	38.98	38.43	0.55	0.99
	R10	Residential	Unknown	W12	38.99	38.46	0.53	0.99
	R11	Residential	Unknown	W13	39.01	38.50	0.51	0.99
	R12	Residential	Unknown	W14	39.03	38.53	0.50	0.99
	R13	Residential	Unknown	W15	39.07	38.59	0.48	0.99
				W16	39.62	39.62	0.00	1.00
Thirty-Ninth	R1	Residential	Unknown	W1	39.62	39.62	0.00	1.00
				W2	39.58	39.58	0.00	1.00
	R2	Residential	Unknown	W3	39.54	39.54	0.00	1.00
	R3	Residential	Unknown	W4	39.53	39.53	0.00	1.00

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R4	Residential	Unknown	W5	39.51	39.50	0.01	1.00
	R5	Residential	Unknown	W6	39.51	39.50	0.01	1.00
	R6	Residential	Unknown	W7	39.48	39.47	0.01	1.00
	R7	Residential	Unknown	W8	39.47	39.46	0.01	1.00
	R8	Residential	Unknown	W9	39.44	39.41	0.03	1.00
				W10	39.01	38.47	0.54	0.99
	R9	Residential	Unknown	W11	39.03	38.50	0.53	0.99
	R10	Residential	Unknown	W12	39.04	38.53	0.51	0.99
	R11	Residential	Unknown	W13	39.06	38.56	0.50	0.99
	R12	Residential	Unknown	W14	39.07	38.59	0.48	0.99
	R13	Residential	Unknown	W15	39.10	38.65	0.45	0.99
				W16	39.62	39.62	0.00	1.00
Fourtieth	R1	Residential	Unknown	W1	39.62	39.62	0.00	1.00
				W2	39.58	39.58	0.00	1.00
	R2	Residential	Unknown	W3	39.55	39.55	0.00	1.00
	R3	Residential	Unknown	W4	39.54	39.54	0.00	1.00
	R4	Residential	Unknown	W5	39.52	39.51	0.01	1.00
	R5	Residential	Unknown	W6	39.52	39.51	0.01	1.00
	R6	Residential	Unknown	W7	39.49	39.48	0.01	1.00
	R7	Residential	Unknown	W8	39.48	39.47	0.01	1.00
	R8	Residential	Unknown	W9	39.45	39.43	0.02	1.00
				W10	39.05	38.54	0.51	0.99
	R9	Residential	Unknown	W11	39.07	38.57	0.50	0.99
	R10	Residential	Unknown	W12	39.07	38.59	0.48	0.99

Project Name: 9b First Street - BI vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R11	Residential	Unknown	W13	39.09	38.63	0.46	0.99
	R12	Residential	Unknown	W14	39.11	38.66	0.45	0.99
	R13	Residential	Unknown	W15	39.14	38.71	0.43	0.99
				W16	39.62	39.62	0.00	1.00
Fourty-First	R1	Residential	Unknown	W1	39.62	39.62	0.00	1.00
				W2	39.59	39.59	0.00	1.00
	R2	Residential	Unknown	W3	39.56	39.56	0.00	1.00
	R3	Residential	Unknown	W4	39.55	39.55	0.00	1.00
	R4	Residential	Unknown	W5	39.53	39.52	0.01	1.00
	R5	Residential	Unknown	W6	39.53	39.52	0.01	1.00
	R6	Residential	Unknown	W7	39.50	39.49	0.01	1.00
	R7	Residential	Unknown	W8	39.50	39.49	0.01	1.00
	R8	Residential	Unknown	W9	39.46	39.45	0.01	1.00
				W10	39.10	38.61	0.49	0.99
	R9	Residential	Unknown	W11	39.11	38.64	0.47	0.99
	R10	Residential	Unknown	W12	39.12	38.67	0.45	0.99
	R11	Residential	Unknown	W13	39.13	38.70	0.43	0.99
	R12	Residential	Unknown	W14	39.15	38.72	0.43	0.99
	R13	Residential	Unknown	W15	39.17	38.77	0.40	0.99
				W16	39.62	39.62	0.00	1.00
Fourty-Second	R1	Residential	Unknown	W1	39.62	39.62	0.00	1.00
				W2	39.59	39.59	0.00	1.00
	R2	Residential	Unknown	W3	39.56	39.56	0.00	1.00
	R3	Residential	Unknown	W4	39.56	39.55	0.01	1.00
	R4	Residential	Unknown	W5	39.53	39.53	0.00	1.00

Project Name: 9b First Street - Bl vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R5	Residential	Unknown	W6	39.54	39.53	0.01	1.00
	R6	Residential	Unknown	W7	39.51	39.50	0.01	1.00
	R7	Residential	Unknown	W8	39.51	39.50	0.01	1.00
	R8	Residential	Unknown	W9	39.48	39.46	0.02	1.00
				W10	39.14	38.69	0.45	0.99
	R9	Residential	Unknown	W11	39.15	38.71	0.44	0.99
	R10	Residential	Unknown	W12	39.15	38.73	0.42	0.99
	R11	Residential	Unknown	W13	39.17	38.76	0.41	0.99
	R12	Residential	Unknown	W14	39.18	38.79	0.39	0.99
	R13	Residential	Unknown	W15	39.21	38.83	0.38	0.99
				W16	39.62	39.62	0.00	1.00
Fourty-Fourth	R1	Residential	Unknown	W1	39.62	39.62	0.00	1.00
				W2	39.60	39.60	0.00	1.00
	R2	Residential	Unknown	W3	39.57	39.57	0.00	1.00
	R3	Residential	Unknown	W4	39.56	39.56	0.00	1.00
	R4	Residential	Unknown	W5	39.54	39.54	0.00	1.00
	R5	Residential	Unknown	W6	39.55	39.54	0.01	1.00
	R6	Residential	Unknown	W7	39.52	39.51	0.01	1.00
	R7	Residential	Unknown	W8	39.52	39.51	0.01	1.00
	R8	Residential	Unknown	W9	39.49	39.48	0.01	1.00
				W10	39.18	38.75	0.43	0.99
	R9	Residential	Unknown	W11	39.19	38.77	0.42	0.99
	R10	Residential	Unknown	W12	39.19	38.80	0.39	0.99
	R11	Residential	Unknown	W13	39.20	38.82	0.38	0.99
	R12	Residential	Unknown	W14	39.22	38.84	0.38	0.99

Project Name: 9b First Street - Bl vs Pr+Cumulative
Project No.: 2266
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Proposed	VSC Lost	Pr/Ex
	R13	Residential	Unknown	W15	39.24	38.89	0.35	0.99
				W16	39.62	39.62	0.00	1.00
Fourty-Fifth	R1	Residential	Unknown	W1	39.62	39.62	0.00	1.00
				W2	39.60	39.60	0.00	1.00
	R2	Residential	Unknown	W3	39.58	39.58	0.00	1.00
	R3	Residential	Unknown	W4	39.57	39.57	0.00	1.00
	R4	Residential	Unknown	W5	39.55	39.55	0.00	1.00
	R5	Residential	Unknown	W6	39.55	39.55	0.00	1.00
	R6	Residential	Unknown	W7	39.53	39.52	0.01	1.00
	R7	Residential	Unknown	W8	39.53	39.52	0.01	1.00
	R8	Residential	Unknown	W9	39.51	39.49	0.02	1.00
				W10	39.22	38.82	0.40	0.99
	R9	Residential	Unknown	W11	39.22	38.84	0.38	0.99
	R10	Residential	Unknown	W12	39.23	38.86	0.37	0.99
	R11	Residential	Unknown	W13	39.24	38.88	0.36	0.99
	R12	Residential	Unknown	W14	39.25	38.90	0.35	0.99
	R13	Residential	Unknown	W15	39.27	38.94	0.33	0.99
				W16	39.62	39.62	0.00	1.00