

Drawings are based on survey data and may not accurately represent what is physically present.

All dimensions are in millimeters unless noted otherwise.

Purcell shall be notified in writing of any discrepancies.

Existing Fabric

Proposed Fabric

Demolished Fabric

- | | | |
|------|------------|--|
| C.08 | 01.11.2024 | Amendments to S02 with fire compartmentation in 211d and changes third floor lobby SLL |
| C.09 | 06.12.2024 | Window infill details added to stair 2 |

REV	DATE	DESCRIPTION
-----	------	-------------

Allied London

London Road Fire Station


240242

Proposed Staircase S02 Section

REV	SUITABILITY/REASON FOR ISSUE
C.09	FOR CONSTRUCTION

DRAWING NUMBER
LRFS-PUR-00-ZZ-DR-A-340 I

© PURCELL 2019. PURCELL ® IS THE TRADING NAME OF PURCELL ARCHITECTURE LTD.



- Dry Riser to M&E details

Infill existing window opening. Refer to drg. 3400 for details.

Existing chimney structure extended from wall. Stair below to return early to create adequate head height.

- Steel plate stringer

**Treads and riser finish as
LRFS-PUR-00-ZZ-DR-A-3440**

Flight reference


Stair S02 Section 01
 3401 I : 50

S02 to NBS L30/25 I



Dry Riser to M&E details

— Under side of stair to achieve 60min fire compartmentation from below with hipped ceiling

WC

WC



- Dry riser to transfer horizontally at basement level

2 Stair S02 Section 02
3401 1 : 50

S02 to NBS L30/25 I

CMB to confirm high level M&E location for coordination

DESIGN INTENT DRAWING
To be finalised as a contractor design
portion by specialist designers.
**All measurements to be verified onsite
before manufacture and installation.**