

GeoAssist Limited		Exploratory Hole Record Sheet					Ref: WS1		
Consultant: 0		Project: 7 Chapel Street Location: Manchester					Sheet: 1		
Client: Burke Construction N.W. Ltd		Equipment: Archway Dart Rig				Ground Level: m.AOD Co-ordinates: Easting: (m) Northing: (m) Dates: 01/11/2024 to 01/11/2024			
Drilling Foreman: M Walton Engineer/Geologist: M Benson		STRATUM DESCRIPTION		Depth (Thick) (m)	Reduced Level (mAOD)	Strata Legend/ Standpipe Backfill	Samples/Tests		Field Records
						Depth (m) from to	Sample Type/No	Blow Count N/(U)	
0 Dark brown sandy gravel with brick and pottery fragments - MADE GROUND		(0.50) 0.50							Wet at 2.00m depth
Brown/grey sandy silty clay with brick fragments - MADE GROUND		(0.50) 1.00							
1 Soft grey silty CLAY with organic inclusions		(1.30)				1.00	CP1	1	
2 Stiff to very stiff brown gravelly sandy silty CLAY		2.30				2.00	CP2	6	
3						3.00	CP3	23	
4						4.00	CP4	11	
5		(5.10)				5.00	CP5	12	
6						6.00	CP1	11	
7						7.00	CP2	15	
		7.40							
Orange/brown silty fine to medium SAND		7.70							
8 Very stiff brown very gravelly very sandy silty CLAY with sand inclusions		(1.30)				8.00	CP3	56	
9 Exploratory Hole complete at 9.00m		9.00				8.90	CP4	60	
10									

Remarks:

The groundwater conditions entered on the exploratory hole logs are those observed at the time of the drilling operations and the water level may not have reached equilibrium with the surrounding water level prior to the record being taken.
Standing groundwater levels will be subject to seasonal variation or changes in local drainage conditions and could be higher at certain times of the year particularly after periods of heavy rainfall.

Logged: M Benson
Date: 01/11/2024
Checked: M Richardson
Date: 01/11/2024
Site Ref: 6170/VEC
Scale 1:50