




This document and its contents are the property of the Purchaser/Employer and Crookes Walker Consulting. They may not be copied or reproduced in any way, in part or whole, without prior written approval of both parties. Violations will result in legal action. This drawing shall be read in conjunction with the CWC Mechanical and / or Electrical Specification(s). DO NOT SCALE FROM THIS DRAWING

DESIGNERS RISK ASSESSMENT SCHEDULE
REFER TO APPENDIX 1 OF M&E SPECIFICATION FOR DESIGNERS RISK ASSESSMENT SCHEDULE

ACTIVE REVIT LINKS

ARCHITECTS:
1345-22-DAY-XX-XX-M3-A-00-0001

STRUCTURAL:
204-CIV-10-ZZ-M3-S-0001_WIP

GENERAL NOTES

- THIS DRAWING SHALL BE READ IN CONJUNCTION WITH ALL RELEVANT STRUCTURAL, ARCHITECTURAL AND CONSULTANTS INFORMATION AND DRAWINGS.
- DO NOT SCALE FROM THIS DRAWING
- ALL DIMENSIONS IN mm UNLESS OTHERWISE STATED.
- ALL PLANT AND EQUIPMENT IS TO BE INSTALLED TO MANUFACTURERS RECOMMENDATIONS, ALLOWING FULL ACCESS FOR COMMISSIONING, MAINTENANCE AND REMOVAL/REPLACEMENT.
- ALL PLANT AND EQUIPMENT SHALL BE SUITABLE FOR THE ENVIRONMENTAL LOCATION.
- THE MAIN CONTRACTOR SHALL BE RESPONSIBLE FOR ALL FIRE STOPPING WHERE SERVICES PASS THROUGH FIRE COMPARTMENTS. THE CONTRACTOR SHALL ENSURE THE INSTALLATION ALIGNS WITH THE FIRE ENGINEER, ARCHITECTURAL AND STRUCTURAL FIRE COMPARTMENTATION STRATEGIES.

LIGHTING:

- LUMINAIRES ADJACENT TO WINDOWS / WHERE DAYLIGHT PRESENCE DETECTION IS PROVIDED WILL BE DIMMABLE TO EXPLOIT AVAILABLE NATURAL DAYLIGHT.
- ILLUMINATED EMERGENCY EXIT SIGNAGE & EXTERNAL EMERGENCY BULKHEAD LUMINAIRE SUPPLIES SHALL BE DERIVED FROM THE LOCAL INTERNAL LIGHTING CIRCUIT.
- THE LIGHTING LAYOUT DRAWING SHALL BE READ IN CONJUNCTION WITH THE LUMINAIRE SCHEDULE.
- GENERAL LIGHTING SHALL BE DESIGNED, INSTALLED, TESTED AND COMMISSIONED TO BS12464-1.
- EMERGENCY LIGHTING SHALL BE DESIGNED, INSTALLED, TESTED AND COMMISSIONED TO BS 5266-1 & BS 1838.
- EACH EXIT TO THE OUTSIDE SHALL BE SUPPLIED COMPLETE WITH AN OVERHEAD (OR TO ONE SIDE) 3HR SELF CONTAINED EMERGENCY LUMINAIRE TO PROVIDE EMERGENCY ILLUMINANCE ON EGRESS.
- EMERGENCY LUMINAIRES SHALL BE SUPPLIED FROM THE SAME ELECTRICAL CIRCUIT SUPPLYING THE GENERAL ILLUMINATION WITHIN THE ROOM THEY ARE INSTALLED.
- EMERGENCY LIGHTING SHALL CONSIST OF INTEGRAL AND STAND-ALONE. ADDITIONAL KEY SWITCH TEST FACILITIES SHALL BE PROVIDED ADJACENT TO THE LOCAL DISTRIBUTION BOARDS.

LIGHTING LEGEND	
SYMBOL	DESCRIPTION
• H	DOWNLIGHTS - ANSELL VANTAGE
• E1	EMERGENCY - ANSELL MERLIN LED EMERGENCY DOWNLIGHT
EXIT	EMERGENCY - ANSELL EAGLE 3-IN-1 CEILING MOUNTED EXIT SIGN
EXIT	EMERGENCY - ANSELL EAGLE 3-IN-1 WALL MOUNTED EXIT SIGN
I	BULKHEADS - ANSELL LUCCA
J/E	BULKHEADS - ANSELL ECLIPSE C/W EMERGENCY BACK UP & INTEGRAL PIR
K/E	BULKHEADS - ANSELL SLEEK C/W EMERGENCY BACKUP
TORNADO	SURFACE MOUNTED LINEAR - ANSELL
M	SURFACE MOUNTED EXTERNAL WALL LIGHT - HOLOPHANE DWL
E1	EMERGENCY BULKHEADS - ANSELL GUARDIAN
2-WAY LIGHT SWITCH	
PIR	CEILING MOUNTED PRESENCE DETECTOR
MW	WALL MOUNTED MICROWAVE DETECTOR



1 Block A - Level 00 - Lighting Layout
1 : 100

C02	14/03/24	UPDATED FOLLOWING CLIENT COMMENTS	RW	AS
C01	01/03/24	CONSTRUCTION ISSUE	RW	AS
P01	31/01/24	PRELIMINARY ISSUE	RW	LS
Rev	Date	Description	Eng	Chk

Suite 9a, Bloc, 17 Marble Street
Manchester M2 3AW
Tel: 0161 834 9899

The Plaza, Old Hall Street,
Liverpool L3 9QJ
Tel: 0151 600 5409

Cornwall Building, 45 Newhall Street,
Birmingham B3 3QR
Tel: 0121 262 4046
E-mail: admin@cwcon.co.uk
Website: www.cwcon.co.uk



Project
ONE VICTORIA, MANCHESTER

Drawing Title
OVE LEVEL 00 LIGHTING LAYOUT

Status
CONSTRUCTION

Project No. 3135	Drawn RW	Scale / Paper Size 1 : 100 @ A1
---------------------	-------------	------------------------------------

Drawing No. 204-KIM-BA-00-DR-E-6301	Rev C02
--	------------