

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HILL QUAYS
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL1

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HILL QUAYS								
F00	R1	RESIDENTIAL	BEDROOM	13.8	94.9	94.6	0.0	0.3
F00	R2	RESIDENTIAL	KITCHEN	29.9	88.8	82	2.0	7.7
F00	R3	RESIDENTIAL	RECEPTION	50.2	99.7	99.7	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HILL QUAYS
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL2

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HILL QUAYS								
F01	R1	RESIDENTIAL	LKD	22.2	82.2	72.2	2.2	12.1
F01	R2	RESIDENTIAL	LKD	22.2	85.4	78.2	1.6	8.4
F01	R3	RESIDENTIAL	LKD	25.9	78.5	61.9	4.3	21.1
F01	R4	RESIDENTIAL	LKD	33.8	67.9	67	0.3	1.3
F01	R5	RESIDENTIAL	BEDROOM	15.3	28.9	28.1	0.1	2.8
F01	R7	RESIDENTIAL	BEDROOM	19.2	72.1	70.1	0.4	2.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HILL QUAYS
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL3

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HILL QUAYS								
F01	R8	RESIDENTIAL	LKD	27.5	88.3	85.2	0.8	3.5
F01	R9	RESIDENTIAL	LKD	25.2	77.3	76.8	0.1	0.6
F01	R10	RESIDENTIAL	LKD	25.3	67.2	66	0.3	1.8
F01	R11	RESIDENTIAL	LKD	25.2	68.2	67.4	0.2	1.3
F01	R12	RESIDENTIAL	LKD	21.5	68.3	68.3	0.0	0
F01	R13	RESIDENTIAL	LKD	25.7	79.7	78.2	0.4	1.9

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HILL QUAYS
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL4

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HILL QUAYS								
F02	R1	RESIDENTIAL	LKD	22.2	87.3	74.2	2.9	15
F02	R2	RESIDENTIAL	LKD	22.2	86.3	79.1	1.6	8.4
F02	R3	RESIDENTIAL	LKD	24.5	85.5	71	3.5	16.9
F02	R4	RESIDENTIAL	LKD	37.2	70.8	70	0.3	1.1
F02	R5	RESIDENTIAL	BEDROOM	15.3	38	36.6	0.2	3.7
F02	R7	RESIDENTIAL	BEDROOM	19.2	75.4	72.9	0.5	3.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HILL QUAYS
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL5

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HILL QUAYS								
F02	R8	RESIDENTIAL	LKD	27.5	91.5	88.6	0.8	3.1
F02	R9	RESIDENTIAL	LKD	25.2	78.6	77.8	0.2	1
F02	R10	RESIDENTIAL	LKD	25.3	68.5	67.5	0.3	1.5
F02	R11	RESIDENTIAL	LKD	25.2	69.6	69	0.1	0.8
F02	R12	RESIDENTIAL	LKD	21.5	68.5	68.5	0.0	0
F02	R13	RESIDENTIAL	LKD	25.7	84.8	84.7	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HILL QUAYS
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL6

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HILL QUAYS								
F03	R1	RESIDENTIAL	LKD	22.2	89.7	76.8	2.9	14.3
F03	R2	RESIDENTIAL	LKD	22.2	86.6	79.8	1.5	7.9
F03	R3	RESIDENTIAL	LKD	24.5	87	75	2.9	13.8
F03	R4	RESIDENTIAL	LKD	37.2	74.6	74.2	0.2	0.6
F03	R5	RESIDENTIAL	BEDROOM	15.3	56.9	54.6	0.3	4
F03	R7	RESIDENTIAL	BEDROOM	19.2	80	77.2	0.5	3.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HILL QUAYS
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL7

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HILL QUAYS								
F03	R8	RESIDENTIAL	LKD	27.5	93.3	90.5	0.8	2.9
F03	R9	RESIDENTIAL	LKD	25.2	79.4	78.4	0.3	1.3
F03	R10	RESIDENTIAL	LKD	25.3	69.9	68.7	0.3	1.8
F03	R11	RESIDENTIAL	LKD	25.2	72.1	72	0.0	0.2
F03	R12	RESIDENTIAL	LKD	21.5	68.7	68.7	0.0	0
F03	R13	RESIDENTIAL	LKD	25.7	85	85	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HILL QUAYS
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL8

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HILL QUAYS								
F04	R1	RESIDENTIAL	LKD	22.2	91.9	79	2.9	14
F04	R2	RESIDENTIAL	LKD	22.2	86.7	80.1	1.5	7.6
F04	R3	RESIDENTIAL	LKD	24.5	87.4	77.2	2.5	11.7
F04	R4	RESIDENTIAL	LKD	37.2	90.7	88.2	0.9	2.7
F04	R5	RESIDENTIAL	BEDROOM	15.3	81.6	81.3	0.0	0.3
F04	R7	RESIDENTIAL	BEDROOM	19.2	83.6	81.6	0.4	2.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HILL QUAYS
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL9

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HILL QUAYS								
F04	R8	RESIDENTIAL	LKD	27.5	94.3	91.6	0.7	2.9
F04	R9	RESIDENTIAL	LKD	25.2	80.1	79.4	0.2	0.9
F04	R10	RESIDENTIAL	LKD	25.3	72.1	71.2	0.2	1.2
F04	R11	RESIDENTIAL	LKD	25.2	76.5	76.4	0.0	0.1
F04	R12	RESIDENTIAL	LKD	21.5	69	69	0.0	0
F04	R13	RESIDENTIAL	LKD	25.7	85.2	85.2	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HILL QUAYS
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL10

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HILL QUAYS								
F05	R1	RESIDENTIAL	LKD	22.2	94.2	80.1	3.1	15
F05	R2	RESIDENTIAL	LKD	22.2	87.2	81.5	1.3	6.5
F05	R3	RESIDENTIAL	LKD	24.5	88.6	79	2.4	10.8
F05	R4	RESIDENTIAL	LKD	37.2	97.7	97	0.3	0.8
F05	R5	RESIDENTIAL	BEDROOM	15.3	84.7	84.5	0.0	0.2
F05	R7	RESIDENTIAL	BEDROOM	19.2	84.2	82.5	0.3	2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HILL QUAYS
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL11

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HILL QUAYS								
F05	R8	RESIDENTIAL	LKD	27.5	95.9	93.2	0.8	2.9
F05	R9	RESIDENTIAL	LKD	25.2	80.6	80.5	0.0	0.1
F05	R10	RESIDENTIAL	LKD	25.3	76.9	76.5	0.1	0.6
F05	R11	RESIDENTIAL	LKD	25.2	83	83	0.0	0
F05	R12	RESIDENTIAL	LKD	21.5	69	69	0.0	0
F05	R13	RESIDENTIAL	LKD	25.7	85.2	85.2	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HILL QUAYS
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL12

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HILL QUAYS								
F06	R1	RESIDENTIAL	LKD	22.2	94.8	81.2	3.0	14.3
F06	R2	RESIDENTIAL	LKD	22.2	91.2	86	1.1	5.6
F06	R3	RESIDENTIAL	LKD	24.5	92.2	89.3	0.7	3.2
F06	R4	RESIDENTIAL	LKD	37.2	98.2	97.4	0.3	0.8
F06	R5	RESIDENTIAL	BEDROOM	15.3	85.2	85.1	0.0	0.1
F06	R7	RESIDENTIAL	BEDROOM	19.2	84.6	83	0.3	1.9

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HILL QUAYS
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL13

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F06


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HILL QUAYS								
F06	R8	RESIDENTIAL	LKD	27.5	96	93.3	0.8	2.9
F06	R9	RESIDENTIAL	LKD	25.2	81.8	81.8	0.0	0.1
F06	R10	RESIDENTIAL	LKD	25.3	84.4	84.4	0.0	0
F06	R11	RESIDENTIAL	LKD	25.2	87.6	87.6	0.0	0
F06	R12	RESIDENTIAL	LKD	21.5	69.2	69.2	0.0	0
F06	R13	RESIDENTIAL	LKD	25.7	85.3	85.3	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HILL QUAYS
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL14

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F07


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HILL QUAYS								
F07	R1	RESIDENTIAL	LKD	22.2	95	82.4	2.8	13.2
F07	R2	RESIDENTIAL	LKD	33.3	99.5	99.3	0.1	0.2
F07	R3	RESIDENTIAL	LKD	24.7	100	100	0.0	0
F07	R4	RESIDENTIAL	BEDROOM	25.2	100	100	0.0	0
F07	R5	RESIDENTIAL	BEDROOM	14.8	84.4	84.4	0.0	0.1
F07	R7	RESIDENTIAL	BEDROOM	14.4	91.9	89.3	0.4	2.9

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HILL QUAYS
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL15

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F07


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HILL QUAYS								
F07	R8	RESIDENTIAL	LKD	21.8	93	89	0.9	4.3
F07	R9	RESIDENTIAL	LKD	19.7	89.8	89.8	0.0	0
F07	R10	RESIDENTIAL	LKD	22.6	90.3	90.3	0.0	0
F07	R11	RESIDENTIAL	LKD	22.3	88.8	88.8	0.0	0
F07	R12	RESIDENTIAL	LKD	21.4	70.1	70.1	0.0	0
F07	R13	RESIDENTIAL	LKD	25.7	85.3	85.3	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HILL QUAYS
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL16

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F08


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HILL QUAYS								
F08	R1	RESIDENTIAL	LKD	22.2	95.1	84.8	2.3	10.9
F08	R2	RESIDENTIAL	LKD	42.8	96.3	84.1	5.2	12.7
F08	R3	RESIDENTIAL	UNKNOWN	18.8	100	100	0.0	0
F08	R4	RESIDENTIAL	UNKNOWN	29.6	100	100	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HILL QUAYS
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL17

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F08


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HILL QUAYS								
F08	R5	RESIDENTIAL	BEDROOM	22.6	99.1	99.1	0.0	0
F08	R6	RESIDENTIAL	BEDROOM	16.6	99.9	99.9	0.0	0
F08	R7	RESIDENTIAL	LKD	25.7	85.2	85.2	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HILL QUAYS
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL18

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F09

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HILL QUAYS								
F09	R1	RESIDENTIAL	LKD	25.7	85.3	85.3	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: RIVERSIDE MEWS
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL19

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID




F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
RIVERSIDE MEWS								
F00	R1	RESIDENTIAL	LKD	36.9	99.6	99.6	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: RIVERSIDE MEWS
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL20

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
RIVERSIDE MEWS								
F01	R1	RESIDENTIAL	BEDROOM	18.9	99.7	99.7	0.0	0
F01	R2	RESIDENTIAL	BEDROOM	7.3	98.6	98.6	0.0	0
F01	R3	RESIDENTIAL	BEDROOM	11.2	98.9	98.9	0.0	0
F01	R4	RESIDENTIAL	BEDROOM	15.3	88.4	88.3	0.0	0.1
F01	R5	RESIDENTIAL	BEDROOM	11.9	94	94	0.0	0
F01	R6	RESIDENTIAL	LKD	27.1	88.3	88.3	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE RHINE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL21

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






B01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE RHINE								
B01	R1	RESIDENTIAL	UNKNOWN	19.2	84	84	0.0	0
B01	R2	RESIDENTIAL	UNKNOWN	17.1	83.7	83.7	0.0	0
B01	R3	RESIDENTIAL	UNKNOWN	16.2	84.2	84.2	0.0	0
B01	R4	RESIDENTIAL	UNKNOWN	21.7	77.2	77.2	0.0	0
B01	R5	RESIDENTIAL	UNKNOWN	21.7	72.9	72.9	0.0	0
B01	R6	RESIDENTIAL	UNKNOWN	18.6	64.5	64.5	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE RHINE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL22

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE RHINE								
F00	R1	RESIDENTIAL	LKD	23.1	95.2	95.2	0.0	0
F00	R2	RESIDENTIAL	BEDROOM	12.1	80	79.4	0.1	0.6
F00	R3	RESIDENTIAL	LKD	30.3	71.1	69.7	0.4	1.9
F00	R4	RESIDENTIAL	BEDROOM	12.1	71.9	71.5	0.1	0.6

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE RHINE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL23

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE RHINE								
F00	R5	RESIDENTIAL	BEDROOM	10.6	89	88.8	0.0	0.2
F00	R6	RESIDENTIAL	BEDROOM	11.0	74.8	74.8	0.0	0
F00	R7	RESIDENTIAL	BEDROOM	10.4	57.8	57.8	0.0	0
F00	R8	RESIDENTIAL	LKD	23.7	85	84.6	0.1	0.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE RHINE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL24

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE RHINE								
F01	R1	RESIDENTIAL	LKD	23.1	99.8	99.7	0.0	0
F01	R2	RESIDENTIAL	BEDROOM	12.1	88.4	88.1	0.0	0.4
F01	R3	RESIDENTIAL	LKD	30.3	78.9	78.4	0.2	0.6
F01	R4	RESIDENTIAL	BEDROOM	12.1	78.3	77.8	0.1	0.6

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE RHINE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL25

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE RHINE								
F01	R5	RESIDENTIAL	BEDROOM	10.6	90.6	90.5	0.0	0.2
F01	R6	RESIDENTIAL	BEDROOM	11.0	78.2	78.2	0.0	0
F01	R7	RESIDENTIAL	LKD	23.7	91.5	91.5	0.0	0
F01	R8	RESIDENTIAL	BEDROOM	10.4	64.5	64.5	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE RHINE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL26

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE RHINE								
F02	R1	RESIDENTIAL	LKD	23.1	99.8	99.8	0.0	0
F02	R2	RESIDENTIAL	BEDROOM	12.1	92.1	92	0.0	0.1
F02	R3	RESIDENTIAL	LKD	30.3	84.5	84.3	0.1	0.3
F02	R4	RESIDENTIAL	BEDROOM	12.1	86.6	86.2	0.0	0.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE RHINE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL27

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE RHINE								
F02	R5	RESIDENTIAL	BEDROOM	10.6	94.1	94	0.0	0.1
F02	R6	RESIDENTIAL	BEDROOM	11.0	84.6	84.6	0.0	0.1
F02	R7	RESIDENTIAL	LKD	23.7	95.1	95.1	0.0	0
F02	R8	RESIDENTIAL	BEDROOM	10.4	73	73	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE RHINE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL28

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE RHINE								
F03	R1	RESIDENTIAL	LKD	23.1	99.8	99.8	0.0	0.1
F03	R2	RESIDENTIAL	BEDROOM	12.1	93.3	93.2	0.0	0.1
F03	R3	RESIDENTIAL	LKD	30.3	91.9	91.8	0.0	0.1
F03	R4	RESIDENTIAL	BEDROOM	12.1	91.8	91.4	0.0	0.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE RHINE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL29

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE RHINE								
F03	R5	RESIDENTIAL	BEDROOM	10.6	97.7	97.6	0.0	0.1
F03	R6	RESIDENTIAL	BEDROOM	11.0	93.9	93.9	0.0	0.1
F03	R7	RESIDENTIAL	LKD	23.7	97.7	97.7	0.0	0
F03	R8	RESIDENTIAL	BEDROOM	10.4	85.9	85.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE RHINE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL30

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE RHINE								
F04	R1	RESIDENTIAL	LKD	23.1	99.8	99.8	0.0	0
F04	R2	RESIDENTIAL	BEDROOM	12.1	93.4	93.3	0.0	0.2
F04	R3	RESIDENTIAL	LKD	30.3	97.5	97.2	0.1	0.3
F04	R4	RESIDENTIAL	BEDROOM	12.1	92.4	92	0.1	0.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE RHINE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL31

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE RHINE								
F04	R5	RESIDENTIAL	BEDROOM	10.6	98.2	98.2	0.0	0
F04	R6	RESIDENTIAL	BEDROOM	11.0	98.2	98.1	0.0	0.1
F04	R7	RESIDENTIAL	LKD	23.7	100	100	0.0	0
F04	R8	RESIDENTIAL	BEDROOM	10.4	92.5	92.5	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE RHINE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL32

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE RHINE								
F05	R1	RESIDENTIAL	LKD	23.1	99.8	99.8	0.0	0
F05	R2	RESIDENTIAL	BEDROOM	12.1	93.9	93.7	0.0	0.2
F05	R3	RESIDENTIAL	LKD	30.3	97.5	97.3	0.1	0.3
F05	R4	RESIDENTIAL	BEDROOM	12.1	92	91.7	0.0	0.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE RHINE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL33

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE RHINE								
F05	R5	RESIDENTIAL	BEDROOM	10.6	97.8	97.8	0.0	0
F05	R6	RESIDENTIAL	BEDROOM	11.0	97.8	97.7	0.0	0.1
F05	R7	RESIDENTIAL	LKD	23.7	100	100	0.0	0
F05	R8	RESIDENTIAL	BEDROOM	10.4	94.5	94.5	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE RHINE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL34

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE RHINE								
F06	R1	RESIDENTIAL	LKD	23.1	99.8	99.8	0.0	0
F06	R2	RESIDENTIAL	BEDROOM	12.1	96.7	96.6	0.0	0.1
F06	R3	RESIDENTIAL	LKD	30.3	97.6	97.3	0.1	0.3
F06	R4	RESIDENTIAL	BEDROOM	12.1	95	94.6	0.0	0.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE RHINE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL35

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F06


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE RHINE								
F06	R5	RESIDENTIAL	BEDROOM	10.6	98.4	98.4	0.0	0
F06	R6	RESIDENTIAL	BEDROOM	11.0	98.1	98	0.0	0.1
F06	R7	RESIDENTIAL	LKD	23.7	100	100	0.0	0
F06	R8	RESIDENTIAL	BEDROOM	10.4	96.1	96.1	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE NILE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL36

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






B01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE NILE								
B01	R1	RESIDENTIAL	UNKNOWN	21.1	58.2	57.4	0.2	1.3
B01	R2	RESIDENTIAL	UNKNOWN	12.8	52.8	52.8	0.0	0
B01	R3	RESIDENTIAL	UNKNOWN	17.7	78.8	78.8	0.0	0
B01	R4	RESIDENTIAL	UNKNOWN	12.8	78.7	78.7	0.0	0
B01	R5	RESIDENTIAL	UNKNOWN	12.8	78.7	78.7	0.0	0
B01	R6	RESIDENTIAL	UNKNOWN	12.8	71.4	71.3	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE NILE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL37

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE NILE								
F00	R1	RESIDENTIAL	LKD	22.6	100	98.5	0.3	1.5
F00	R3	RESIDENTIAL	LKD	29.3	80.6	80.6	0.0	0
F00	R4	RESIDENTIAL	BEDROOM	7.2	84.6	84.3	0.0	0.3
F00	R5	RESIDENTIAL	BEDROOM	9.4	96.5	96.5	0.0	0
F00	R6	RESIDENTIAL	BEDROOM	9.4	91.8	91.4	0.0	0.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE NILE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL38

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE NILE								
F00	R7	RESIDENTIAL	BEDROOM	6.6	77.8	77.3	0.0	0.7
F00	R8	RESIDENTIAL	LKD	21.9	97.9	97.9	0.0	0
F00	R9	RESIDENTIAL	UNKNOWN	12.6	38.5	38.5	0.0	0.1
F00	R10	RESIDENTIAL	BEDROOM	9.4	36.1	34.7	0.1	3.7
F00	R11	RESIDENTIAL	LKD	21.0	51.2	51	0.0	0.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE NILE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL39

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE NILE								
F00	R12	RESIDENTIAL	BEDROOM	7.2	31.3	31.2	0.0	0
F00	R13	RESIDENTIAL	BEDROOM	9.9	16.5	16.5	0.0	0
F00	R14	RESIDENTIAL	BEDROOM	12.4	25.3	25.3	0.0	0
F00	R15	RESIDENTIAL	BEDROOM	14.1	25.4	25.4	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE NILE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL40

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE NILE								
F01	R1	RESIDENTIAL	LKD	22.6	100	98.6	0.3	1.4
F01	R3	RESIDENTIAL	LKD	29.3	90	90	0.0	0.1
F01	R4	RESIDENTIAL	BEDROOM	7.2	84.9	84.6	0.0	0.3
F01	R5	RESIDENTIAL	BEDROOM	9.4	96.5	96.5	0.0	0
F01	R6	RESIDENTIAL	BEDROOM	9.4	93	92.6	0.0	0.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE NILE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL41

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE NILE								
F01	R7	RESIDENTIAL	LKD	21.9	99.2	99.2	0.0	0
F01	R8	RESIDENTIAL	BEDROOM	6.6	78	77.5	0.0	0.7
F01	R9	RESIDENTIAL	UNKNOWN	12.6	41.7	41.7	0.0	0.1
F01	R10	RESIDENTIAL	BEDROOM	9.4	40.9	39.9	0.1	2.4
F01	R11	RESIDENTIAL	LKD	21.0	54.9	54.8	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE NILE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL42

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE NILE								
F01	R12	RESIDENTIAL	BEDROOM	7.2	39.2	39.2	0.0	0
F01	R13	RESIDENTIAL	BEDROOM	9.9	22.4	22.4	0.0	0
F01	R14	RESIDENTIAL	BEDROOM	12.4	31.8	31.8	0.0	0
F01	R15	RESIDENTIAL	BEDROOM	14.1	31.6	31.6	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE NILE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL43

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE NILE								
F02	R1	RESIDENTIAL	LKD	22.6	100	98.6	0.3	1.4
F02	R3	RESIDENTIAL	LKD	29.3	96.1	96	0.0	0.1
F02	R4	RESIDENTIAL	BEDROOM	7.2	85.7	85.3	0.0	0.4
F02	R5	RESIDENTIAL	BEDROOM	9.4	96.5	96.5	0.0	0
F02	R6	RESIDENTIAL	BEDROOM	9.4	94.3	94	0.0	0.3
F02	R7	RESIDENTIAL	LKD	21.9	99.9	99.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE NILE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL44

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE NILE								
F02	R8	RESIDENTIAL	BEDROOM	6.6	79.1	78.6	0.0	0.6
F02	R9	RESIDENTIAL	UNKNOWN	12.6	44.5	43.9	0.1	1.3
F02	R10	RESIDENTIAL	LKD	21.1	75.7	71.1	1.0	6
F02	R11	RESIDENTIAL	BEDROOM	7.2	46.6	38.6	0.6	17.2
F02	R12	RESIDENTIAL	BEDROOM	9.4	53.4	53.4	0.0	0
F02	R13	RESIDENTIAL	BEDROOM	9.4	47.7	47	0.1	1.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE NILE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL45

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE NILE								
F02	R14	RESIDENTIAL	LKD	21.0	60.7	60.7	0.0	0.1
F02	R15	RESIDENTIAL	BEDROOM	7.2	49.5	49.5	0.0	0
F02	R16	RESIDENTIAL	BEDROOM	9.9	32.4	32.4	0.0	0
F02	R17	RESIDENTIAL	BEDROOM	12.4	41.3	41.3	0.0	0
F02	R18	RESIDENTIAL	BEDROOM	14.1	43	43	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE NILE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL46

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE NILE								
F03	R1	RESIDENTIAL	LKD	22.6	100	98.6	0.3	1.4
F03	R3	RESIDENTIAL	LKD	29.3	99.9	99.8	0.0	0.1
F03	R4	RESIDENTIAL	BEDROOM	7.2	87.6	85.7	0.1	2.1
F03	R5	RESIDENTIAL	BEDROOM	9.4	96.5	96.5	0.0	0
F03	R6	RESIDENTIAL	BEDROOM	9.4	95.8	95.5	0.0	0.3
F03	R7	RESIDENTIAL	LKD	21.9	99.9	99.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE NILE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL47

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE NILE								
F03	R8	RESIDENTIAL	BEDROOM	6.6	81.2	80.7	0.0	0.6
F03	R9	RESIDENTIAL	UNKNOWN	12.6	48.7	45.8	0.4	6
F03	R10	RESIDENTIAL	LKD	21.1	77.3	72.9	0.9	5.7
F03	R11	RESIDENTIAL	BEDROOM	7.2	53	48	0.4	9.3
F03	R12	RESIDENTIAL	BEDROOM	9.4	59.9	59.9	0.0	0
F03	R13	RESIDENTIAL	BEDROOM	9.4	58.2	57.6	0.0	0.9

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE NILE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL48

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE NILE								
F03	R14	RESIDENTIAL	LKD	21.0	68.3	68.3	0.0	0
F03	R15	RESIDENTIAL	BEDROOM	7.2	63.1	63.1	0.0	0
F03	R16	RESIDENTIAL	BEDROOM	9.9	51.3	51.2	0.0	0.1
F03	R17	RESIDENTIAL	BEDROOM	12.4	56.5	56.5	0.0	0
F03	R18	RESIDENTIAL	BEDROOM	14.1	62	62	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE NILE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL49

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE NILE								
F04	R1	RESIDENTIAL	LKD	22.6	100	98.6	0.3	1.4
F04	R3	RESIDENTIAL	LKD	29.3	99.9	99.9	0.0	0.1
F04	R4	RESIDENTIAL	BEDROOM	9.4	96.6	96.6	0.0	0
F04	R5	RESIDENTIAL	BEDROOM	7.2	88.2	86	0.2	2.5
F04	R6	RESIDENTIAL	BEDROOM	9.4	97.9	97.7	0.0	0.3
F04	R7	RESIDENTIAL	LKD	21.9	99.9	99.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE NILE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL50

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE NILE								
F04	R8	RESIDENTIAL	BEDROOM	6.6	87	86.2	0.0	0.9
F04	R9	RESIDENTIAL	UNKNOWN	12.6	55.8	51.5	0.6	7.8
F04	R10	RESIDENTIAL	LKD	21.1	78.3	76.7	0.3	2.1
F04	R11	RESIDENTIAL	BEDROOM	7.2	71.1	65.8	0.4	7.5
F04	R12	RESIDENTIAL	BEDROOM	9.4	70.3	70.3	0.0	0
F04	R13	RESIDENTIAL	BEDROOM	9.4	78.1	77	0.1	1.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE NILE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL51

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE NILE								
F04	R14	RESIDENTIAL	LKD	21.0	76.7	76.7	0.0	0
F04	R15	RESIDENTIAL	BEDROOM	7.2	84.4	84.4	0.0	0
F04	R16	RESIDENTIAL	BEDROOM	9.9	85.8	85.7	0.0	0.1
F04	R17	RESIDENTIAL	BEDROOM	12.4	78.4	78.4	0.0	0
F04	R18	RESIDENTIAL	BEDROOM	14.1	85.1	85.1	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE NILE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL52

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE NILE								
F05	R1	RESIDENTIAL	LKD	22.6	100	98.6	0.3	1.4
F05	R3	RESIDENTIAL	LKD	29.3	99.9	99.9	0.0	0.1
F05	R4	RESIDENTIAL	BEDROOM	7.2	87.3	85.3	0.1	2.2
F05	R5	RESIDENTIAL	BEDROOM	9.4	93.8	93.8	0.0	0
F05	R6	RESIDENTIAL	BEDROOM	9.4	97	96.7	0.0	0.3
F05	R7	RESIDENTIAL	LKD	21.9	99.9	99.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE NILE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL53

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE NILE								
F05	R8	RESIDENTIAL	BEDROOM	6.6	86.9	86.8	0.0	0.2
F05	R9	RESIDENTIAL	UNKNOWN	12.6	74.4	69.6	0.6	6.5
F05	R10	RESIDENTIAL	LKD	21.1	87.6	87.6	0.0	0
F05	R11	RESIDENTIAL	BEDROOM	7.2	85.7	83	0.2	3.1
F05	R12	RESIDENTIAL	BEDROOM	9.4	94.4	94.4	0.0	0.1
F05	R13	RESIDENTIAL	BEDROOM	9.4	94.6	92	0.2	2.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE NILE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL54

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE NILE								
F05	R14	RESIDENTIAL	LKD	21.0	99.8	99.8	0.0	0
F05	R15	RESIDENTIAL	BEDROOM	7.2	87.9	87.9	0.0	0
F05	R16	RESIDENTIAL	BEDROOM	9.9	96.3	96.3	0.0	0
F05	R17	RESIDENTIAL	BEDROOM	12.4	83.5	83.5	0.0	0
F05	R18	RESIDENTIAL	BEDROOM	14.1	94.8	94.8	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE NILE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL55

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE NILE								
F06	R1	RESIDENTIAL	LKD	22.6	100	98.6	0.3	1.4
F06	R3	RESIDENTIAL	LKD	29.3	99.9	99.9	0.0	0.1
F06	R4	RESIDENTIAL	BEDROOM	7.2	89.8	89.7	0.0	0
F06	R5	RESIDENTIAL	BEDROOM	9.4	96.6	96.3	0.0	0.3
F06	R6	RESIDENTIAL	BEDROOM	9.4	97.9	97.8	0.0	0.1
F06	R7	RESIDENTIAL	LKD	21.9	99.9	99.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE NILE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL56

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE NILE								
F06	R8	RESIDENTIAL	BEDROOM	6.6	91.2	90.9	0.0	0.3
F06	R9	RESIDENTIAL	UNKNOWN	12.6	89.2	84.9	0.5	4.9
F06	R10	RESIDENTIAL	LKD	21.1	100	100	0.0	0
F06	R11	RESIDENTIAL	BEDROOM	7.2	89.7	89.6	0.0	0.1
F06	R12	RESIDENTIAL	BEDROOM	9.4	98.5	98.5	0.0	0
F06	R13	RESIDENTIAL	BEDROOM	9.4	97.9	97.8	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE NILE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL57

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE NILE								
F06	R14	RESIDENTIAL	LKD	21.0	100	100	0.0	0
F06	R15	RESIDENTIAL	BEDROOM	7.2	93.9	93.9	0.0	0
F06	R16	RESIDENTIAL	BEDROOM	9.9	96.8	96.8	0.0	0
F06	R17	RESIDENTIAL	BEDROOM	12.4	84.3	84.3	0.0	0
F06	R18	RESIDENTIAL	BEDROOM	14.1	94.9	94.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE NILE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL58

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE NILE								
F07	R1	RESIDENTIAL	LKD	22.6	100	99.5	0.1	0.5
F07	R3	RESIDENTIAL	UNKNOWN	10.5	81	81	0.0	0
F07	R4	RESIDENTIAL	UNKNOWN	10.5	70	70	0.0	0
F07	R5	RESIDENTIAL	UNKNOWN	12.6	89.6	85.3	0.5	4.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE NILE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL59

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE NILE								
F07	R6	RESIDENTIAL	UNKNOWN	10.9	91.2	91.2	0.0	0
F07	R7	RESIDENTIAL	UNKNOWN	10.0	84.7	80.4	0.4	5.1
F07	R8	RESIDENTIAL	BEDROOM	12.4	85.2	85	0.0	0.1
F07	R9	RESIDENTIAL	BEDROOM	14.1	97	96.5	0.1	0.6

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 30 CITY ROAD EAST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL60

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
30 CITY ROAD EAST								
F01	R1	RESIDENTIAL	LKD	27.9	27.1	27.1	0.0	0
F01	R2	RESIDENTIAL	BEDROOM	10.9	32.5	32.5	0.0	0
F01	R3	RESIDENTIAL	BEDROOM	15.4	23.7	23.7	0.0	0
F01	R4	RESIDENTIAL	BEDROOM	10.5	26.7	26.7	0.0	0
F01	R5	RESIDENTIAL	BEDROOM	9.6	34.9	34.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 30 CITY ROAD EAST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL61

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
30 CITY ROAD EAST								
F02	R1	RESIDENTIAL	LKD	27.9	36.2	36.2	0.0	0
F02	R2	RESIDENTIAL	BEDROOM	10.9	41.4	41.4	0.0	0
F02	R3	RESIDENTIAL	BEDROOM	15.4	32	32	0.0	0
F02	R4	RESIDENTIAL	BEDROOM	10.5	36.9	36.9	0.0	0.1
F02	R5	RESIDENTIAL	BEDROOM	9.6	47.4	47.3	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 30 CITY ROAD EAST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL62

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
30 CITY ROAD EAST								
F03	R1	RESIDENTIAL	LKD	27.9	50.7	50.7	0.0	0
F03	R2	RESIDENTIAL	BEDROOM	10.9	57.8	57.8	0.0	0
F03	R3	RESIDENTIAL	BEDROOM	15.4	45.4	45.4	0.0	0
F03	R4	RESIDENTIAL	BEDROOM	10.5	56	55.8	0.0	0.3
F03	R5	RESIDENTIAL	BEDROOM	9.6	70.9	70.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 30 CITY ROAD EAST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL63

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
30 CITY ROAD EAST								
F04	R1	RESIDENTIAL	LKD	27.9	69.3	69.3	0.0	0
F04	R2	RESIDENTIAL	BEDROOM	10.9	92	92	0.0	0
F04	R3	RESIDENTIAL	BEDROOM	15.4	73	73	0.0	0
F04	R4	RESIDENTIAL	BEDROOM	10.5	78.6	78.6	0.0	0
F04	R5	RESIDENTIAL	BEDROOM	9.6	84.6	84.6	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 30 CITY ROAD EAST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL64

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
30 CITY ROAD EAST								
F05	R1	RESIDENTIAL	LKD	27.9	86.1	86.1	0.0	0
F05	R2	RESIDENTIAL	BEDROOM	10.9	98.6	98.6	0.0	0
F05	R3	RESIDENTIAL	BEDROOM	15.4	97.7	97.7	0.0	0
F05	R4	RESIDENTIAL	BEDROOM	10.5	83.8	83.8	0.0	0
F05	R5	RESIDENTIAL	BEDROOM	9.6	85.2	85.2	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 30 CITY ROAD EAST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL65

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID







F06



F06



F07



F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
30 CITY ROAD EAST								
F06	R1	RESIDENTIAL	LKD	24.2	89.1	89.1	0.0	0
F06	R2	RESIDENTIAL	BEDROOM	10.9	98.1	98.1	0.0	0
F06	R3	RESIDENTIAL	BEDROOM	14.8	98.2	98.2	0.0	0
F06	R4	RESIDENTIAL	LKD	23.6	70.1	70.1	0.0	0
F07	R1	RESIDENTIAL	LKD	23.4	89	89	0.0	0
F07	R2	RESIDENTIAL	BEDROOM	12.7	98.1	98.1	0.0	0
F07	R3	RESIDENTIAL	BEDROOM	15.4	98.3	98.3	0.0	0
F07	R4	RESIDENTIAL	LKD	23.1	94.2	80.3	3.2	14.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: LUMIERE BUILDING
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL66

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
LUMIERE BUILDING								
F00	R1	RESIDENTIAL	UNKNOWN	12.9	6.5	6.5	0.0	0
F00	R2	RESIDENTIAL	UNKNOWN	13.6	19.5	19.5	0.0	0
F00	R3	RESIDENTIAL	UNKNOWN	14.1	12.7	12.7	0.0	0
F00	R4	RESIDENTIAL	UNKNOWN	14.1	6	6	0.0	0
F00	R5	RESIDENTIAL	UNKNOWN	12.8	10.2	10.2	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: LUMIERE BUILDING
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL67

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
LUMIERE BUILDING								
F01	R1	RESIDENTIAL	LKD	26.5	28.6	28.7	0.0	0
F01	R2	RESIDENTIAL	BEDROOM	14.1	16.7	16.7	0.0	0.3
F01	R3	RESIDENTIAL	BEDROOM	14.1	5.9	5.6	0.0	5.3
F01	R4	RESIDENTIAL	LKD	24.1	20	20	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: LUMIERE BUILDING
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL68

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
LUMIERE BUILDING								
F01	R5	RESIDENTIAL	LKD	26.6	5.9	5.9	0.0	0
F01	R6	RESIDENTIAL	BEDROOM	12.0	10.3	10.3	0.0	-0.1
F01	R7	RESIDENTIAL	BEDROOM	13.2	10.7	10.7	0.0	0
F01	R8	RESIDENTIAL	LKD	28.6	48.5	48.7	0.0	-0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: LUMIERE BUILDING
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL69

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
LUMIERE BUILDING								
F02	R1	RESIDENTIAL	LKD	26.5	42.1	42	0.0	0.1
F02	R2	RESIDENTIAL	BEDROOM	14.1	23.1	23	0.0	0.7
F02	R3	RESIDENTIAL	BEDROOM	14.1	12.2	10.6	0.2	13.6
F02	R4	RESIDENTIAL	LKD	24.1	25.7	25.6	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: LUMIERE BUILDING
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL70

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
LUMIERE BUILDING								
F02	R5	RESIDENTIAL	LKD	26.6	8.1	8.1	0.0	0
F02	R6	RESIDENTIAL	BEDROOM	12.0	13.8	13.8	0.0	0
F02	R7	RESIDENTIAL	BEDROOM	13.2	14.3	14.3	0.0	0
F02	R8	RESIDENTIAL	LKD	28.6	48.5	48.7	0.0	-0.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: LUMIERE BUILDING
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL71

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
LUMIERE BUILDING								
F03	R1	RESIDENTIAL	LKD	26.5	70.3	70.3	0.0	0.1
F03	R2	RESIDENTIAL	BEDROOM	14.1	32.4	32.4	0.0	0
F03	R3	RESIDENTIAL	BEDROOM	14.1	22.3	19.9	0.3	10.8
F03	R4	RESIDENTIAL	LKD	24.1	33	33	0.0	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: LUMIERE BUILDING
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL72

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
LUMIERE BUILDING								
F03	R5	RESIDENTIAL	LKD	26.6	12.9	12.9	0.0	0
F03	R6	RESIDENTIAL	BEDROOM	12.0	21.9	21.9	0.0	0.1
F03	R7	RESIDENTIAL	BEDROOM	13.2	22.5	22.5	0.0	0.1
F03	R8	RESIDENTIAL	LKD	28.6	48.5	48.7	0.0	-0.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: LUMIERE BUILDING
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL73

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
LUMIERE BUILDING								
F04	R1	RESIDENTIAL	LKD	26.5	89.5	89.5	0.0	0
F04	R2	RESIDENTIAL	BEDROOM	14.1	47.2	47.2	0.0	0
F04	R3	RESIDENTIAL	BEDROOM	14.1	41.2	39.7	0.2	3.5
F04	R4	RESIDENTIAL	LKD	24.1	49.6	49.4	0.0	0.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: LUMIERE BUILDING
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL74

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
LUMIERE BUILDING								
F04	R5	RESIDENTIAL	LKD	26.6	27.5	27.4	0.0	0.3
F04	R6	RESIDENTIAL	BEDROOM	12.0	34.8	34.8	0.0	0
F04	R7	RESIDENTIAL	BEDROOM	13.2	38.5	38.5	0.0	0
F04	R8	RESIDENTIAL	LKD	28.6	48.7	48.7	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: LUMIERE BUILDING
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL75

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
LUMIERE BUILDING								
F05	R1	RESIDENTIAL	LKD	26.5	99.3	99.3	0.0	0
F05	R2	RESIDENTIAL	BEDROOM	14.1	94.9	94.9	0.0	0
F05	R3	RESIDENTIAL	BEDROOM	14.1	89.3	89.3	0.0	0
F05	R4	RESIDENTIAL	LKD	24.1	91.5	91.3	0.0	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: LUMIERE BUILDING
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL76

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
LUMIERE BUILDING								
F05	R5	RESIDENTIAL	LKD	26.6	80.9	80.9	0.0	0
F05	R6	RESIDENTIAL	BEDROOM	12.0	78.4	78.4	0.0	0
F05	R7	RESIDENTIAL	BEDROOM	13.2	80.6	80.6	0.0	0
F05	R8	RESIDENTIAL	LKD	28.6	86.9	86.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: LUMIERE BUILDING
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL77

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F06


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
LUMIERE BUILDING								
F06	R1	RESIDENTIAL	LKD	26.5	99.3	99.3	0.0	0
F06	R2	RESIDENTIAL	BEDROOM	14.1	97.3	97.3	0.0	0
F06	R3	RESIDENTIAL	BEDROOM	14.1	98.1	98.1	0.0	0
F06	R4	RESIDENTIAL	LKD	24.1	99.2	99.2	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: LUMIERE BUILDING
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL78

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F06


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
LUMIERE BUILDING								
F06	R5	RESIDENTIAL	LKD	26.6	97.8	97.8	0.0	0
F06	R6	RESIDENTIAL	BEDROOM	12.0	96.7	96.7	0.0	0
F06	R7	RESIDENTIAL	BEDROOM	13.2	98	98	0.0	0
F06	R8	RESIDENTIAL	LKD	28.6	100	100	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: LUMIERE BUILDING
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL79

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F07


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
LUMIERE BUILDING								
F07	R1	RESIDENTIAL	LKD	26.5	99.3	99.3	0.0	0
F07	R2	RESIDENTIAL	BEDROOM	14.1	98.1	98.1	0.0	0
F07	R3	RESIDENTIAL	BEDROOM	14.1	99.3	99.3	0.0	0
F07	R4	RESIDENTIAL	LKD	24.1	99.5	99.5	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: LUMIERE BUILDING
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL80

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F07


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
LUMIERE BUILDING								
F07	R5	RESIDENTIAL	LKD	26.6	98.8	98.8	0.0	0
F07	R6	RESIDENTIAL	BEDROOM	12.0	96.8	96.8	0.0	0
F07	R7	RESIDENTIAL	BEDROOM	13.2	98.1	98.1	0.0	0
F07	R8	RESIDENTIAL	LKD	28.6	100	100	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: LUMIERE BUILDING
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL81

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F08


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
LUMIERE BUILDING								
F08	R1	RESIDENTIAL	UNKNOWN	12.8	100	100	0.0	0
F08	R2	RESIDENTIAL	UNKNOWN	12.8	100	100	0.0	0
F08	R3	RESIDENTIAL	UNKNOWN	12.8	100	100	0.0	0
F08	R4	RESIDENTIAL	UNKNOWN	12.8	100	100	0.0	0
F08	R5	RESIDENTIAL	UNKNOWN	12.8	100	100	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: LUMIERE BUILDING
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL82

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F08


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
LUMIERE BUILDING								
F08	R6	RESIDENTIAL	UNKNOWN	12.8	99.9	99.9	0.0	0
F08	R7	RESIDENTIAL	UNKNOWN	12.8	100	100	0.0	0
F08	R8	RESIDENTIAL	UNKNOWN	12.8	100	100	0.0	0
F08	R9	RESIDENTIAL	UNKNOWN	12.8	100	100	0.0	0
F08	R10	RESIDENTIAL	UNKNOWN	12.8	100	100	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: LUMIERE BUILDING
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL83

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F09

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
LUMIERE BUILDING								
F09	R1	RESIDENTIAL	UNKNOWN	12.8	100	100	0.0	0
F09	R2	RESIDENTIAL	UNKNOWN	12.8	100	100	0.0	0
F09	R3	RESIDENTIAL	UNKNOWN	12.8	100	100	0.0	0
F09	R4	RESIDENTIAL	UNKNOWN	12.8	100	100	0.0	0
F09	R5	RESIDENTIAL	UNKNOWN	12.8	100	100	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: LUMIERE BUILDING
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL84

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F09

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
LUMIERE BUILDING								
F09	R6	RESIDENTIAL	UNKNOWN	10.3	100	100	0.0	0
F09	R7	RESIDENTIAL	UNKNOWN	12.8	100	100	0.0	0
F09	R8	RESIDENTIAL	UNKNOWN	12.8	100	100	0.0	0
F09	R9	RESIDENTIAL	UNKNOWN	12.8	100	100	0.0	0
F09	R10	RESIDENTIAL	UNKNOWN	12.8	100	100	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: LUMIERE BUILDING
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL85

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F10

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
LUMIERE BUILDING								
F10	R1	RESIDENTIAL	UNKNOWN	12.8	100	100	0.0	0
F10	R2	RESIDENTIAL	UNKNOWN	12.8	100	100	0.0	0
F10	R3	RESIDENTIAL	UNKNOWN	9.9	100	100	0.0	0
F10	R4	RESIDENTIAL	UNKNOWN	12.8	100	100	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: LUMIERE BUILDING
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL86

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F10


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
LUMIERE BUILDING								
F10	R5	RESIDENTIAL	UNKNOWN	12.8	100	100	0.0	0
F10	R6	RESIDENTIAL	UNKNOWN	12.8	100	100	0.0	0
F10	R7	RESIDENTIAL	UNKNOWN	12.8	100	100	0.0	0
F10	R8	RESIDENTIAL	UNKNOWN	21.7	100	99.4	0.1	0.6

NSL CONTOURS


PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 14 ALBION STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL87

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID







F01



F01



F02



F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
14 ALBION STREET								
F01	R1	RESIDENTIAL	UNKNOWN	15.4	63.3	63.3	0.0	0
F01	R2	RESIDENTIAL	UNKNOWN	13.0	37.6	36.9	0.1	2
F01	R3	RESIDENTIAL	UNKNOWN	12.7	10.5	10.5	0.0	0
F01	R4	RESIDENTIAL	UNKNOWN	5.3	38.1	37.8	0.0	0.9
F02	R1	RESIDENTIAL	UNKNOWN	15.4	62.2	62.2	0.0	0
F03	R1	RESIDENTIAL	UNKNOWN	5.3	27.9	16.2	0.6	41.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE ROPEWORKS
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL88

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01



F02



F03




F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE ROPEWORKS								
F01	R1	RESIDENTIAL	LKD	25.9	67.2	57.9	2.4	13.8
F01	R2	RESIDENTIAL	BEDROOM	11.5	90.4	86	0.5	4.9
F02	R1	RESIDENTIAL	LKD	25.9	94.1	76	4.7	19.3
F02	R2	RESIDENTIAL	BEDROOM	11.5	98.5	97.3	0.1	1.3
F03	R1	RESIDENTIAL	LKD	25.9	94.5	77.8	4.3	17.6
F03	R2	RESIDENTIAL	BEDROOM	11.5	98.9	97.7	0.1	1.2
F04	R1	RESIDENTIAL	LKD	25.9	93.8	78.1	4.1	16.8
F04	R2	RESIDENTIAL	BEDROOM	11.5	96.3	95.4	0.1	1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 21 LITTLE PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL89

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
21 LITTLE PETER STREET								
F01	R1	RESIDENTIAL	UNKNOWN	21.7	97.9	97.9	0.0	0
F01	R2	RESIDENTIAL	UNKNOWN	21.6	56.3	55.6	0.2	1.3
F01	R3	RESIDENTIAL	UNKNOWN	21.1	95.2	95	0.1	0.3
F01	R4	RESIDENTIAL	UNKNOWN	18.9	99.6	98.7	0.2	0.9

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 21 LITTLE PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL90

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
21 LITTLE PETER STREET								
F01	R5	RESIDENTIAL	UNKNOWN	19.8	73	71.9	0.2	1.6
F01	R6	RESIDENTIAL	UNKNOWN	16.7	74.8	69.1	1.0	7.7
F01	R7	RESIDENTIAL	UNKNOWN	17.0	96.2	95.9	0.0	0.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 21 LITTLE PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL91

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
21 LITTLE PETER STREET								
F02	R1	RESIDENTIAL	UNKNOWN	21.8	90.7	90.5	0.0	0.2
F02	R2	RESIDENTIAL	UNKNOWN	21.6	48.5	46.4	0.5	4.3
F02	R3	RESIDENTIAL	UNKNOWN	21.0	91.3	90.8	0.1	0.6
F02	R4	RESIDENTIAL	UNKNOWN	19.0	98.1	98.1	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 21 LITTLE PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL92

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
21 LITTLE PETER STREET								
F02	R5	RESIDENTIAL	UNKNOWN	19.8	91.1	86.9	0.8	4.6
F02	R6	RESIDENTIAL	UNKNOWN	16.5	39.2	37.3	0.3	4.7
F02	R7	RESIDENTIAL	UNKNOWN	17.1	91.4	91	0.1	0.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 21 LITTLE PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL93

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
21 LITTLE PETER STREET								
F03	R1	RESIDENTIAL	UNKNOWN	21.9	96.1	95.8	0.1	0.4
F03	R2	RESIDENTIAL	UNKNOWN	21.6	94.3	94.3	0.0	0
F03	R3	RESIDENTIAL	UNKNOWN	21.0	97.4	97.4	0.0	0
F03	R4	RESIDENTIAL	UNKNOWN	19.0	97.7	97.6	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 21 LITTLE PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL94

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
21 LITTLE PETER STREET								
F03	R5	RESIDENTIAL	UNKNOWN	19.8	73.9	73.3	0.1	0.9
F03	R6	RESIDENTIAL	UNKNOWN	14.2	88.8	88.8	0.0	0
F03	R7	RESIDENTIAL	UNKNOWN	18.8	95.3	95.1	0.0	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 21 LITTLE PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL95

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
21 LITTLE PETER STREET								
F04	R1	RESIDENTIAL	UNKNOWN	24.5	57.3	57	0.1	0.5

NSL CONTOURS


PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 8-16 BRIDGEWATER ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL96

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F00



F01




F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
8-16 BRIDGEWATER ST								
F00	R1	RESIDENTIAL	LIVING ROOM	31.4	78.5	78.5	0.0	0
F01	R1	RESIDENTIAL	LIVING ROOM	28.3	91.8	88	1.1	4.1
F01	R2	RESIDENTIAL	BEDROOM	13.2	88	88	0.0	0
F02	R1	RESIDENTIAL	LIVING ROOM	27.4	96.5	93.8	0.7	2.7
F02	R2	RESIDENTIAL	BEDROOM	13.2	85.8	85.8	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 8-16 BRIDGEWATER ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL97

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
8-16 BRIDGEWATER ST								
F03	R1	RESIDENTIAL	LIVING ROOM	17.0	87	86.7	0.0	0.3
F03	R2	RESIDENTIAL	KITCHEN	5.2	84.1	84.1	0.0	0
F03	R3	RESIDENTIAL	BEDROOM	10.7	97.5	97.5	0.0	0

NSL CONTOURS


PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 20 SOUTHERN ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL98

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F00



F01




F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
20 SOUTHERN ST								
F00	R1	RESIDENTIAL	UNKNOWN	15.2	73	72.8	0.0	0.2
F00	R2	RESIDENTIAL	UNKNOWN	14.0	91.2	91.2	0.0	0
F01	R1	RESIDENTIAL	UNKNOWN	16.0	81.4	81.3	0.0	0.1
F01	R2	RESIDENTIAL	UNKNOWN	13.2	88.6	88.5	0.0	0.1
F02	R1	RESIDENTIAL	UNKNOWN	27.9	60.6	60.4	0.1	0.3
F02	R2	RESIDENTIAL	UNKNOWN	23.6	63.1	62.7	0.1	0.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 20 SOUTHERN ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL99

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
20 SOUTHERN ST								
F03	R1	RESIDENTIAL	UNKNOWN	27.2	99.2	99.2	0.0	0
F03	R2	RESIDENTIAL	UNKNOWN	13.3	76	76	0.0	0.1
F03	R3	RESIDENTIAL	UNKNOWN	13.9	75	74.8	0.0	0.2

NSL CONTOURS


PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 18-12 SOUTHERN ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL100

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01



F01



F02




F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
18-12 SOUTHERN ST								
F01	R1	RESIDENTIAL	LIVING ROOM	34.5	49.9	48.8	0.4	2.3
F01	R2	RESIDENTIAL	UNKNOWN	6.8	72.2	72.2	0.0	0
F01	R3	RESIDENTIAL	UNKNOWN	17.1	41.6	41.5	0.0	0.1
F02	R1	RESIDENTIAL	BEDROOM	28.2	61.6	57.1	1.3	7.4
F02	R2	RESIDENTIAL	UNKNOWN	6.8	72.3	63.4	0.6	12.3
F02	R3	RESIDENTIAL	UNKNOWN	17.1	40.3	39.6	0.1	1.8

NSL CONTOURS


PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 8-10 SOUTHERN ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL101

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F01



F02




F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
8-10 SOUTHERN ST								
F01	R1	RESIDENTIAL	BEDROOM	16.0	23	22.7	0.1	1.6
F01	R2	RESIDENTIAL	BEDROOM	20.3	44	44	0.0	0.1
F02	R1	RESIDENTIAL	BEDROOM	12.3	45.1	44.6	0.1	1.2
F02	R2	RESIDENTIAL	BEDROOM	15.6	65.9	65.8	0.0	0.2
F03	R1	RESIDENTIAL	LKD	44.2	98.7	98.7	0.0	0
F03	R2	RESIDENTIAL	LKD	48.3	95.7	95.2	0.2	0.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 357-361 DEANSGATE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL102

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
357-361 DEANSGATE								
F01	R1	RESIDENTIAL	UNKNOWN	13.9	26	25.1	0.1	3.3
F01	R2	RESIDENTIAL	UNKNOWN	11.1	3.3	3.3	0.0	0
F01	R3	RESIDENTIAL	UNKNOWN	14.8	1.2	0.5	0.1	55.5
F01	R4	RESIDENTIAL	UNKNOWN	7.2	91.8	91.8	0.0	0
F01	R5	RESIDENTIAL	UNKNOWN	14.5	83.8	83.4	0.1	0.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 357-361 DEANSGATE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL103

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
357-361 DEANSGATE								
F01	R6	RESIDENTIAL	UNKNOWN	12.3	55.1	53	0.3	3.8
F01	R7	RESIDENTIAL	UNKNOWN	16.9	91.8	91.7	0.0	0.2
F01	R8	RESIDENTIAL	UNKNOWN	12.4	59.5	56.7	0.3	4.7
F01	R9	RESIDENTIAL	UNKNOWN	28.0	82.1	82	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 357-361 DEANSGATE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL104

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
357-361 DEANSGATE								
F02	R1	RESIDENTIAL	UNKNOWN	11.1	7.8	7.8	0.0	0
F02	R2	RESIDENTIAL	UNKNOWN	13.9	39.9	38.6	0.2	3.3
F02	R3	RESIDENTIAL	UNKNOWN	14.8	1.2	0.5	0.1	55.6
F02	R4	RESIDENTIAL	UNKNOWN	7.2	94.2	94.2	0.0	0
F02	R5	RESIDENTIAL	UNKNOWN	12.5	74	73.5	0.1	0.7
F02	R6	RESIDENTIAL	UNKNOWN	12.5	84.2	84.1	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 357-361 DEANSGATE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL105

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
357-361 DEANSGATE								
F02	R7	RESIDENTIAL	UNKNOWN	14.5	94.1	93.7	0.1	0.5
F02	R8	RESIDENTIAL	UNKNOWN	12.3	62.8	60.9	0.2	3.1
F02	R9	RESIDENTIAL	UNKNOWN	16.9	96.6	96.4	0.0	0.2
F02	R10	RESIDENTIAL	UNKNOWN	12.4	66.1	63	0.4	4.7
F02	R11	RESIDENTIAL	UNKNOWN	28.0	82.8	82.8	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 357-361 DEANSGATE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL106

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
357-361 DEANSGATE								
F03	R1	RESIDENTIAL	UNKNOWN	11.1	30.3	30.3	0.0	0
F03	R2	RESIDENTIAL	UNKNOWN	13.9	54.2	52.6	0.2	2.9
F03	R3	RESIDENTIAL	UNKNOWN	14.8	24.7	24.2	0.1	2.4
F03	R4	RESIDENTIAL	UNKNOWN	7.2	97.4	97	0.0	0.4
F03	R5	RESIDENTIAL	UNKNOWN	12.5	91	90.5	0.1	0.5
F03	R6	RESIDENTIAL	UNKNOWN	12.5	95.3	95.3	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 357-361 DEANSGATE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL107

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
357-361 DEANSGATE								
F03	R7	RESIDENTIAL	UNKNOWN	14.5	94.7	94.4	0.1	0.4
F03	R8	RESIDENTIAL	UNKNOWN	12.3	64.4	62.6	0.2	2.8
F03	R9	RESIDENTIAL	UNKNOWN	16.9	97.1	96.9	0.0	0.2
F03	R10	RESIDENTIAL	UNKNOWN	12.4	67.1	64.4	0.3	4
F03	R11	RESIDENTIAL	UNKNOWN	28.0	84.5	84.5	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 357-361 DEANSGATE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL108

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
357-361 DEANSGATE								
F04	R1	RESIDENTIAL	UNKNOWN	11.1	80.8	80.8	0.0	0
F04	R2	RESIDENTIAL	UNKNOWN	13.9	82.6	81.4	0.2	1.4
F04	R3	RESIDENTIAL	UNKNOWN	10.6	84.7	84.6	0.0	0.1
F04	R4	RESIDENTIAL	UNKNOWN	11.8	84.3	84.2	0.0	0.1
F04	R5	RESIDENTIAL	UNKNOWN	7.2	100	100	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: DEANSGATE QUAY
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL109

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





B01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
DEANSGATE QUAY								
B01	R1	RESIDENTIAL	UNKNOWN	289.2	97.6	96.9	2.1	0.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: DEANSGATE QUAY
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL110

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
DEANSGATE QUAY								
F00	R1	RESIDENTIAL	LKD	22.2	50.5	44.1	1.4	12.7
F00	R2	RESIDENTIAL	LKD	27.2	87.1	83	1.1	4.6
F00	R3	RESIDENTIAL	BEDROOM	10.2	89.3	89.2	0.0	0.1
F00	R4	RESIDENTIAL	BEDROOM	14.0	88.5	88.4	0.0	0.2
F00	R5	RESIDENTIAL	LOBBY	28.7	96.4	92.6	1.1	3.9
F00	R7	RESIDENTIAL	LKD	24.4	98.6	97.8	0.2	0.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: DEANSGATE QUAY
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL111

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
DEANSGATE QUAY								
F01	R1	RESIDENTIAL	LKD	27.8	86.1	83.5	0.7	3
F01	R2	RESIDENTIAL	LKD	32.9	90.6	90.4	0.1	0.2
F01	R3	RESIDENTIAL	BEDROOM	10.2	97.9	97.9	0.0	0
F01	R4	RESIDENTIAL	BEDROOM	14.0	95.7	95.6	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: DEANSGATE QUAY
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL112

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
DEANSGATE QUAY								
F01	R5	RESIDENTIAL	BEDROOM	10.8	92.6	92	0.1	0.6
F01	R6	RESIDENTIAL	LKD	25.1	95.5	92.5	0.7	3.1
F01	R7	RESIDENTIAL	UNKNOWN	6.4	91.3	58.4	2.1	36
F01	R9	RESIDENTIAL	LKD	24.4	99.7	98.8	0.2	0.9

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: DEANSGATE QUAY
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL113

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
DEANSGATE QUAY								
F02	R1	RESIDENTIAL	LKD	27.8	87.1	85.6	0.4	1.7
F02	R2	RESIDENTIAL	LKD	32.9	90.7	90.4	0.1	0.2
F02	R3	RESIDENTIAL	BEDROOM	10.2	98	98	0.0	0
F02	R4	RESIDENTIAL	BEDROOM	14.0	98.4	98.4	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: DEANSGATE QUAY
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL114

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
DEANSGATE QUAY								
F02	R5	RESIDENTIAL	BEDROOM	10.8	94.7	94.3	0.0	0.4
F02	R6	RESIDENTIAL	LKD	25.1	96.3	95.9	0.1	0.4
F02	R7	RESIDENTIAL	UNKNOWN	6.4	94.1	64.7	1.9	31.3
F02	R9	RESIDENTIAL	LKD	24.4	100	98.9	0.3	1.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: DEANSGATE QUAY
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL115

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
DEANSGATE QUAY								
F03	R1	RESIDENTIAL	LKD	27.8	88.6	87.8	0.2	0.9
F03	R2	RESIDENTIAL	LKD	32.9	90.8	90.5	0.1	0.3
F03	R3	RESIDENTIAL	BEDROOM	10.2	98	98	0.0	0
F03	R4	RESIDENTIAL	BEDROOM	14.0	98.5	98.5	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: DEANSGATE QUAY
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL116

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
DEANSGATE QUAY								
F03	R5	RESIDENTIAL	BEDROOM	10.8	96.5	96.2	0.0	0.3
F03	R6	RESIDENTIAL	LKD	25.1	96.4	96.1	0.1	0.4
F03	R7	RESIDENTIAL	UNKNOWN	6.4	94.4	65.2	1.9	30.9
F03	R10	RESIDENTIAL	LKD	24.4	100	98.9	0.3	1.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: DEANSGATE QUAY
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL117

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
DEANSGATE QUAY								
F04	R1	RESIDENTIAL	LKD	27.8	88.3	82.5	1.6	6.6
F04	R2	RESIDENTIAL	LKD	32.9	90.6	89.9	0.2	0.8
F04	R3	RESIDENTIAL	BEDROOM	10.2	98	98	0.0	0
F04	R4	RESIDENTIAL	BEDROOM	14.0	98.5	98.5	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: DEANSGATE QUAY
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL118

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
DEANSGATE QUAY								
F04	R5	RESIDENTIAL	BEDROOM	10.8	96.8	96.5	0.0	0.3
F04	R6	RESIDENTIAL	LKD	25.1	96.1	95.8	0.1	0.4
F04	R7	RESIDENTIAL	UNKNOWN	6.4	94.6	65.5	1.9	30.8
F04	R9	RESIDENTIAL	LKD	24.4	100	98.9	0.3	1.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: DEANSGATE QUAY
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL119

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
DEANSGATE QUAY								
F05	R1	RESIDENTIAL	UNKNOWN	16.4	99.7	99.6	0.0	0.1
F05	R2	RESIDENTIAL	UNKNOWN	35.6	99.7	99.7	0.0	0.1
F05	R3	RESIDENTIAL	UNKNOWN	6.4	92.6	82.9	0.6	10.5
F05	R5	RESIDENTIAL	LKD	21.1	100	98.8	0.3	1.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: ROPEWORKS APARTMENTS BLOCK 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL120

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
ROPEWORKS APARTMENTS BLOCK 1								
F00	R2	RESIDENTIAL	BEDROOM	22.1	24.7	24.7	0.0	0
F00	R3	RESIDENTIAL	BEDROOM	17.7	21.4	21.4	0.0	0
F00	R4	RESIDENTIAL	LKD	19.1	5.4	5.4	0.0	0
F00	R5	RESIDENTIAL	BEDROOM	23.3	23.7	23.7	0.0	0
F00	R6	RESIDENTIAL	LKD	22.7	17.8	17.8	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: ROPEWORKS APARTMENTS BLOCK 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL121

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
ROPEWORKS APARTMENTS BLOCK 1								
F00	R7	RESIDENTIAL	BEDROOM	18.1	22.8	22.8	0.0	0
F00	R8	RESIDENTIAL	BEDROOM	18.6	21.9	21.9	0.0	0
F00	R9	RESIDENTIAL	LKD	22.7	31.2	28.7	0.6	7.9
F00	R10	RESIDENTIAL	BEDROOM	20.2	31.8	31.8	0.0	0
F00	R11	RESIDENTIAL	LKD	23.5	41.4	41.4	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: ROPEWORKS APARTMENTS BLOCK 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL122

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
ROPEWORKS APARTMENTS BLOCK 1								
F01	R2	RESIDENTIAL	BEDROOM	8.9	53.1	53.1	0.0	0
F01	R3	RESIDENTIAL	LKD	27.8	26.3	26.3	0.0	0
F01	R4	RESIDENTIAL	BEDROOM	11.7	51.6	51.6	0.0	0
F01	R5	RESIDENTIAL	BEDROOM	13.6	41.2	41.2	0.0	0
F01	R6	RESIDENTIAL	LKD	19.1	4.9	4.9	0.0	0
F01	R7	RESIDENTIAL	BEDROOM	23.3	24.8	24.8	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: ROPEWORKS APARTMENTS BLOCK 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL123

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
ROPEWORKS APARTMENTS BLOCK 1								
F01	R8	RESIDENTIAL	LKD	22.7	18.1	18.1	0.0	0
F01	R9	RESIDENTIAL	BEDROOM	18.1	24.3	24.3	0.0	0
F01	R10	RESIDENTIAL	BEDROOM	18.6	23.5	23.5	0.0	0
F01	R11	RESIDENTIAL	LKD	22.7	43.9	25	4.3	43
F01	R12	RESIDENTIAL	BEDROOM	20.2	57.8	41.9	3.2	27.5
F01	R13	RESIDENTIAL	LKD	23.5	89.5	86.7	0.7	3.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: ROPEWORKS APARTMENTS BLOCK 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL124

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
ROPEWORKS APARTMENTS BLOCK 1								
F02	R2	RESIDENTIAL	BEDROOM	8.9	55.2	55.2	0.0	0
F02	R3	RESIDENTIAL	LKD	27.8	27.4	27.4	0.0	0
F02	R4	RESIDENTIAL	BEDROOM	11.7	52.1	52.1	0.0	0
F02	R5	RESIDENTIAL	BEDROOM	13.6	44.2	44.2	0.0	0
F02	R6	RESIDENTIAL	LKD	19.1	4	4	0.0	0
F02	R7	RESIDENTIAL	BEDROOM	23.3	24.6	24.6	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: ROPEWORKS APARTMENTS BLOCK 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL125

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
ROPEWORKS APARTMENTS BLOCK 1								
F02	R8	RESIDENTIAL	LKD	22.7	17.2	17.2	0.0	0
F02	R9	RESIDENTIAL	BEDROOM	18.1	24.2	24.2	0.0	0
F02	R10	RESIDENTIAL	BEDROOM	18.6	23.6	23.6	0.0	0
F02	R11	RESIDENTIAL	LKD	22.7	42	24.8	3.9	40.9
F02	R12	RESIDENTIAL	BEDROOM	20.2	59.5	42.9	3.4	27.9
F02	R13	RESIDENTIAL	LKD	23.5	92.8	90.5	0.5	2.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: ROPEWORKS APARTMENTS BLOCK 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL126

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
ROPEWORKS APARTMENTS BLOCK 1								
F03	R1	RESIDENTIAL	LKD	19.4	91.4	91.4	0.0	0
F03	R2	RESIDENTIAL	BEDROOM	18.5	43.8	43.8	0.0	0
F03	R3	RESIDENTIAL	BEDROOM	8.9	55.8	55.8	0.0	0
F03	R4	RESIDENTIAL	LKD	27.8	28.3	28.3	0.0	0
F03	R5	RESIDENTIAL	BEDROOM	11.7	51.8	51.8	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: ROPEWORKS APARTMENTS BLOCK 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL127

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
ROPEWORKS APARTMENTS BLOCK 1								
F03	R6	RESIDENTIAL	BEDROOM	13.6	46.1	46.1	0.0	0
F03	R7	RESIDENTIAL	LKD	19.1	4.2	4.2	0.0	0
F03	R8	RESIDENTIAL	BEDROOM	23.3	24.7	24.7	0.0	0
F03	R9	RESIDENTIAL	LKD	22.7	16.7	16.7	0.0	0
F03	R10	RESIDENTIAL	BEDROOM	18.1	24.4	24.4	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: ROPEWORKS APARTMENTS BLOCK 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL128

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
ROPEWORKS APARTMENTS BLOCK 1								
F03	R11	RESIDENTIAL	BEDROOM	18.6	23.7	23.7	0.0	0
F03	R12	RESIDENTIAL	LKD	22.7	42.4	25.2	3.9	40.6
F03	R13	RESIDENTIAL	BEDROOM	20.2	60.9	43.6	3.5	28.4
F03	R14	RESIDENTIAL	LKD	23.5	94.3	94	0.1	0.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: ROPEWORKS APARTMENTS BLOCK 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL129

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
ROPEWORKS APARTMENTS BLOCK 1								
F04	R1	RESIDENTIAL	LKD	19.4	92.7	92.7	0.0	0
F04	R2	RESIDENTIAL	BEDROOM	18.5	44.5	44.5	0.0	0.1
F04	R3	RESIDENTIAL	BEDROOM	8.9	56.2	56.2	0.0	0
F04	R4	RESIDENTIAL	LKD	27.8	28.4	28.4	0.0	0
F04	R5	RESIDENTIAL	BEDROOM	11.7	51.7	51.7	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: ROPEWORKS APARTMENTS BLOCK 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL130

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
ROPEWORKS APARTMENTS BLOCK 1								
F04	R6	RESIDENTIAL	BEDROOM	13.6	46.5	46.5	0.0	0
F04	R7	RESIDENTIAL	LKD	19.1	4.4	4.4	0.0	0
F04	R8	RESIDENTIAL	BEDROOM	23.3	24.7	24.7	0.0	0
F04	R9	RESIDENTIAL	LKD	22.7	16.5	16.5	0.0	0
F04	R10	RESIDENTIAL	BEDROOM	18.1	24.4	24.4	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: ROPEWORKS APARTMENTS BLOCK 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL131

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
ROPEWORKS APARTMENTS BLOCK 1								
F04	R11	RESIDENTIAL	BEDROOM	18.6	23.7	23.7	0.0	0
F04	R12	RESIDENTIAL	LKD	22.7	42.7	25.4	3.9	40.4
F04	R13	RESIDENTIAL	BEDROOM	20.2	62.3	44	3.7	29.4
F04	R14	RESIDENTIAL	LKD	23.5	94.6	94.3	0.1	0.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: ROPEWORKS APARTMENTS BLOCK 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL132

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
ROPEWORKS APARTMENTS BLOCK 1								
F05	R1	RESIDENTIAL	LKD	19.4	93.6	93.6	0.0	0
F05	R2	RESIDENTIAL	BEDROOM	18.5	44.8	44.8	0.0	0.2
F05	R3	RESIDENTIAL	BEDROOM	8.9	56.7	56.7	0.0	0
F05	R4	RESIDENTIAL	LKD	27.8	28.5	28.5	0.0	0
F05	R5	RESIDENTIAL	BEDROOM	11.7	51.6	51.6	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: ROPEWORKS APARTMENTS BLOCK 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL133

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
ROPEWORKS APARTMENTS BLOCK 1								
F05	R6	RESIDENTIAL	BEDROOM	13.6	45.8	45.8	0.0	0
F05	R7	RESIDENTIAL	LKD	19.1	11.7	11.7	0.0	0
F05	R8	RESIDENTIAL	BEDROOM	23.3	24.7	24.7	0.0	0
F05	R9	RESIDENTIAL	LKD	22.7	17.1	17.1	0.0	0
F05	R10	RESIDENTIAL	BEDROOM	18.1	23.4	23.4	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: ROPEWORKS APARTMENTS BLOCK 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL134

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
ROPEWORKS APARTMENTS BLOCK 1								
F05	R11	RESIDENTIAL	BEDROOM	18.6	23.3	23.3	0.0	0
F05	R12	RESIDENTIAL	LKD	22.7	42.6	25.9	3.8	39.1
F05	R13	RESIDENTIAL	BEDROOM	20.2	63	44.5	3.7	29.3
F05	R14	RESIDENTIAL	LKD	23.5	94.8	94.4	0.1	0.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: ROPEWORKS APARTMENTS BLOCK 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL135

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
ROPEWORKS APARTMENTS BLOCK 1								
F06	R1	RESIDENTIAL	LKD	19.4	94.9	94.9	0.0	0
F06	R2	RESIDENTIAL	BEDROOM	18.5	48	47.8	0.0	0.5
F06	R3	RESIDENTIAL	LKD	21.8	48.7	48.7	0.0	0
F06	R4	RESIDENTIAL	BEDROOM	17.4	47.8	47.8	0.0	0
F06	R5	RESIDENTIAL	BEDROOM	17.7	36.8	36.8	0.0	0
F06	R6	RESIDENTIAL	LKD	22.1	62	61.3	0.1	1.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: ROPEWORKS APARTMENTS BLOCK 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL136

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
ROPEWORKS APARTMENTS BLOCK 1								
F07	R1	RESIDENTIAL	LKD	19.4	96	95.8	0.0	0.2
F07	R2	RESIDENTIAL	BEDROOM	18.5	47.8	47.6	0.0	0.5
F07	R3	RESIDENTIAL	LKD	21.8	45.3	45.3	0.0	0
F07	R4	RESIDENTIAL	BEDROOM	17.4	47.7	47.7	0.0	0
F07	R5	RESIDENTIAL	BEDROOM	17.6	42	42	0.0	0
F07	R6	RESIDENTIAL	LKD	21.8	98.2	98.2	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE DANUBE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL137

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE DANUBE								
F00	R1	RESIDENTIAL	LKD	24.5	55.2	55.2	0.0	0
F00	R2	RESIDENTIAL	BEDROOM	7.6	21.8	20.3	0.1	7
F00	R3	RESIDENTIAL	BEDROOM	8.4	34.9	34.9	0.0	0.1
F00	R4	RESIDENTIAL	BEDROOM	9.1	35	34.8	0.0	0.6

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE DANUBE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL138

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE DANUBE								
F00	R5	RESIDENTIAL	BEDROOM	7.4	10.7	10.7	0.0	0
F00	R6	RESIDENTIAL	LKD	30.1	29.8	29.4	0.1	1.5
F00	R7	RESIDENTIAL	BEDROOM	11.3	35.7	35.7	0.0	0
F00	R8	RESIDENTIAL	LKD	27.2	54.4	54	0.1	0.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE DANUBE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL139

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE DANUBE								
F01	R1	RESIDENTIAL	BEDROOM	9.1	42.6	42.2	0.0	1
F01	R2	RESIDENTIAL	BEDROOM	7.5	31.2	30.9	0.0	1
F01	R3	RESIDENTIAL	LKD	21.1	73.9	73.3	0.1	0.8
F01	R4	RESIDENTIAL	LKD	24.5	58.4	58.4	0.0	0
F01	R5	RESIDENTIAL	BEDROOM	7.6	33.4	31.5	0.1	5.7
F01	R6	RESIDENTIAL	BEDROOM	8.4	39.6	39.6	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE DANUBE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL140

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE DANUBE								
F01	R7	RESIDENTIAL	BEDROOM	9.1	39.5	39.3	0.0	0.5
F01	R8	RESIDENTIAL	BEDROOM	7.4	21.1	21.1	0.0	0
F01	R9	RESIDENTIAL	LKD	30.1	30.9	30.4	0.1	1.4
F01	R10	RESIDENTIAL	BEDROOM	11.3	38	38	0.0	0
F01	R11	RESIDENTIAL	LKD	27.2	58.1	57.1	0.3	1.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE DANUBE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL141

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE DANUBE								
F02	R1	RESIDENTIAL	BEDROOM	9.1	48	47.7	0.0	0.7
F02	R2	RESIDENTIAL	BEDROOM	7.5	41	40.6	0.0	1
F02	R3	RESIDENTIAL	LKD	21.1	76.9	76.3	0.1	0.8
F02	R4	RESIDENTIAL	LKD	24.5	65	65	0.0	0
F02	R5	RESIDENTIAL	BEDROOM	7.6	45.5	44.6	0.1	2
F02	R6	RESIDENTIAL	BEDROOM	8.4	46	46	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE DANUBE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL142

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE DANUBE								
F02	R7	RESIDENTIAL	BEDROOM	9.1	45.7	45.6	0.0	0.3
F02	R8	RESIDENTIAL	BEDROOM	7.4	33.2	33.2	0.0	0
F02	R9	RESIDENTIAL	LKD	30.1	33.3	32.9	0.1	1.3
F02	R10	RESIDENTIAL	BEDROOM	11.3	41.9	41.9	0.0	0
F02	R11	RESIDENTIAL	LKD	27.2	61.1	59.9	0.3	2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE DANUBE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL143

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE DANUBE								
F03	R1	RESIDENTIAL	BEDROOM	9.1	51.8	51.5	0.0	0.7
F03	R2	RESIDENTIAL	BEDROOM	7.5	50.3	49.9	0.0	0.9
F03	R3	RESIDENTIAL	LKD	21.1	79.9	79.4	0.1	0.6
F03	R4	RESIDENTIAL	LKD	24.5	77.5	77.5	0.0	0
F03	R5	RESIDENTIAL	BEDROOM	7.6	54.4	54.3	0.0	0.2
F03	R6	RESIDENTIAL	BEDROOM	8.4	57.4	57.4	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE DANUBE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL144

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE DANUBE								
F03	R7	RESIDENTIAL	BEDROOM	9.1	53.8	53.6	0.0	0.3
F03	R8	RESIDENTIAL	BEDROOM	7.4	46.3	46.3	0.0	0
F03	R9	RESIDENTIAL	LKD	30.1	37.2	36.7	0.1	1.2
F03	R10	RESIDENTIAL	BEDROOM	11.3	48.9	48.9	0.0	0
F03	R11	RESIDENTIAL	LKD	27.2	65.2	64.1	0.3	1.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE DANUBE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL145

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE DANUBE								
F04	R1	RESIDENTIAL	BEDROOM	9.1	61.8	61.5	0.0	0.5
F04	R2	RESIDENTIAL	BEDROOM	7.5	69.6	69.2	0.0	0.6
F04	R3	RESIDENTIAL	LKD	21.1	81	80.6	0.1	0.6
F04	R4	RESIDENTIAL	LKD	24.5	93	93	0.0	0
F04	R5	RESIDENTIAL	BEDROOM	7.6	75.2	75.2	0.0	0
F04	R6	RESIDENTIAL	BEDROOM	8.4	73.1	73.1	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE DANUBE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL146

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE DANUBE								
F04	R7	RESIDENTIAL	BEDROOM	9.1	67.5	67.3	0.0	0.2
F04	R8	RESIDENTIAL	BEDROOM	7.4	70.9	70.9	0.0	0
F04	R9	RESIDENTIAL	LKD	30.1	44.2	43.8	0.1	1
F04	R10	RESIDENTIAL	BEDROOM	11.3	60.6	60.6	0.0	0
F04	R11	RESIDENTIAL	LKD	27.2	72.8	71.9	0.2	1.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE DANUBE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL147

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE DANUBE								
F05	R1	RESIDENTIAL	BEDROOM	9.1	79.8	79.5	0.0	0.4
F05	R2	RESIDENTIAL	BEDROOM	7.5	88.2	87.8	0.0	0.5
F05	R3	RESIDENTIAL	LKD	21.1	82	81.5	0.1	0.6
F05	R4	RESIDENTIAL	LKD	24.5	97.6	97.6	0.0	0
F05	R5	RESIDENTIAL	BEDROOM	7.6	87.7	87.5	0.0	0.2
F05	R6	RESIDENTIAL	BEDROOM	8.4	96.6	96.6	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE DANUBE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL148

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE DANUBE								
F05	R7	RESIDENTIAL	BEDROOM	9.1	93.9	93.9	0.0	0
F05	R8	RESIDENTIAL	BEDROOM	7.4	89.2	89.2	0.0	0
F05	R9	RESIDENTIAL	LKD	30.1	60.8	60.3	0.1	0.7
F05	R10	RESIDENTIAL	BEDROOM	11.3	83.8	83.8	0.0	0
F05	R11	RESIDENTIAL	LKD	27.2	83.4	82.6	0.2	0.9

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE DANUBE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL149

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F06


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE DANUBE								
F06	R1	RESIDENTIAL	BEDROOM	9.1	98.8	98.5	0.0	0.3
F06	R2	RESIDENTIAL	BEDROOM	7.5	93.4	93.2	0.0	0.2
F06	R3	RESIDENTIAL	LKD	21.1	90.7	90.2	0.1	0.5
F06	R4	RESIDENTIAL	LKD	24.5	99.8	99.8	0.0	0
F06	R5	RESIDENTIAL	BEDROOM	7.6	92.2	92.2	0.0	0
F06	R6	RESIDENTIAL	BEDROOM	8.4	98.7	97.8	0.1	0.9

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: THE DANUBE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL150

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
THE DANUBE								
F06	R7	RESIDENTIAL	BEDROOM	9.1	98.7	98.4	0.0	0.3
F06	R8	RESIDENTIAL	BEDROOM	7.4	92.6	92.6	0.0	0
F06	R9	RESIDENTIAL	LKD	30.1	90.6	90.3	0.1	0.4
F06	R10	RESIDENTIAL	BEDROOM	11.3	96.6	96.6	0.0	0
F06	R11	RESIDENTIAL	LKD	27.2	98.2	97	0.3	1.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: JURYS INN
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL151

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






B01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
JURYS INN								
B01	R1	RESIDENTIAL	BEDROOM	19.5	14	14	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: JURYS INN
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL152

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
JURYS INN								
F00	R1	RESIDENTIAL	BEDROOM	14.3	80.1	80.1	0.0	0
F00	R2	RESIDENTIAL	BEDROOM	13.3	89.5	89.5	0.0	0
F00	R3	RESIDENTIAL	BEDROOM	14.3	64	64	0.0	0
F00	R4	RESIDENTIAL	BEDROOM	18.3	33.5	33.2	0.1	0.9
F00	R5	RESIDENTIAL	BEDROOM	14.3	58.7	57.9	0.1	1.4
F00	R6	RESIDENTIAL	BEDROOM	14.3	51.9	51.3	0.1	1.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: JURYS INN
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL153

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
JURYS INN								
F00	R7	RESIDENTIAL	BEDROOM	16.3	18.5	15.5	0.5	16.1
F00	R8	RESIDENTIAL	BEDROOM	14.3	7.8	7.8	0.0	0
F00	R9	RESIDENTIAL	BEDROOM	14.3	9.9	9.9	0.0	0
F00	R10	RESIDENTIAL	BEDROOM	14.3	13.8	13.8	0.0	0
F00	R11	RESIDENTIAL	BEDROOM	14.3	18.3	18.3	0.0	0
F00	R12	RESIDENTIAL	BEDROOM	19.5	26.2	26.2	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: JURYS INN
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL154

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
JURYS INN								
F01	R2	RESIDENTIAL	BEDROOM	14.3	52.1	52.1	0.0	0
F01	R3	RESIDENTIAL	BEDROOM	13.3	58.6	58.4	0.0	0.3
F01	R4	RESIDENTIAL	BEDROOM	14.3	57.9	55.7	0.3	3.9
F01	R6	RESIDENTIAL	BEDROOM	14.3	69.5	69.5	0.0	0
F01	R7	RESIDENTIAL	BEDROOM	18.3	34	33.8	0.0	0.6

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: JURYS INN
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL155

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
JURYS INN								
F01	R8	RESIDENTIAL	BEDROOM	14.3	68.1	67.6	0.1	0.7
F01	R9	RESIDENTIAL	BEDROOM	14.3	60.9	60.5	0.1	0.6
F01	R10	RESIDENTIAL	BEDROOM	16.3	20.4	17.9	0.4	12.1
F01	R11	RESIDENTIAL	BEDROOM	14.3	10.7	10.7	0.0	0
F01	R12	RESIDENTIAL	BEDROOM	14.3	12.9	12.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: JURYS INN
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL156

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
JURYS INN								
F01	R13	RESIDENTIAL	BEDROOM	14.3	18.8	18.8	0.0	0
F01	R14	RESIDENTIAL	BEDROOM	14.3	21.8	21.8	0.0	0
F01	R15	RESIDENTIAL	BEDROOM	19.5	28.9	28.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: JURYS INN
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL157

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
JURYS INN								
F02	R1	RESIDENTIAL	BEDROOM	20.8	98.2	98.2	0.0	0
F02	R3	RESIDENTIAL	BEDROOM	14.3	67.4	66.5	0.1	1.4
F02	R4	RESIDENTIAL	BEDROOM	13.3	68.6	68.6	0.0	0.1
F02	R5	RESIDENTIAL	BEDROOM	14.3	65	63.3	0.2	2.6
F02	R7	RESIDENTIAL	BEDROOM	14.3	70.9	70.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: JURYS INN
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL158

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
JURYS INN								
F02	R8	RESIDENTIAL	BEDROOM	18.3	34.7	34.5	0.0	0.6
F02	R9	RESIDENTIAL	BEDROOM	14.3	69.5	69.3	0.0	0.4
F02	R10	RESIDENTIAL	BEDROOM	14.3	63.4	63.4	0.0	0
F02	R11	RESIDENTIAL	BEDROOM	16.3	22.6	20.5	0.3	9.2
F02	R12	RESIDENTIAL	BEDROOM	14.3	13.5	13.5	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: JURYS INN
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL159

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
JURYS INN								
F02	R13	RESIDENTIAL	BEDROOM	14.3	16.2	16.2	0.0	0
F02	R14	RESIDENTIAL	BEDROOM	14.3	24.7	24.7	0.0	0
F02	R15	RESIDENTIAL	BEDROOM	14.3	26.2	26.2	0.0	0
F02	R16	RESIDENTIAL	BEDROOM	19.5	32.4	32.4	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: JURYS INN
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL160

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
JURYS INN								
F03	R1	RESIDENTIAL	BEDROOM	20.8	98.2	98.2	0.0	0
F03	R3	RESIDENTIAL	BEDROOM	14.3	76.9	74.2	0.4	3.5
F03	R4	RESIDENTIAL	BEDROOM	13.3	78.1	78.1	0.0	0
F03	R5	RESIDENTIAL	BEDROOM	14.3	75.1	74.2	0.1	1.3
F03	R7	RESIDENTIAL	BEDROOM	14.3	72.7	72.7	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: JURYS INN
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL161

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
JURYS INN								
F03	R8	RESIDENTIAL	BEDROOM	18.3	36	35.8	0.0	0.6
F03	R9	RESIDENTIAL	BEDROOM	14.3	71.1	71	0.0	0.1
F03	R10	RESIDENTIAL	BEDROOM	14.3	66.6	66.6	0.0	0
F03	R11	RESIDENTIAL	BEDROOM	16.3	24.7	22.9	0.3	7.4
F03	R12	RESIDENTIAL	BEDROOM	14.3	17.4	17.4	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: JURYS INN
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL162

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
JURYS INN								
F03	R13	RESIDENTIAL	BEDROOM	14.3	21.1	21.1	0.0	0
F03	R14	RESIDENTIAL	BEDROOM	14.3	33.3	33.3	0.0	0
F03	R15	RESIDENTIAL	BEDROOM	14.3	34.2	34.2	0.0	0
F03	R16	RESIDENTIAL	BEDROOM	19.5	37.5	37.5	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: JURYS INN
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL163

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
JURYS INN								
F04	R1	RESIDENTIAL	UNKNOWN	18.1	99.2	99.2	0.0	0
F04	R3	RESIDENTIAL	BEDROOM	14.3	84	83	0.1	1.2
F04	R4	RESIDENTIAL	BEDROOM	13.3	89.8	89.6	0.0	0.2
F04	R5	RESIDENTIAL	BEDROOM	14.3	86.6	86.3	0.0	0.3
F04	R7	RESIDENTIAL	BEDROOM	14.3	75	75	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: JURYS INN
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL164

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
JURYS INN								
F04	R8	RESIDENTIAL	BEDROOM	18.3	38.7	38.7	0.0	0
F04	R9	RESIDENTIAL	BEDROOM	14.3	74.6	74.6	0.0	0
F04	R10	RESIDENTIAL	BEDROOM	14.3	69.7	69.7	0.0	0
F04	R11	RESIDENTIAL	BEDROOM	16.3	26.5	25.4	0.2	4.1
F04	R12	RESIDENTIAL	BEDROOM	14.3	23.2	23.2	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: JURYS INN
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL165

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
JURYS INN								
F04	R13	RESIDENTIAL	BEDROOM	14.3	28.8	28.8	0.0	0
F04	R14	RESIDENTIAL	BEDROOM	14.3	47.2	47.2	0.0	0
F04	R15	RESIDENTIAL	BEDROOM	14.3	49	49	0.0	0
F04	R16	RESIDENTIAL	BEDROOM	19.5	47.6	47.6	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: JURYS INN
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL166

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
JURYS INN								
F05	R1	RESIDENTIAL	UNKNOWN	18.1	99.2	99.2	0.0	0
F05	R3	RESIDENTIAL	BEDROOM	14.3	91.6	90.6	0.1	1
F05	R4	RESIDENTIAL	BEDROOM	13.3	96.7	96.4	0.0	0.3
F05	R5	RESIDENTIAL	BEDROOM	14.3	93.6	92.4	0.2	1.2
F05	R7	RESIDENTIAL	BEDROOM	14.3	78.1	78.1	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: JURYS INN
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL167

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
JURYS INN								
F05	R8	RESIDENTIAL	BEDROOM	18.3	46.8	46.8	0.0	0
F05	R9	RESIDENTIAL	BEDROOM	14.3	82.3	82.3	0.0	0
F05	R10	RESIDENTIAL	BEDROOM	14.3	72.9	72.9	0.0	0
F05	R11	RESIDENTIAL	BEDROOM	16.3	32.8	32.6	0.0	0.5
F05	R12	RESIDENTIAL	BEDROOM	14.3	32.3	32.3	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: JURYS INN
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL168

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
JURYS INN								
F05	R13	RESIDENTIAL	BEDROOM	14.3	41.6	41.6	0.0	0
F05	R14	RESIDENTIAL	BEDROOM	14.3	73.6	73.6	0.0	0
F05	R15	RESIDENTIAL	BEDROOM	14.3	76.4	76.4	0.0	0
F05	R16	RESIDENTIAL	BEDROOM	19.5	73	73	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: JURYS INN
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL169

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
JURYS INN								
F06	R1	RESIDENTIAL	UNKNOWN	18.1	98.1	98.1	0.0	0
F06	R3	RESIDENTIAL	BEDROOM	14.3	98.2	98.1	0.0	0
F06	R4	RESIDENTIAL	BEDROOM	13.3	99	98.9	0.0	0.1
F06	R5	RESIDENTIAL	BEDROOM	14.3	98.3	97.4	0.1	0.8
F06	R7	RESIDENTIAL	BEDROOM	14.3	84.3	84.3	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: JURYS INN
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL170

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
JURYS INN								
F06	R8	RESIDENTIAL	BEDROOM	18.3	63.9	63.9	0.0	0
F06	R9	RESIDENTIAL	BEDROOM	14.3	89.3	89.3	0.0	0
F06	R10	RESIDENTIAL	BEDROOM	14.3	75.4	75.4	0.0	0
F06	R11	RESIDENTIAL	BEDROOM	16.3	56.7	56.6	0.0	0.1
F06	R12	RESIDENTIAL	BEDROOM	14.3	50.8	50.8	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: JURYS INN
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL171

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
JURYS INN								
F06	R13	RESIDENTIAL	BEDROOM	14.3	64.4	64.4	0.0	0
F06	R14	RESIDENTIAL	BEDROOM	14.3	95	95	0.0	0
F06	R15	RESIDENTIAL	BEDROOM	14.3	96	96	0.0	0
F06	R16	RESIDENTIAL	BEDROOM	19.5	91.8	91.8	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: BEETHAM TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL172

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F00


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
BEETHAM TOWER								
F00	R2	RESIDENTIAL	UNKNOWN	14.8	59	48.9	1.5	17.2
F00	R3	RESIDENTIAL	UNKNOWN	14.8	53	41.5	1.7	21.7
F00	R4	RESIDENTIAL	UNKNOWN	14.8	48.3	28.6	2.9	40.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: BEETHAM TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL173

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F25


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
BEETHAM TOWER								
F25	R2	RESIDENTIAL	BEDROOM	9.5	69.9	69.9	0.0	0
F25	R3	RESIDENTIAL	BEDROOM	10.9	87.3	87.3	0.0	0
F25	R4	RESIDENTIAL	BEDROOM	9.1	91.5	91.5	0.0	0
F25	R5	RESIDENTIAL	LKD	28.5	100	100	0.0	0
F25	R6	RESIDENTIAL	LKD	34.5	100	100	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: BEETHAM TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL174

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F26


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
BEETHAM TOWER								
F26	R1	RESIDENTIAL	LKD	28.5	100	100	0.0	0
F26	R2	RESIDENTIAL	LKD	34.5	100	100	0.0	0
F26	R3	RESIDENTIAL	BEDROOM	9.1	91.6	91.6	0.0	0
F26	R4	RESIDENTIAL	BEDROOM	10.9	87.4	87.4	0.0	0
F26	R5	RESIDENTIAL	BEDROOM	9.5	70.6	70.6	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: BEETHAM TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL175

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F27


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
BEETHAM TOWER								
F27	R2	RESIDENTIAL	LKD	28.5	100	100	0.0	0
F27	R3	RESIDENTIAL	LKD	34.5	100	100	0.0	0
F27	R4	RESIDENTIAL	BEDROOM	9.5	70.1	70.1	0.0	0
F27	R5	RESIDENTIAL	BEDROOM	10.9	87.5	87.5	0.0	0
F27	R6	RESIDENTIAL	BEDROOM	9.1	91.6	91.6	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: BEETHAM TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL176

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F28


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
BEETHAM TOWER								
F28	R1	RESIDENTIAL	BEDROOM	9.5	71.2	71.1	0.0	0
F28	R2	RESIDENTIAL	BEDROOM	10.9	87.6	87.6	0.0	0
F28	R3	RESIDENTIAL	BEDROOM	9.1	91.9	91.9	0.0	0
F28	R4	RESIDENTIAL	LKD	34.5	100	100	0.0	0
F28	R5	RESIDENTIAL	LKD	28.5	100	100	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: BEETHAM TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL177

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F29


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
BEETHAM TOWER								
F29	R2	RESIDENTIAL	LKD	28.5	100	100	0.0	0
F29	R3	RESIDENTIAL	LKD	34.5	100	100	0.0	0
F29	R4	RESIDENTIAL	BEDROOM	9.5	71.4	71.4	0.0	0
F29	R5	RESIDENTIAL	BEDROOM	10.9	88.1	88.1	0.0	0
F29	R6	RESIDENTIAL	BEDROOM	9.1	92.1	92.1	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: BEETHAM TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL178

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F30


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
BEETHAM TOWER								
F30	R1	RESIDENTIAL	BEDROOM	9.5	71	71	0.0	0
F30	R2	RESIDENTIAL	BEDROOM	10.9	88.3	88.2	0.0	0.1
F30	R3	RESIDENTIAL	BEDROOM	9.1	93	93	0.0	0
F30	R4	RESIDENTIAL	LKD	28.5	100	100	0.0	0
F30	R5	RESIDENTIAL	LKD	34.5	99.9	99.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: BEETHAM TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL179

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F31


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
BEETHAM TOWER								
F31	R2	RESIDENTIAL	LKD	28.5	100	100	0.0	0
F31	R3	RESIDENTIAL	LKD	34.5	99.9	99.9	0.0	0
F31	R4	RESIDENTIAL	BEDROOM	9.5	81	81	0.0	0
F31	R5	RESIDENTIAL	BEDROOM	10.9	88.7	88.6	0.0	0
F31	R6	RESIDENTIAL	BEDROOM	9.1	93.2	93.2	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: BEETHAM TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL180

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F32


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
BEETHAM TOWER								
F32	R2	RESIDENTIAL	LKD	28.5	100	100	0.0	0
F32	R3	RESIDENTIAL	LKD	34.5	99.9	99.9	0.0	0
F32	R4	RESIDENTIAL	BEDROOM	9.5	81.4	81.4	0.0	0
F32	R5	RESIDENTIAL	BEDROOM	10.9	90.1	90.1	0.0	0
F32	R6	RESIDENTIAL	BEDROOM	9.1	92.9	92.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: BEETHAM TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL181

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F33


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
BEETHAM TOWER								
F33	R1	RESIDENTIAL	BEDROOM	9.5	82.5	82.5	0.0	0
F33	R2	RESIDENTIAL	BEDROOM	10.9	90.9	90.8	0.0	0.1
F33	R3	RESIDENTIAL	BEDROOM	9.1	93.4	93.4	0.0	0
F33	R4	RESIDENTIAL	LKD	28.5	100	100	0.0	0
F33	R5	RESIDENTIAL	LKD	34.5	99.9	99.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: BEETHAM TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL182

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F34


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
BEETHAM TOWER								
F34	R2	RESIDENTIAL	LKD	28.5	100	100	0.0	0
F34	R3	RESIDENTIAL	LKD	34.5	99.9	99.9	0.0	0
F34	R4	RESIDENTIAL	BEDROOM	9.5	85.1	84.9	0.0	0.2
F34	R5	RESIDENTIAL	BEDROOM	10.9	91.9	91.8	0.0	0.1
F34	R6	RESIDENTIAL	BEDROOM	9.1	94.3	94.3	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: BEETHAM TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL183

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F35


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
BEETHAM TOWER								
F35	R1	RESIDENTIAL	BEDROOM	9.5	88	87.8	0.0	0.2
F35	R2	RESIDENTIAL	BEDROOM	10.9	93.4	93.3	0.0	0.1
F35	R3	RESIDENTIAL	BEDROOM	9.1	95.3	95.3	0.0	0
F35	R4	RESIDENTIAL	LKD	28.5	100	100	0.0	0
F35	R5	RESIDENTIAL	LKD	34.5	99.9	99.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: BEETHAM TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL184

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F36


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
BEETHAM TOWER								
F36	R2	RESIDENTIAL	LKD	28.5	100	100	0.0	0
F36	R3	RESIDENTIAL	LKD	34.5	100	100	0.0	0
F36	R4	RESIDENTIAL	BEDROOM	9.5	89.9	89.8	0.0	0.1
F36	R5	RESIDENTIAL	BEDROOM	10.9	95.1	94.6	0.1	0.5
F36	R6	RESIDENTIAL	BEDROOM	9.1	97.5	97.3	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: BEETHAM TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL185

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F37


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
BEETHAM TOWER								
F37	R1	RESIDENTIAL	BEDROOM	9.5	90.5	89.7	0.1	0.8
F37	R2	RESIDENTIAL	BEDROOM	10.9	98.6	97.4	0.1	1.3
F37	R3	RESIDENTIAL	BEDROOM	9.1	99.9	99.8	0.0	0.1
F37	R4	RESIDENTIAL	LKD	34.5	100	100	0.0	0
F37	R5	RESIDENTIAL	LKD	28.5	100	100	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: BEETHAM TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL186

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F38


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
BEETHAM TOWER								
F38	R1	RESIDENTIAL	BEDROOM	9.5	93.6	90	0.3	3.9
F38	R2	RESIDENTIAL	BEDROOM	10.9	98.5	98.1	0.0	0.4
F38	R3	RESIDENTIAL	BEDROOM	9.1	99.9	99.9	0.0	0
F38	R4	RESIDENTIAL	LKD	28.5	100	100	0.0	0
F38	R5	RESIDENTIAL	LKD	34.5	100	100	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: BEETHAM TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL187

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F39


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
BEETHAM TOWER								
F39	R2	RESIDENTIAL	LKD	28.5	100	100	0.0	0
F39	R3	RESIDENTIAL	LKD	34.5	100	100	0.0	0
F39	R4	RESIDENTIAL	BEDROOM	9.5	99.6	90.6	0.9	9
F39	R5	RESIDENTIAL	BEDROOM	10.9	98.5	98.4	0.0	0.2
F39	R6	RESIDENTIAL	BEDROOM	9.1	100	100	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: BEETHAM TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL188

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F40


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
BEETHAM TOWER								
F40	R1	RESIDENTIAL	BEDROOM	9.5	99.9	96.5	0.3	3.4
F40	R2	RESIDENTIAL	BEDROOM	10.9	98.5	98.4	0.0	0.1
F40	R3	RESIDENTIAL	BEDROOM	9.1	99.9	99.9	0.0	0
F40	R4	RESIDENTIAL	LKD	28.5	100	100	0.0	0
F40	R5	RESIDENTIAL	LKD	34.5	100	100	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: BEETHAM TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL189

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F41


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
BEETHAM TOWER								
F41	R2	RESIDENTIAL	LKD	28.5	100	100	0.0	0
F41	R3	RESIDENTIAL	LKD	34.5	100	100	0.0	0
F41	R4	RESIDENTIAL	BEDROOM	9.5	99.9	96.7	0.3	3.2
F41	R5	RESIDENTIAL	BEDROOM	10.9	98.5	98.4	0.0	0.1
F41	R6	RESIDENTIAL	BEDROOM	9.1	99.9	99.9	0.0	0

NSL CONTOURS


PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: BEETHAM TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL190

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID







F42



F42



F43




F43


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
BEETHAM TOWER								
F42	R2	RESIDENTIAL	LKD	52.8	100	100	0.0	0
F42	R3	RESIDENTIAL	BEDROOM	9.7	97.8	97.8	0.0	0
F42	R4	RESIDENTIAL	BEDROOM	10.1	99.4	99.4	0.0	0
F42	R5	RESIDENTIAL	BEDROOM	24.6	98.6	98.6	0.0	0
F43	R2	RESIDENTIAL	LKD	52.8	100	100	0.0	0
F43	R3	RESIDENTIAL	BEDROOM	9.7	97.8	97.8	0.0	0
F43	R4	RESIDENTIAL	BEDROOM	10.1	99.4	99.4	0.0	0
F43	R5	RESIDENTIAL	BEDROOM	24.6	99	99	0.0	0

NSL CONTOURS


PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: BEETHAM TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL191

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F44



F44



F45




F45

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
BEETHAM TOWER								
F44	R2	RESIDENTIAL	LKD	52.8	100	100	0.0	0
F44	R3	RESIDENTIAL	BEDROOM	9.7	97.8	97.8	0.0	0
F44	R4	RESIDENTIAL	BEDROOM	10.1	99.3	99.3	0.0	0
F44	R5	RESIDENTIAL	BEDROOM	24.6	98.1	98.1	0.0	0
F45	R2	RESIDENTIAL	LKD	52.8	100	100	0.0	0
F45	R3	RESIDENTIAL	BEDROOM	9.7	97.8	97.8	0.0	0
F45	R4	RESIDENTIAL	BEDROOM	10.1	99.4	99.4	0.0	0
F45	R5	RESIDENTIAL	BEDROOM	24.6	98.2	98.2	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: BEETHAM TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL192

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F46


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
BEETHAM TOWER								
F46	R2	RESIDENTIAL	LKD	52.8	100	100	0.0	0
F46	R3	RESIDENTIAL	BEDROOM	9.7	97.8	97.8	0.0	0
F46	R4	RESIDENTIAL	BEDROOM	10.1	99.4	99.4	0.0	0
F46	R5	RESIDENTIAL	BEDROOM	24.6	99	99	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 21-35 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL193

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
21-35 WHITWORTH ST								
F01	R1	RESIDENTIAL	BEDROOM	11.0	78.1	78.1	0.0	0
F01	R4	RESIDENTIAL	BEDROOM	14.5	94.4	94.3	0.0	0.1
F01	R6	RESIDENTIAL	BEDROOM	13.1	84.9	84.4	0.1	0.6
F01	R7	RESIDENTIAL	BEDROOM	11.8	92.2	91.6	0.1	0.7
F01	R9	RESIDENTIAL	BEDROOM	11.1	90	88.7	0.1	1.4
F01	R12	RESIDENTIAL	BEDROOM	12.0	97.1	96.9	0.0	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 21-35 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL194

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
21-35 WHITWORTH ST								
F01	R13	RESIDENTIAL	BEDROOM	11.6	93.7	93.6	0.0	0.1
F01	R16	RESIDENTIAL	BEDROOM	15.2	81.1	80.9	0.0	0.3
F01	R18	RESIDENTIAL	BEDROOM	13.1	80.4	79.6	0.1	1.1
F01	R20	RESIDENTIAL	BEDROOM	13.1	63.9	63.6	0.0	0.5
F01	R21	RESIDENTIAL	BEDROOM	13.5	93.1	93.1	0.0	0
F01	R22	RESIDENTIAL	BEDROOM	9.3	96	96	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 21-35 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL195

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
21-35 WHITWORTH ST								
F02	R1	RESIDENTIAL	BEDROOM	11.0	79.3	79.3	0.0	0.1
F02	R4	RESIDENTIAL	BEDROOM	14.5	95.1	94.9	0.0	0.2
F02	R6	RESIDENTIAL	BEDROOM	13.1	86.7	85.8	0.1	1
F02	R7	RESIDENTIAL	BEDROOM	11.8	93.6	92.8	0.1	0.8
F02	R9	RESIDENTIAL	BEDROOM	11.1	91.7	90.3	0.2	1.5
F02	R12	RESIDENTIAL	BEDROOM	12.0	97.6	97.4	0.0	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 21-35 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL196

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
21-35 WHITWORTH ST								
F02	R13	RESIDENTIAL	BEDROOM	11.6	94.7	94.6	0.0	0.1
F02	R16	RESIDENTIAL	BEDROOM	15.2	83.9	83.7	0.0	0.2
F02	R18	RESIDENTIAL	BEDROOM	13.1	83.8	82.9	0.1	1
F02	R20	RESIDENTIAL	BEDROOM	13.1	70.8	70.5	0.0	0.4
F02	R21	RESIDENTIAL	BEDROOM	13.5	94.1	94.1	0.0	0
F02	R22	RESIDENTIAL	BEDROOM	9.3	98.3	98.3	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 21-35 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL197

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
21-35 WHITWORTH ST								
F03	R1	RESIDENTIAL	BEDROOM	11.0	81.1	80.8	0.0	0.3
F03	R4	RESIDENTIAL	BEDROOM	14.5	96	95.9	0.0	0.2
F03	R6	RESIDENTIAL	BEDROOM	13.1	88.5	87.5	0.1	1.1
F03	R7	RESIDENTIAL	BEDROOM	11.8	95	94.3	0.1	0.8
F03	R9	RESIDENTIAL	BEDROOM	11.1	93.6	92.2	0.2	1.5
F03	R12	RESIDENTIAL	BEDROOM	12.0	98.1	97.9	0.0	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 21-35 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL198

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
21-35 WHITWORTH ST								
F03	R13	RESIDENTIAL	BEDROOM	11.6	96.3	96.2	0.0	0.1
F03	R16	RESIDENTIAL	BEDROOM	15.2	93.9	93.7	0.0	0.2
F03	R18	RESIDENTIAL	BEDROOM	13.1	88.9	88.1	0.1	1
F03	R20	RESIDENTIAL	BEDROOM	13.1	81.4	81.4	0.0	0
F03	R21	RESIDENTIAL	BEDROOM	13.5	95.1	95.1	0.0	0
F03	R22	RESIDENTIAL	BEDROOM	9.3	98.3	98.3	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 21-35 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL199

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
21-35 WHITWORTH ST								
F04	R1	RESIDENTIAL	BEDROOM	11.0	82	81.8	0.0	0.2
F04	R4	RESIDENTIAL	BEDROOM	14.5	96.2	96.1	0.0	0.1
F04	R6	RESIDENTIAL	BEDROOM	13.1	89.1	88.9	0.0	0.3
F04	R7	RESIDENTIAL	BEDROOM	11.8	95.7	95.4	0.0	0.3
F04	R9	RESIDENTIAL	BEDROOM	11.1	94	93.7	0.0	0.3
F04	R12	RESIDENTIAL	BEDROOM	12.0	97.9	97.8	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 21-35 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL200

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
21-35 WHITWORTH ST								
F04	R13	RESIDENTIAL	BEDROOM	11.6	97.8	97.7	0.0	0.1
F04	R16	RESIDENTIAL	BEDROOM	15.2	96.3	96.2	0.0	0.1
F04	R18	RESIDENTIAL	BEDROOM	13.1	96.3	96	0.0	0.3
F04	R20	RESIDENTIAL	BEDROOM	13.1	94.8	94.8	0.0	0
F04	R21	RESIDENTIAL	BEDROOM	13.5	96.4	96.4	0.0	0
F04	R22	RESIDENTIAL	BEDROOM	9.3	99.2	99.2	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 84 GREAT BRIDGE ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL201

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
84 GREAT BRIDGE ST								
F00	R1	RESIDENTIAL	LKD	21.1	78.7	75.2	0.7	4.4
F00	R2	RESIDENTIAL	BEDROOM	8.6	83	83	0.0	0
F00	R3	RESIDENTIAL	BEDROOM	8.6	91.8	91.5	0.0	0.3
F00	R4	RESIDENTIAL	BEDROOM	7.2	77.5	76.7	0.1	1.1
F00	R5	RESIDENTIAL	LKD	22.2	98.5	98.4	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 84 GREAT BRIDGE ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL202

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
84 GREAT BRIDGE ST								
F01	R1	RESIDENTIAL	LKD	21.1	89.2	87.3	0.4	2.1
F01	R2	RESIDENTIAL	BEDROOM	8.6	86.8	86.8	0.0	0
F01	R3	RESIDENTIAL	BEDROOM	8.6	94.5	94.2	0.0	0.3
F01	R4	RESIDENTIAL	BEDROOM	7.2	84.7	83.6	0.1	1.3
F01	R5	RESIDENTIAL	LKD	22.2	99.8	99.8	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 84 GREAT BRIDGE ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL203

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
84 GREAT BRIDGE ST								
F02	R1	RESIDENTIAL	LKD	21.1	89.9	88.6	0.3	1.5
F02	R2	RESIDENTIAL	BEDROOM	8.6	86.7	86.7	0.0	0
F02	R3	RESIDENTIAL	BEDROOM	8.6	93.3	92.5	0.1	0.8
F02	R4	RESIDENTIAL	BEDROOM	7.2	88.4	88.3	0.0	0.1
F02	R5	RESIDENTIAL	LKD	22.2	99.9	99.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 84 GREAT BRIDGE ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL204

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
84 GREAT BRIDGE ST								
F03	R1	RESIDENTIAL	LKD	21.1	91.1	90.7	0.1	0.5
F03	R2	RESIDENTIAL	BEDROOM	8.6	89.2	89.2	0.0	0
F03	R3	RESIDENTIAL	BEDROOM	8.6	95.9	95.1	0.1	0.8
F03	R4	RESIDENTIAL	BEDROOM	7.2	91	90.8	0.0	0.2
F03	R5	RESIDENTIAL	LKD	22.2	91.9	91.9	0.0	0

NSL CONTOURS


PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 84 GREAT BRIDGE ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL205

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04



F04



F05




F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
84 GREAT BRIDGE ST								
F04	R1	RESIDENTIAL	LKD	21.1	98	97.7	0.1	0.3
F04	R2	RESIDENTIAL	BEDROOM	8.6	93.1	93.1	0.0	0
F04	R3	RESIDENTIAL	BEDROOM	8.6	97.3	96.5	0.1	0.8
F04	R4	RESIDENTIAL	LKD	18.1	100	100	0.0	0
F05	R1	RESIDENTIAL	LKD	21.1	99.7	99.7	0.0	0
F05	R2	RESIDENTIAL	BEDROOM	8.6	94	94	0.0	0
F05	R3	RESIDENTIAL	LKD	15.1	97.1	97.1	0.0	0

NSL CONTOURS


PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: CHEPSTOW HOUSE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL206

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






B01



F00



F00




F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
CHEPSTOW HOUSE								
B01	R1	RESIDENTIAL	LKD	31.4	44.1	43.9	0.0	0.3
F00	R1	RESIDENTIAL	LKD	31.4	46.6	46.4	0.0	0.3
F00	R4	RESIDENTIAL	LKD	20.6	99.9	99.9	0.0	0
F00	R5	RESIDENTIAL	BEDROOM	7.9	98.7	98.7	0.0	0
F00	R6	RESIDENTIAL	LKD	12.8	85.1	83.3	0.2	2.2
F01	R1	RESIDENTIAL	LKD	31.4	64.7	64.4	0.1	0.5
F01	R4	RESIDENTIAL	LKD	39.7	71.3	70.5	0.3	1.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: CHEPSTOW HOUSE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL207

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02



F03




F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
CHEPSTOW HOUSE								
F02	R1	RESIDENTIAL	LKD	31.4	77.4	77.3	0.0	0
F02	R4	RESIDENTIAL	LKD	39.7	73.3	72.9	0.1	0.4
F03	R1	RESIDENTIAL	LKD	39.0	86.9	86.9	0.0	0
F03	R2	RESIDENTIAL	LKD	34.4	99.4	99.4	0.0	0
F03	R3	RESIDENTIAL	LKD	39.7	69.7	67.3	1.0	3.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL208

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F01	R1	RESIDENTIAL	LKD	27.7	21.1	21.1	0.0	0
F01	R2	RESIDENTIAL	BEDROOM	11.4	30.4	28.9	0.2	5.1
F01	R3	RESIDENTIAL	BEDROOM	15.7	22.9	22	0.1	4
F01	R4	RESIDENTIAL	BEDROOM	14.8	21	21	0.0	0.1
F01	R5	RESIDENTIAL	BEDROOM	10.8	24.6	24.6	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL209

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F01	R6	RESIDENTIAL	LKD	28.7	10.6	10.5	0.0	0.6
F01	R7	RESIDENTIAL	LKD	27.9	4.5	4.5	0.0	0
F01	R8	RESIDENTIAL	BEDROOM	11.2	48	47.5	0.1	1
F01	R9	RESIDENTIAL	BEDROOM	15.2	38.9	38.7	0.0	0.5
F01	R10	RESIDENTIAL	BEDROOM	16.6	37.5	37.5	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL210

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F01	R11	RESIDENTIAL	BEDROOM	9.7	51.8	51.8	0.0	0
F01	R12	RESIDENTIAL	LKD	28.8	26.2	26.1	0.0	0.1
F01	R13	RESIDENTIAL	LKD	29.2	17.7	17.7	0.0	0
F01	R14	RESIDENTIAL	BEDROOM	11.5	53.5	52.4	0.1	2.1
F01	R15	RESIDENTIAL	BEDROOM	14.9	39.6	39	0.1	1.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL211

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F01	R16	RESIDENTIAL	BEDROOM	11.4	63.1	63.1	0.0	0
F01	R17	RESIDENTIAL	LKD	17.5	43.1	43.1	0.0	0
F01	R18	RESIDENTIAL	BEDROOM	12.8	75.7	74.4	0.2	1.7
F01	R19	RESIDENTIAL	BEDROOM	12.5	68.7	62.2	0.8	9.5
F01	R20	RESIDENTIAL	LKD	26.5	95.5	93.2	0.6	2.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL212

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F02	R1	RESIDENTIAL	LKD	27.7	22.7	22.7	0.0	0
F02	R2	RESIDENTIAL	BEDROOM	11.4	33.1	31.8	0.2	4
F02	R3	RESIDENTIAL	BEDROOM	15.7	25	24.1	0.1	3.7
F02	R4	RESIDENTIAL	BEDROOM	14.8	23.6	23.6	0.0	0
F02	R5	RESIDENTIAL	BEDROOM	10.8	28.5	28.5	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL213

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F02	R6	RESIDENTIAL	LKD	28.7	13.2	13.1	0.0	0.4
F02	R7	RESIDENTIAL	LKD	27.9	6.4	6.4	0.0	0
F02	R8	RESIDENTIAL	BEDROOM	11.2	59.9	59.4	0.1	0.8
F02	R9	RESIDENTIAL	BEDROOM	15.2	49.2	49	0.0	0.3
F02	R10	RESIDENTIAL	BEDROOM	16.6	47.8	47.7	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL214

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F02	R11	RESIDENTIAL	BEDROOM	9.7	65.7	65.7	0.0	0
F02	R12	RESIDENTIAL	LKD	28.8	36.9	36.8	0.0	0.1
F02	R13	RESIDENTIAL	LKD	29.2	27.3	27.3	0.0	0
F02	R14	RESIDENTIAL	BEDROOM	11.5	68.8	67.7	0.1	1.5
F02	R15	RESIDENTIAL	BEDROOM	14.9	50.5	50	0.1	0.9

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL215

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F02	R16	RESIDENTIAL	BEDROOM	8.4	70.6	70.1	0.0	0.7
F02	R17	RESIDENTIAL	LKD	17.5	40.9	40.8	0.0	0.4
F02	R18	RESIDENTIAL	BEDROOM	12.8	64	62.9	0.1	1.7
F02	R19	RESIDENTIAL	BEDROOM	12.5	55.6	55.5	0.0	0
F02	R20	RESIDENTIAL	LKD	26.5	95.9	93.5	0.6	2.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL216

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F03	R1	RESIDENTIAL	LKD	27.7	24.9	24.9	0.0	0
F03	R2	RESIDENTIAL	BEDROOM	11.4	37.5	35.9	0.2	4.2
F03	R3	RESIDENTIAL	BEDROOM	15.7	28.6	27.5	0.2	3.9
F03	R4	RESIDENTIAL	BEDROOM	14.8	28	28	0.0	0
F03	R5	RESIDENTIAL	BEDROOM	10.8	34.7	34.7	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL217

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F03	R6	RESIDENTIAL	LKD	28.7	15.8	15.8	0.0	0.4
F03	R7	RESIDENTIAL	LKD	27.9	10.4	10.4	0.0	0
F03	R8	RESIDENTIAL	BEDROOM	11.2	77.9	77.7	0.0	0.3
F03	R9	RESIDENTIAL	BEDROOM	15.2	65.2	65.1	0.0	0.3
F03	R10	RESIDENTIAL	BEDROOM	16.6	64.5	64.5	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL218

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F03	R11	RESIDENTIAL	BEDROOM	9.7	85.3	85.3	0.0	0
F03	R12	RESIDENTIAL	LKD	28.8	55.1	55.1	0.0	0
F03	R13	RESIDENTIAL	LKD	29.2	43.2	43.2	0.0	0
F03	R14	RESIDENTIAL	BEDROOM	11.5	88.2	87.5	0.1	0.9
F03	R15	RESIDENTIAL	BEDROOM	14.9	67	66.6	0.1	0.6

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL219

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F03	R16	RESIDENTIAL	BEDROOM	8.4	88	87.7	0.0	0.3
F03	R17	RESIDENTIAL	LKD	17.5	52.2	52.1	0.0	0.2
F03	R18	RESIDENTIAL	BEDROOM	12.8	82.2	81.2	0.1	1.2
F03	R19	RESIDENTIAL	BEDROOM	12.5	70.8	70.8	0.0	0
F03	R20	RESIDENTIAL	LKD	26.5	96.4	94	0.6	2.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL220

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F04	R1	RESIDENTIAL	LKD	27.7	27.8	27.8	0.0	0
F04	R2	RESIDENTIAL	BEDROOM	11.4	45.5	44.6	0.1	2
F04	R3	RESIDENTIAL	BEDROOM	15.7	34.9	33.7	0.2	3.3
F04	R4	RESIDENTIAL	BEDROOM	14.8	35.3	35.3	0.0	0
F04	R5	RESIDENTIAL	BEDROOM	10.8	44.7	44.7	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL221

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F04	R6	RESIDENTIAL	LKD	28.7	20.1	20.1	0.0	0.3
F04	R7	RESIDENTIAL	LKD	27.9	16.5	16.5	0.0	0
F04	R8	RESIDENTIAL	BEDROOM	11.2	82.4	82.2	0.0	0.3
F04	R9	RESIDENTIAL	BEDROOM	15.2	85.8	85.6	0.0	0.2
F04	R10	RESIDENTIAL	BEDROOM	16.6	84	84	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL222

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F04	R11	RESIDENTIAL	BEDROOM	9.7	90.5	90.5	0.0	0
F04	R12	RESIDENTIAL	LKD	28.8	87.5	87.5	0.0	0
F04	R13	RESIDENTIAL	LKD	29.2	74.9	74.9	0.0	0
F04	R14	RESIDENTIAL	BEDROOM	11.5	97.5	96.7	0.1	0.7
F04	R15	RESIDENTIAL	BEDROOM	14.9	85.7	85.4	0.1	0.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL223

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F04	R16	RESIDENTIAL	BEDROOM	8.4	99.3	99	0.0	0.3
F04	R17	RESIDENTIAL	LKD	17.5	72.7	72.6	0.0	0.1
F04	R18	RESIDENTIAL	BEDROOM	12.8	94.2	93.3	0.1	1
F04	R19	RESIDENTIAL	BEDROOM	12.5	86.4	86.4	0.0	0
F04	R20	RESIDENTIAL	LKD	26.5	97	94.8	0.6	2.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL224

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F05	R1	RESIDENTIAL	LKD	27.7	32.6	32.6	0.0	0
F05	R2	RESIDENTIAL	BEDROOM	11.4	58.1	56.9	0.1	2.1
F05	R3	RESIDENTIAL	BEDROOM	15.7	44	42.9	0.2	2.5
F05	R4	RESIDENTIAL	BEDROOM	14.8	45.7	45.7	0.0	0
F05	R5	RESIDENTIAL	BEDROOM	10.8	58.2	58.2	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL225

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F05	R6	RESIDENTIAL	LKD	28.7	27.2	27.1	0.0	0.2
F05	R7	RESIDENTIAL	LKD	27.9	26.8	26.8	0.0	0
F05	R8	RESIDENTIAL	BEDROOM	11.2	87	86.8	0.0	0.2
F05	R9	RESIDENTIAL	BEDROOM	15.2	89	88.9	0.0	0.2
F05	R10	RESIDENTIAL	BEDROOM	16.6	89.3	89.3	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL226

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F05	R11	RESIDENTIAL	BEDROOM	9.7	94	94	0.0	0
F05	R12	RESIDENTIAL	LKD	28.8	99.9	99.9	0.0	0
F05	R13	RESIDENTIAL	LKD	29.2	91.4	91.4	0.0	0
F05	R14	RESIDENTIAL	BEDROOM	11.5	97.8	97.2	0.1	0.6
F05	R15	RESIDENTIAL	BEDROOM	14.9	90.1	89.7	0.0	0.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL227

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F05	R16	RESIDENTIAL	BEDROOM	8.4	99.3	99	0.0	0.3
F05	R17	RESIDENTIAL	LKD	17.5	90.5	90.5	0.0	0.1
F05	R18	RESIDENTIAL	BEDROOM	12.8	97.5	96.6	0.1	0.9
F05	R19	RESIDENTIAL	BEDROOM	12.5	96.6	96.6	0.0	0
F05	R20	RESIDENTIAL	LKD	26.5	97.9	97.3	0.2	0.6

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL228

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F06	R1	RESIDENTIAL	LKD	27.7	42.4	42.4	0.0	0
F06	R2	RESIDENTIAL	BEDROOM	11.4	80.9	80	0.1	1.2
F06	R3	RESIDENTIAL	BEDROOM	15.7	61.1	60.2	0.1	1.5
F06	R4	RESIDENTIAL	BEDROOM	14.8	62.9	62.9	0.0	0
F06	R5	RESIDENTIAL	BEDROOM	10.8	81.2	81.2	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL229

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F06	R6	RESIDENTIAL	LKD	28.7	42.1	42.1	0.0	0.1
F06	R7	RESIDENTIAL	LKD	27.9	44.2	44.2	0.0	0
F06	R8	RESIDENTIAL	BEDROOM	11.2	94.6	94.5	0.0	0.2
F06	R9	RESIDENTIAL	BEDROOM	15.2	92.8	92.7	0.0	0.1
F06	R10	RESIDENTIAL	BEDROOM	16.6	93.8	93.8	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL230

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F06	R11	RESIDENTIAL	BEDROOM	9.7	96.9	96.9	0.0	0
F06	R12	RESIDENTIAL	LKD	28.8	99.9	99.9	0.0	0
F06	R13	RESIDENTIAL	LKD	29.2	92.6	92.6	0.0	0
F06	R14	RESIDENTIAL	BEDROOM	11.5	97.8	97.2	0.1	0.6
F06	R15	RESIDENTIAL	BEDROOM	14.9	90.5	90.2	0.0	0.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL231

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F06	R16	RESIDENTIAL	BEDROOM	8.4	99.3	99	0.0	0.3
F06	R17	RESIDENTIAL	LKD	17.5	92.6	92.6	0.0	0.1
F06	R18	RESIDENTIAL	BEDROOM	12.8	97.5	97	0.1	0.5
F06	R19	RESIDENTIAL	BEDROOM	12.5	96.8	96.8	0.0	0
F06	R20	RESIDENTIAL	LKD	26.5	99.9	99.7	0.1	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL232

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F07	R1	RESIDENTIAL	LKD	28.9	96.8	96.6	0.1	0.2
F07	R3	RESIDENTIAL	LKD	28.9	96.5	95.7	0.2	0.8
F07	R5	RESIDENTIAL	LKD	28.8	96.4	94.9	0.4	1.5
F07	R7	RESIDENTIAL	LKD	29.0	97.8	96.4	0.4	1.4
F07	R9	RESIDENTIAL	LKD	28.9	97.3	96.4	0.2	0.9
F07	R11	RESIDENTIAL	LKD	28.8	97.7	97	0.2	0.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL233

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F07	R13	RESIDENTIAL	BEDROOM	7.6	99.8	99.7	0.0	0.1
F07	R14	RESIDENTIAL	BEDROOM	12.0	98.6	98.2	0.0	0.4
F07	R15	RESIDENTIAL	BEDROOM	12.8	97.5	96.4	0.1	1.2
F07	R16	RESIDENTIAL	BEDROOM	12.5	97	97	0.0	0
F07	R17	RESIDENTIAL	LKD	26.9	99.8	99.8	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL234

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F08

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F08	R1	RESIDENTIAL	UNKNOWN	32.8	94	89.9	1.4	4.4
F08	R2	RESIDENTIAL	UNKNOWN	33.9	95.2	92.9	0.8	2.4
F08	R3	RESIDENTIAL	UNKNOWN	29.1	97.5	97	0.1	0.5
F08	R4	RESIDENTIAL	UNKNOWN	27.2	96.8	95.7	0.3	1.2
F08	R5	RESIDENTIAL	UNKNOWN	27.3	92.3	88.3	1.1	4.3
F08	R6	RESIDENTIAL	UNKNOWN	27.5	89.8	84.7	1.4	5.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL235

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F08

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F08	R7	RESIDENTIAL	BEDROOM	7.6	99.8	99.7	0.0	0.1
F08	R8	RESIDENTIAL	BEDROOM	12.0	98.6	98.3	0.0	0.3
F08	R9	RESIDENTIAL	BEDROOM	12.8	97.5	97	0.1	0.6
F08	R10	RESIDENTIAL	BEDROOM	12.5	97.1	97.1	0.0	0
F08	R11	RESIDENTIAL	LKD	26.9	99.3	99.2	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL236

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F09

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F09	R1	RESIDENTIAL	UNKNOWN	27.2	100	100	0.0	0
F09	R2	RESIDENTIAL	UNKNOWN	27.6	90.6	85.5	1.4	5.7
F09	R3	RESIDENTIAL	BEDROOM	7.6	99.8	99.7	0.0	0.1
F09	R4	RESIDENTIAL	BEDROOM	12.0	98.6	98.5	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL237

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F09

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F09	R5	RESIDENTIAL	BEDROOM	12.8	97.5	96.8	0.1	0.7
F09	R6	RESIDENTIAL	BEDROOM	12.5	97	97	0.0	0
F09	R7	RESIDENTIAL	LKD	26.9	99.8	99.8	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL238

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F10

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F10	R1	RESIDENTIAL	UNKNOWN	27.2	100	100	0.0	0
F10	R2	RESIDENTIAL	UNKNOWN	27.6	91.3	86.2	1.4	5.5
F10	R3	RESIDENTIAL	BEDROOM	7.6	99.8	99.7	0.0	0.1
F10	R4	RESIDENTIAL	BEDROOM	12.0	98.6	98.4	0.0	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL239

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F10


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F10	R5	RESIDENTIAL	BEDROOM	12.8	97.6	96.9	0.1	0.7
F10	R6	RESIDENTIAL	BEDROOM	12.5	97	97	0.0	0
F10	R7	RESIDENTIAL	LKD	20.1	99.3	99.3	0.0	0

NSL CONTOURS


PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: HACIENDA
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL240

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID







F11



F11



F12




F12

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
HACIENDA								
F11	R1	RESIDENTIAL	UNKNOWN	19.3	85.1	85.1	0.0	0
F11	R2	RESIDENTIAL	BEDROOM	10.2	98.6	98	0.1	0.6
F11	R3	RESIDENTIAL	BEDROOM	6.4	92.6	90.7	0.1	2.1
F11	R4	RESIDENTIAL	LKD	56.6	97.6	97.1	0.3	0.5
F12	R1	RESIDENTIAL	UNKNOWN	19.3	85.1	85.1	0.0	0
F12	R2	RESIDENTIAL	BEDROOM	10.2	98.5	98	0.1	0.5
F12	R3	RESIDENTIAL	BEDROOM	6.4	92.5	90.6	0.1	2.1
F12	R4	RESIDENTIAL	LKD	44.2	98.5	94.9	1.6	3.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 325 DEANSGATE STAYCITY APARTHOTE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL241

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
325 DEANSGATE STAYCITY APARTHOTEL								
F01	R1	RESIDENTIAL	-UNKNOWN	21.0	86.1	84.4	0.3	1.9
F01	R2	RESIDENTIAL	-UNKNOWN	16.8	94.3	93.8	0.1	0.6
F01	R3	RESIDENTIAL	-UNKNOWN	16.3	48.7	46.7	0.3	4
F01	R4	RESIDENTIAL	-UNKNOWN	16.8	98	97.2	0.1	0.8
F01	R5	RESIDENTIAL	-UNKNOWN	16.6	95.8	94.4	0.2	1.4
F01	R6	RESIDENTIAL	-UNKNOWN	26.3	64.2	60.7	0.9	5.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 325 DEANSGATE STAYCITY APARTHOTE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL242

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
325 DEANSGATE STAYCITY APARTHOTEL								
F02	R1	RESIDENTIAL	-UNKNOWN	21.0	90.5	89.5	0.2	1.1
F02	R2	RESIDENTIAL	-UNKNOWN	16.8	94.3	93.8	0.1	0.6
F02	R3	RESIDENTIAL	-UNKNOWN	16.3	49.3	47.6	0.3	3.6
F02	R4	RESIDENTIAL	-UNKNOWN	16.8	98.4	97.4	0.2	1.1
F02	R5	RESIDENTIAL	-UNKNOWN	16.6	95.8	94.8	0.2	1.1
F02	R6	RESIDENTIAL	-UNKNOWN	26.3	64.6	60.9	1.0	5.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 325 DEANSGATE STAYCITY APARTHOTE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL243

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
325 DEANSGATE STAYCITY APARTHOTEL								
F03	R1	RESIDENTIAL	-UNKNOWN	28.5	94.5	94.4	0.0	0.1
F03	R2	RESIDENTIAL	-UNKNOWN	28.8	85.7	83.8	0.5	2.2
F03	R3	RESIDENTIAL	-UNKNOWN	28.5	97.7	97.4	0.1	0.3
F03	R4	RESIDENTIAL	-UNKNOWN	28.1	92.8	92.1	0.2	0.8
F03	R5	RESIDENTIAL	-UNKNOWN	27.5	98	98	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 325 DEANSGATE STAYCITY APARTHOTE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL244

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
325 DEANSGATE STAYCITY APARTHOTEL								
F04	R1	RESIDENTIAL	-UNKNOWN	28.5	94.6	94.5	0.0	0.1
F04	R2	RESIDENTIAL	-UNKNOWN	28.8	85.9	84.2	0.5	2
F04	R3	RESIDENTIAL	-UNKNOWN	28.5	97.8	97.4	0.1	0.4
F04	R4	RESIDENTIAL	-UNKNOWN	28.1	93.2	92.5	0.2	0.7
F04	R5	RESIDENTIAL	-UNKNOWN	27.5	98	98	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 325 DEANSGATE STAYCITY APARTHOTE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL245

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
325 DEANSGATE STAYCITY APARTHOTEL								
F05	R1	RESIDENTIAL	-UNKNOWN	28.5	94.6	94.5	0.0	0.1
F05	R2	RESIDENTIAL	-UNKNOWN	28.8	86.3	85.1	0.4	1.4
F05	R3	RESIDENTIAL	-UNKNOWN	28.5	97.8	97.4	0.1	0.4
F05	R4	RESIDENTIAL	-UNKNOWN	28.1	93.3	92.8	0.1	0.6
F05	R5	RESIDENTIAL	-UNKNOWN	27.5	98.1	98	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 325 DEANSGATE STAYCITY APARTHOTE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL246

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
325 DEANSGATE STAYCITY APARTHOTEL								
F06	R1	RESIDENTIAL	-UNKNOWN	28.5	94.6	94.5	0.0	0.1
F06	R2	RESIDENTIAL	-UNKNOWN	28.8	86.7	85.5	0.3	1.4
F06	R3	RESIDENTIAL	-UNKNOWN	28.5	97.9	97.6	0.1	0.3
F06	R4	RESIDENTIAL	-UNKNOWN	28.1	93.5	92.9	0.2	0.6
F06	R5	RESIDENTIAL	-UNKNOWN	27.5	98.1	97.9	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 325 DEANSGATE STAYCITY APARTHOTE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL247

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
325 DEANSGATE STAYCITY APARTHOTEL								
F07	R1	RESIDENTIAL	-UNKNOWN	28.5	94.6	94.5	0.0	0.1
F07	R2	RESIDENTIAL	-UNKNOWN	28.8	86.9	85.6	0.4	1.5
F07	R3	RESIDENTIAL	-UNKNOWN	28.5	98	97.7	0.1	0.3
F07	R4	RESIDENTIAL	-UNKNOWN	28.1	93.9	93.4	0.2	0.6
F07	R5	RESIDENTIAL	-UNKNOWN	27.5	98.2	98.2	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 325 DEANSGATE STAYCITY APARTHOTE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL248

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F08

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
325 DEANSGATE STAYCITY APARTHOTEL								
F08	R1	RESIDENTIAL	-UNKNOWN	28.5	94.6	94.5	0.0	0
F08	R2	RESIDENTIAL	-UNKNOWN	28.8	87.4	86.2	0.4	1.5
F08	R3	RESIDENTIAL	-UNKNOWN	28.5	98	97.7	0.1	0.3
F08	R4	RESIDENTIAL	-UNKNOWN	28.1	94.1	93.5	0.2	0.6
F08	R5	RESIDENTIAL	-UNKNOWN	27.5	98.1	98	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 325 DEANSGATE STAYCITY APARTHOTE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL249

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F09

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
325 DEANSGATE STAYCITY APARTHOTEL								
F09	R1	RESIDENTIAL	-UNKNOWN	28.5	94.6	94.6	0.0	0
F09	R2	RESIDENTIAL	-UNKNOWN	28.8	88.1	87	0.3	1.3
F09	R3	RESIDENTIAL	-UNKNOWN	28.5	98	97.7	0.1	0.2
F09	R4	RESIDENTIAL	-UNKNOWN	28.1	94.1	93.5	0.2	0.6
F09	R5	RESIDENTIAL	-UNKNOWN	27.5	98.1	98	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 325 DEANSGATE STAYCITY APARTHOTE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL250

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F10

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
325 DEANSGATE STAYCITY APARTHOTEL								
F10	R1	RESIDENTIAL	-UNKNOWN	28.5	94.6	94.6	0.0	0
F10	R2	RESIDENTIAL	-UNKNOWN	28.8	88.5	87.4	0.3	1.2
F10	R3	RESIDENTIAL	-UNKNOWN	28.5	98	97.7	0.1	0.3
F10	R4	RESIDENTIAL	-UNKNOWN	28.1	94.3	93.7	0.2	0.6
F10	R5	RESIDENTIAL	-UNKNOWN	27.5	98.2	98.2	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 325 DEANSGATE STAYCITY APARTHOTE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL251

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F11

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
325 DEANSGATE STAYCITY APARTHOTEL								
F11	R1	RESIDENTIAL	-UNKNOWN	28.5	94.6	94.6	0.0	0
F11	R2	RESIDENTIAL	-UNKNOWN	28.8	89.2	88.2	0.3	1
F11	R3	RESIDENTIAL	-UNKNOWN	28.5	98	97.7	0.1	0.3
F11	R4	RESIDENTIAL	-UNKNOWN	28.1	94.3	93.8	0.1	0.5
F11	R5	RESIDENTIAL	-UNKNOWN	27.5	98.2	98.1	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 325 DEANSGATE STAYCITY APARTHOTE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL252

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F12

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
325 DEANSGATE STAYCITY APARTHOTEL								
F12	R1	RESIDENTIAL	-UNKNOWN	28.5	94.8	94.8	0.0	0
F12	R2	RESIDENTIAL	-UNKNOWN	28.8	90.2	89.2	0.3	1
F12	R3	RESIDENTIAL	-UNKNOWN	28.5	98.1	97.8	0.1	0.3
F12	R4	RESIDENTIAL	-UNKNOWN	28.1	94.4	93.9	0.1	0.5
F12	R5	RESIDENTIAL	-UNKNOWN	27.5	98	98	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 325 DEANSGATE STAYCITY APARTHOTE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL253

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F13

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
325 DEANSGATE STAYCITY APARTHOTEL								
F13	R1	RESIDENTIAL	-UNKNOWN	28.5	94.8	94.9	0.0	-0.1
F13	R2	RESIDENTIAL	-UNKNOWN	28.8	91.3	90.9	0.1	0.4
F13	R3	RESIDENTIAL	-UNKNOWN	28.5	98.1	97.8	0.1	0.4
F13	R4	RESIDENTIAL	-UNKNOWN	28.1	94.5	94	0.2	0.6
F13	R5	RESIDENTIAL	-UNKNOWN	27.5	98.3	98.2	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 325 DEANSGATE STAYCITY APARTHOTE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL254

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F14

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
325 DEANSGATE STAYCITY APARTHOTEL								
F14	R1	RESIDENTIAL	-UNKNOWN	28.5	94.7	94.7	0.0	-0.1
F14	R2	RESIDENTIAL	-UNKNOWN	28.8	92	91.6	0.1	0.5
F14	R3	RESIDENTIAL	-UNKNOWN	28.5	98.2	97.8	0.1	0.4
F14	R4	RESIDENTIAL	-UNKNOWN	28.1	94.5	93.9	0.2	0.6
F14	R5	RESIDENTIAL	-UNKNOWN	27.5	98.1	98.1	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 325 DEANSGATE STAYCITY APARTHOTE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL255

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F15

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
325 DEANSGATE STAYCITY APARTHOTEL								
F15	R1	RESIDENTIAL	-UNKNOWN	28.5	95	95	0.0	0
F15	R2	RESIDENTIAL	-UNKNOWN	28.8	92.4	91.9	0.1	0.5
F15	R3	RESIDENTIAL	-UNKNOWN	28.5	98.3	97.8	0.2	0.6
F15	R4	RESIDENTIAL	-UNKNOWN	28.1	94.5	94	0.2	0.6
F15	R5	RESIDENTIAL	-UNKNOWN	27.5	98.2	98.1	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 325 DEANSGATE STAYCITY APARTHOTE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL256

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F16

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
325 DEANSGATE STAYCITY APARTHOTEL								
F16	R1	RESIDENTIAL	-UNKNOWN	28.5	95.1	95.1	0.0	0
F16	R2	RESIDENTIAL	-UNKNOWN	28.8	92.4	92.1	0.1	0.3
F16	R3	RESIDENTIAL	-UNKNOWN	28.5	98.3	97.8	0.2	0.6
F16	R4	RESIDENTIAL	-UNKNOWN	28.1	94.7	94.1	0.2	0.6
F16	R5	RESIDENTIAL	-UNKNOWN	27.5	98.3	98.3	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 325 DEANSGATE STAYCITY APARTHOTE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL257

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F17

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
325 DEANSGATE STAYCITY APARTHOTEL								
F17	R1	RESIDENTIAL	-UNKNOWN	28.5	95.3	95.3	0.0	0
F17	R2	RESIDENTIAL	-UNKNOWN	28.8	92.5	92.1	0.1	0.4
F17	R3	RESIDENTIAL	-UNKNOWN	28.5	98.4	97.8	0.2	0.6
F17	R4	RESIDENTIAL	-UNKNOWN	28.1	94.7	94.1	0.2	0.6
F17	R5	RESIDENTIAL	-UNKNOWN	27.5	98.2	98.1	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 325 DEANSGATE STAYCITY APARTHOTE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL258

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F18


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
325 DEANSGATE STAYCITY APARTHOTEL								
F18	R1	RESIDENTIAL	-UNKNOWN	28.5	95.4	95.4	0.0	0
F18	R2	RESIDENTIAL	-UNKNOWN	28.8	92.5	92.1	0.1	0.4
F18	R3	RESIDENTIAL	-UNKNOWN	28.5	98.4	97.8	0.2	0.6
F18	R4	RESIDENTIAL	-UNKNOWN	28.1	94.7	94.1	0.2	0.7
F18	R5	RESIDENTIAL	-UNKNOWN	27.5	98.2	98.1	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 325 DEANSGATE STAYCITY APARTHOTE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL259

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F19

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
325 DEANSGATE STAYCITY APARTHOTEL								
F19	R1	RESIDENTIAL	-UNKNOWN	28.5	95.5	95.5	0.0	0
F19	R2	RESIDENTIAL	-UNKNOWN	28.8	92.9	92.2	0.2	0.8
F19	R3	RESIDENTIAL	-UNKNOWN	28.5	98.4	97.8	0.2	0.7
F19	R4	RESIDENTIAL	-UNKNOWN	28.1	94.9	94.1	0.2	0.8
F19	R5	RESIDENTIAL	-UNKNOWN	27.5	98.7	98.5	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 325 DEANSGATE STAYCITY APARTHOTE
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL260

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F20


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
325 DEANSGATE STAYCITY APARTHOTEL								
F20	R1	RESIDENTIAL	-UNKNOWN	28.5	95.6	95.6	0.0	0
F20	R2	RESIDENTIAL	-UNKNOWN	28.8	93.2	92.4	0.2	0.8
F20	R3	RESIDENTIAL	-UNKNOWN	28.5	98.4	97.8	0.2	0.7
F20	R4	RESIDENTIAL	-UNKNOWN	28.1	95	94.2	0.2	0.8
F20	R5	RESIDENTIAL	-UNKNOWN	27.5	98.6	98.4	0.0	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL261

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F02	R1	RESIDENTIAL	LKD	42.2	96.9	95.1	0.7	1.8
F02	R2	RESIDENTIAL	BEDROOM	12.6	99.2	53.7	5.7	45.9
F02	R3	RESIDENTIAL	LKD	28.9	92.8	47.8	13.0	48.5
F02	R4	RESIDENTIAL	BEDROOM	14.3	96.5	49.3	6.7	48.9
F02	R5	RESIDENTIAL	BEDROOM	13.9	96.9	34.1	8.7	64.8
F02	R6	RESIDENTIAL	LKD	29.9	96.2	27.3	20.6	71.6

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL262

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F02	R7	RESIDENTIAL	BEDROOM	15.6	93.7	29.7	10.0	68.3
F02	R8	RESIDENTIAL	BEDROOM	15.6	96.9	45.6	8.0	53
F02	R9	RESIDENTIAL	LKD	29.8	93.9	65.5	8.4	30.2
F02	R10	RESIDENTIAL	BEDROOM	14.6	94.4	76.3	2.6	19.2
F02	R11	RESIDENTIAL	LKD	42.2	95.6	95.2	0.2	0.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL263

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F03	R1	RESIDENTIAL	LKD	42.2	96.9	95.1	0.8	1.9
F03	R2	RESIDENTIAL	BEDROOM	12.6	99.2	52.5	5.9	47.1
F03	R3	RESIDENTIAL	LKD	28.9	92.9	47.1	13.2	49.2
F03	R4	RESIDENTIAL	BEDROOM	14.3	96.5	48.3	6.9	49.9
F03	R5	RESIDENTIAL	BEDROOM	13.9	96.9	33.5	8.8	65.4
F03	R6	RESIDENTIAL	LKD	29.9	96.2	27.1	20.7	71.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL264

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F03	R7	RESIDENTIAL	BEDROOM	15.6	93.8	30.1	10.0	67.9
F03	R8	RESIDENTIAL	BEDROOM	15.6	96.9	44.1	8.2	54.5
F03	R9	RESIDENTIAL	LKD	29.8	94	64.3	8.8	31.6
F03	R10	RESIDENTIAL	BEDROOM	14.6	94.4	72	3.3	23.7
F03	R11	RESIDENTIAL	LKD	42.2	95.6	95.3	0.2	0.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL265

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F04	R1	RESIDENTIAL	LKD	42.2	96.9	94.9	0.9	2.1
F04	R2	RESIDENTIAL	BEDROOM	12.6	99.2	51.4	6.0	48.2
F04	R3	RESIDENTIAL	LKD	28.9	92.8	46.5	13.4	49.9
F04	R4	RESIDENTIAL	BEDROOM	14.3	96.7	46.6	7.2	51.8
F04	R5	RESIDENTIAL	BEDROOM	13.9	96.9	33.8	8.8	65.1
F04	R6	RESIDENTIAL	LKD	29.9	96.2	27.1	20.7	71.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL266

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F04	R7	RESIDENTIAL	BEDROOM	15.6	93.7	30.4	9.9	67.6
F04	R8	RESIDENTIAL	BEDROOM	15.6	96.9	43.7	8.3	54.9
F04	R9	RESIDENTIAL	LKD	29.8	94.1	62.2	9.5	33.8
F04	R10	RESIDENTIAL	BEDROOM	14.6	94.4	70.8	3.4	25
F04	R11	RESIDENTIAL	LKD	42.2	95.7	95.3	0.2	0.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL267

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F05	R1	RESIDENTIAL	LKD	42.2	97	94.9	0.9	2.2
F05	R2	RESIDENTIAL	BEDROOM	12.6	99.3	50.6	6.1	49.1
F05	R3	RESIDENTIAL	LKD	28.9	92.8	46.6	13.4	49.8
F05	R4	RESIDENTIAL	BEDROOM	14.3	96.6	45.9	7.2	52.5
F05	R5	RESIDENTIAL	BEDROOM	13.9	96.9	34.1	8.7	64.8
F05	R6	RESIDENTIAL	LKD	29.9	96.2	27.4	20.6	71.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL268

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F05	R7	RESIDENTIAL	BEDROOM	15.6	93.6	31.2	9.8	66.7
F05	R8	RESIDENTIAL	BEDROOM	15.6	96.9	43.8	8.3	54.8
F05	R9	RESIDENTIAL	LKD	29.8	94.1	61.3	9.8	34.9
F05	R10	RESIDENTIAL	BEDROOM	14.6	94.4	70.4	3.5	25.4
F05	R11	RESIDENTIAL	LKD	42.2	95.7	95.3	0.1	0.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL269

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F06	R1	RESIDENTIAL	LKD	42.2	97	94.8	0.9	2.2
F06	R2	RESIDENTIAL	BEDROOM	12.6	99.3	50.4	6.1	49.2
F06	R3	RESIDENTIAL	LKD	28.9	92.9	46.9	13.3	49.5
F06	R4	RESIDENTIAL	BEDROOM	14.3	96.6	46.2	7.2	52.2
F06	R5	RESIDENTIAL	BEDROOM	13.9	97	34.6	8.6	64.3
F06	R6	RESIDENTIAL	LKD	29.9	96.2	27.9	20.4	70.9

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL270

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F06	R7	RESIDENTIAL	BEDROOM	15.6	93.7	32.4	9.6	65.4
F06	R8	RESIDENTIAL	BEDROOM	15.6	96.9	43.9	8.3	54.8
F06	R9	RESIDENTIAL	LKD	29.8	94.2	60.8	10.0	35.5
F06	R10	RESIDENTIAL	BEDROOM	14.6	94.4	69.8	3.6	26.1
F06	R11	RESIDENTIAL	LKD	42.2	95.7	95.4	0.1	0.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL271

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F07


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F07	R1	RESIDENTIAL	LKD	42.2	97	94.8	0.9	2.3
F07	R2	RESIDENTIAL	BEDROOM	12.6	99.4	51	6.1	48.7
F07	R3	RESIDENTIAL	LKD	28.9	92.9	47.3	13.2	49.1
F07	R4	RESIDENTIAL	BEDROOM	14.3	96.6	46.5	7.1	51.9
F07	R5	RESIDENTIAL	BEDROOM	13.9	96.9	35.2	8.6	63.7
F07	R6	RESIDENTIAL	LKD	29.9	96.2	28.8	20.2	70.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL272

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F07


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F07	R7	RESIDENTIAL	BEDROOM	15.6	93.6	33.1	9.5	64.6
F07	R8	RESIDENTIAL	BEDROOM	15.6	96.9	43.8	8.3	54.8
F07	R9	RESIDENTIAL	LKD	29.8	94.2	61.7	9.7	34.5
F07	R10	RESIDENTIAL	BEDROOM	14.6	94.4	70	3.5	25.8
F07	R11	RESIDENTIAL	LKD	42.2	95.8	95.5	0.1	0.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL273

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F08


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F08	R1	RESIDENTIAL	LKD	42.2	97	94.9	0.9	2.2
F08	R2	RESIDENTIAL	BEDROOM	12.6	99.3	51.5	6.0	48.2
F08	R3	RESIDENTIAL	LKD	28.9	92.9	47.7	13.0	48.6
F08	R4	RESIDENTIAL	BEDROOM	14.3	96.5	46.9	7.1	51.4
F08	R5	RESIDENTIAL	BEDROOM	13.9	97	35.7	8.5	63.2
F08	R6	RESIDENTIAL	LKD	29.9	96.2	29.3	20.0	69.6

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL274

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F08


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F08	R7	RESIDENTIAL	BEDROOM	15.6	93.6	34.2	9.3	63.5
F08	R8	RESIDENTIAL	BEDROOM	15.6	96.9	43.8	8.3	54.9
F08	R9	RESIDENTIAL	LKD	29.8	94.3	62.6	9.4	33.5
F08	R10	RESIDENTIAL	BEDROOM	14.6	94.4	70.5	3.5	25.4
F08	R11	RESIDENTIAL	LKD	42.2	95.8	95.6	0.1	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL275

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F09


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F09	R1	RESIDENTIAL	LKD	42.2	97	94.9	0.9	2.2
F09	R2	RESIDENTIAL	BEDROOM	12.6	99.5	52.2	5.9	47.5
F09	R3	RESIDENTIAL	LKD	28.9	92.9	48.3	12.9	48
F09	R4	RESIDENTIAL	BEDROOM	14.3	96.6	47.5	7.0	50.8
F09	R5	RESIDENTIAL	BEDROOM	13.9	96.9	36	8.4	62.8
F09	R6	RESIDENTIAL	LKD	29.9	96.2	30.8	19.6	68

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL276

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F09


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F09	R7	RESIDENTIAL	BEDROOM	15.6	93.7	35.2	9.2	62.4
F09	R8	RESIDENTIAL	BEDROOM	15.6	96.9	44.1	8.2	54.5
F09	R9	RESIDENTIAL	LKD	29.8	94.4	63.7	9.1	32.5
F09	R10	RESIDENTIAL	BEDROOM	14.6	94.4	70.9	3.4	24.9
F09	R11	RESIDENTIAL	LKD	42.2	95.8	95.6	0.1	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL277

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F10


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F10	R1	RESIDENTIAL	LKD	42.2	97	94.9	0.9	2.2
F10	R2	RESIDENTIAL	BEDROOM	12.6	99.5	53.1	5.8	46.7
F10	R3	RESIDENTIAL	LKD	28.9	92.9	48.9	12.7	47.3
F10	R4	RESIDENTIAL	BEDROOM	14.3	96.6	48.5	6.9	49.7
F10	R5	RESIDENTIAL	BEDROOM	13.9	96.9	36.3	8.4	62.5
F10	R6	RESIDENTIAL	LKD	29.9	96.2	31.9	19.2	66.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL278

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F10


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F10	R7	RESIDENTIAL	BEDROOM	15.6	93.6	36.3	9.0	61.2
F10	R8	RESIDENTIAL	BEDROOM	15.6	96.9	44.2	8.2	54.4
F10	R9	RESIDENTIAL	LKD	29.8	94.4	65.6	8.6	30.5
F10	R10	RESIDENTIAL	BEDROOM	14.6	94.5	70.9	3.4	24.9
F10	R11	RESIDENTIAL	LKD	42.2	95.8	95.6	0.1	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL279

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F11


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F11	R1	RESIDENTIAL	LKD	42.2	97	94.9	0.9	2.2
F11	R2	RESIDENTIAL	BEDROOM	12.6	99.4	53.4	5.8	46.3
F11	R3	RESIDENTIAL	LKD	28.9	92.9	49.5	12.5	46.7
F11	R4	RESIDENTIAL	BEDROOM	14.3	96.7	49.4	6.7	48.9
F11	R5	RESIDENTIAL	BEDROOM	13.9	97	36.6	8.4	62.3
F11	R6	RESIDENTIAL	LKD	29.9	96.2	33.1	18.9	65.6

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL280

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F11


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F11	R7	RESIDENTIAL	BEDROOM	15.6	93.7	37.5	8.8	60
F11	R8	RESIDENTIAL	BEDROOM	15.6	96.9	44.1	8.2	54.5
F11	R9	RESIDENTIAL	LKD	29.8	94.4	66.4	8.4	29.7
F11	R10	RESIDENTIAL	BEDROOM	14.6	94.8	71.1	3.5	25
F11	R11	RESIDENTIAL	LKD	42.2	95.8	95.6	0.1	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL281

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F12


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F12	R1	RESIDENTIAL	LKD	42.2	97	95	0.9	2.2
F12	R2	RESIDENTIAL	BEDROOM	12.6	99.5	53.6	5.8	46.1
F12	R3	RESIDENTIAL	LKD	28.9	92.9	50.1	12.3	46
F12	R4	RESIDENTIAL	BEDROOM	14.3	96.6	49.3	6.7	49
F12	R5	RESIDENTIAL	BEDROOM	13.9	96.9	36.6	8.4	62.2
F12	R6	RESIDENTIAL	LKD	29.9	96.2	34.5	18.5	64.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL282

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F12


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F12	R7	RESIDENTIAL	BEDROOM	15.6	93.7	38.6	8.6	58.9
F12	R8	RESIDENTIAL	BEDROOM	15.6	96.9	44.6	8.2	54
F12	R9	RESIDENTIAL	LKD	29.8	94.4	67	8.2	29
F12	R10	RESIDENTIAL	BEDROOM	14.6	95.3	71.5	3.5	25
F12	R11	RESIDENTIAL	LKD	42.2	95.8	95.6	0.1	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL283

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F13


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F13	R1	RESIDENTIAL	LKD	42.2	97	95	0.8	2.1
F13	R2	RESIDENTIAL	BEDROOM	12.6	99.4	53.6	5.7	46.1
F13	R3	RESIDENTIAL	LKD	28.9	92.9	50.7	12.2	45.4
F13	R4	RESIDENTIAL	BEDROOM	14.3	96.6	49.3	6.7	48.9
F13	R5	RESIDENTIAL	BEDROOM	13.9	97	36.7	8.4	62.1
F13	R6	RESIDENTIAL	LKD	29.9	96.2	35.7	18.1	62.9

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL284

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F13


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F13	R7	RESIDENTIAL	BEDROOM	15.6	93.6	39.3	8.5	58
F13	R8	RESIDENTIAL	BEDROOM	15.6	96.9	44.5	8.2	54.1
F13	R9	RESIDENTIAL	LKD	29.8	94.4	67.8	7.9	28.2
F13	R10	RESIDENTIAL	BEDROOM	14.6	95.6	72	3.4	24.7
F13	R11	RESIDENTIAL	LKD	42.2	95.8	95.6	0.1	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL285

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F14


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F14	R1	RESIDENTIAL	LKD	42.2	97.1	95.1	0.9	2.1
F14	R2	RESIDENTIAL	BEDROOM	12.6	99.5	53.5	5.8	46.2
F14	R3	RESIDENTIAL	LKD	28.9	92.9	51	12.1	45.1
F14	R4	RESIDENTIAL	BEDROOM	14.3	96.6	49.3	6.8	49
F14	R5	RESIDENTIAL	BEDROOM	13.9	97	36.7	8.4	62.1
F14	R6	RESIDENTIAL	LKD	29.9	96.2	37.2	17.7	61.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL286

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F14


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F14	R7	RESIDENTIAL	BEDROOM	15.6	93.6	40.1	8.4	57.2
F14	R8	RESIDENTIAL	BEDROOM	15.6	96.9	44.8	8.1	53.8
F14	R9	RESIDENTIAL	LKD	29.8	94.6	69	7.6	27
F14	R10	RESIDENTIAL	BEDROOM	14.6	95.8	72.4	3.4	24.4
F14	R11	RESIDENTIAL	LKD	42.2	95.8	95.6	0.1	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL287

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F15


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F15	R1	RESIDENTIAL	LKD	42.2	97.2	95.1	0.9	2.2
F15	R2	RESIDENTIAL	BEDROOM	12.6	99.5	53.5	5.8	46.2
F15	R3	RESIDENTIAL	LKD	28.9	93	51	12.1	45.2
F15	R4	RESIDENTIAL	BEDROOM	14.3	96.6	49.2	6.8	49
F15	R5	RESIDENTIAL	BEDROOM	13.9	97	36.7	8.4	62.2
F15	R6	RESIDENTIAL	LKD	29.9	96.2	38.4	17.3	60

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL288

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F15


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F15	R7	RESIDENTIAL	BEDROOM	15.6	93.6	40.6	8.3	56.7
F15	R8	RESIDENTIAL	BEDROOM	15.6	96.9	44.7	8.2	53.9
F15	R9	RESIDENTIAL	LKD	29.8	94.6	69.8	7.4	26.2
F15	R10	RESIDENTIAL	BEDROOM	14.6	95.9	72	3.5	24.9
F15	R11	RESIDENTIAL	LKD	42.2	95.8	95.6	0.1	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL289

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F16


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F16	R1	RESIDENTIAL	LKD	42.2	97.3	95	0.9	2.3
F16	R2	RESIDENTIAL	BEDROOM	12.6	99.4	53.1	5.8	46.6
F16	R3	RESIDENTIAL	LKD	28.9	93.2	50.4	12.3	45.9
F16	R4	RESIDENTIAL	BEDROOM	14.3	96.6	49	6.8	49.2
F16	R5	RESIDENTIAL	BEDROOM	13.9	97	36.5	8.4	62.3
F16	R6	RESIDENTIAL	LKD	29.9	96.3	39.7	16.9	58.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL290

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F16


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F16	R7	RESIDENTIAL	BEDROOM	15.6	93.7	40.3	8.3	56.9
F16	R8	RESIDENTIAL	BEDROOM	15.6	96.9	44	8.3	54.6
F16	R9	RESIDENTIAL	LKD	29.8	94.7	70.1	7.3	26
F16	R10	RESIDENTIAL	BEDROOM	14.6	95.9	71.1	3.6	25.8
F16	R11	RESIDENTIAL	LKD	42.2	95.8	95.6	0.1	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL291

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F17


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F17	R1	RESIDENTIAL	LKD	42.2	97.2	94.9	1.0	2.4
F17	R2	RESIDENTIAL	BEDROOM	12.6	99.4	52.2	5.9	47.5
F17	R3	RESIDENTIAL	LKD	28.9	93.3	50.1	12.5	46.3
F17	R4	RESIDENTIAL	BEDROOM	14.3	96.5	47.2	7.0	51
F17	R5	RESIDENTIAL	BEDROOM	13.9	97	36.4	8.4	62.5
F17	R6	RESIDENTIAL	LKD	29.9	96.5	40.7	16.7	57.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL292

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F17


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F17	R7	RESIDENTIAL	BEDROOM	15.6	93.7	40.1	8.4	57.2
F17	R8	RESIDENTIAL	BEDROOM	15.6	96.9	43.7	8.3	54.9
F17	R9	RESIDENTIAL	LKD	29.8	94.7	69.6	7.5	26.5
F17	R10	RESIDENTIAL	BEDROOM	14.6	96	70.8	3.7	26.2
F17	R11	RESIDENTIAL	LKD	42.2	95.8	95.6	0.1	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL293

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F18


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F18	R1	RESIDENTIAL	LKD	42.2	97.3	94.9	1.0	2.4
F18	R2	RESIDENTIAL	BEDROOM	12.6	99.4	51.7	6.0	47.9
F18	R3	RESIDENTIAL	LKD	28.9	93.4	50	12.5	46.4
F18	R4	RESIDENTIAL	BEDROOM	14.3	96.6	46.8	7.1	51.6
F18	R5	RESIDENTIAL	BEDROOM	13.9	97	36.2	8.4	62.7
F18	R6	RESIDENTIAL	LKD	29.9	96.7	42.3	16.3	56.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL294

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F18


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F18	R7	RESIDENTIAL	BEDROOM	15.6	93.7	40.4	8.3	56.9
F18	R8	RESIDENTIAL	BEDROOM	15.6	96.9	43.9	8.3	54.7
F18	R9	RESIDENTIAL	LKD	29.8	94.8	69.5	7.5	26.6
F18	R10	RESIDENTIAL	BEDROOM	14.6	96	69.9	3.8	27.2
F18	R11	RESIDENTIAL	LKD	42.2	95.8	95.7	0.1	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL295

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F19


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F19	R1	RESIDENTIAL	LKD	42.2	97.2	94.9	1.0	2.5
F19	R2	RESIDENTIAL	BEDROOM	12.6	99.5	51.7	6.0	48.1
F19	R3	RESIDENTIAL	LKD	28.9	93.4	50.1	12.5	46.4
F19	R4	RESIDENTIAL	BEDROOM	14.3	96.5	46.8	7.1	51.5
F19	R5	RESIDENTIAL	BEDROOM	13.9	97	36.3	8.4	62.5
F19	R6	RESIDENTIAL	LKD	29.9	96.9	43.8	15.9	54.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL296

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F19


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F19	R7	RESIDENTIAL	BEDROOM	15.6	93.6	40.7	8.3	56.5
F19	R8	RESIDENTIAL	BEDROOM	15.6	96.9	43.9	8.3	54.7
F19	R9	RESIDENTIAL	LKD	29.8	94.9	69.6	7.6	26.7
F19	R10	RESIDENTIAL	BEDROOM	14.6	96	69.8	3.8	27.3
F19	R11	RESIDENTIAL	LKD	42.2	95.8	95.7	0.1	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL297

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F20


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F20	R1	RESIDENTIAL	LKD	42.2	97.2	94.8	1.0	2.5
F20	R2	RESIDENTIAL	BEDROOM	12.6	99.5	52	6.0	47.7
F20	R3	RESIDENTIAL	LKD	28.9	93.4	50.2	12.5	46.3
F20	R4	RESIDENTIAL	BEDROOM	14.3	96.6	47	7.1	51.3
F20	R5	RESIDENTIAL	BEDROOM	13.9	97	36.4	8.4	62.4
F20	R6	RESIDENTIAL	LKD	29.9	96.9	44.8	15.6	53.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL298

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F20


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F20	R7	RESIDENTIAL	BEDROOM	15.6	93.6	41	8.2	56.2
F20	R8	RESIDENTIAL	BEDROOM	15.6	96.9	43.9	8.3	54.7
F20	R9	RESIDENTIAL	LKD	29.8	95.2	69.9	7.5	26.5
F20	R10	RESIDENTIAL	BEDROOM	14.6	96	70.2	3.8	26.9
F20	R11	RESIDENTIAL	LKD	42.2	96.5	96.4	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL299

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F21


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F21	R1	RESIDENTIAL	LKD	42.2	97.2	94.9	1.0	2.5
F21	R2	RESIDENTIAL	BEDROOM	12.6	99.4	52.2	5.9	47.5
F21	R3	RESIDENTIAL	LKD	28.9	93.4	50.2	12.5	46.2
F21	R4	RESIDENTIAL	BEDROOM	14.3	96.6	47.4	7.0	51
F21	R5	RESIDENTIAL	BEDROOM	13.9	97	36.6	8.4	62.3
F21	R6	RESIDENTIAL	LKD	29.9	96.9	45.1	15.5	53.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL300

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F21


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F21	R7	RESIDENTIAL	BEDROOM	15.6	93.6	41.1	8.2	56.2
F21	R8	RESIDENTIAL	BEDROOM	15.6	96.9	43.8	8.3	54.8
F21	R9	RESIDENTIAL	LKD	29.8	95.3	70.2	7.5	26.3
F21	R10	RESIDENTIAL	BEDROOM	14.6	96.1	70.7	3.7	26.5
F21	R11	RESIDENTIAL	LKD	42.2	96.9	96.8	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL301

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F22


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F22	R1	RESIDENTIAL	LKD	42.2	97.2	94.9	1.0	2.4
F22	R2	RESIDENTIAL	BEDROOM	12.6	99.5	52.9	5.8	46.8
F22	R3	RESIDENTIAL	LKD	28.9	93.4	50.3	12.4	46.1
F22	R4	RESIDENTIAL	BEDROOM	14.3	96.6	47.8	7.0	50.5
F22	R5	RESIDENTIAL	BEDROOM	13.9	97	36.7	8.3	62.1
F22	R6	RESIDENTIAL	LKD	29.9	96.9	45.2	15.5	53.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL302

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F22


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F22	R7	RESIDENTIAL	BEDROOM	15.6	93.7	41.2	8.2	56.1
F22	R8	RESIDENTIAL	BEDROOM	15.6	96.9	44	8.3	54.6
F22	R9	RESIDENTIAL	LKD	29.8	95.3	70.3	7.4	26.2
F22	R10	RESIDENTIAL	BEDROOM	14.6	96.1	70.9	3.7	26.2
F22	R11	RESIDENTIAL	LKD	42.2	97.1	97	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL303

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F23


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F23	R1	RESIDENTIAL	LKD	42.2	97.3	94.9	1.0	2.4
F23	R2	RESIDENTIAL	BEDROOM	12.6	99.4	53.5	5.8	46.2
F23	R3	RESIDENTIAL	LKD	28.9	93.4	50.5	12.4	45.9
F23	R4	RESIDENTIAL	BEDROOM	14.3	96.5	48.9	6.8	49.3
F23	R5	RESIDENTIAL	BEDROOM	13.9	97	36.8	8.3	62.1
F23	R6	RESIDENTIAL	LKD	29.9	97	45.2	15.5	53.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL304

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F23


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F23	R7	RESIDENTIAL	BEDROOM	15.6	93.7	41.2	8.2	56
F23	R8	RESIDENTIAL	BEDROOM	15.6	96.9	44	8.2	54.6
F23	R9	RESIDENTIAL	LKD	29.8	95.3	70.4	7.4	26.1
F23	R10	RESIDENTIAL	BEDROOM	14.6	96	71	3.7	26.1
F23	R11	RESIDENTIAL	LKD	42.2	97.1	97	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL305

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F24


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F24	R1	RESIDENTIAL	LKD	42.2	97.2	94.9	1.0	2.4
F24	R2	RESIDENTIAL	BEDROOM	12.6	99.5	53.6	5.8	46.1
F24	R3	RESIDENTIAL	LKD	28.9	93.4	50.7	12.3	45.7
F24	R4	RESIDENTIAL	BEDROOM	14.3	96.6	49.3	6.7	48.9
F24	R5	RESIDENTIAL	BEDROOM	13.9	97	36.8	8.3	62.1
F24	R6	RESIDENTIAL	LKD	29.9	96.9	45.3	15.5	53.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL306

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F24


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F24	R7	RESIDENTIAL	BEDROOM	15.6	93.6	41.1	8.2	56
F24	R8	RESIDENTIAL	BEDROOM	15.6	96.9	44.2	8.2	54.4
F24	R9	RESIDENTIAL	LKD	29.8	95.3	70.7	7.3	25.9
F24	R10	RESIDENTIAL	BEDROOM	14.6	96	71.3	3.6	25.8
F24	R11	RESIDENTIAL	LKD	42.2	97.1	97	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL307

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F25


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F25	R1	RESIDENTIAL	LKD	42.2	97.3	95	1.0	2.3
F25	R2	RESIDENTIAL	BEDROOM	12.6	99.5	53.8	5.7	45.9
F25	R3	RESIDENTIAL	LKD	28.9	93.4	51.1	12.2	45.3
F25	R4	RESIDENTIAL	BEDROOM	14.3	96.6	49.3	6.7	48.9
F25	R5	RESIDENTIAL	BEDROOM	13.9	97	36.8	8.3	62
F25	R6	RESIDENTIAL	LKD	29.9	96.9	45.3	15.5	53.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL308

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F25


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F25	R7	RESIDENTIAL	BEDROOM	15.6	93.6	41.2	8.2	56
F25	R8	RESIDENTIAL	BEDROOM	15.6	96.9	44.6	8.2	54
F25	R9	RESIDENTIAL	LKD	29.8	95.3	71.1	7.2	25.4
F25	R10	RESIDENTIAL	BEDROOM	14.6	96.1	71.7	3.5	25.3
F25	R11	RESIDENTIAL	LKD	42.2	97.1	97	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL309

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F26


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F26	R1	RESIDENTIAL	LKD	42.2	97.3	95	0.9	2.3
F26	R2	RESIDENTIAL	BEDROOM	12.6	99.5	53.6	5.8	46.1
F26	R3	RESIDENTIAL	LKD	28.9	93.4	51.3	12.2	45.1
F26	R4	RESIDENTIAL	BEDROOM	14.3	96.6	49.3	6.7	49
F26	R5	RESIDENTIAL	BEDROOM	13.9	97	36.7	8.4	62.2
F26	R6	RESIDENTIAL	LKD	29.9	97	45.3	15.5	53.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL310

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F26


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F26	R7	RESIDENTIAL	BEDROOM	15.6	93.6	41.2	8.2	56
F26	R8	RESIDENTIAL	BEDROOM	15.6	96.9	44.7	8.1	53.8
F26	R9	RESIDENTIAL	LKD	29.8	95.4	71.6	7.1	24.9
F26	R10	RESIDENTIAL	BEDROOM	14.6	96	72.2	3.5	24.9
F26	R11	RESIDENTIAL	LKD	42.2	97.1	97	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL311

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F27


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F27	R1	RESIDENTIAL	LKD	42.2	97.3	95.1	0.9	2.2
F27	R2	RESIDENTIAL	BEDROOM	12.6	99.5	53.5	5.8	46.2
F27	R3	RESIDENTIAL	LKD	28.9	93.4	51.3	12.2	45.1
F27	R4	RESIDENTIAL	BEDROOM	14.3	96.6	49.3	6.7	49
F27	R5	RESIDENTIAL	BEDROOM	13.9	97	36.7	8.4	62.2
F27	R6	RESIDENTIAL	LKD	29.9	96.9	45.3	15.4	53.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL312

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F27


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F27	R7	RESIDENTIAL	BEDROOM	15.6	93.7	41.1	8.2	56.2
F27	R8	RESIDENTIAL	BEDROOM	15.6	96.9	44.8	8.1	53.8
F27	R9	RESIDENTIAL	LKD	29.8	95.3	71.8	7.0	24.7
F27	R10	RESIDENTIAL	BEDROOM	14.6	96	72.4	3.4	24.6
F27	R11	RESIDENTIAL	LKD	42.2	97.1	97	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL313

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F28


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F28	R1	RESIDENTIAL	LKD	42.2	97.2	95.1	0.9	2.2
F28	R2	RESIDENTIAL	BEDROOM	12.6	99.5	53.5	5.8	46.2
F28	R3	RESIDENTIAL	LKD	28.9	93.4	51	12.2	45.4
F28	R4	RESIDENTIAL	BEDROOM	14.3	96.6	49.1	6.8	49.1
F28	R5	RESIDENTIAL	BEDROOM	13.9	97	36.6	8.4	62.2
F28	R6	RESIDENTIAL	LKD	29.9	97	45.3	15.5	53.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL314

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F28


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F28	R7	RESIDENTIAL	BEDROOM	15.6	93.6	40.9	8.2	56.3
F28	R8	RESIDENTIAL	BEDROOM	15.6	96.9	44.2	8.2	54.4
F28	R9	RESIDENTIAL	LKD	29.8	95.3	71.7	7.1	24.8
F28	R10	RESIDENTIAL	BEDROOM	14.6	96	71.7	3.6	25.4
F28	R11	RESIDENTIAL	LKD	42.2	97.1	97.1	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL315

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F29


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F29	R1	RESIDENTIAL	LKD	42.2	97.3	95	1.0	2.3
F29	R2	RESIDENTIAL	BEDROOM	12.6	99.5	52.9	5.8	46.8
F29	R3	RESIDENTIAL	LKD	28.9	93.4	50.3	12.5	46.1
F29	R4	RESIDENTIAL	BEDROOM	14.3	96.6	48.4	6.9	49.9
F29	R5	RESIDENTIAL	BEDROOM	13.9	97	36.6	8.4	62.2
F29	R6	RESIDENTIAL	LKD	29.9	96.9	45.2	15.5	53.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL316

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F29


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F29	R7	RESIDENTIAL	BEDROOM	15.6	93.6	40.8	8.3	56.4
F29	R8	RESIDENTIAL	BEDROOM	15.6	96.9	44	8.3	54.6
F29	R9	RESIDENTIAL	LKD	29.8	95.3	70.6	7.4	26
F29	R10	RESIDENTIAL	BEDROOM	14.6	96	70.9	3.7	26.1
F29	R11	RESIDENTIAL	LKD	42.2	97.1	97	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL317

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F30


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F30	R1	RESIDENTIAL	LKD	42.2	97.3	94.9	1.0	2.4
F30	R2	RESIDENTIAL	BEDROOM	12.6	99.5	51.9	6.0	47.8
F30	R3	RESIDENTIAL	LKD	28.9	93.4	50.1	12.5	46.4
F30	R4	RESIDENTIAL	BEDROOM	14.3	96.6	46.8	7.1	51.5
F30	R5	RESIDENTIAL	BEDROOM	13.9	97	36.2	8.4	62.6
F30	R6	RESIDENTIAL	LKD	29.9	96.9	45.3	15.5	53.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL318

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F30


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F30	R7	RESIDENTIAL	BEDROOM	15.6	93.6	40.7	8.3	56.5
F30	R8	RESIDENTIAL	BEDROOM	15.6	96.9	43.8	8.3	54.8
F30	R9	RESIDENTIAL	LKD	29.8	95.3	70.2	7.5	26.3
F30	R10	RESIDENTIAL	BEDROOM	14.6	96	70.5	3.7	26.6
F30	R11	RESIDENTIAL	LKD	42.2	97.1	97	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL319

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F31


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F31	R1	RESIDENTIAL	LKD	42.2	97.3	94.9	1.0	2.5
F31	R2	RESIDENTIAL	BEDROOM	12.6	99.5	51.7	6.0	48
F31	R3	RESIDENTIAL	LKD	28.9	93.4	50.1	12.5	46.4
F31	R4	RESIDENTIAL	BEDROOM	14.3	96.6	46.7	7.1	51.6
F31	R5	RESIDENTIAL	BEDROOM	13.9	97	36.3	8.4	62.6
F31	R6	RESIDENTIAL	LKD	29.9	97	45.3	15.5	53.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL320

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F31


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F31	R7	RESIDENTIAL	BEDROOM	15.6	93.6	40.7	8.3	56.5
F31	R8	RESIDENTIAL	BEDROOM	15.6	96.9	43.8	8.3	54.8
F31	R9	RESIDENTIAL	LKD	29.8	95.3	70.1	7.5	26.5
F31	R10	RESIDENTIAL	BEDROOM	14.6	96	69.8	3.8	27.4
F31	R11	RESIDENTIAL	LKD	42.2	97.1	97	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL321

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F32


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F32	R1	RESIDENTIAL	LKD	42.2	97.2	94.8	1.0	2.5
F32	R2	RESIDENTIAL	BEDROOM	12.6	99.5	51.8	6.0	47.9
F32	R3	RESIDENTIAL	LKD	28.9	93.4	50.2	12.5	46.3
F32	R4	RESIDENTIAL	BEDROOM	14.3	96.5	46.8	7.1	51.5
F32	R5	RESIDENTIAL	BEDROOM	13.9	97	36.3	8.4	62.5
F32	R6	RESIDENTIAL	LKD	29.9	96.9	45.3	15.5	53.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL322

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F32


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F32	R7	RESIDENTIAL	BEDROOM	15.6	93.7	40.9	8.3	56.4
F32	R8	RESIDENTIAL	BEDROOM	15.6	96.9	43.9	8.3	54.7
F32	R9	RESIDENTIAL	LKD	29.8	95.3	70.1	7.5	26.4
F32	R10	RESIDENTIAL	BEDROOM	14.6	96	69.9	3.8	27.2
F32	R11	RESIDENTIAL	LKD	42.2	97.1	97	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL323

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F33


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F33	R1	RESIDENTIAL	LKD	42.2	97.2	94.8	1.0	2.5
F33	R2	RESIDENTIAL	BEDROOM	12.6	99.5	52.1	5.9	47.6
F33	R3	RESIDENTIAL	LKD	28.9	93.4	50.2	12.5	46.3
F33	R4	RESIDENTIAL	BEDROOM	14.3	96.6	47.1	7.1	51.2
F33	R5	RESIDENTIAL	BEDROOM	13.9	97	36.5	8.4	62.4
F33	R6	RESIDENTIAL	LKD	29.9	96.9	45.3	15.5	53.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL324

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F33


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F33	R7	RESIDENTIAL	BEDROOM	15.6	93.6	41.1	8.2	56.1
F33	R8	RESIDENTIAL	BEDROOM	15.6	96.9	44	8.2	54.6
F33	R9	RESIDENTIAL	LKD	29.8	95.3	70.1	7.5	26.5
F33	R10	RESIDENTIAL	BEDROOM	14.6	96	70.4	3.7	26.7
F33	R11	RESIDENTIAL	LKD	42.2	97.1	97	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL325

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F34


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F34	R1	RESIDENTIAL	LKD	42.2	97.3	94.9	1.0	2.4
F34	R2	RESIDENTIAL	BEDROOM	12.6	99.5	52.4	5.9	47.3
F34	R3	RESIDENTIAL	LKD	28.9	93.4	50.3	12.5	46.2
F34	R4	RESIDENTIAL	BEDROOM	14.3	96.6	47.5	7.0	50.8
F34	R5	RESIDENTIAL	BEDROOM	13.9	97	36.7	8.4	62.2
F34	R6	RESIDENTIAL	LKD	29.9	96.9	45.3	15.5	53.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL326

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F34


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F34	R7	RESIDENTIAL	BEDROOM	15.6	93.6	41.1	8.2	56.1
F34	R8	RESIDENTIAL	BEDROOM	15.6	96.9	43.9	8.3	54.7
F34	R9	RESIDENTIAL	LKD	29.8	95.3	70.3	7.5	26.3
F34	R10	RESIDENTIAL	BEDROOM	14.6	96	70.8	3.7	26.2
F34	R11	RESIDENTIAL	LKD	42.2	97.1	97.1	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL327

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F35


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F35	R1	RESIDENTIAL	LKD	42.2	97.2	94.9	1.0	2.4
F35	R2	RESIDENTIAL	BEDROOM	12.6	99.5	53.2	5.8	46.5
F35	R3	RESIDENTIAL	LKD	28.9	93.4	50.4	12.4	46.1
F35	R4	RESIDENTIAL	BEDROOM	14.3	96.6	48.5	6.9	49.7
F35	R5	RESIDENTIAL	BEDROOM	13.9	97	36.7	8.3	62.1
F35	R6	RESIDENTIAL	LKD	29.9	96.9	45.3	15.5	53.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL328

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F35


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F35	R7	RESIDENTIAL	BEDROOM	15.6	93.6	41.2	8.2	56
F35	R8	RESIDENTIAL	BEDROOM	15.6	96.9	44.1	8.2	54.5
F35	R9	RESIDENTIAL	LKD	29.8	95.3	70.3	7.4	26.2
F35	R10	RESIDENTIAL	BEDROOM	14.6	96.1	71	3.7	26.1
F35	R11	RESIDENTIAL	LKD	42.2	97.1	97	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL329

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F36


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F36	R1	RESIDENTIAL	LKD	42.2	97.2	94.9	1.0	2.4
F36	R2	RESIDENTIAL	BEDROOM	12.6	99.5	53.6	5.8	46.1
F36	R3	RESIDENTIAL	LKD	28.9	93.4	50.6	12.4	45.9
F36	R4	RESIDENTIAL	BEDROOM	14.3	96.6	49.3	6.7	48.9
F36	R5	RESIDENTIAL	BEDROOM	13.9	97	36.7	8.3	62.1
F36	R6	RESIDENTIAL	LKD	29.9	97	45.3	15.5	53.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL330

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F36


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F36	R7	RESIDENTIAL	BEDROOM	15.6	93.6	41.2	8.2	56
F36	R8	RESIDENTIAL	BEDROOM	15.6	96.9	44.2	8.2	54.4
F36	R9	RESIDENTIAL	LKD	29.8	95.3	70.5	7.4	26
F36	R10	RESIDENTIAL	BEDROOM	14.6	96	71.1	3.6	26
F36	R11	RESIDENTIAL	LKD	42.2	97.1	97	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL331

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F37


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F37	R1	RESIDENTIAL	LKD	42.2	97.3	94.9	1.0	2.4
F37	R2	RESIDENTIAL	BEDROOM	12.6	99.5	53.5	5.8	46.2
F37	R3	RESIDENTIAL	LKD	28.9	93.5	50.9	12.3	45.6
F37	R4	RESIDENTIAL	BEDROOM	14.3	96.6	49.3	6.7	49
F37	R5	RESIDENTIAL	BEDROOM	13.9	97	36.8	8.3	62
F37	R6	RESIDENTIAL	LKD	29.9	96.9	45.3	15.5	53.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL332

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F37


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F37	R7	RESIDENTIAL	BEDROOM	15.6	93.6	41.1	8.2	56.1
F37	R8	RESIDENTIAL	BEDROOM	15.6	96.9	44.3	8.2	54.3
F37	R9	RESIDENTIAL	LKD	29.8	95.3	70.8	7.3	25.7
F37	R10	RESIDENTIAL	BEDROOM	14.6	96	71.4	3.6	25.6
F37	R11	RESIDENTIAL	LKD	42.2	97.1	97	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL333

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F38


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F38	R1	RESIDENTIAL	LKD	42.2	97.2	95	0.9	2.3
F38	R2	RESIDENTIAL	BEDROOM	12.6	99.5	53.8	5.7	45.9
F38	R3	RESIDENTIAL	LKD	28.9	93.4	51.2	12.2	45.2
F38	R4	RESIDENTIAL	BEDROOM	14.3	96.6	49.3	6.7	48.9
F38	R5	RESIDENTIAL	BEDROOM	13.9	97	36.8	8.3	62.1
F38	R6	RESIDENTIAL	LKD	29.9	97	45.3	15.5	53.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL334

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F38


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F38	R7	RESIDENTIAL	BEDROOM	15.6	93.6	41.2	8.2	56
F38	R8	RESIDENTIAL	BEDROOM	15.6	96.9	44.6	8.2	54
F38	R9	RESIDENTIAL	LKD	29.8	95.3	71.3	7.2	25.2
F38	R10	RESIDENTIAL	BEDROOM	14.6	96.1	71.8	3.5	25.2
F38	R11	RESIDENTIAL	LKD	42.2	97.1	97.1	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL335

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F39


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F39	R1	RESIDENTIAL	LKD	42.2	97.3	95.1	0.9	2.2
F39	R2	RESIDENTIAL	BEDROOM	12.6	99.5	53.7	5.8	46
F39	R3	RESIDENTIAL	LKD	28.9	93.4	51.4	12.2	45
F39	R4	RESIDENTIAL	BEDROOM	14.3	96.6	49.3	6.7	48.9
F39	R5	RESIDENTIAL	BEDROOM	13.9	97	36.8	8.3	62
F39	R6	RESIDENTIAL	LKD	29.9	97	45.4	15.4	53.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: VIADUX 1
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL336

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F39


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
VIADUX 1								
F39	R7	RESIDENTIAL	BEDROOM	15.6	93.6	41	8.2	56.1
F39	R8	RESIDENTIAL	BEDROOM	15.6	96.9	44.8	8.1	53.8
F39	R9	RESIDENTIAL	LKD	29.8	95.3	71.7	7.1	24.8
F39	R10	RESIDENTIAL	BEDROOM	14.6	96	72.3	3.5	24.7
F39	R11	RESIDENTIAL	LKD	42.2	97.1	97	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL337

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F02	R1	HOTEL	BEDROOM	18.9	100	100	0.0	0
F02	R2	HOTEL	BEDROOM	19.7	46.4	45.5	0.2	1.9
F02	R3	HOTEL	BEDROOM	16.1	92.3	90.9	0.2	1.5
F02	R4	HOTEL	BEDROOM	16.6	50.9	50.9	0.0	0
F02	R5	HOTEL	BEDROOM	16.1	93.4	93.2	0.0	0.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL338

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F02	R6	HOTEL	BEDROOM	16.6	48.4	48.4	0.0	0
F02	R7	HOTEL	BEDROOM	16.1	93.8	93.1	0.1	0.8
F02	R8	HOTEL	BEDROOM	16.6	43.9	43.9	0.0	0
F02	R9	HOTEL	BEDROOM	16.1	95.9	95.9	0.0	0
F02	R10	HOTEL	BEDROOM	16.6	39.9	39.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL339

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F02	R11	HOTEL	BEDROOM	12.2	94.7	94.7	0.0	0
F02	R12	HOTEL	BEDROOM	12.7	46.3	46.2	0.0	0.1
F02	R13	HOTEL	BEDROOM	12.2	87.6	87.6	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL340

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F03	R1	HOTEL	BEDROOM	18.9	100	100	0.0	0
F03	R2	HOTEL	BEDROOM	19.7	52.7	52.7	0.0	0
F03	R3	HOTEL	BEDROOM	16.1	96.9	96.9	0.0	0
F03	R4	HOTEL	BEDROOM	16.6	55.6	55.6	0.0	0
F03	R5	HOTEL	BEDROOM	16.1	96.9	96.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL341

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F03	R6	HOTEL	BEDROOM	16.6	49.8	49.8	0.0	0
F03	R7	HOTEL	BEDROOM	16.1	96.9	96.9	0.0	0
F03	R8	HOTEL	BEDROOM	16.6	44.8	44.8	0.0	0
F03	R9	HOTEL	BEDROOM	16.1	96.2	96.2	0.0	0
F03	R10	HOTEL	BEDROOM	16.6	40.7	40.7	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL342

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F03	R11	HOTEL	BEDROOM	12.2	95.4	95.4	0.0	0
F03	R12	HOTEL	BEDROOM	12.7	47.4	47.4	0.0	0
F03	R13	HOTEL	BEDROOM	12.2	89.2	89.2	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL343

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F04	R1	HOTEL	BEDROOM	18.9	100	100	0.0	0
F04	R2	HOTEL	BEDROOM	19.7	55.7	55.7	0.0	0
F04	R3	HOTEL	BEDROOM	16.1	96.9	96.9	0.0	0
F04	R4	HOTEL	BEDROOM	16.6	58	58	0.0	0
F04	R5	HOTEL	BEDROOM	16.1	97	97	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL344

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F04	R6	HOTEL	BEDROOM	16.6	51.1	51.1	0.0	0
F04	R7	HOTEL	BEDROOM	16.1	96.9	96.9	0.0	0
F04	R8	HOTEL	BEDROOM	16.6	45.5	45.5	0.0	0
F04	R9	HOTEL	BEDROOM	16.1	96.3	96.3	0.0	0
F04	R10	HOTEL	BEDROOM	16.6	41.3	41.3	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL345

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F04	R11	HOTEL	BEDROOM	12.2	95.8	95.8	0.0	0
F04	R12	HOTEL	BEDROOM	12.7	48.5	48.5	0.0	0
F04	R13	HOTEL	BEDROOM	12.2	91.1	91.1	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL346

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F05	R1	HOTEL	BEDROOM	18.9	100	100	0.0	0
F05	R2	HOTEL	BEDROOM	19.7	57.9	57.9	0.0	0
F05	R3	HOTEL	BEDROOM	16.1	96.8	96.8	0.0	0
F05	R4	HOTEL	BEDROOM	16.6	59.5	59.5	0.0	0
F05	R5	HOTEL	BEDROOM	16.1	96.8	96.8	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL347

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F05	R6	HOTEL	BEDROOM	16.6	51.1	51.1	0.0	0
F05	R7	HOTEL	BEDROOM	16.1	96.8	96.8	0.0	0
F05	R8	HOTEL	BEDROOM	16.6	44.8	44.8	0.0	0
F05	R9	HOTEL	BEDROOM	16.1	96.2	96.2	0.0	0
F05	R10	HOTEL	BEDROOM	16.6	41	41	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL348

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F05	R11	HOTEL	BEDROOM	12.2	95.9	95.9	0.0	0
F05	R12	HOTEL	BEDROOM	12.7	48.3	48.3	0.0	0
F05	R13	HOTEL	BEDROOM	12.2	91.3	91.3	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL349

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F06	R1	HOTEL	BEDROOM	18.9	100	100	0.0	0
F06	R2	HOTEL	BEDROOM	19.7	64	64	0.0	0
F06	R3	HOTEL	BEDROOM	16.1	96.9	96.9	0.0	0
F06	R4	HOTEL	BEDROOM	16.6	65.9	65.9	0.0	0
F06	R5	HOTEL	BEDROOM	16.1	96.9	96.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL350

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F06	R6	HOTEL	BEDROOM	16.6	55.8	55.8	0.0	0
F06	R7	HOTEL	BEDROOM	16.1	97	97	0.0	0
F06	R8	HOTEL	BEDROOM	16.6	47.7	47.7	0.0	0
F06	R9	HOTEL	BEDROOM	16.1	96.4	96.4	0.0	0
F06	R10	HOTEL	BEDROOM	16.6	42.8	42.8	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL351

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F06	R11	HOTEL	BEDROOM	12.2	96.2	96.2	0.0	0
F06	R12	HOTEL	BEDROOM	12.7	50.5	50.5	0.0	0
F06	R13	HOTEL	BEDROOM	12.2	93	93	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL352

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F07	R1	HOTEL	BEDROOM	18.9	100	100	0.0	0
F07	R2	HOTEL	BEDROOM	19.7	66.4	66.4	0.0	0
F07	R3	HOTEL	BEDROOM	16.1	96.9	96.9	0.0	0
F07	R4	HOTEL	BEDROOM	16.6	71	71	0.0	0
F07	R5	HOTEL	BEDROOM	16.1	96.9	96.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL353

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F07	R6	HOTEL	BEDROOM	16.6	58.9	58.9	0.0	0
F07	R7	HOTEL	BEDROOM	16.1	97	97	0.0	0
F07	R8	HOTEL	BEDROOM	16.6	48.8	48.8	0.0	0
F07	R9	HOTEL	BEDROOM	16.1	96.5	96.5	0.0	0
F07	R10	HOTEL	BEDROOM	16.6	43.5	43.5	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL354

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F07


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F07	R11	HOTEL	BEDROOM	12.2	96.5	96.5	0.0	0
F07	R12	HOTEL	BEDROOM	12.7	51.6	51.6	0.0	0
F07	R13	HOTEL	BEDROOM	12.2	93.9	93.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL355

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F08

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F08	R1	HOTEL	BEDROOM	18.9	100	100	0.0	0
F08	R2	HOTEL	BEDROOM	19.7	66.8	66.8	0.0	0
F08	R3	HOTEL	BEDROOM	16.1	96.8	96.8	0.0	0
F08	R4	HOTEL	BEDROOM	16.6	71.4	71.4	0.0	0
F08	R5	HOTEL	BEDROOM	16.1	96.8	96.8	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL356

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F08

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F08	R6	HOTEL	BEDROOM	16.6	61.1	61.1	0.0	0
F08	R7	HOTEL	BEDROOM	16.1	96.8	96.8	0.0	0
F08	R8	HOTEL	BEDROOM	16.6	48.4	48.4	0.0	0
F08	R9	HOTEL	BEDROOM	16.1	96.4	96.4	0.0	0
F08	R10	HOTEL	BEDROOM	16.6	43.4	43.4	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL357

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F08


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F08	R11	HOTEL	BEDROOM	12.2	96.5	96.5	0.0	0
F08	R12	HOTEL	BEDROOM	12.7	50.7	50.7	0.0	0
F08	R13	HOTEL	BEDROOM	12.2	94.3	94.3	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL358

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F09

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F09	R1	HOTEL	BEDROOM	18.9	100	100	0.0	0
F09	R2	HOTEL	BEDROOM	19.7	71.5	71.5	0.0	0
F09	R3	HOTEL	BEDROOM	16.1	96.9	96.9	0.0	0
F09	R4	HOTEL	BEDROOM	16.6	76.1	76.1	0.0	0
F09	R5	HOTEL	BEDROOM	16.1	96.9	96.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL359

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F09

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F09	R6	HOTEL	BEDROOM	16.6	67	67	0.0	0
F09	R7	HOTEL	BEDROOM	16.1	97	97	0.0	0
F09	R8	HOTEL	BEDROOM	16.6	52.4	52.4	0.0	0
F09	R9	HOTEL	BEDROOM	16.1	96.6	96.6	0.0	0
F09	R10	HOTEL	BEDROOM	16.6	45.8	45.8	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL360

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F09


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F09	R11	HOTEL	BEDROOM	12.2	96.7	96.7	0.0	0
F09	R12	HOTEL	BEDROOM	12.7	53.9	53.9	0.0	0
F09	R13	HOTEL	BEDROOM	12.2	95.5	95.5	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL361

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F10

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F10	R1	HOTEL	BEDROOM	18.9	100	100	0.0	0
F10	R2	HOTEL	BEDROOM	19.7	74.2	74.2	0.0	0
F10	R3	HOTEL	BEDROOM	16.1	96.9	96.9	0.0	0
F10	R4	HOTEL	BEDROOM	16.6	78.9	78.9	0.0	0
F10	R5	HOTEL	BEDROOM	16.1	96.9	96.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL362

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F10

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F10	R6	HOTEL	BEDROOM	16.6	69.7	69.7	0.0	0
F10	R7	HOTEL	BEDROOM	16.1	97	97	0.0	0
F10	R8	HOTEL	BEDROOM	16.6	55.4	55.4	0.0	0
F10	R9	HOTEL	BEDROOM	16.1	96.6	96.6	0.0	0
F10	R10	HOTEL	BEDROOM	16.6	47.1	47.1	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL363

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F10


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F10	R11	HOTEL	BEDROOM	12.2	97.1	97.1	0.0	0
F10	R12	HOTEL	BEDROOM	12.7	55.2	55.2	0.0	0
F10	R13	HOTEL	BEDROOM	12.2	96	96	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL364

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F11

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F11	R1	HOTEL	BEDROOM	18.9	100	100	0.0	0
F11	R2	HOTEL	BEDROOM	19.7	71.9	71.9	0.0	0
F11	R3	HOTEL	BEDROOM	16.1	96.7	96.7	0.0	0
F11	R4	HOTEL	BEDROOM	16.6	76.8	76.8	0.0	0
F11	R5	HOTEL	BEDROOM	16.1	96.8	96.8	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL365

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F11

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F11	R6	HOTEL	BEDROOM	16.6	67.5	67.5	0.0	0
F11	R7	HOTEL	BEDROOM	16.1	96.8	96.8	0.0	0
F11	R8	HOTEL	BEDROOM	16.6	53	53	0.0	0
F11	R9	HOTEL	BEDROOM	16.1	96.3	96.3	0.0	0
F11	R10	HOTEL	BEDROOM	16.6	45.2	45.2	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL366

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F11


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F11	R11	HOTEL	BEDROOM	12.2	96.4	96.4	0.0	0
F11	R12	HOTEL	BEDROOM	12.7	53.1	53.1	0.0	0
F11	R13	HOTEL	BEDROOM	12.2	95	95	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL367

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F12

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F12	R1	HOTEL	BEDROOM	19.7	80.5	80.5	0.0	0
F12	R2	HOTEL	BEDROOM	16.1	96.6	96.6	0.0	0
F12	R3	HOTEL	BEDROOM	16.6	84.1	84.1	0.0	0
F12	R4	HOTEL	BEDROOM	16.1	96.5	96.5	0.0	0
F12	R5	HOTEL	BEDROOM	16.6	76.2	76.2	0.0	0
F12	R6	HOTEL	BEDROOM	16.1	96.6	96.5	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL368

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F12


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F12	R7	HOTEL	BEDROOM	16.6	64.7	64.7	0.0	0
F12	R8	HOTEL	BEDROOM	16.1	96.4	96.4	0.0	0
F12	R9	HOTEL	BEDROOM	16.6	53.2	53.2	0.0	0
F12	R10	HOTEL	BEDROOM	12.2	96.9	96.9	0.0	0
F12	R11	HOTEL	BEDROOM	12.7	56.6	56.6	0.0	0
F12	R12	HOTEL	BEDROOM	12.2	96.5	96.4	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL369

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F13

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F13	R1	HOTEL	BEDROOM	19.7	81.6	81.6	0.0	0
F13	R2	HOTEL	BEDROOM	16.1	96.5	96.5	0.0	0
F13	R3	HOTEL	BEDROOM	16.6	84.9	84.9	0.0	0
F13	R4	HOTEL	BEDROOM	16.1	96.6	96.6	0.0	0
F13	R5	HOTEL	BEDROOM	16.6	79.8	79.7	0.0	0
F13	R6	HOTEL	BEDROOM	16.1	96.6	96.6	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: FREE TRADE HALL PETER STREET
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL370

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F13


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
FREE TRADE HALL PETER STREET								
F13	R7	HOTEL	BEDROOM	16.6	69.3	69.3	0.0	0
F13	R8	HOTEL	BEDROOM	16.1	96.5	96.5	0.0	0
F13	R9	HOTEL	BEDROOM	16.6	58.4	58.4	0.0	0
F13	R10	HOTEL	BEDROOM	12.2	97.6	97.5	0.0	0
F13	R11	HOTEL	BEDROOM	12.7	61.1	61.1	0.0	0
F13	R12	HOTEL	BEDROOM	12.2	96.6	96.6	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: GREAT NORTHERN TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL371

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
GREAT NORTHERN TOWER								
F01	R2	RESIDENTIAL	UNKNOWN	15.2	7.1	7.1	0.0	0.8
F01	R3	RESIDENTIAL	UNKNOWN	13.7	6	6	0.0	0
F01	R4	RESIDENTIAL	UNKNOWN	15.6	4.9	4.9	0.0	0
F01	R5	RESIDENTIAL	UNKNOWN	27.9	72.8	60.9	3.3	16.3
F01	R6	RESIDENTIAL	UNKNOWN	14.5	46.3	45.8	0.1	1.2
F01	R7	RESIDENTIAL	UNKNOWN	9.1	89.1	80.4	0.8	9.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: GREAT NORTHERN TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL372

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
GREAT NORTHERN TOWER								
F02	R2	RESIDENTIAL	UNKNOWN	15.2	15.2	15.1	0.0	0.2
F02	R3	RESIDENTIAL	UNKNOWN	13.7	16.9	16.6	0.0	1.7
F02	R4	RESIDENTIAL	UNKNOWN	15.6	17.6	17.4	0.0	1
F02	R5	RESIDENTIAL	UNKNOWN	30.9	87.5	73.1	4.5	16.5
F02	R6	RESIDENTIAL	UNKNOWN	14.5	68.9	68.3	0.1	0.9
F02	R7	RESIDENTIAL	UNKNOWN	10.4	88.4	85.2	0.3	3.6

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: GREAT NORTHERN TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL373

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
GREAT NORTHERN TOWER								
F03	R2	RESIDENTIAL	UNKNOWN	15.2	98.1	98	0.0	0.1
F03	R3	RESIDENTIAL	UNKNOWN	13.7	77.2	77	0.0	0.3
F03	R4	RESIDENTIAL	UNKNOWN	15.6	77.8	77.6	0.0	0.2
F03	R5	RESIDENTIAL	UNKNOWN	30.9	100	99.6	0.1	0.4
F03	R6	RESIDENTIAL	UNKNOWN	14.5	80.8	80.3	0.1	0.6
F03	R7	RESIDENTIAL	UNKNOWN	10.4	90.7	88.9	0.2	2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: GREAT NORTHERN TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL374

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
GREAT NORTHERN TOWER								
F04	R2	RESIDENTIAL	UNKNOWN	15.2	98.1	98.1	0.0	0
F04	R3	RESIDENTIAL	UNKNOWN	13.7	98.8	98.5	0.0	0.3
F04	R4	RESIDENTIAL	UNKNOWN	15.6	98.7	98.5	0.0	0.2
F04	R5	RESIDENTIAL	UNKNOWN	30.9	100	99.6	0.1	0.4
F04	R6	RESIDENTIAL	UNKNOWN	14.5	81.7	81.2	0.1	0.6
F04	R7	RESIDENTIAL	UNKNOWN	10.4	91	89.5	0.2	1.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: GREAT NORTHERN TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL375

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
GREAT NORTHERN TOWER								
F05	R2	RESIDENTIAL	UNKNOWN	15.2	98.1	98.1	0.0	0
F05	R3	RESIDENTIAL	UNKNOWN	13.7	98.7	98.5	0.0	0.2
F05	R4	RESIDENTIAL	UNKNOWN	15.6	98.7	98.5	0.0	0.2
F05	R5	RESIDENTIAL	UNKNOWN	30.9	100	99.7	0.1	0.2
F05	R6	RESIDENTIAL	UNKNOWN	14.5	82.3	81.9	0.1	0.5
F05	R7	RESIDENTIAL	UNKNOWN	10.4	91	89.6	0.1	1.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: GREAT NORTHERN TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL376

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
GREAT NORTHERN TOWER								
F06	R2	RESIDENTIAL	UNKNOWN	15.2	98.1	98.1	0.0	0
F06	R3	RESIDENTIAL	UNKNOWN	13.7	98.7	98.5	0.0	0.2
F06	R4	RESIDENTIAL	UNKNOWN	15.6	98.7	98.5	0.0	0.2
F06	R5	RESIDENTIAL	UNKNOWN	30.9	100	99.7	0.1	0.2
F06	R6	RESIDENTIAL	UNKNOWN	14.5	82.7	82.5	0.0	0.3
F06	R7	RESIDENTIAL	UNKNOWN	10.4	92.1	91	0.1	1.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: GREAT NORTHERN TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL377

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F07


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
GREAT NORTHERN TOWER								
F07	R2	RESIDENTIAL	UNKNOWN	15.2	98.1	98.1	0.0	0
F07	R3	RESIDENTIAL	UNKNOWN	13.7	99.1	98.8	0.0	0.4
F07	R4	RESIDENTIAL	UNKNOWN	15.6	99	98.8	0.0	0.2
F07	R5	RESIDENTIAL	UNKNOWN	30.9	100	99.7	0.1	0.2
F07	R6	RESIDENTIAL	UNKNOWN	14.5	82.9	82.8	0.0	0.2
F07	R7	RESIDENTIAL	UNKNOWN	10.4	93	91.8	0.1	1.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: GREAT NORTHERN TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL378

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F08

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
GREAT NORTHERN TOWER								
F08	R2	RESIDENTIAL	UNKNOWN	15.2	98.1	98	0.0	0.1
F08	R3	RESIDENTIAL	UNKNOWN	13.7	99.1	98.8	0.0	0.3
F08	R4	RESIDENTIAL	UNKNOWN	15.6	99	98.8	0.0	0.2
F08	R5	RESIDENTIAL	UNKNOWN	30.9	100	99.8	0.1	0.2
F08	R6	RESIDENTIAL	UNKNOWN	14.5	82.7	82.6	0.0	0.1
F08	R7	RESIDENTIAL	UNKNOWN	10.4	92.5	91.3	0.1	1.3

NSL CONTOURS


PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: GREAT NORTHERN TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL379

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F09



F09




F10

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
GREAT NORTHERN TOWER								
F09	R1	RESIDENTIAL	UNKNOWN	6.9	96	95.8	0.0	0.2
F09	R3	RESIDENTIAL	UNKNOWN	15.2	98.1	98.1	0.0	0
F09	R4	RESIDENTIAL	UNKNOWN	13.7	99.1	98.8	0.0	0.3
F09	R5	RESIDENTIAL	UNKNOWN	15.6	98.9	98.8	0.0	0.1
F10	R1	RESIDENTIAL	UNKNOWN	6.9	97.2	97.2	0.0	0
F10	R3	RESIDENTIAL	UNKNOWN	15.2	98.1	98	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: MIDLAND HOTEL
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL380

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
MIDLAND HOTEL								
F00	R3	HOTEL	UNKNOWN	31.3	98.3	98.3	0.0	0
F00	R4	HOTEL	UNKNOWN	11.0	81.7	81.8	0.0	-0.1
F00	R5	HOTEL	UNKNOWN	17.6	77.7	77.7	0.0	0
F00	R6	HOTEL	UNKNOWN	12.6	95.6	95.6	0.0	0.1
F00	R7	HOTEL	UNKNOWN	14.1	74.2	74.2	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: MIDLAND HOTEL
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL381

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
MIDLAND HOTEL								
F01	R1	HOTEL	UNKNOWN	14.1	76.6	76.6	0.0	0
F01	R2	HOTEL	BEDROOM	27.3	98.6	98.5	0.0	0.1
F01	R3	HOTEL	BEDROOM	24.4	97	96.8	0.1	0.2
F01	R4	HOTEL	UNKNOWN	13.9	79.5	76.8	0.4	3.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: MIDLAND HOTEL
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL382

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
MIDLAND HOTEL								
F01	R5	HOTEL	BEDROOM	27.0	98.1	98.1	0.0	0
F01	R6	HOTEL	UNKNOWN	6.7	94.8	94.8	0.0	0
F01	R7	HOTEL	UNKNOWN	22.4	92.5	92.5	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: MIDLAND HOTEL
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL383

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
MIDLAND HOTEL								
F02	R1	HOTEL	UNKNOWN	14.1	85.9	85.9	0.0	0
F02	R2	HOTEL	UNKNOWN	10.6	53.1	53.1	0.0	0
F02	R3	HOTEL	UNKNOWN	22.9	79.1	79.1	0.0	0
F02	R4	HOTEL	UNKNOWN	20.3	75.8	75.3	0.1	0.6

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: MIDLAND HOTEL
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL384

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
MIDLAND HOTEL								
F02	R5	HOTEL	UNKNOWN	21.2	92	92	0.0	0
F02	R6	HOTEL	UNKNOWN	7.3	96.4	96.4	0.0	0
F02	R7	HOTEL	UNKNOWN	22.4	89.7	89.7	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: MIDLAND HOTEL
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL385

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
MIDLAND HOTEL								
F03	R1	HOTEL	BEDROOM	23.7	69.3	67.2	0.5	3.1
F03	R2	HOTEL	UNKNOWN	14.1	88.6	88.6	0.0	0
F03	R4	HOTEL	BEDROOM	12.1	95.9	95.9	0.0	0
F03	R5	HOTEL	BEDROOM	16.2	96.5	96.5	0.0	0
F03	R6	HOTEL	BEDROOM	17.2	97.2	97.2	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: MIDLAND HOTEL
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL386

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
MIDLAND HOTEL								
F03	R7	HOTEL	BEDROOM	13.1	97.9	97.9	0.0	0
F03	R8	HOTEL	UNKNOWN	5.2	86.5	86.5	0.0	0
F03	R9	HOTEL	BEDROOM	13.8	90.2	90.2	0.0	0
F03	R10	HOTEL	UNKNOWN	4.7	99	99	0.0	0
F03	R11	HOTEL	UNKNOWN	22.4	89.3	89.3	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: MIDLAND HOTEL
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL387

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
MIDLAND HOTEL								
F04	R2	HOTEL	BEDROOM	23.7	74.2	74.2	0.0	0
F04	R3	HOTEL	UNKNOWN	14.1	91	91	0.0	0
F04	R5	HOTEL	BEDROOM	11.5	76.4	76.4	0.0	0
F04	R6	HOTEL	BEDROOM	16.2	96.6	96.6	0.0	0
F04	R7	HOTEL	BEDROOM	16.3	98.5	98.5	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: MIDLAND HOTEL
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL388

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
MIDLAND HOTEL								
F04	R8	HOTEL	BEDROOM	13.2	99.9	99.9	0.0	0
F04	R9	HOTEL	UNKNOWN	3.9	91.7	91.7	0.0	0
F04	R10	HOTEL	BEDROOM	14.9	72.7	72.7	0.0	0
F04	R11	HOTEL	UNKNOWN	5.4	89.4	89.4	0.0	0
F04	R12	HOTEL	UNKNOWN	22.4	97.4	97.4	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: MIDLAND HOTEL
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL389

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
MIDLAND HOTEL								
F05	R2	HOTEL	BEDROOM	23.7	76.8	76.8	0.0	0
F05	R4	HOTEL	BEDROOM	11.5	77.3	77.3	0.0	0
F05	R5	HOTEL	BEDROOM	16.2	97.4	97.4	0.0	0
F05	R6	HOTEL	BEDROOM	16.3	98.6	98.6	0.0	0
F05	R7	HOTEL	BEDROOM	10.1	79	79	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: MIDLAND HOTEL
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL390

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
MIDLAND HOTEL								
F05	R8	HOTEL	UNKNOWN	3.9	95.1	95.1	0.0	0
F05	R9	HOTEL	BEDROOM	14.9	72.8	72.8	0.0	0
F05	R10	HOTEL	UNKNOWN	5.4	93	93	0.0	0
F05	R11	HOTEL	UNKNOWN	22.4	100	100	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: MIDLAND HOTEL
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL391

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
MIDLAND HOTEL								
F06	R2	HOTEL	BEDROOM	23.7	82.8	82.8	0.0	0
F06	R4	HOTEL	BEDROOM	9.1	100	100	0.0	0
F06	R5	HOTEL	BEDROOM	19.6	99.5	99.5	0.0	0
F06	R6	HOTEL	BEDROOM	19.8	98.4	98.4	0.0	0
F06	R7	HOTEL	BEDROOM	15.8	99.1	99.1	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: MIDLAND HOTEL
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL392

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
MIDLAND HOTEL								
F06	R8	HOTEL	UNKNOWN	5.7	92.9	92.9	0.0	0
F06	R9	HOTEL	BEDROOM	13.7	93.1	93.2	0.0	-0.1
F06	R10	HOTEL	UNKNOWN	6.7	97.3	97.3	0.0	0
F06	R11	HOTEL	UNKNOWN	24.4	99.1	99.1	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: MIDLAND HOTEL
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL393

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
MIDLAND HOTEL								
F07	R1	HOTEL	BEDROOM	14.5	99.2	99.2	0.0	0
F07	R2	HOTEL	BEDROOM	23.7	92.1	92.1	0.0	0
F07	R3	HOTEL	UNKNOWN	11.1	100	100	0.0	0
F07	R4	HOTEL	BEDROOM	18.8	92.7	92.7	0.0	0
F07	R5	HOTEL	BEDROOM	13.2	98.8	98.8	0.0	0
F07	R7	HOTEL	UNKNOWN	27.2	100	100	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL394

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F02	R1	HOTEL	BEDROOM	16.9	99.6	99.5	0.0	0
F02	R2	HOTEL	BEDROOM	14.4	85.3	67.2	2.6	21.2
F02	R3	HOTEL	LKD	27.2	97.2	95.3	0.5	2
F02	R4	HOTEL	BEDROOM	13.5	87.5	85.1	0.3	2.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL395

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F02	R5	HOTEL	LKD	31.3	74.4	72.8	0.5	2.1
F02	R6	HOTEL	BEDROOM	11.6	95.5	93.7	0.2	1.9
F02	R7	HOTEL	BEDROOM	14.7	99.6	99.5	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL396

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F03	R1	HOTEL	BEDROOM	16.9	99.6	99.6	0.0	0.1
F03	R2	HOTEL	BEDROOM	14.4	85.6	68.6	2.5	19.9
F03	R3	HOTEL	LKD	27.2	97.4	95.3	0.6	2.1
F03	R4	HOTEL	BEDROOM	13.5	88.2	85.8	0.3	2.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL397

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F03	R5	HOTEL	LKD	31.3	75	73.5	0.5	2
F03	R6	HOTEL	BEDROOM	11.6	95.5	93.7	0.2	1.9
F03	R7	HOTEL	BEDROOM	14.7	99.5	99.1	0.0	0.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL398

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F04	R1	HOTEL	BEDROOM	16.9	99.6	99.6	0.0	0.1
F04	R2	HOTEL	BEDROOM	14.4	85.6	69.1	2.4	19.3
F04	R3	HOTEL	LKD	27.2	97.4	95.1	0.6	2.3
F04	R4	HOTEL	BEDROOM	13.5	88.2	85.8	0.3	2.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL399

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F04	R5	HOTEL	LKD	31.3	75.3	73.7	0.5	2
F04	R6	HOTEL	BEDROOM	11.6	95.6	93.8	0.2	1.9
F04	R7	HOTEL	BEDROOM	14.7	99.4	99.4	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL400

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F05	R1	HOTEL	BEDROOM	16.9	99.6	99.6	0.0	0.1
F05	R2	HOTEL	BEDROOM	14.4	85.7	70.1	2.3	18.2
F05	R3	HOTEL	LKD	27.2	97.5	95.2	0.6	2.4
F05	R4	HOTEL	BEDROOM	13.5	87.5	85.1	0.3	2.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL401

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F05	R5	HOTEL	LKD	31.3	75.3	73.8	0.5	2.1
F05	R6	HOTEL	BEDROOM	11.6	95.6	93.8	0.2	1.9
F05	R7	HOTEL	BEDROOM	14.7	99.7	99.6	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL402

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F06	R1	HOTEL	BEDROOM	16.9	100	100	0.0	0
F06	R2	HOTEL	BEDROOM	14.4	92.8	85.7	1.0	7.7
F06	R3	HOTEL	LKD	27.2	92.3	91.4	0.2	0.9
F06	R4	HOTEL	BEDROOM	13.5	79.3	66.1	1.8	16.6

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL403

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F06	R5	HOTEL	LKD	31.3	75.1	73.5	0.5	2.1
F06	R6	HOTEL	BEDROOM	11.6	98.5	98.1	0.0	0.4
F06	R7	HOTEL	BEDROOM	14.7	99.8	99.8	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL404

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F07	R1	HOTEL	BEDROOM	16.9	100	100	0.0	0
F07	R2	HOTEL	BEDROOM	14.4	92.8	86.2	0.9	7
F07	R3	HOTEL	LKD	27.2	92.3	91.5	0.2	0.9
F07	R4	HOTEL	BEDROOM	13.5	79.6	66.4	1.8	16.6

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL405

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F07


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F07	R5	HOTEL	LKD	31.3	75.1	73.5	0.5	2.1
F07	R6	HOTEL	BEDROOM	11.6	98.5	98.1	0.0	0.4
F07	R7	HOTEL	BEDROOM	14.7	99.8	99.8	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL406

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F08

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F08	R1	HOTEL	BEDROOM	16.9	100	100	0.0	0
F08	R2	HOTEL	BEDROOM	14.4	92.8	86.5	0.9	6.8
F08	R3	HOTEL	LKD	27.2	92.3	91.5	0.2	0.9
F08	R4	HOTEL	BEDROOM	13.5	79.8	66.6	1.8	16.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL407

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F08

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F08	R5	HOTEL	LKD	31.3	75.1	73.5	0.5	2.1
F08	R6	HOTEL	BEDROOM	11.6	98.5	98.1	0.0	0.4
F08	R7	HOTEL	BEDROOM	14.7	99.7	99.7	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL408

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F09

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F09	R1	HOTEL	BEDROOM	16.9	100	100	0.0	0
F09	R2	HOTEL	BEDROOM	14.4	92.8	86.9	0.9	6.4
F09	R3	HOTEL	LKD	27.2	92.4	91.6	0.2	0.8
F09	R4	HOTEL	BEDROOM	13.5	80.1	67.3	1.7	16

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL409

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F09

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F09	R5	HOTEL	LKD	31.3	75.1	73.5	0.5	2.1
F09	R6	HOTEL	BEDROOM	11.6	98.5	98.1	0.0	0.4
F09	R7	HOTEL	BEDROOM	14.7	99.7	99.7	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL410

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F10

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F10	R1	HOTEL	BEDROOM	16.9	99.7	99.6	0.0	0
F10	R2	HOTEL	BEDROOM	14.4	87	77.4	1.4	11
F10	R3	HOTEL	LKD	27.2	97.7	95.2	0.7	2.5
F10	R4	HOTEL	BEDROOM	13.5	88.2	85.8	0.3	2.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL411

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F10

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F10	R5	HOTEL	LKD	31.3	75.4	73.8	0.5	2.2
F10	R6	HOTEL	BEDROOM	11.6	95.6	93.8	0.2	1.9
F10	R7	HOTEL	BEDROOM	14.7	99.2	99.1	0.0	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL412

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F11

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F11	R1	HOTEL	BEDROOM	16.9	99.7	99.7	0.0	0
F11	R2	HOTEL	BEDROOM	14.4	87.3	78.5	1.3	10.1
F11	R3	HOTEL	LKD	27.2	97.7	95.3	0.7	2.5
F11	R4	HOTEL	BEDROOM	13.5	88.2	85.8	0.3	2.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL413

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F11

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F11	R5	HOTEL	LKD	31.3	75.4	73.8	0.5	2.2
F11	R6	HOTEL	BEDROOM	11.6	95.6	93.8	0.2	1.9
F11	R7	HOTEL	BEDROOM	14.7	99.3	99.2	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL414

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F12

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F12	R1	HOTEL	BEDROOM	16.9	99.7	99.7	0.0	0
F12	R2	HOTEL	BEDROOM	14.4	87.6	79	1.2	9.9
F12	R3	HOTEL	LKD	27.2	97.7	95.2	0.7	2.5
F12	R4	HOTEL	BEDROOM	13.5	88	85.5	0.3	2.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL415

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F12

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F12	R5	HOTEL	LKD	31.3	75.4	73.8	0.5	2.2
F12	R6	HOTEL	BEDROOM	11.6	95.7	93.9	0.2	1.9
F12	R7	HOTEL	BEDROOM	14.7	99.7	99.5	0.0	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL416

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F13


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F13	R1	HOTEL	BEDROOM	16.9	99.7	99.7	0.0	0
F13	R2	HOTEL	BEDROOM	14.4	88.1	79.6	1.2	9.7
F13	R3	HOTEL	LKD	27.2	97.8	95.4	0.6	2.4
F13	R4	HOTEL	BEDROOM	13.5	88.3	85.9	0.3	2.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL417

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F13

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F13	R5	HOTEL	LKD	31.3	75.5	73.8	0.5	2.2
F13	R6	HOTEL	BEDROOM	11.6	95.7	93.9	0.2	1.8
F13	R7	HOTEL	BEDROOM	14.7	99.4	99.4	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL418

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F14

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F14	R1	HOTEL	BEDROOM	16.9	100	100	0.0	0
F14	R2	HOTEL	BEDROOM	14.4	92.9	87.1	0.8	6.2
F14	R3	HOTEL	LKD	27.2	92.3	91.7	0.2	0.7
F14	R4	HOTEL	BEDROOM	13.5	81.5	68.9	1.7	15.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL419

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F14

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F14	R5	HOTEL	LKD	31.3	75.3	73.6	0.5	2.2
F14	R6	HOTEL	BEDROOM	11.6	98.5	98.1	0.0	0.4
F14	R7	HOTEL	BEDROOM	14.7	99.7	99.7	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL420

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F15

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F15	R1	HOTEL	BEDROOM	16.9	100	100	0.0	0
F15	R2	HOTEL	BEDROOM	14.4	92.9	87	0.8	6.3
F15	R3	HOTEL	LKD	27.2	92.4	91.8	0.2	0.7
F15	R4	HOTEL	BEDROOM	13.5	81.6	68.4	1.8	16.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL421

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F15

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F15	R5	HOTEL	LKD	31.3	75.3	73.7	0.5	2.2
F15	R6	HOTEL	BEDROOM	11.6	98.6	98.1	0.1	0.5
F15	R7	HOTEL	BEDROOM	14.7	99.7	99.7	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL422

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F16

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F16	R1	HOTEL	BEDROOM	16.9	100	100	0.0	0
F16	R2	HOTEL	BEDROOM	14.4	92.9	87	0.8	6.3
F16	R3	HOTEL	LKD	27.2	92.5	91.8	0.2	0.7
F16	R4	HOTEL	BEDROOM	13.5	81.7	68.6	1.8	16.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL423

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F16

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F16	R5	HOTEL	LKD	31.3	75.4	73.8	0.5	2.2
F16	R6	HOTEL	BEDROOM	11.6	98.5	98.1	0.0	0.4
F16	R7	HOTEL	BEDROOM	14.7	99.7	99.7	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL424

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F17

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F17	R1	HOTEL	BEDROOM	16.9	100	100	0.0	0
F17	R2	HOTEL	BEDROOM	14.4	92.9	87	0.8	6.3
F17	R3	HOTEL	LKD	27.2	92.4	91.7	0.2	0.8
F17	R4	HOTEL	BEDROOM	13.5	81.8	68.6	1.8	16.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL425

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F17

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F17	R5	HOTEL	LKD	31.3	75.5	73.9	0.5	2.2
F17	R6	HOTEL	BEDROOM	11.6	98.5	98.1	0.1	0.4
F17	R7	HOTEL	BEDROOM	14.7	99.9	99.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL426

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F18

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F18	R1	HOTEL	BEDROOM	16.9	99.7	99.7	0.0	0
F18	R2	HOTEL	BEDROOM	14.4	89.4	80.7	1.3	9.8
F18	R3	HOTEL	LKD	27.2	98	95.6	0.6	2.4
F18	R4	HOTEL	BEDROOM	13.5	89	85.9	0.4	3.6

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL427

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F18

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F18	R5	HOTEL	LKD	31.3	75.9	74.2	0.5	2.2
F18	R6	HOTEL	BEDROOM	11.6	96	95.2	0.1	0.8
F18	R7	HOTEL	BEDROOM	14.7	99.4	99.4	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL428

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F19

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F19	R1	HOTEL	BEDROOM	16.9	99.7	99.7	0.0	0
F19	R2	HOTEL	BEDROOM	14.4	89.5	80.7	1.3	9.9
F19	R3	HOTEL	LKD	27.2	97.8	95.4	0.6	2.4
F19	R4	HOTEL	BEDROOM	13.5	89.5	85.9	0.5	4.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL429

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F19

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F19	R5	HOTEL	LKD	31.3	76	74.3	0.5	2.2
F19	R6	HOTEL	BEDROOM	11.6	96	95.3	0.1	0.8
F19	R7	HOTEL	BEDROOM	14.7	99.2	99.2	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL430

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F20

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F20	R1	HOTEL	BEDROOM	16.9	99.7	99.7	0.0	0
F20	R2	HOTEL	BEDROOM	14.4	89.7	80.7	1.3	10
F20	R3	HOTEL	LKD	27.2	97.8	95.3	0.7	2.5
F20	R4	HOTEL	BEDROOM	13.5	89.7	85.9	0.5	4.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL431

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F20

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F20	R5	HOTEL	LKD	31.3	76	74.3	0.5	2.2
F20	R6	HOTEL	BEDROOM	11.6	96	95.3	0.1	0.8
F20	R7	HOTEL	BEDROOM	14.7	99.2	99.1	0.0	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL432

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F21

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F21	R1	HOTEL	BEDROOM	16.9	99.7	99.7	0.0	0
F21	R2	HOTEL	BEDROOM	14.4	90.1	80.7	1.4	10.4
F21	R3	HOTEL	LKD	27.2	97.7	95.4	0.6	2.4
F21	R4	HOTEL	BEDROOM	13.5	90.2	85.9	0.6	4.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL433

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F21

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F21	R5	HOTEL	LKD	31.3	76.1	74.4	0.5	2.2
F21	R6	HOTEL	BEDROOM	11.6	96.1	95.3	0.1	0.8
F21	R7	HOTEL	BEDROOM	14.7	99.4	99.4	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL434

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F22

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F22	R1	HOTEL	BEDROOM	16.9	100	100	0.0	0
F22	R2	HOTEL	BEDROOM	14.4	93.9	87.3	1.0	7
F22	R3	HOTEL	LKD	27.2	92.4	91.8	0.2	0.7
F22	R4	HOTEL	BEDROOM	13.5	83.2	69.1	1.9	17

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL435

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F22

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F22	R5	HOTEL	LKD	31.3	75.9	74.3	0.5	2.1
F22	R6	HOTEL	BEDROOM	11.6	98.5	98.1	0.0	0.4
F22	R7	HOTEL	BEDROOM	14.7	99.9	99.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL436

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F23

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F23	R1	HOTEL	BEDROOM	16.9	100	100	0.0	0
F23	R2	HOTEL	BEDROOM	14.4	93.9	87.1	1.0	7.2
F23	R3	HOTEL	LKD	27.2	92.5	91.9	0.2	0.7
F23	R4	HOTEL	BEDROOM	13.5	83.2	68.7	2.0	17.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL437

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F23

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F23	R5	HOTEL	LKD	31.3	75.9	74.3	0.5	2.1
F23	R6	HOTEL	BEDROOM	11.6	98.5	98.1	0.0	0.4
F23	R7	HOTEL	BEDROOM	14.7	99.8	99.7	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL438

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F24

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F24	R1	HOTEL	BEDROOM	16.9	100	100	0.0	0
F24	R2	HOTEL	BEDROOM	14.4	94.3	87.1	1.0	7.7
F24	R3	HOTEL	LKD	27.2	92.5	91.8	0.2	0.7
F24	R4	HOTEL	BEDROOM	13.5	83.6	68.8	2.0	17.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL439

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F24

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F24	R5	HOTEL	LKD	31.3	75.9	74.3	0.5	2.1
F24	R6	HOTEL	BEDROOM	11.6	98.5	98.1	0.0	0.4
F24	R7	HOTEL	BEDROOM	14.7	99.8	99.7	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL440

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F25

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F25	R1	HOTEL	BEDROOM	16.9	100	100	0.0	0
F25	R2	HOTEL	BEDROOM	14.4	95.2	87.1	1.2	8.5
F25	R3	HOTEL	LKD	27.2	92.6	91.9	0.2	0.7
F25	R4	HOTEL	BEDROOM	13.5	84.5	68.9	2.1	18.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: TRUMPET STREET ALBION ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL441

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F25

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRUMPET STREET ALBION ST								
F25	R5	HOTEL	LKD	31.3	75.9	74.3	0.5	2.1
F25	R6	HOTEL	BEDROOM	11.6	98.6	98.1	0.1	0.5
F25	R7	HOTEL	BEDROOM	14.7	99.9	99.8	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL442

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F03	R1	RESIDENTIAL	LKD	20.9	58.7	56.1	0.5	4.4
F03	R2	RESIDENTIAL	BEDROOM	11.8	29.7	27.6	0.3	7.1
F03	R3	RESIDENTIAL	LKD	16.3	19.3	18.6	0.1	3.3
F03	R4	RESIDENTIAL	BEDROOM	12.9	34.6	31.5	0.4	8.8
F03	R5	RESIDENTIAL	LKD	25.1	68.3	63.9	1.1	6.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL443

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F03	R6	RESIDENTIAL	LKD	25.1	95.2	62.3	8.3	34.5
F03	R7	RESIDENTIAL	BEDROOM	12.8	99.7	33.1	8.6	66.9
F03	R8	RESIDENTIAL	LKD	16.3	86.9	69.9	2.8	19.6
F03	R9	RESIDENTIAL	BEDROOM	11.8	98.8	88.8	1.2	10.1
F03	R10	RESIDENTIAL	LKD	21.0	92.4	91	0.3	1.6

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL444

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F04	R1	RESIDENTIAL	LKD	22.6	21	20.7	0.1	1.9
F04	R2	RESIDENTIAL	BEDROOM	10.3	30.9	30.7	0.0	0.4
F04	R3	RESIDENTIAL	BEDROOM	10.9	36	35.9	0.0	0.4
F04	R4	RESIDENTIAL	LKD	20.6	34.9	32.1	0.6	8
F04	R5	RESIDENTIAL	LKD	12.7	47.3	42.2	0.6	10.7
F04	R6	RESIDENTIAL	BEDROOM	7.6	91.9	86	0.5	6.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL445

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F04	R7	RESIDENTIAL	BEDROOM	7.6	94	85.5	0.6	9
F04	R8	RESIDENTIAL	LKD	12.7	82.9	39.8	5.5	52
F04	R9	RESIDENTIAL	LKD	20.7	87.6	36.4	10.6	58.4
F04	R10	RESIDENTIAL	BEDROOM	10.9	91.5	70.7	2.3	22.7
F04	R11	RESIDENTIAL	BEDROOM	10.3	90.2	84.7	0.6	6
F04	R12	RESIDENTIAL	LKD	22.5	87.1	85.6	0.3	1.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL446

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F05	R1	RESIDENTIAL	LKD	22.6	21.2	20.9	0.1	1.6
F05	R2	RESIDENTIAL	BEDROOM	10.3	31.4	31.3	0.0	0.3
F05	R3	RESIDENTIAL	BEDROOM	10.9	36.5	36.4	0.0	0.2
F05	R4	RESIDENTIAL	LKD	20.6	35.7	33.1	0.5	7.3
F05	R5	RESIDENTIAL	LKD	12.7	47.9	43.2	0.6	9.8
F05	R6	RESIDENTIAL	BEDROOM	7.6	92	86.3	0.4	6.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL447

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F05	R7	RESIDENTIAL	BEDROOM	7.6	94	85.5	0.6	9
F05	R8	RESIDENTIAL	LKD	12.7	83.1	40.1	5.4	51.8
F05	R9	RESIDENTIAL	LKD	20.7	87.6	37.1	10.4	57.6
F05	R10	RESIDENTIAL	BEDROOM	10.9	91.6	70.6	2.3	23
F05	R11	RESIDENTIAL	BEDROOM	10.3	90.2	82.3	0.8	8.8
F05	R12	RESIDENTIAL	LKD	22.5	87.2	85.7	0.3	1.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL448

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F06	R1	RESIDENTIAL	LKD	22.6	21.8	21.4	0.1	1.5
F06	R2	RESIDENTIAL	BEDROOM	10.3	31.9	31.8	0.0	0.2
F06	R3	RESIDENTIAL	BEDROOM	10.9	37.1	37	0.0	0.2
F06	R4	RESIDENTIAL	LKD	20.6	36.6	33.9	0.6	7.5
F06	R5	RESIDENTIAL	LKD	12.7	48.9	44.3	0.6	9.6
F06	R6	RESIDENTIAL	BEDROOM	7.6	91.7	86	0.4	6.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL449

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F06	R7	RESIDENTIAL	BEDROOM	7.6	94	85.8	0.6	8.7
F06	R8	RESIDENTIAL	LKD	12.7	83.1	40.2	5.4	51.6
F06	R9	RESIDENTIAL	LKD	20.7	87.8	37.8	10.3	57
F06	R10	RESIDENTIAL	BEDROOM	10.9	91.7	70.6	2.3	23.1
F06	R11	RESIDENTIAL	BEDROOM	10.3	90.3	81.8	0.9	9.4
F06	R12	RESIDENTIAL	LKD	22.5	87.2	85.8	0.3	1.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL450

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F07	R1	RESIDENTIAL	LKD	22.6	22.1	21.8	0.1	1.1
F07	R2	RESIDENTIAL	BEDROOM	10.3	32.3	32.2	0.0	0.2
F07	R3	RESIDENTIAL	BEDROOM	10.9	38.2	38.1	0.0	0.2
F07	R4	RESIDENTIAL	LKD	20.6	37.4	34.4	0.6	8.1
F07	R5	RESIDENTIAL	LKD	12.7	50.3	45	0.7	10.5
F07	R6	RESIDENTIAL	BEDROOM	7.6	91.7	86.3	0.4	5.9

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL451

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F07


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F07	R7	RESIDENTIAL	BEDROOM	7.6	94	85.8	0.6	8.7
F07	R8	RESIDENTIAL	LKD	12.7	83.1	40.5	5.4	51.3
F07	R9	RESIDENTIAL	LKD	20.7	87.9	39.4	10.0	55.2
F07	R10	RESIDENTIAL	BEDROOM	10.9	92	70.9	2.3	23
F07	R11	RESIDENTIAL	BEDROOM	10.3	90.7	82.1	0.9	9.5
F07	R12	RESIDENTIAL	LKD	22.5	87.3	85.7	0.3	1.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL452

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F08

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F08	R1	RESIDENTIAL	LKD	22.6	22.3	22.1	0.1	1
F08	R2	RESIDENTIAL	BEDROOM	10.3	32.8	32.8	0.0	0.2
F08	R3	RESIDENTIAL	BEDROOM	10.9	38.9	38.8	0.0	0.1
F08	R4	RESIDENTIAL	LKD	20.6	38.4	35.3	0.7	8.2
F08	R5	RESIDENTIAL	LKD	12.7	51.2	45.8	0.7	10.6
F08	R6	RESIDENTIAL	BEDROOM	7.6	91.6	86.2	0.4	5.9

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL453

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F08


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F08	R7	RESIDENTIAL	BEDROOM	7.6	94	85.9	0.6	8.6
F08	R8	RESIDENTIAL	LKD	12.7	83.1	40.7	5.4	51
F08	R9	RESIDENTIAL	LKD	20.7	87.9	40.3	9.8	54.1
F08	R10	RESIDENTIAL	BEDROOM	10.9	92.3	71.5	2.3	22.5
F08	R11	RESIDENTIAL	BEDROOM	10.3	90.9	82.5	0.9	9.2
F08	R12	RESIDENTIAL	LKD	22.5	87.5	86	0.3	1.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL454

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F09

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F09	R1	RESIDENTIAL	LKD	22.6	22.8	22.6	0.1	1.2
F09	R2	RESIDENTIAL	BEDROOM	10.3	33.5	33.5	0.0	0.1
F09	R3	RESIDENTIAL	BEDROOM	10.9	39.3	39.2	0.0	0.1
F09	R4	RESIDENTIAL	LKD	20.6	39.3	36	0.7	8.6
F09	R5	RESIDENTIAL	LKD	12.7	52.5	47	0.7	10.5
F09	R6	RESIDENTIAL	BEDROOM	7.6	91.8	86.4	0.4	5.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL455

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F09

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F09	R7	RESIDENTIAL	BEDROOM	7.6	94	85.9	0.6	8.6
F09	R8	RESIDENTIAL	LKD	12.7	83	40.8	5.3	50.8
F09	R9	RESIDENTIAL	LKD	20.7	88.2	41.8	9.6	52.6
F09	R10	RESIDENTIAL	BEDROOM	10.9	93	72.6	2.2	21.9
F09	R11	RESIDENTIAL	BEDROOM	10.3	91	83.6	0.8	8.2
F09	R12	RESIDENTIAL	LKD	22.5	87.6	86.1	0.3	1.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL456

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F10

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F10	R1	RESIDENTIAL	LKD	22.6	23.2	23	0.0	0.7
F10	R2	RESIDENTIAL	BEDROOM	10.3	34.2	34.2	0.0	0.1
F10	R3	RESIDENTIAL	BEDROOM	10.9	40.1	40.1	0.0	0.1
F10	R4	RESIDENTIAL	LKD	20.6	40.5	36.8	0.8	9.1
F10	R5	RESIDENTIAL	LKD	12.7	53.7	48.2	0.7	10.2
F10	R6	RESIDENTIAL	BEDROOM	7.6	91.6	86.3	0.4	5.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL457

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F10


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F10	R7	RESIDENTIAL	BEDROOM	7.6	94	85.9	0.6	8.6
F10	R8	RESIDENTIAL	LKD	12.7	83.1	41	5.3	50.7
F10	R9	RESIDENTIAL	LKD	20.7	88.2	43.2	9.3	51.1
F10	R10	RESIDENTIAL	BEDROOM	10.9	93.2	73.2	2.2	21.4
F10	R11	RESIDENTIAL	BEDROOM	10.3	91.5	84.6	0.7	7.5
F10	R12	RESIDENTIAL	LKD	22.5	87.7	86.2	0.3	1.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL458

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F11

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F11	R1	RESIDENTIAL	LKD	22.6	23.9	23.6	0.1	1
F11	R2	RESIDENTIAL	BEDROOM	10.3	34.8	34.8	0.0	0.1
F11	R3	RESIDENTIAL	BEDROOM	10.9	40.5	40.5	0.0	0.1
F11	R4	RESIDENTIAL	LKD	20.6	41.4	37.6	0.8	9.2
F11	R5	RESIDENTIAL	LKD	12.7	54.4	48.7	0.7	10.4
F11	R6	RESIDENTIAL	BEDROOM	7.6	91.6	86.3	0.4	5.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL459

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F11

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F11	R7	RESIDENTIAL	BEDROOM	7.6	94	85.9	0.6	8.6
F11	R8	RESIDENTIAL	LKD	12.7	83.1	41.2	5.3	50.5
F11	R9	RESIDENTIAL	LKD	20.7	88.5	44	9.2	50.2
F11	R10	RESIDENTIAL	BEDROOM	10.9	93.5	73.6	2.2	21.2
F11	R11	RESIDENTIAL	BEDROOM	10.3	91.6	85.3	0.6	6.8
F11	R12	RESIDENTIAL	LKD	22.5	87.7	86.3	0.3	1.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL460

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F12

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F12	R1	RESIDENTIAL	LKD	22.6	24.2	24.1	0.0	0.5
F12	R2	RESIDENTIAL	BEDROOM	10.3	35.6	35.6	0.0	0.1
F12	R3	RESIDENTIAL	BEDROOM	10.9	42	42	0.0	0
F12	R4	RESIDENTIAL	LKD	20.6	42.6	38.4	0.9	9.9
F12	R5	RESIDENTIAL	LKD	12.7	56.3	50.1	0.8	11.1
F12	R6	RESIDENTIAL	BEDROOM	7.6	91.8	86.5	0.4	5.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL461

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F12


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F12	R7	RESIDENTIAL	BEDROOM	7.6	93.9	85.9	0.6	8.6
F12	R8	RESIDENTIAL	LKD	12.7	83.1	41.3	5.3	50.3
F12	R9	RESIDENTIAL	LKD	20.7	88.6	45.8	8.8	48.3
F12	R10	RESIDENTIAL	BEDROOM	10.9	93.8	74	2.2	21.1
F12	R11	RESIDENTIAL	BEDROOM	10.3	91.8	86	0.6	6.4
F12	R12	RESIDENTIAL	LKD	22.5	87.8	86.4	0.3	1.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL462

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F13

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F13	R1	RESIDENTIAL	LKD	22.6	25.4	25.1	0.1	1.1
F13	R2	RESIDENTIAL	BEDROOM	10.3	36.8	36.8	0.0	0
F13	R3	RESIDENTIAL	BEDROOM	10.9	42.8	42.8	0.0	0
F13	R4	RESIDENTIAL	LKD	20.6	43.9	39.3	1.0	10.6
F13	R5	RESIDENTIAL	LKD	12.7	57.6	51.2	0.8	11.1
F13	R6	RESIDENTIAL	BEDROOM	7.6	91.6	86.3	0.4	5.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL463

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F13


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F13	R7	RESIDENTIAL	BEDROOM	7.6	93.9	85.9	0.6	8.6
F13	R8	RESIDENTIAL	LKD	12.7	83.1	41.5	5.3	50
F13	R9	RESIDENTIAL	LKD	20.7	88.9	47.2	8.6	46.9
F13	R10	RESIDENTIAL	BEDROOM	10.9	94	74.3	2.2	21
F13	R11	RESIDENTIAL	BEDROOM	10.3	92.1	86.2	0.6	6.3
F13	R12	RESIDENTIAL	LKD	22.5	88	86.5	0.3	1.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL464

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F14

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F14	R1	RESIDENTIAL	LKD	22.6	26.4	26	0.1	1.2
F14	R2	RESIDENTIAL	BEDROOM	10.3	37.7	37.7	0.0	0
F14	R3	RESIDENTIAL	BEDROOM	10.9	44.1	44.1	0.0	0
F14	R4	RESIDENTIAL	LKD	20.6	45.3	40.2	1.1	11.3
F14	R5	RESIDENTIAL	LKD	12.7	59.2	52.4	0.9	11.6
F14	R6	RESIDENTIAL	BEDROOM	7.6	91.8	86.6	0.4	5.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL465

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F14

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F14	R7	RESIDENTIAL	BEDROOM	7.6	94	85.9	0.6	8.6
F14	R8	RESIDENTIAL	LKD	12.7	83.1	41.6	5.3	49.9
F14	R9	RESIDENTIAL	LKD	20.7	89.1	48.8	8.3	45.3
F14	R10	RESIDENTIAL	BEDROOM	10.9	94.1	74.4	2.2	20.9
F14	R11	RESIDENTIAL	BEDROOM	10.3	92.3	86.3	0.6	6.4
F14	R12	RESIDENTIAL	LKD	22.5	88.2	86.7	0.3	1.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL466

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F15

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F15	R1	RESIDENTIAL	LKD	21.7	28.8	28.3	0.1	1.6
F15	R2	RESIDENTIAL	BEDROOM	9.7	39.7	39.7	0.0	0
F15	R3	RESIDENTIAL	BEDROOM	16.7	31	31	0.0	0
F15	R4	RESIDENTIAL	BEDROOM	15.3	59.6	53.5	0.9	10.2
F15	R5	RESIDENTIAL	LKD	25.5	84.9	82.6	0.6	2.6

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL467

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F15

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F15	R6	RESIDENTIAL	BEDROOM	17.1	94	88	1.0	6.3
F15	R7	RESIDENTIAL	BEDROOM	13.2	95.1	75.4	2.6	20.7
F15	R8	RESIDENTIAL	LKD	20.7	66.8	53.1	2.9	20.6
F15	R9	RESIDENTIAL	BEDROOM	9.8	89	81.8	0.7	8
F15	R10	RESIDENTIAL	LKD	21.4	93.3	91.9	0.3	1.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL468

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F16

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F16	R1	RESIDENTIAL	LKD	21.7	29.8	29.2	0.1	2
F16	R2	RESIDENTIAL	BEDROOM	9.7	40.8	40.8	0.0	0
F16	R3	RESIDENTIAL	BEDROOM	16.7	31.8	31.8	0.0	0
F16	R4	RESIDENTIAL	BEDROOM	15.3	60.1	54.5	0.8	9.2
F16	R5	RESIDENTIAL	LKD	25.5	85.3	82.9	0.6	2.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL469

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F16


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F16	R6	RESIDENTIAL	BEDROOM	17.1	94	88.1	1.0	6.2
F16	R7	RESIDENTIAL	BEDROOM	13.2	95.6	76.8	2.5	19.7
F16	R8	RESIDENTIAL	LKD	20.7	67.2	53.3	2.9	20.6
F16	R9	RESIDENTIAL	BEDROOM	9.8	89	81.9	0.7	8
F16	R10	RESIDENTIAL	LKD	21.4	93.3	92	0.3	1.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL470

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F17

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F17	R1	RESIDENTIAL	LKD	21.7	31	30.3	0.1	2
F17	R2	RESIDENTIAL	BEDROOM	9.7	42.2	42.2	0.0	0
F17	R3	RESIDENTIAL	BEDROOM	16.7	32.7	32.7	0.0	0
F17	R4	RESIDENTIAL	BEDROOM	15.3	60.8	55.9	0.7	8.1
F17	R5	RESIDENTIAL	LKD	25.5	86.2	83.4	0.7	3.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL471

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F17

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F17	R6	RESIDENTIAL	BEDROOM	17.1	94	88.1	1.0	6.2
F17	R7	RESIDENTIAL	BEDROOM	13.2	96.4	78.5	2.4	18.6
F17	R8	RESIDENTIAL	LKD	20.7	67.8	54.1	2.8	20.2
F17	R9	RESIDENTIAL	BEDROOM	9.8	89	82.1	0.7	7.7
F17	R10	RESIDENTIAL	LKD	21.4	93.6	92.3	0.3	1.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL472

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F18


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F18	R1	RESIDENTIAL	LKD	21.7	32.8	32.2	0.1	1.9
F18	R2	RESIDENTIAL	BEDROOM	9.7	43.6	43.6	0.0	0
F18	R3	RESIDENTIAL	BEDROOM	16.7	33.6	33.6	0.0	0
F18	R4	RESIDENTIAL	BEDROOM	15.3	61.3	56.7	0.7	7.5
F18	R5	RESIDENTIAL	LKD	25.5	87	83.7	0.8	3.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL473

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F18


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F18	R6	RESIDENTIAL	BEDROOM	17.1	94.1	88.4	1.0	6.1
F18	R7	RESIDENTIAL	BEDROOM	13.2	97.1	80.5	2.2	17.1
F18	R8	RESIDENTIAL	LKD	20.7	68.5	54.9	2.8	19.8
F18	R9	RESIDENTIAL	BEDROOM	9.8	89	82.5	0.6	7.3
F18	R10	RESIDENTIAL	LKD	21.4	93.8	92.4	0.3	1.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL474

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F19

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F19	R1	RESIDENTIAL	LKD	21.7	34	33.3	0.2	2
F19	R2	RESIDENTIAL	BEDROOM	9.7	45.1	45.1	0.0	0.1
F19	R3	RESIDENTIAL	BEDROOM	16.7	34.5	34.5	0.0	0
F19	R4	RESIDENTIAL	BEDROOM	15.3	61.7	57.6	0.6	6.7
F19	R5	RESIDENTIAL	LKD	25.5	87.9	84	1.0	4.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL475

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F19


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F19	R6	RESIDENTIAL	BEDROOM	17.1	94	88.3	1.0	6.1
F19	R7	RESIDENTIAL	BEDROOM	13.2	97.5	83.1	1.9	14.7
F19	R8	RESIDENTIAL	LKD	20.7	69.3	55.7	2.8	19.6
F19	R9	RESIDENTIAL	BEDROOM	9.8	89	83.7	0.5	6
F19	R10	RESIDENTIAL	LKD	21.4	94.1	92.7	0.3	1.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL476

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F20

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F20	R1	RESIDENTIAL	LKD	21.7	39	37.8	0.3	3.1
F20	R2	RESIDENTIAL	BEDROOM	9.7	51.1	51.1	0.0	0.1
F20	R3	RESIDENTIAL	BEDROOM	16.7	39.4	39.4	0.0	0
F20	R4	RESIDENTIAL	BEDROOM	15.3	63.4	58.9	0.7	7.1
F20	R5	RESIDENTIAL	LKD	25.5	91.1	86.6	1.1	4.9

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL477

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F20


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F20	R6	RESIDENTIAL	BEDROOM	17.1	94.2	88.6	1.0	6
F20	R7	RESIDENTIAL	BEDROOM	13.2	98	86.6	1.5	11.6
F20	R8	RESIDENTIAL	LKD	20.7	71.3	59.9	2.4	16.1
F20	R9	RESIDENTIAL	BEDROOM	9.8	89.2	86	0.3	3.5
F20	R10	RESIDENTIAL	LKD	21.4	95.7	94.4	0.3	1.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL478

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F21

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F21	R1	RESIDENTIAL	LKD	21.7	43.3	41.5	0.4	4.2
F21	R2	RESIDENTIAL	BEDROOM	9.7	54.9	54.7	0.0	0.3
F21	R3	RESIDENTIAL	BEDROOM	16.7	42	42	0.0	0
F21	R4	RESIDENTIAL	BEDROOM	15.3	64.5	60	0.7	6.8
F21	R5	RESIDENTIAL	LKD	25.5	91.4	87.4	1.0	4.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL479

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F21


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F21	R6	RESIDENTIAL	BEDROOM	17.1	94.2	88.6	1.0	5.9
F21	R7	RESIDENTIAL	BEDROOM	13.2	98	87.9	1.3	10.3
F21	R8	RESIDENTIAL	LKD	20.7	71.6	61.1	2.2	14.7
F21	R9	RESIDENTIAL	BEDROOM	9.8	89.3	87.7	0.2	1.8
F21	R10	RESIDENTIAL	LKD	21.4	96	94.7	0.3	1.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL480

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F22


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F22	R1	RESIDENTIAL	LKD	21.7	49.6	47.2	0.5	4.9
F22	R2	RESIDENTIAL	BEDROOM	9.7	61.5	60.9	0.1	1
F22	R3	RESIDENTIAL	BEDROOM	16.7	45.6	45.5	0.0	0.4
F22	R4	RESIDENTIAL	BEDROOM	15.3	66.8	62.5	0.7	6.4
F22	R5	RESIDENTIAL	LKD	25.5	91.3	88.3	0.8	3.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL481

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F22

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F22	R6	RESIDENTIAL	BEDROOM	17.1	94.9	89.3	1.0	6
F22	R7	RESIDENTIAL	BEDROOM	13.2	98	89.4	1.1	8.8
F22	R8	RESIDENTIAL	LKD	20.7	72.1	62.8	1.9	12.9
F22	R9	RESIDENTIAL	BEDROOM	9.8	89.4	88.7	0.1	0.8
F22	R10	RESIDENTIAL	LKD	21.4	96.3	95	0.3	1.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL482

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F23

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F23	R1	RESIDENTIAL	LKD	21.7	59.5	55.8	0.8	6.2
F23	R2	RESIDENTIAL	BEDROOM	9.7	73.5	71.2	0.2	3
F23	R3	RESIDENTIAL	BEDROOM	16.7	51.3	50.4	0.2	1.8
F23	R4	RESIDENTIAL	BEDROOM	15.3	70.1	66.2	0.6	5.6
F23	R5	RESIDENTIAL	LKD	25.5	92	89.6	0.6	2.6

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL483

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F23

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F23	R6	RESIDENTIAL	BEDROOM	17.1	96	90.6	0.9	5.6
F23	R7	RESIDENTIAL	BEDROOM	13.2	98	91.4	0.9	6.7
F23	R8	RESIDENTIAL	LKD	20.7	72.3	64.8	1.5	10.3
F23	R9	RESIDENTIAL	BEDROOM	9.8	89.8	89.5	0.0	0.3
F23	R10	RESIDENTIAL	LKD	21.4	96.5	95.2	0.3	1.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL484

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F24

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F24	R1	RESIDENTIAL	LKD	21.7	72.5	68.2	0.9	6
F24	R2	RESIDENTIAL	BEDROOM	9.7	91.4	85.6	0.6	6.3
F24	R3	RESIDENTIAL	BEDROOM	16.7	60.6	57.5	0.5	5.1
F24	R4	RESIDENTIAL	BEDROOM	15.3	76	72.6	0.5	4.5
F24	R5	RESIDENTIAL	LKD	25.5	93.1	90.7	0.6	2.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL485

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F24


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F24	R6	RESIDENTIAL	BEDROOM	17.1	97.7	93.4	0.7	4.4
F24	R7	RESIDENTIAL	BEDROOM	13.2	98.1	94.7	0.5	3.5
F24	R8	RESIDENTIAL	LKD	20.7	72.7	67.6	1.1	7
F24	R9	RESIDENTIAL	BEDROOM	9.8	90.4	90.3	0.0	0.2
F24	R10	RESIDENTIAL	LKD	21.4	96.7	95.7	0.2	1.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL486

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F25


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F25	R1	RESIDENTIAL	LKD	21.7	86	81.9	0.9	4.7
F25	R2	RESIDENTIAL	BEDROOM	9.7	98.8	93	0.6	5.9
F25	R3	RESIDENTIAL	BEDROOM	16.7	74.5	68.1	1.1	8.6
F25	R4	RESIDENTIAL	BEDROOM	15.3	85.6	83	0.4	3
F25	R5	RESIDENTIAL	LKD	25.5	94.1	92.5	0.4	1.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL487

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F25


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F25	R6	RESIDENTIAL	BEDROOM	17.1	98.8	96.6	0.4	2.2
F25	R7	RESIDENTIAL	BEDROOM	13.2	98.2	97.8	0.1	0.4
F25	R8	RESIDENTIAL	LKD	20.7	72.8	70.3	0.5	3.5
F25	R9	RESIDENTIAL	BEDROOM	9.8	90.6	90.5	0.0	0.1
F25	R10	RESIDENTIAL	LKD	21.4	97.1	96.9	0.0	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL488

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F26

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F26	R1	RESIDENTIAL	LKD	21.7	94.8	91	0.8	4
F26	R2	RESIDENTIAL	BEDROOM	9.7	98.8	94.2	0.4	4.7
F26	R3	RESIDENTIAL	BEDROOM	16.7	94.3	84.3	1.7	10.6
F26	R4	RESIDENTIAL	BEDROOM	15.3	99.5	98.3	0.2	1.2
F26	R5	RESIDENTIAL	LKD	25.5	94.7	92.5	0.6	2.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL489

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F26

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F26	R6	RESIDENTIAL	BEDROOM	17.1	98.8	96.8	0.3	2.1
F26	R7	RESIDENTIAL	BEDROOM	13.2	98.4	98	0.1	0.4
F26	R8	RESIDENTIAL	LKD	20.7	73	72	0.2	1.4
F26	R9	RESIDENTIAL	BEDROOM	9.8	91.1	91	0.0	0.1
F26	R10	RESIDENTIAL	LKD	21.4	97.2	97	0.0	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL490

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F27

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F27	R1	RESIDENTIAL	LKD	21.7	97	93.3	0.8	3.8
F27	R2	RESIDENTIAL	BEDROOM	9.7	98.8	95.3	0.3	3.5
F27	R3	RESIDENTIAL	BEDROOM	16.7	94.6	87.1	1.2	7.9
F27	R4	RESIDENTIAL	BEDROOM	15.3	99.5	98.9	0.1	0.6
F27	R5	RESIDENTIAL	LKD	25.5	95.6	92.7	0.7	3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL491

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F27

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F27	R6	RESIDENTIAL	BEDROOM	17.1	98.7	96.7	0.3	2
F27	R7	RESIDENTIAL	BEDROOM	13.2	98.7	98.3	0.1	0.4
F27	R8	RESIDENTIAL	LKD	20.7	73.5	72.5	0.2	1.3
F27	R9	RESIDENTIAL	BEDROOM	9.8	91.6	91.5	0.0	0.1
F27	R10	RESIDENTIAL	LKD	21.4	97.4	97.2	0.0	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL492

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F28

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F28	R1	RESIDENTIAL	LKD	21.7	97	93.4	0.8	3.7
F28	R2	RESIDENTIAL	BEDROOM	9.7	98.8	96.4	0.2	2.4
F28	R3	RESIDENTIAL	BEDROOM	16.7	94.7	87.9	1.1	7.1
F28	R4	RESIDENTIAL	BEDROOM	15.3	99.5	99	0.1	0.5
F28	R5	RESIDENTIAL	LKD	25.5	95.6	92.6	0.7	3.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL493

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F28

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F28	R6	RESIDENTIAL	BEDROOM	17.1	98.7	96.7	0.3	2
F28	R7	RESIDENTIAL	BEDROOM	13.2	99.1	98.7	0.0	0.4
F28	R8	RESIDENTIAL	LKD	20.7	73.8	72.9	0.2	1.3
F28	R9	RESIDENTIAL	BEDROOM	9.8	92	91.9	0.0	0.1
F28	R10	RESIDENTIAL	LKD	21.4	97.7	97.5	0.0	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL494

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F29

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F29	R1	RESIDENTIAL	LKD	21.7	97.1	93.5	0.8	3.7
F29	R2	RESIDENTIAL	BEDROOM	9.7	98.8	98	0.1	0.7
F29	R3	RESIDENTIAL	BEDROOM	16.7	94.7	88.4	1.0	6.6
F29	R4	RESIDENTIAL	BEDROOM	15.3	99.5	99	0.1	0.5
F29	R5	RESIDENTIAL	LKD	25.5	95.5	92.6	0.7	3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL495

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F29

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F29	R6	RESIDENTIAL	BEDROOM	17.1	98.6	96.6	0.3	2
F29	R7	RESIDENTIAL	BEDROOM	13.2	99.3	98.9	0.0	0.4
F29	R8	RESIDENTIAL	LKD	20.7	74	73	0.2	1.3
F29	R9	RESIDENTIAL	BEDROOM	9.8	93	93	0.0	0.1
F29	R10	RESIDENTIAL	LKD	21.4	97.9	97.7	0.0	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL496

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F30

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F30	R1	RESIDENTIAL	LKD	21.7	97	93.4	0.8	3.7
F30	R2	RESIDENTIAL	BEDROOM	9.7	98.8	98.7	0.0	0
F30	R3	RESIDENTIAL	BEDROOM	16.7	94.7	88.6	1.0	6.4
F30	R4	RESIDENTIAL	BEDROOM	15.3	99.5	99	0.1	0.5
F30	R5	RESIDENTIAL	LKD	25.5	95.5	92.6	0.7	3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL497

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F30

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F30	R6	RESIDENTIAL	BEDROOM	17.1	98.7	96.8	0.3	2
F30	R7	RESIDENTIAL	BEDROOM	13.2	99.4	99	0.0	0.4
F30	R8	RESIDENTIAL	LKD	20.7	74.4	73.4	0.2	1.3
F30	R9	RESIDENTIAL	BEDROOM	9.8	94.4	94.3	0.0	0.1
F30	R10	RESIDENTIAL	LKD	21.4	98.1	97.9	0.0	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL498

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F31

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F31	R1	RESIDENTIAL	LKD	21.7	97	93.4	0.8	3.7
F31	R2	RESIDENTIAL	BEDROOM	9.7	98.8	98.8	0.0	0
F31	R3	RESIDENTIAL	BEDROOM	16.7	94.7	88.9	1.0	6.1
F31	R4	RESIDENTIAL	BEDROOM	15.3	99.5	99	0.1	0.5
F31	R5	RESIDENTIAL	LKD	25.5	95.7	92.8	0.7	3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL499

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F31

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F31	R6	RESIDENTIAL	BEDROOM	17.1	98.6	96.8	0.3	1.8
F31	R7	RESIDENTIAL	BEDROOM	13.2	99.4	99.1	0.0	0.4
F31	R8	RESIDENTIAL	LKD	20.7	74.9	73.9	0.2	1.3
F31	R9	RESIDENTIAL	BEDROOM	9.8	95.6	95.5	0.0	0.1
F31	R10	RESIDENTIAL	LKD	21.4	98.3	98.1	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL500

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F32

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F32	R1	RESIDENTIAL	LKD	21.7	97.1	93.6	0.7	3.5
F32	R2	RESIDENTIAL	BEDROOM	9.7	98.8	98.8	0.0	0
F32	R3	RESIDENTIAL	BEDROOM	16.7	94.7	89.3	0.9	5.6
F32	R4	RESIDENTIAL	BEDROOM	15.3	99.5	99	0.1	0.5
F32	R5	RESIDENTIAL	LKD	25.5	95.8	92.9	0.7	3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL501

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F32


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F32	R6	RESIDENTIAL	BEDROOM	17.1	98.9	97	0.3	1.9
F32	R7	RESIDENTIAL	BEDROOM	13.2	99.5	99.1	0.0	0.4
F32	R8	RESIDENTIAL	LKD	20.7	75	74	0.2	1.4
F32	R9	RESIDENTIAL	BEDROOM	9.8	96.5	96.5	0.0	0.1
F32	R10	RESIDENTIAL	LKD	21.4	98.4	98.3	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL502

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F33


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F33	R1	RESIDENTIAL	LKD	21.7	97.1	93.9	0.7	3.2
F33	R2	RESIDENTIAL	BEDROOM	9.7	98.8	98.8	0.0	0
F33	R3	RESIDENTIAL	BEDROOM	16.7	94.7	90	0.8	5
F33	R4	RESIDENTIAL	BEDROOM	15.3	99.5	99	0.1	0.5
F33	R5	RESIDENTIAL	LKD	25.5	95.8	92.9	0.7	3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL503

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F33

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F33	R6	RESIDENTIAL	BEDROOM	17.1	98.9	97.3	0.3	1.6
F33	R7	RESIDENTIAL	BEDROOM	13.2	99.5	99.1	0.0	0.4
F33	R8	RESIDENTIAL	LKD	20.7	75.3	74.3	0.2	1.4
F33	R9	RESIDENTIAL	BEDROOM	9.8	97.4	97.3	0.0	0.1
F33	R10	RESIDENTIAL	LKD	21.4	98.5	98.4	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL504

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F34


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F34	R1	RESIDENTIAL	LKD	21.7	97.2	94.7	0.5	2.5
F34	R2	RESIDENTIAL	BEDROOM	9.7	98.8	98.8	0.0	0
F34	R3	RESIDENTIAL	BEDROOM	16.7	94.7	90.3	0.7	4.7
F34	R4	RESIDENTIAL	BEDROOM	15.3	99.5	99	0.1	0.5
F34	R5	RESIDENTIAL	LKD	25.5	96	93.1	0.7	3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL505

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F34


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F34	R6	RESIDENTIAL	BEDROOM	17.1	98.9	98.1	0.1	0.8
F34	R7	RESIDENTIAL	BEDROOM	13.2	99.5	99.1	0.0	0.4
F34	R8	RESIDENTIAL	LKD	20.7	76.1	75.1	0.2	1.4
F34	R9	RESIDENTIAL	BEDROOM	9.8	97.6	97.6	0.0	0.1
F34	R10	RESIDENTIAL	LKD	21.4	98.6	98.5	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL506

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F35


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F35	R1	RESIDENTIAL	LKD	35.8	99.3	99.2	0.0	0
F35	R2	RESIDENTIAL	BEDROOM	25.3	99.5	99.5	0.0	0
F35	R3	RESIDENTIAL	LKD	25.2	96.4	94	0.6	2.5
F35	R4	RESIDENTIAL	BEDROOM	17.3	98.8	98.6	0.0	0.2
F35	R5	RESIDENTIAL	BEDROOM	25.4	99.3	99.2	0.0	0.1
F35	R6	RESIDENTIAL	LKD	35.7	99.3	98.8	0.2	0.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: 10-12 WHITWORTH ST
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL507

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F36




F37

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
10-12 WHITWORTH ST								
F36	R1	RESIDENTIAL	LKD	49.2	80.5	80.5	0.0	0
F36	R2	RESIDENTIAL	LKD	48.1	81.9	81.9	0.0	0
F37	R1	RESIDENTIAL	BEDROOM	30.2	100	100	0.0	0
F37	R2	RESIDENTIAL	BEDROOM	29.5	99.9	99.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL508

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F02


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F02	R1	RESIDENTIAL	LKD	21.0	27.9	11.4	3.4	59

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL509

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F03	R1	RESIDENTIAL	LKD	29.4	86.2	65.8	6.0	23.7
F03	R2	RESIDENTIAL	BEDROOM	11.1	63	59.5	0.4	5.4
F03	R3	RESIDENTIAL	LKD	22.4	94.3	94	0.1	0.3
F03	R4	RESIDENTIAL	LKD	22.2	91.9	91.6	0.1	0.4
F03	R5	RESIDENTIAL	BEDROOM	8.6	81.1	70.3	0.9	13.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL510

KEY:
- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






F03


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F03	R6	RESIDENTIAL	BEDROOM	17.3	79.9	64	2.8	19.9
F03	R7	RESIDENTIAL	BEDROOM	12.0	56.1	37.8	2.2	32.6
F03	R8	RESIDENTIAL	LKD	29.9	91.6	70.3	6.4	23.3
F03	R9	RESIDENTIAL	BEDROOM	15.5	69.1	53.2	2.5	23.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL511

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F04	R1	RESIDENTIAL	LKD	29.4	86.8	65.7	6.2	24.3
F04	R2	RESIDENTIAL	BEDROOM	11.1	63.2	60.2	0.3	4.8
F04	R3	RESIDENTIAL	LKD	22.4	94.7	94.4	0.1	0.4
F04	R4	RESIDENTIAL	LKD	22.4	94.7	94.4	0.1	0.4
F04	R5	RESIDENTIAL	LKD	22.2	92.3	92.3	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL512

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F04	R6	RESIDENTIAL	BEDROOM	8.6	77.1	71.9	0.4	6.7
F04	R7	RESIDENTIAL	BEDROOM	17.3	81.3	66.5	2.6	18.2
F04	R8	RESIDENTIAL	BEDROOM	12.0	60.5	42.5	2.2	29.7
F04	R9	RESIDENTIAL	LKD	29.9	95.2	79.3	4.8	16.7
F04	R10	RESIDENTIAL	BEDROOM	15.5	74.6	56.2	2.9	24.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL513

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F05	R1	RESIDENTIAL	LKD	29.4	87.5	65.7	6.4	25
F05	R2	RESIDENTIAL	BEDROOM	11.1	63.6	61.2	0.3	3.7
F05	R3	RESIDENTIAL	LKD	22.4	95.5	95.1	0.1	0.4
F05	R4	RESIDENTIAL	LKD	22.4	95.5	95.1	0.1	0.4
F05	R5	RESIDENTIAL	LKD	22.2	92	91.6	0.1	0.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL514

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F05	R6	RESIDENTIAL	BEDROOM	8.6	81	70.2	0.9	13.4
F05	R7	RESIDENTIAL	BEDROOM	17.3	77.2	64.4	2.2	16.6
F05	R8	RESIDENTIAL	BEDROOM	12.0	63.5	45.5	2.2	28.4
F05	R9	RESIDENTIAL	LKD	29.9	95.8	85.7	3.0	10.5
F05	R10	RESIDENTIAL	BEDROOM	15.5	54.5	42.9	1.8	21.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL515

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F06	R1	RESIDENTIAL	LKD	29.4	88	65.7	6.6	25.3
F06	R2	RESIDENTIAL	BEDROOM	11.1	63.7	61.9	0.2	2.8
F06	R3	RESIDENTIAL	LKD	22.4	96.6	96.3	0.1	0.3
F06	R4	RESIDENTIAL	LKD	22.4	96.6	96.3	0.1	0.3
F06	R5	RESIDENTIAL	LKD	22.2	92.3	92.3	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL516

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F06	R6	RESIDENTIAL	BEDROOM	8.6	77.1	72	0.4	6.7
F06	R7	RESIDENTIAL	BEDROOM	17.3	77.7	65.1	2.2	16.2
F06	R8	RESIDENTIAL	BEDROOM	12.0	64.7	47.5	2.1	26.6
F06	R9	RESIDENTIAL	LKD	29.9	95.1	90.8	1.3	4.5
F06	R10	RESIDENTIAL	BEDROOM	15.5	54.7	43	1.8	21.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL517

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F07	R1	RESIDENTIAL	LKD	29.4	88.6	65.9	6.7	25.6
F07	R2	RESIDENTIAL	BEDROOM	11.1	63.6	62.5	0.1	1.8
F07	R3	RESIDENTIAL	LKD	22.4	94.5	94.2	0.1	0.4
F07	R4	RESIDENTIAL	LKD	22.2	91.8	90.4	0.3	1.5
F07	R5	RESIDENTIAL	BEDROOM	8.6	76.1	55.4	1.8	27.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL518

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F07	R6	RESIDENTIAL	BEDROOM	14.7	59.5	44.9	2.1	24.5
F07	R7	RESIDENTIAL	BEDROOM	11.0	69.7	50.3	2.1	27.9
F07	R8	RESIDENTIAL	LKD	29.9	93.7	72.3	6.4	22.8
F07	R9	RESIDENTIAL	BEDROOM	15.5	76.9	59.9	2.6	22.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL519

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F08

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F08	R1	RESIDENTIAL	LKD	29.4	88.8	66.1	6.7	25.5
F08	R2	RESIDENTIAL	BEDROOM	11.1	63.6	63	0.1	1
F08	R3	RESIDENTIAL	LKD	22.4	94.5	94.2	0.1	0.3
F08	R4	RESIDENTIAL	LKD	22.2	91.6	90.2	0.3	1.5
F08	R5	RESIDENTIAL	BEDROOM	8.6	81	64.3	1.4	20.6

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL520

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F08

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F08	R6	RESIDENTIAL	BEDROOM	14.7	59.3	45.6	2.0	23.2
F08	R7	RESIDENTIAL	BEDROOM	11.0	68.3	52.5	1.7	23.1
F08	R8	RESIDENTIAL	LKD	29.9	95.4	79.2	4.9	17
F08	R9	RESIDENTIAL	BEDROOM	15.5	85.1	62.6	3.5	26.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL521

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F09

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F09	R1	RESIDENTIAL	LKD	29.4	88.9	66.4	6.6	25.3
F09	R2	RESIDENTIAL	BEDROOM	11.1	63.7	63.3	0.0	0.7
F09	R3	RESIDENTIAL	LKD	22.4	94.5	94.3	0.1	0.3
F09	R4	RESIDENTIAL	LKD	22.2	92.1	91.6	0.1	0.5
F09	R5	RESIDENTIAL	BEDROOM	8.6	81	70.4	0.9	13.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL522

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F09


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F09	R6	RESIDENTIAL	BEDROOM	14.7	56.1	46	1.5	17.9
F09	R7	RESIDENTIAL	BEDROOM	11.0	70.4	50.5	2.2	28.3
F09	R8	RESIDENTIAL	LKD	29.9	95.9	85.8	3.0	10.5
F09	R9	RESIDENTIAL	BEDROOM	15.5	92.3	64.4	4.3	30.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL523

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F10

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F10	R1	RESIDENTIAL	LKD	29.4	88.9	66.9	6.5	24.7
F10	R2	RESIDENTIAL	BEDROOM	11.1	64.4	63.9	0.1	0.8
F10	R3	RESIDENTIAL	LKD	22.4	94.6	94.3	0.1	0.3
F10	R4	RESIDENTIAL	LKD	22.2	92.4	92.3	0.0	0
F10	R5	RESIDENTIAL	BEDROOM	8.6	77.4	72.2	0.4	6.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL524

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F10

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F10	R6	RESIDENTIAL	BEDROOM	14.7	56.3	39.8	2.4	29.3
F10	R7	RESIDENTIAL	BEDROOM	11.0	68.7	52.9	1.7	23.1
F10	R8	RESIDENTIAL	LKD	29.9	95.4	91.1	1.3	4.5
F10	R9	RESIDENTIAL	BEDROOM	15.5	96.7	65.5	4.8	32.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL525

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F11

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F11	R1	RESIDENTIAL	BEDROOM	17.2	100	92.1	1.3	7.8
F11	R2	RESIDENTIAL	BEDROOM	12.2	72.5	71.5	0.1	1.4
F11	R3	RESIDENTIAL	BEDROOM	11.1	64.4	64	0.0	0.7
F11	R4	RESIDENTIAL	LKD	21.4	93.1	92.5	0.1	0.6
F11	R5	RESIDENTIAL	LKD	18.2	96.1	94.3	0.3	1.9

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL526

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F11

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F11	R6	RESIDENTIAL	BEDROOM	11.3	57.9	37.3	2.3	35.5
F11	R7	RESIDENTIAL	BEDROOM	15.7	58.5	42.9	2.4	26.6
F11	R8	RESIDENTIAL	BEDROOM	11.0	67.2	42.9	2.7	36.1
F11	R9	RESIDENTIAL	LKD	29.9	93.9	72.4	6.4	22.9
F11	R10	RESIDENTIAL	BEDROOM	15.5	78.6	62.6	2.5	20.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL527

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F12

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F12	R1	RESIDENTIAL	BEDROOM	17.2	100	93.1	1.2	6.9
F12	R2	RESIDENTIAL	BEDROOM	12.2	72.6	71.9	0.1	0.9
F12	R3	RESIDENTIAL	BEDROOM	11.1	64.4	64	0.0	0.6
F12	R4	RESIDENTIAL	LKD	21.4	94.2	93.7	0.1	0.6
F12	R5	RESIDENTIAL	LKD	18.2	98.3	96.8	0.3	1.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL528

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F12


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F12	R6	RESIDENTIAL	BEDROOM	11.3	66.2	45.6	2.3	31.1
F12	R7	RESIDENTIAL	BEDROOM	15.7	53.6	37.4	2.6	30.3
F12	R8	RESIDENTIAL	BEDROOM	11.0	70.7	47.8	2.5	32.5
F12	R9	RESIDENTIAL	LKD	29.9	95.5	79.9	4.7	16.4
F12	R10	RESIDENTIAL	BEDROOM	15.5	87.3	65.9	3.3	24.6

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL529

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F13

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F13	R1	RESIDENTIAL	BEDROOM	17.2	100	94.8	0.9	5.2
F13	R2	RESIDENTIAL	BEDROOM	12.2	72.6	72.1	0.1	0.8
F13	R3	RESIDENTIAL	BEDROOM	11.1	64.6	64.1	0.0	0.7
F13	R4	RESIDENTIAL	LKD	21.4	95.6	95.1	0.1	0.5
F13	R5	RESIDENTIAL	LKD	18.2	100	99.1	0.2	0.9

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL530

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F13

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F13	R6	RESIDENTIAL	BEDROOM	11.3	73.3	52	2.4	29
F13	R7	RESIDENTIAL	BEDROOM	15.7	58.9	42.7	2.5	27.4
F13	R8	RESIDENTIAL	BEDROOM	11.0	68.6	43.6	2.7	36.4
F13	R9	RESIDENTIAL	LKD	29.9	96	86	3.0	10.4
F13	R10	RESIDENTIAL	BEDROOM	15.5	94.3	67.7	4.1	28.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL531

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F14

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F14	R1	RESIDENTIAL	BEDROOM	17.2	100	96.5	0.6	3.5
F14	R2	RESIDENTIAL	BEDROOM	12.2	72.7	72.2	0.1	0.7
F14	R3	RESIDENTIAL	BEDROOM	11.1	64.6	64.2	0.0	0.6
F14	R4	RESIDENTIAL	LKD	21.4	97.7	97.3	0.1	0.4
F14	R5	RESIDENTIAL	LKD	18.2	100	100	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL532

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F14


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F14	R6	RESIDENTIAL	BEDROOM	11.3	75.1	55.7	2.2	25.8
F14	R7	RESIDENTIAL	BEDROOM	15.7	58	43.2	2.3	25.5
F14	R8	RESIDENTIAL	BEDROOM	11.0	71.7	48.5	2.5	32.3
F14	R9	RESIDENTIAL	LKD	29.9	95.4	91.3	1.2	4.3
F14	R10	RESIDENTIAL	BEDROOM	15.5	97.6	68.5	4.5	29.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL533

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F15

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F15	R1	RESIDENTIAL	BEDROOM	17.2	100	97.6	0.4	2.4
F15	R2	RESIDENTIAL	BEDROOM	12.2	72.7	72.2	0.1	0.6
F15	R3	RESIDENTIAL	BEDROOM	11.1	64.5	64.3	0.0	0.3
F15	R4	RESIDENTIAL	LKD	21.4	92.7	92.2	0.1	0.6
F15	R5	RESIDENTIAL	LKD	18.2	96.8	94.3	0.5	2.6

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL534

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F15


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F15	R6	RESIDENTIAL	BEDROOM	11.3	73.4	52.1	2.4	29
F15	R7	RESIDENTIAL	BEDROOM	15.7	59.3	42.8	2.6	27.7
F15	R8	RESIDENTIAL	BEDROOM	11.0	69.6	44.4	2.8	36.1
F15	R9	RESIDENTIAL	LKD	29.9	94	72.7	6.4	22.7
F15	R10	RESIDENTIAL	BEDROOM	15.5	81.8	64.5	2.7	21.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL535

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F16

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F16	R1	RESIDENTIAL	BEDROOM	17.2	100	97.6	0.4	2.4
F16	R2	RESIDENTIAL	BEDROOM	12.2	72.7	72.3	0.1	0.6
F16	R3	RESIDENTIAL	BEDROOM	11.1	64.7	64.4	0.0	0.5
F16	R4	RESIDENTIAL	LKD	21.4	92.7	92.2	0.1	0.6
F16	R5	RESIDENTIAL	LKD	18.2	99.5	96.8	0.5	2.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL536

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F16

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F16	R6	RESIDENTIAL	BEDROOM	11.3	75.6	56.2	2.2	25.6
F16	R7	RESIDENTIAL	BEDROOM	15.7	58.7	44	2.3	25
F16	R8	RESIDENTIAL	BEDROOM	11.0	72.6	49.5	2.5	31.8
F16	R9	RESIDENTIAL	LKD	29.9	95.8	80	4.7	16.4
F16	R10	RESIDENTIAL	BEDROOM	15.5	90.3	67.1	3.6	25.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL537

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F17

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F17	R1	RESIDENTIAL	BEDROOM	14.2	100	99.1	0.1	0.9
F17	R2	RESIDENTIAL	BEDROOM	11.5	67.5	67.1	0.0	0.6
F17	R3	RESIDENTIAL	BEDROOM	9.2	60.5	60	0.0	0.7
F17	R4	RESIDENTIAL	LKD	21.5	92.8	92.2	0.1	0.7
F17	R5	RESIDENTIAL	LKD	21.4	92.8	92.2	0.1	0.6
F17	R6	RESIDENTIAL	LKD	18.2	100	99.1	0.2	0.9

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL538

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F17

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F17	R7	RESIDENTIAL	BEDROOM	11.3	59.9	37.2	2.6	37.9
F17	R8	RESIDENTIAL	BEDROOM	16.9	56.2	40.6	2.6	27.8
F17	R9	RESIDENTIAL	BEDROOM	11.0	74.7	54.5	2.2	27.1
F17	R10	RESIDENTIAL	LKD	37.1	84.4	76.4	3.0	9.5
F17	R11	RESIDENTIAL	BEDROOM	15.5	96.4	69.1	4.2	28.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL539

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F18

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F18	R1	RESIDENTIAL	BEDROOM	14.2	100	99.1	0.1	0.9
F18	R2	RESIDENTIAL	BEDROOM	11.5	67.6	67.1	0.1	0.6
F18	R3	RESIDENTIAL	BEDROOM	9.2	60.8	60.5	0.0	0.6
F18	R4	RESIDENTIAL	LKD	21.5	92.9	92.3	0.1	0.6
F18	R5	RESIDENTIAL	LKD	21.4	92.9	92.4	0.1	0.5
F18	R6	RESIDENTIAL	LKD	18.2	100	100	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL540

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F18

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F18	R7	RESIDENTIAL	BEDROOM	11.3	68.5	45.6	2.6	33.4
F18	R8	RESIDENTIAL	BEDROOM	16.9	56.1	42.5	2.3	24.3
F18	R9	RESIDENTIAL	BEDROOM	11.0	73.9	58	1.7	21.5
F18	R10	RESIDENTIAL	LKD	37.1	84.8	81.4	1.3	4
F18	R11	RESIDENTIAL	BEDROOM	15.5	98.1	70.8	4.2	27.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL541

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F19

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F19	R1	RESIDENTIAL	BEDROOM	14.2	100	99.1	0.1	0.9
F19	R2	RESIDENTIAL	BEDROOM	11.5	67.6	67.2	0.0	0.6
F19	R3	RESIDENTIAL	BEDROOM	9.2	61	60.6	0.0	0.6
F19	R4	RESIDENTIAL	LKD	21.5	93.4	92.8	0.1	0.6
F19	R5	RESIDENTIAL	LKD	21.4	93.3	92.8	0.1	0.5
F19	R6	RESIDENTIAL	LKD	18.2	99	94.3	0.8	4.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL542

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F19

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F19	R7	RESIDENTIAL	BEDROOM	11.3	74.1	52.6	2.4	29
F19	R8	RESIDENTIAL	BEDROOM	16.9	81.1	64.6	2.8	20.3
F19	R9	RESIDENTIAL	BEDROOM	11.0	71.3	46	2.8	35.5
F19	R10	RESIDENTIAL	LKD	37.1	74.1	49.4	9.2	33.4
F19	R11	RESIDENTIAL	BEDROOM	15.5	85.3	64.7	3.2	24.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL543

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F20

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F20	R1	RESIDENTIAL	BEDROOM	14.2	100	99.1	0.1	0.9
F20	R2	RESIDENTIAL	BEDROOM	11.5	67.7	67.3	0.1	0.7
F20	R3	RESIDENTIAL	BEDROOM	9.2	61.3	60.9	0.0	0.6
F20	R4	RESIDENTIAL	LKD	21.5	94.4	93.9	0.1	0.6
F20	R5	RESIDENTIAL	LKD	21.4	94.4	94	0.1	0.5
F20	R6	RESIDENTIAL	LKD	18.2	100	96.5	0.6	3.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL544

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F20

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F20	R7	RESIDENTIAL	BEDROOM	11.3	77.8	58.5	2.2	24.8
F20	R8	RESIDENTIAL	BEDROOM	16.9	83.6	69	2.5	17.5
F20	R9	RESIDENTIAL	BEDROOM	11.0	74	51	2.5	31
F20	R10	RESIDENTIAL	LKD	37.1	77.7	56.7	7.8	27
F20	R11	RESIDENTIAL	BEDROOM	15.5	93.1	67.6	4.0	27.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL545

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F21

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F21	R1	RESIDENTIAL	BEDROOM	14.2	100	99.1	0.1	0.9
F21	R2	RESIDENTIAL	BEDROOM	11.5	68.7	68.1	0.1	0.8
F21	R3	RESIDENTIAL	BEDROOM	9.2	61.8	61.4	0.0	0.6
F21	R4	RESIDENTIAL	LKD	21.5	95.6	95.2	0.1	0.4
F21	R5	RESIDENTIAL	LKD	21.4	95.8	95.4	0.1	0.4
F21	R6	RESIDENTIAL	LKD	18.2	100	99.1	0.2	0.9

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL546

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F21

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F21	R7	RESIDENTIAL	BEDROOM	11.3	61.2	37.5	2.7	38.6
F21	R8	RESIDENTIAL	BEDROOM	16.9	81.2	64.9	2.8	20.1
F21	R9	RESIDENTIAL	BEDROOM	11.0	75.7	55.4	2.2	26.9
F21	R10	RESIDENTIAL	LKD	37.1	80.6	63.2	6.5	21.6
F21	R11	RESIDENTIAL	BEDROOM	15.5	96.7	69.8	4.2	27.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL547

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F22

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F22	R1	RESIDENTIAL	BEDROOM	14.2	100	99.1	0.1	0.9
F22	R2	RESIDENTIAL	BEDROOM	11.5	69	68.2	0.1	1.1
F22	R3	RESIDENTIAL	BEDROOM	9.2	62.3	61.7	0.1	1
F22	R4	RESIDENTIAL	LKD	21.5	98	97.6	0.1	0.4
F22	R5	RESIDENTIAL	LKD	21.4	97.8	97.5	0.1	0.3
F22	R6	RESIDENTIAL	LKD	18.2	100	100	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL548

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F22

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F22	R7	RESIDENTIAL	BEDROOM	11.3	68.7	45.6	2.6	33.6
F22	R8	RESIDENTIAL	BEDROOM	16.9	83.6	69	2.5	17.4
F22	R9	RESIDENTIAL	BEDROOM	11.0	75.8	59.9	1.7	21
F22	R10	RESIDENTIAL	LKD	37.1	82.9	70.1	4.8	15.5
F22	R11	RESIDENTIAL	BEDROOM	15.5	99	72.1	4.2	27.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL549

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F23


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F23	R1	RESIDENTIAL	BEDROOM	14.2	100	99.1	0.1	0.9
F23	R2	RESIDENTIAL	BEDROOM	11.5	69.3	68.5	0.1	1.1
F23	R3	RESIDENTIAL	BEDROOM	9.2	62.9	62.1	0.1	1.2
F23	R4	RESIDENTIAL	LKD	21.5	92.9	92.5	0.1	0.4
F23	R5	RESIDENTIAL	LKD	21.5	92.9	92.5	0.1	0.4
F23	R6	RESIDENTIAL	LKD	18.2	100	94.3	1.0	5.6

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL550

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F23

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F23	R7	RESIDENTIAL	BEDROOM	11.3	61.1	37.5	2.7	38.6
F23	R8	RESIDENTIAL	BEDROOM	16.9	81.2	64.9	2.8	20.2
F23	R9	RESIDENTIAL	BEDROOM	11.0	71.7	46.2	2.8	35.6
F23	R10	RESIDENTIAL	LKD	37.1	74.6	49.9	9.1	33
F23	R11	RESIDENTIAL	BEDROOM	15.5	76.6	59.4	2.7	22.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL551

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F24

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F24	R1	RESIDENTIAL	BEDROOM	14.2	100	99.1	0.1	0.9
F24	R2	RESIDENTIAL	BEDROOM	11.5	69.6	68.8	0.1	1.2
F24	R3	RESIDENTIAL	BEDROOM	9.2	63.3	62.5	0.1	1.2
F24	R4	RESIDENTIAL	LKD	21.5	92.9	92.6	0.1	0.4
F24	R5	RESIDENTIAL	LKD	21.5	92.9	92.6	0.1	0.4
F24	R6	RESIDENTIAL	LKD	18.2	100	96.9	0.6	3.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL552

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F24

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F24	R7	RESIDENTIAL	BEDROOM	11.3	68.8	45.7	2.6	33.5
F24	R8	RESIDENTIAL	BEDROOM	16.9	83.6	69.2	2.4	17.3
F24	R9	RESIDENTIAL	BEDROOM	11.0	74.7	51.1	2.6	31.7
F24	R10	RESIDENTIAL	LKD	37.1	78	57.2	7.7	26.6
F24	R11	RESIDENTIAL	BEDROOM	15.5	82.8	62.2	3.2	24.9

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL553

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F25

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F25	R1	RESIDENTIAL	BEDROOM	14.2	100	99.1	0.1	0.9
F25	R2	RESIDENTIAL	BEDROOM	11.5	69.9	69.1	0.1	1.2
F25	R3	RESIDENTIAL	BEDROOM	9.2	63.9	63.1	0.1	1.3
F25	R4	RESIDENTIAL	LKD	21.5	92.9	92.6	0.1	0.3
F25	R5	RESIDENTIAL	LKD	21.5	92.9	92.6	0.1	0.3
F25	R6	RESIDENTIAL	LKD	18.2	100	99.1	0.2	0.9

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL554

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F25

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F25	R7	RESIDENTIAL	BEDROOM	11.3	74.4	52.7	2.4	29.1
F25	R8	RESIDENTIAL	BEDROOM	16.9	81.3	65	2.8	20.1
F25	R9	RESIDENTIAL	BEDROOM	11.0	76.1	55.5	2.3	27.1
F25	R10	RESIDENTIAL	LKD	37.1	81	64	6.3	21
F25	R11	RESIDENTIAL	BEDROOM	15.5	88.6	64.8	3.7	26.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL555

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F26

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F26	R1	RESIDENTIAL	BEDROOM	14.2	100	99.2	0.1	0.8
F26	R2	RESIDENTIAL	BEDROOM	11.5	71.5	70.4	0.1	1.6
F26	R3	RESIDENTIAL	BEDROOM	9.2	65.1	64	0.1	1.6
F26	R4	RESIDENTIAL	LKD	21.5	93.1	92.8	0.1	0.3
F26	R5	RESIDENTIAL	LKD	21.5	93.1	92.8	0.1	0.3
F26	R6	RESIDENTIAL	LKD	18.2	100	100	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL556

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F26

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F26	R7	RESIDENTIAL	BEDROOM	11.3	77.9	58.6	2.2	24.8
F26	R8	RESIDENTIAL	BEDROOM	16.9	83.6	69.1	2.4	17.4
F26	R9	RESIDENTIAL	BEDROOM	11.0	76.1	60.1	1.8	21
F26	R10	RESIDENTIAL	LKD	37.1	83.4	71.1	4.6	14.8
F26	R11	RESIDENTIAL	BEDROOM	15.5	93.3	67.3	4.0	27.8

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL557

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F27


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F27	R1	RESIDENTIAL	BEDROOM	14.2	100	99.2	0.1	0.8
F27	R2	RESIDENTIAL	BEDROOM	11.5	72.1	71.1	0.1	1.5
F27	R3	RESIDENTIAL	BEDROOM	9.2	66	64.9	0.1	1.8
F27	R4	RESIDENTIAL	LKD	21.5	93.6	93.3	0.1	0.2
F27	R5	RESIDENTIAL	LKD	18.2	100	99.1	0.2	0.9

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: AXIS TOWER
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL558

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F27

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
AXIS TOWER								
F27	R6	RESIDENTIAL	BEDROOM	11.3	79.9	64.4	1.8	19.5
F27	R7	RESIDENTIAL	BEDROOM	16.9	81.4	65	2.8	20.2
F27	R8	RESIDENTIAL	BEDROOM	11.0	73.3	64.4	1.0	12.2
F27	R9	RESIDENTIAL	LKD	37.1	85	77.4	2.9	9
F27	R10	RESIDENTIAL	BEDROOM	15.5	96.7	69.7	4.2	28

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL559

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F04	R1	RESIDENTIAL	BEDROOM	16.9	88.6	88.6	0.0	0
F04	R2	RESIDENTIAL	BEDROOM	9.9	99.2	99.2	0.0	0
F04	R3	RESIDENTIAL	LKD	46.6	88.8	88.2	0.2	0.6
F04	R4	RESIDENTIAL	BEDROOM	11.9	51.9	45.6	0.8	12.2
F04	R5	RESIDENTIAL	BEDROOM	17.7	79.2	78.9	0.0	0.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL560

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F04	R6	RESIDENTIAL	LKD	32.3	75	74.2	0.2	1
F04	R7	RESIDENTIAL	BEDROOM	16.1	86.9	86.7	0.0	0.3
F04	R8	RESIDENTIAL	BEDROOM	13.8	95.5	95.2	0.0	0.3
F04	R9	RESIDENTIAL	BEDROOM	10.6	99.1	98.5	0.1	0.7
F04	R10	RESIDENTIAL	BEDROOM	9.6	93.3	92.7	0.1	0.6

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL561

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F04


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F04	R11	RESIDENTIAL	LKD	38.6	57.4	43.1	5.5	24.9
F04	R12	RESIDENTIAL	BEDROOM	10.8	59.6	59.5	0.0	0.1
F04	R13	RESIDENTIAL	LKD	43.2	25.5	25.5	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL562

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F05	R1	RESIDENTIAL	BEDROOM	14.8	92.4	92.4	0.0	0
F05	R2	RESIDENTIAL	BEDROOM	15.6	99.6	99.6	0.0	0
F05	R3	RESIDENTIAL	LKD	40.8	82.7	81.9	0.3	1
F05	R4	RESIDENTIAL	BEDROOM	17.7	87.4	84.4	0.5	3.5
F05	R5	RESIDENTIAL	LKD	32.3	81.5	80.6	0.3	1.1
F05	R6	RESIDENTIAL	BEDROOM	16.1	94.4	91	0.5	3.6

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL563

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F05	R7	RESIDENTIAL	LKD	37.7	96.5	92.5	1.5	4.1
F05	R8	RESIDENTIAL	BEDROOM	12.5	91.7	77.6	1.8	15.3
F05	R9	RESIDENTIAL	LKD	33.1	65.7	65.7	0.0	0
F05	R10	RESIDENTIAL	BEDROOM	14.1	35.1	35.1	0.0	0
F05	R11	RESIDENTIAL	BEDROOM	14.5	33.9	33.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL564

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F06	R1	RESIDENTIAL	BEDROOM	14.8	93	93	0.0	0
F06	R2	RESIDENTIAL	BEDROOM	15.6	99.6	99.6	0.0	0
F06	R3	RESIDENTIAL	LKD	40.8	88	87.7	0.1	0.3
F06	R4	RESIDENTIAL	BEDROOM	17.7	93	92.8	0.0	0.2
F06	R5	RESIDENTIAL	LKD	32.3	89.7	89	0.2	0.8
F06	R6	RESIDENTIAL	BEDROOM	16.1	99.2	99	0.0	0.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL565

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F06


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F06	R7	RESIDENTIAL	LKD	37.7	97	93	1.5	4.1
F06	R8	RESIDENTIAL	BEDROOM	12.5	91.5	77.7	1.7	15.1
F06	R9	RESIDENTIAL	LKD	33.1	69.2	69.2	0.0	0
F06	R10	RESIDENTIAL	BEDROOM	14.1	52.4	52.4	0.0	0
F06	R11	RESIDENTIAL	BEDROOM	14.5	37.9	37.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL566

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F07


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F07	R1	RESIDENTIAL	BEDROOM	14.8	92.6	92.6	0.0	0
F07	R2	RESIDENTIAL	BEDROOM	15.6	99.6	99.6	0.0	0
F07	R3	RESIDENTIAL	LKD	40.8	89.5	89.3	0.1	0.2
F07	R4	RESIDENTIAL	BEDROOM	17.7	93.2	90	0.6	3.4
F07	R5	RESIDENTIAL	LKD	32.3	99	98.3	0.2	0.7
F07	R6	RESIDENTIAL	BEDROOM	16.1	97.5	94.1	0.5	3.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL567

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F07


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F07	R7	RESIDENTIAL	LKD	37.7	97.1	93.1	1.5	4.1
F07	R8	RESIDENTIAL	BEDROOM	12.5	92	78.4	1.7	14.8
F07	R9	RESIDENTIAL	LKD	33.1	73.1	73.1	0.0	0
F07	R10	RESIDENTIAL	BEDROOM	14.1	45.6	45.6	0.0	0
F07	R11	RESIDENTIAL	BEDROOM	14.5	43.5	43.5	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL568

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F08


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F08	R1	RESIDENTIAL	BEDROOM	14.8	93	93	0.0	0
F08	R2	RESIDENTIAL	BEDROOM	15.6	99.6	99.6	0.0	0
F08	R3	RESIDENTIAL	LKD	40.8	89.5	89.3	0.1	0.2
F08	R4	RESIDENTIAL	BEDROOM	17.7	95.2	95	0.0	0.2
F08	R5	RESIDENTIAL	LKD	32.3	99.2	98.5	0.2	0.7
F08	R6	RESIDENTIAL	BEDROOM	16.1	99.3	99	0.0	0.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL569

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F08


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F08	R7	RESIDENTIAL	LKD	37.7	97.2	93.1	1.5	4.1
F08	R8	RESIDENTIAL	BEDROOM	12.5	91.7	78.2	1.7	14.7
F08	R9	RESIDENTIAL	LKD	33.1	78.6	78.6	0.0	0
F08	R10	RESIDENTIAL	BEDROOM	14.1	68	68	0.0	0.1
F08	R11	RESIDENTIAL	BEDROOM	14.5	53	53	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL570

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F09


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F09	R1	RESIDENTIAL	BEDROOM	14.8	92.7	92.7	0.0	0
F09	R2	RESIDENTIAL	BEDROOM	15.6	99.6	99.6	0.0	0
F09	R3	RESIDENTIAL	LKD	40.8	89.5	89.3	0.1	0.2
F09	R4	RESIDENTIAL	BEDROOM	17.7	93.4	90.2	0.6	3.4
F09	R5	RESIDENTIAL	LKD	32.3	99.2	98.5	0.2	0.8
F09	R6	RESIDENTIAL	BEDROOM	16.1	97.5	94.1	0.5	3.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL571

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F09


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F09	R7	RESIDENTIAL	LKD	37.7	97.2	93.2	1.5	4.2
F09	R8	RESIDENTIAL	BEDROOM	12.5	92.3	79.1	1.7	14.3
F09	R9	RESIDENTIAL	LKD	33.1	85.7	85.7	0.0	0
F09	R10	RESIDENTIAL	BEDROOM	14.1	67.5	67.5	0.0	0
F09	R11	RESIDENTIAL	BEDROOM	14.5	67	67	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL572

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F10


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F10	R1	RESIDENTIAL	BEDROOM	14.8	93.2	93.2	0.0	0
F10	R2	RESIDENTIAL	BEDROOM	15.6	99.6	99.6	0.0	0
F10	R3	RESIDENTIAL	LKD	40.8	89.6	89.4	0.1	0.3
F10	R4	RESIDENTIAL	BEDROOM	17.7	94.7	94.4	0.0	0.2
F10	R5	RESIDENTIAL	LKD	32.3	99.2	98.5	0.2	0.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL573

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F10


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F10	R6	RESIDENTIAL	BEDROOM	16.1	99.3	99	0.0	0.3
F10	R7	RESIDENTIAL	LKD	37.7	97.2	93.2	1.5	4.2
F10	R8	RESIDENTIAL	BEDROOM	12.5	91.9	78.9	1.6	14.1
F10	R9	RESIDENTIAL	LKD	33.1	94.8	94.7	0.0	0
F10	R10	RESIDENTIAL	BEDROOM	14.1	93.9	93.9	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL574

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F11


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F11	R1	RESIDENTIAL	BEDROOM	14.8	93.2	93.2	0.0	0
F11	R2	RESIDENTIAL	BEDROOM	15.6	99.6	99.6	0.0	0
F11	R3	RESIDENTIAL	LKD	40.8	90.2	90	0.1	0.2
F11	R4	RESIDENTIAL	BEDROOM	17.7	92.8	89.7	0.5	3.3
F11	R5	RESIDENTIAL	LKD	32.3	99.2	98.5	0.2	0.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL575

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F11

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F11	R6	RESIDENTIAL	BEDROOM	16.1	97.5	94.1	0.5	3.5
F11	R7	RESIDENTIAL	LKD	37.7	97.2	93.2	1.5	4.2
F11	R8	RESIDENTIAL	BEDROOM	12.5	92.4	80	1.6	13.5
F11	R9	RESIDENTIAL	LKD	33.1	99.5	99.5	0.0	0
F11	R10	RESIDENTIAL	BEDROOM	14.1	83.8	83.8	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL576

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F12


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F12	R1	RESIDENTIAL	BEDROOM	17.7	94.5	94.4	0.0	0.2
F12	R2	RESIDENTIAL	LKD	32.3	99.2	98.5	0.2	0.7
F12	R3	RESIDENTIAL	BEDROOM	16.1	99.3	99	0.0	0.3
F12	R4	RESIDENTIAL	LKD	37.7	97.3	93.2	1.5	4.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL577

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F12

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F12	R5	RESIDENTIAL	BEDROOM	12.5	92	79.8	1.5	13.2
F12	R6	RESIDENTIAL	LKD	33.1	99.6	99.6	0.0	0
F12	R7	RESIDENTIAL	BEDROOM	14.1	94.6	94.5	0.0	0.1

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL578

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F13


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F13	R1	RESIDENTIAL	BEDROOM	17.7	92.8	89.7	0.5	3.3
F13	R2	RESIDENTIAL	LKD	32.3	99.2	98.5	0.2	0.7
F13	R3	RESIDENTIAL	BEDROOM	16.1	97.5	94.1	0.5	3.5
F13	R4	RESIDENTIAL	LKD	37.7	97.3	93.2	1.5	4.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL579

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F13

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F13	R5	RESIDENTIAL	BEDROOM	12.5	92.4	80.9	1.4	12.5
F13	R6	RESIDENTIAL	LKD	33.1	99.6	99.6	0.0	0
F13	R7	RESIDENTIAL	BEDROOM	14.1	84.3	84.3	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL580

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F14


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F14	R1	RESIDENTIAL	BEDROOM	17.7	94.6	94.4	0.0	0.2
F14	R2	RESIDENTIAL	LKD	32.3	99.2	98.5	0.2	0.7
F14	R3	RESIDENTIAL	BEDROOM	16.1	99.3	99	0.0	0.3
F14	R4	RESIDENTIAL	LKD	37.7	97.3	93.2	1.5	4.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL581

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F14

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F14	R5	RESIDENTIAL	BEDROOM	12.5	91.9	80.7	1.4	12.2
F14	R6	RESIDENTIAL	LKD	33.1	99.6	99.6	0.0	0
F14	R7	RESIDENTIAL	BEDROOM	14.1	95	94.7	0.0	0.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL582

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F15


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F15	R1	RESIDENTIAL	BEDROOM	17.7	92.8	89.7	0.5	3.3
F15	R2	RESIDENTIAL	LKD	32.3	99.2	98.5	0.2	0.7
F15	R3	RESIDENTIAL	BEDROOM	16.1	97.5	94.1	0.5	3.5
F15	R4	RESIDENTIAL	LKD	37.7	97.3	93.2	1.5	4.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL583

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F15

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F15	R5	RESIDENTIAL	BEDROOM	12.5	92.4	82.2	1.3	11.1
F15	R6	RESIDENTIAL	LKD	33.1	99.8	99.8	0.0	0
F15	R7	RESIDENTIAL	BEDROOM	14.1	84.5	84.5	0.0	0

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL584

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F16


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F16	R1	RESIDENTIAL	BEDROOM	17.7	94.7	94.5	0.0	0.2
F16	R2	RESIDENTIAL	LKD	32.3	99.2	98.5	0.2	0.7
F16	R3	RESIDENTIAL	BEDROOM	16.1	99.3	99	0.0	0.3
F16	R4	RESIDENTIAL	LKD	37.7	97.3	93.2	1.5	4.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL585

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F16

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F16	R5	RESIDENTIAL	BEDROOM	12.5	91.9	82.3	1.2	10.4
F16	R6	RESIDENTIAL	LKD	33.1	99.8	99.8	0.0	0
F16	R7	RESIDENTIAL	BEDROOM	14.1	95.9	95.2	0.1	0.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL586

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F17

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F17	R1	RESIDENTIAL	BEDROOM	17.7	93.5	90.3	0.6	3.4
F17	R2	RESIDENTIAL	LKD	32.3	99.2	98.5	0.2	0.7
F17	R3	RESIDENTIAL	BEDROOM	16.1	97.5	94.1	0.5	3.5
F17	R4	RESIDENTIAL	LKD	37.7	97.3	93.2	1.5	4.2
F17	R5	RESIDENTIAL	BEDROOM	12.5	92.3	84.6	1.0	8.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL587

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F18

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F18	R1	RESIDENTIAL	BEDROOM	17.7	95.4	95.2	0.0	0.2
F18	R2	RESIDENTIAL	LKD	32.3	99.2	98.5	0.2	0.7
F18	R3	RESIDENTIAL	BEDROOM	16.1	99.3	99	0.0	0.2
F18	R4	RESIDENTIAL	LKD	37.7	97.3	93.3	1.5	4.1
F18	R5	RESIDENTIAL	BEDROOM	12.5	91.8	86	0.7	6.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL588

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F19

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F19	R1	RESIDENTIAL	BEDROOM	17.7	93.5	90.4	0.6	3.4
F19	R2	RESIDENTIAL	LKD	32.3	99.2	98.6	0.2	0.7
F19	R3	RESIDENTIAL	BEDROOM	16.1	97.5	94.2	0.5	3.4
F19	R4	RESIDENTIAL	LKD	37.7	97.3	93.5	1.4	3.8
F19	R5	RESIDENTIAL	BEDROOM	12.5	92	89.6	0.3	2.7

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL589

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F20

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F20	R1	RESIDENTIAL	BEDROOM	17.7	95.4	95.3	0.0	0.1
F20	R2	RESIDENTIAL	LKD	32.3	99.2	98.6	0.2	0.7
F20	R3	RESIDENTIAL	BEDROOM	16.1	99.3	99.1	0.0	0.2
F20	R4	RESIDENTIAL	LKD	37.7	97.3	93.9	1.3	3.5
F20	R5	RESIDENTIAL	BEDROOM	12.5	91.3	90.8	0.1	0.5

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL590

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F21

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F21	R1	RESIDENTIAL	BEDROOM	17.7	93.6	90.7	0.5	3.1
F21	R2	RESIDENTIAL	LKD	32.3	99.3	98.6	0.2	0.7
F21	R3	RESIDENTIAL	BEDROOM	16.1	97.5	94.2	0.5	3.4
F21	R4	RESIDENTIAL	LKD	37.7	97.3	94.3	1.1	3.1
F21	R5	RESIDENTIAL	BEDROOM	12.5	91.6	91.1	0.1	0.6

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL591

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F22

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F22	R1	RESIDENTIAL	BEDROOM	17.7	95.4	95.4	0.0	0.1
F22	R2	RESIDENTIAL	LKD	32.3	99.3	98.7	0.2	0.6
F22	R3	RESIDENTIAL	BEDROOM	16.1	99.3	99.1	0.0	0.2
F22	R4	RESIDENTIAL	LKD	37.7	97.3	94.6	1.0	2.7
F22	R5	RESIDENTIAL	BEDROOM	12.5	91.1	90.7	0.0	0.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL592

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F23

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F23	R1	RESIDENTIAL	BEDROOM	17.7	93.6	90.8	0.5	3
F23	R2	RESIDENTIAL	LKD	32.3	99.3	98.7	0.2	0.6
F23	R3	RESIDENTIAL	BEDROOM	16.1	97.5	94.2	0.5	3.4
F23	R4	RESIDENTIAL	LKD	37.7	97.3	94.8	0.9	2.6
F23	R5	RESIDENTIAL	BEDROOM	12.5	91.6	91.2	0.0	0.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL593

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F24

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F24	R1	RESIDENTIAL	BEDROOM	17.7	95.4	95.4	0.0	0.1
F24	R2	RESIDENTIAL	LKD	32.3	99.3	98.7	0.2	0.6
F24	R3	RESIDENTIAL	BEDROOM	16.1	99.3	99.3	0.0	0
F24	R4	RESIDENTIAL	LKD	37.7	97.3	94.9	0.9	2.4
F24	R5	RESIDENTIAL	BEDROOM	12.5	90.9	90.6	0.0	0.4

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL594

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F25

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F25	R1	RESIDENTIAL	BEDROOM	17.7	93.7	90.9	0.5	3
F25	R2	RESIDENTIAL	LKD	32.3	99.3	98.7	0.2	0.6
F25	R3	RESIDENTIAL	BEDROOM	16.1	97.6	94.5	0.5	3.2
F25	R4	RESIDENTIAL	LKD	37.7	97.3	95	0.9	2.4
F25	R5	RESIDENTIAL	BEDROOM	12.5	91.5	91.2	0.0	0.3

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL595

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID






F26

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F26	R1	RESIDENTIAL	BEDROOM	17.7	95.5	95.4	0.0	0.1
F26	R2	RESIDENTIAL	LKD	32.3	99.4	98.8	0.2	0.6
F26	R3	RESIDENTIAL	BEDROOM	16.1	99.3	99.3	0.0	0
F26	R4	RESIDENTIAL	LKD	37.7	97.3	95	0.9	2.3
F26	R5	RESIDENTIAL	BEDROOM	12.5	90.9	90.8	0.0	0.2

NSL CONTOURS

PROJECT: 20498 - VIADUX PHASE 2 (NORTH JOB
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: NORTHERN WAREHOUSE - LEISURE BO
DATE: 08/11/2024
SCHEME IR: IR08
DRAWING No.: 20498-REL02-IS02-NSL596

KEY:
GAIN
LOSS
MAINTAINED LIT AREA
1 METRE GRID





F27

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
NORTHERN WAREHOUSE - LEISURE BOX								
F27	R1	RESIDENTIAL	BEDROOM	17.7	93.8	91.1	0.5	2.9
F27	R2	RESIDENTIAL	LKD	32.3	99.4	98.9	0.2	0.5
F27	R3	RESIDENTIAL	BEDROOM	16.1	97.7	94.7	0.5	3.1
F27	R4	RESIDENTIAL	LKD	37.7	97.3	95	0.9	2.4
F27	R5	RESIDENTIAL	BEDROOM	12.5	91.5	91.3	0.0	0.2

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)				NSL			APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
HILL QUAYS																	
F00	R1	Residential	Bedroom	W1/F00	8.1	7.9	0.2	2.5	94.6	0	0.3						
	R2	Residential	Kitchen	W2/F00	4.4	4.4	0	0	82	2	7.7						
				W3/F00	12	11.2	0.8	6.7									
	R3	Residential	Reception	W4/F00	1.6	1.6	0	0	99.7	0	0						
				W5/F00	15.8	15.5	0.3	1.9									
				W10/F00	0.1	0.1	0	0									
	R6	Residential	Circulation	W8/F00	0	0	0	0	N.A.	N.A.	N.A.	3	0	1	0	66.7	0
				W9/F00	0	0	0	0									
F01	R1	Residential	LKD	W1/F01	10.3	9.6	0.7	6.8	72.2	2.2	12.1	31	1	26	0	16.1	100
				W2/F01	2.8	2.1	0.7	25									
				W25/F01	25.8	23.6	2.2	8.5									
	R2	Residential	LKD	W3/F01	29.8	26.6	3.2	10.7	78.2	1.6	8.4	39	6	34	5	12.8	16.7
				W4/F01	2.2	1.4	0.8	36.4									
	R3	Residential	LKD	W5/F01	2.1	1	1.1	52.4	61.9	4.3	21.1						
	R4	Residential	LKD	W6/F01	15.3	13.8	1.5	9.8	67	0.3	1.3	27	13	23	9	14.8	30.8
				W7/F01	12.4	11.7	0.7	5.6									
	R5	Residential	Bedroom	W8/F01	8.3	8	0.3	3.6	28.1	0.1	2.8						
				W9/F01	13.1	12.4	0.7	5.3									
				W10/F01	5	5	0	0									
	R7	Residential	Bedroom	W12/F01	8.8	8.5	0.3	3.4	70.1	0.4	2.8						
	R8	Residential	LKD	W13/F01	5.4	5.4	0	0	85.2	0.8	3.5	26	1	24	0	7.7	100
				W14/F01	11.6	11.6	0	0									
				W15/F01	24.5	23.6	0.9	3.7									
				W16/F01	7.1	6.5	0.6	8.5									
	R9	Residential	LKD	W17/F01	2.6	2.5	0.1	3.8	76.8	0.1	0.6	0	0	0	0	0	0
				W18/F01	22.9	22.4	0.5	2.2									
	R10	Residential	LKD	W19/F01	5.3	5	0.3	5.7	66	0.3	1.8	0	0	0	0	0	0
				W20/F01	25.4	24.6	0.8	3.1									
	R11	Residential	LKD	W21/F01	7.5	7	0.5	6.7	67.4	0.2	1.3	0	0	0	0	0	0
				W22/F01	25.7	24.7	1	3.9									
	R12	Residential	LKD	W23/F01	18.5	17.4	1.1	5.9	68.3	0	0						
	R13	Residential	LKD	W24/F01	13.4	12.8	0.6	4.5	78.2	0.4	1.9	0	0	0	0	0	0
F02	R1	Residential	LKD	W1/F02	12.1	11.1	1	8.3	74.2	2.9	15	35	1	28	0	20	100
				W2/F02	27.2	24.6	2.6	9.6									
				W3/F02	3.1	2.4	0.7	22.6									
	R2	Residential	LKD	W4/F02	30.6	27.3	3.3	10.8	79.1	1.6	8.4	41	8	37	7	9.8	12.5
				W5/F02	2.4	1.5	0.9	37.5									
	R3	Residential	LKD	W6/F02	2.4	1.2	1.2	50	71	3.5	16.9						
	R4	Residential	LKD	W7/F02	17.2	15.7	1.5	8.7	70	0.3	1.1	47	14	43	10	8.5	28.6
				W8/F02	28	26.1	1.9	6.8									
				W9/F02	14.9	13.7	1.2	8.1									
	R5	Residential	Bedroom	W10/F02	9.2	8.7	0.5	5.4	36.6	0.2	3.7						
				W11/F02	16.3	15.3	1	6.1									
				W12/F02	6.2	6.2	0	0									
	R7	Residential	Bedroom	W14/F02	9.6	9.1	0.5	5.2	72.9	0.5	3.3						
	R8	Residential	LKD	W15/F02	6.5	6.5	0	0	88.6	0.8	3.1	26	1	24	0	7.7	100
				W16/F02	12.8	12.8	0	0									
				W17/F02	25.8	24.9	0.9	3.5									
				W18/F02	7.3	6.7	0.6	8.2									
	R9	Residential	LKD	W19/F02	3.3	3.1	0.2	6.1	77.8	0.2	1	0	0	0	0	0	0

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W20/F02	24.1	23.5	0.6	2.5									
	R10	Residential	LKD	W21/F02	6.1	5.7	0.4	6.6	67.5	0.3	1.5	1	0	1	0	0	0
				W22/F02	26.6	25.7	0.9	3.4									
	R11	Residential	LKD	W23/F02	8.3	7.8	0.5	6	69	0.1	0.8	0	0	0	0	0	0
				W24/F02	26.9	25.8	1.1	4.1									
	R12	Residential	LKD	W25/F02	19.3	18.1	1.2	6.2	68.5	0	0						
	R13	Residential	LKD	W26/F02	14.7	14.1	0.6	4.1	84.7	0	0.1	1	0	1	0	0	0
F03	R1	Residential	LKD	W1/F03	14.1	12.8	1.3	9.2	76.8	2.9	14.3	40	4	34	3	15	25
				W2/F03	28.9	25.8	3.1	10.7									
				W3/F03	3.3	2.5	0.8	24.2									
	R2	Residential	LKD	W4/F03	31.5	28	3.5	11.1	79.8	1.5	7.9	42	9	38	8	9.5	11.1
				W5/F03	2.6	1.6	1	38.5									
	R3	Residential	LKD	W6/F03	2.7	1.4	1.3	48.1	75	2.9	13.8						
	R4	Residential	LKD	W7/F03	17.6	16.1	1.5	8.5	74.2	0.2	0.6	48	14	44	10	8.3	28.6
				W8/F03	29	26.8	2.2	7.6									
				W9/F03	17.7	16.1	1.6	9									
	R5	Residential	Bedroom	W10/F03	10	9.2	0.8	8	54.6	0.3	4						
				W11/F03	19.6	18.2	1.4	7.1									
				W12/F03	7.4	7.4	0	0									
	R7	Residential	Bedroom	W14/F03	10.3	9.6	0.7	6.8	77.2	0.5	3.5						
	R8	Residential	LKD	W15/F03	7.5	7.5	0	0	90.5	0.8	2.9	28	1	26	0	7.1	100
				W16/F03	14	14	0	0									
				W17/F03	27	26.1	0.9	3.3									
				W18/F03	7.5	6.9	0.6	8									
	R9	Residential	LKD	W19/F03	4.2	3.9	0.3	7.1	78.4	0.3	1.3	0	0	0	0	0	0
				W20/F03	25.4	24.6	0.8	3.1									
	R10	Residential	LKD	W21/F03	7.1	6.6	0.5	7	68.7	0.3	1.8	1	0	1	0	0	0
				W22/F03	27.8	26.7	1.1	4									
	R11	Residential	LKD	W23/F03	9.2	8.7	0.5	5.4	72	0	0.2	0	0	0	0	0	0
				W24/F03	28	26.8	1.2	4.3									
	R12	Residential	LKD	W25/F03	20	18.8	1.2	6	68.7	0	0						
	R13	Residential	LKD	W26/F03	16.2	15.6	0.6	3.7	85	0	0	3	0	3	0	0	0
F04	R1	Residential	LKD	W1/F04	16.4	14.6	1.8	11	79	2.9	14	43	6	37	5	14	16.7
				W2/F04	30.5	26.9	3.6	11.8									
				W3/F04	3.4	2.6	0.8	23.5									
	R2	Residential	LKD	W4/F04	32.4	28.7	3.7	11.4	80.1	1.5	7.6	43	10	40	9	7	10
				W5/F04	2.7	1.7	1	37									
	R3	Residential	LKD	W6/F04	3.3	1.8	1.5	45.5	77.2	2.5	11.7						
	R4	Residential	LKD	W7/F04	18.1	16.6	1.5	8.3	88.2	0.9	2.7	49	14	45	10	8.2	28.6
				W8/F04	29.9	27.6	2.3	7.7									
				W9/F04	20.6	18.5	2.1	10.2									
	R5	Residential	Bedroom	W10/F04	10.8	9.8	1	9.3	81.3	0	0.3						
				W11/F04	23	21	2	8.7									
				W12/F04	8.7	8.7	0	0									
	R7	Residential	Bedroom	W14/F04	11.1	10.1	1	9	81.6	0.4	2.4						
	R8	Residential	LKD	W15/F04	8.7	8.7	0	0	91.6	0.7	2.9	29	1	27	0	6.9	100
				W16/F04	15.2	15.2	0	0									
				W17/F04	28.1	27.2	0.9	3.2									
				W18/F04	7.7	7.1	0.6	7.8									
	R9	Residential	LKD	W19/F04	5.4	5.1	0.3	5.6	79.4	0.2	0.9	1	0	1	0	0	0
				W20/F04	26.7	25.8	0.9	3.4									
	R10	Residential	LKD	W21/F04	8.2	7.7	0.5	6.1	71.2	0.2	1.2	1	0	1	0	0	0

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W22/F04	28.9	27.7	1.2	4.2									
	R11	Residential	LKD	W23/F04	10.2	9.6	0.6	5.9	76.4	0	0.1	1	0	1	0	0	0
				W24/F04	29	27.8	1.2	4.1									
	R12	Residential	LKD	W25/F04	20.7	19.4	1.3	6.3	69	0	0						
	R13	Residential	LKD	W26/F04	18	17.4	0.6	3.3	85.2	0	0	3	0	3	0	0	0
F05	R1	Residential	LKD	W1/F05	18.6	16.4	2.2	11.8	80.1	3.1	15	48	10	41	8	14.6	20
				W2/F05	32.1	28	4.1	12.8									
				W3/F05	3.8	2.9	0.9	23.7									
	R2	Residential	LKD	W4/F05	33.2	29.4	3.8	11.4	81.5	1.3	6.5	44	10	41	9	6.8	10
				W5/F05	3.9	2.9	1	25.6									
	R3	Residential	LKD	W6/F05	4.3	2.8	1.5	34.9	79	2.4	10.8						
	R4	Residential	LKD	W7/F05	18.6	17.1	1.5	8.1	97	0.3	0.8	51	14	47	10	7.8	28.6
				W8/F05	30.7	28.3	2.4	7.8									
				W9/F05	22.3	19.8	2.5	11.2									
	R5	Residential	Bedroom	W10/F05	11.2	10	1.2	10.7	84.5	0	0.2						
				W11/F05	25.5	23	2.5	9.8									
				W12/F05	9.8	9.8	0	0									
	R7	Residential	Bedroom	W14/F05	11.5	10.3	1.2	10.4	82.5	0.3	2						
	R8	Residential	LKD	W15/F05	9.2	9.2	0	0	93.2	0.8	2.9	29	1	27	0	6.9	100
				W16/F05	16.2	16.2	0	0									
				W17/F05	29.1	28.1	1	3.4									
				W18/F05	7.9	7.3	0.6	7.6									
	R9	Residential	LKD	W19/F05	7.2	6.8	0.4	5.6	80.5	0	0.1	1	0	1	0	0	0
				W20/F05	28.1	27	1.1	3.9									
	R10	Residential	LKD	W21/F05	9.6	9.1	0.5	5.2	76.5	0.1	0.6	1	0	1	0	0	0
				W22/F05	30.1	28.8	1.3	4.3									
	R11	Residential	LKD	W23/F05	11.2	10.6	0.6	5.4	83	0	0	2	0	2	0	0	0
				W24/F05	30.1	28.8	1.3	4.3									
	R12	Residential	LKD	W25/F05	21.4	20.1	1.3	6.1	69	0	0						
	R13	Residential	LKD	W26/F05	20.3	19.6	0.7	3.4	85.2	0	0	7	0	7	0	0	0
F06	R1	Residential	LKD	W1/F06	20.4	17.7	2.7	13.2	81.2	3	14.3	52	13	43	9	17.3	30.8
				W2/F06	33.5	28.9	4.6	13.7									
				W3/F06	5.1	4.3	0.8	15.7									
	R2	Residential	LKD	W4/F06	33.9	30.1	3.8	11.2	86	1.1	5.6	46	11	44	10	4.3	9.1
				W5/F06	5.3	4.2	1.1	20.8									
	R3	Residential	LKD	W6/F06	5.3	3.8	1.5	28.3	89.3	0.7	3.2						
	R4	Residential	LKD	W7/F06	19.3	17.7	1.6	8.3	97.4	0.3	0.8	53	15	49	11	7.5	26.7
				W8/F06	30.9	28.4	2.5	8.1									
				W9/F06	22.5	19.9	2.6	11.6									
	R5	Residential	Bedroom	W10/F06	10.8	9.5	1.3	12	85.1	0	0.1						
				W11/F06	26.3	23.8	2.5	9.5									
				W12/F06	10.7	10.7	0	0									
	R7	Residential	Bedroom	W14/F06	11.5	10.3	1.2	10.4	83	0.3	1.9						
	R8	Residential	LKD	W15/F06	9.6	9.6	0	0	93.3	0.8	2.9	30	1	28	0	6.7	100
				W16/F06	17.1	17.1	0	0									
				W17/F06	29.9	29	0.9	3									
				W18/F06	8.8	8.2	0.6	6.8									
	R9	Residential	LKD	W19/F06	9.3	8.9	0.4	4.3	81.8	0	0.1	1	0	1	0	0	0
				W20/F06	29.6	28.4	1.2	4.1									
	R10	Residential	LKD	W21/F06	11.3	10.7	0.6	5.3	84.4	0	0	3	0	3	0	0	0
				W22/F06	31.2	29.9	1.3	4.2									
	R11	Residential	LKD	W23/F06	12.5	11.9	0.6	4.8	87.6	0	0	4	0	4	0	0	0

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W24/F06	31.1	29.8	1.3	4.2									
	R12	Residential	LKD	W25/F06	22.3	20.9	1.4	6.3	69.2	0	0						
	R13	Residential	LKD	W26/F06	23.5	22.6	0.9	3.8	85.3	0	0	12	0	12	0	0	0
F07	R1	Residential	LKD	W1/F07	22.3	18.9	3.4	15.2	82.4	2.8	13.2	55	15	44	10	20	33.3
				W2/F07	34.6	29.7	4.9	14.2									
				W3/F07	6.5	5.6	0.9	13.8									
	R2	Residential	LKD	W4/F07	31.7	28.1	3.6	11.4	99.3	0.1	0.2	47	12	45	10	4.3	16.7
				W5/F07	34.5	30.7	3.8	11									
				W6/F07	6.5	5.3	1.2	18.5									
	R3	Residential	LKD	W7/F07	33.8	30.8	3	8.9	100	0	0	46	14	41	11	10.9	21.4
				W8/F07	8.2	6.7	1.5	18.3									
	R4	Residential	Bedroom	W9/F07	20.4	18.4	2	9.8	100	0	0						
				W10/F07	24	21.9	2.1	8.8									
				W11/F07	17.9	15.4	2.5	14									
	R5	Residential	Bedroom	W12/F07	8.3	7.1	1.2	14.5	84.4	0	0.1						
				W13/F07	24.4	21.9	2.5	10.2									
				W14/F07	10.8	10.8	0	0									
	R7	Residential	Bedroom	W16/F07	10.8	9.6	1.2	11.1	89.3	0.4	2.9						
	R8	Residential	LKD	W17/F07	11	10.5	0.5	4.5	89	0.9	4.3						
	R9	Residential	LKD	W18/F07	0.1	0	0.1	100	89.8	0	0	0	0	0	0	0	0
				W19/F07	2.3	2	0.3	13									
	R10	Residential	LKD	W20/F07	2.6	2.3	0.3	11.5	90.3	0	0						
	R11	Residential	LKD	W21/F07	2.7	2.4	0.3	11.1	88.8	0	0						
	R12	Residential	LKD	W22/F07	23.4	22	1.4	6	70.1	0	0						
	R13	Residential	LKD	W23/F07	28.4	27	1.4	4.9	85.3	0	0	27	0	27	0	0	0
F08	R1	Residential	LKD	W1/F08	24.1	20.2	3.9	16.2	84.8	2.3	10.9	59	16	49	11	16.9	31.2
				W2/F08	35.3	30.4	4.9	13.9									
				W3/F08	8.5	7.7	0.8	9.4									
	R2	Residential	LKD	W4/F08	32.6	29.2	3.4	10.4	84.1	5.2	12.7	47	12	45	10	4.3	16.7
				W5/F08	35	31.3	3.7	10.6									
				W6/F08	8.2	7.1	1.1	13.4									
	R3	Residential	Unknown	W7/F08	32.7	30.4	2.3	7	100	0	0	46	7	44	5	4.3	28.6
				W8/F08	31.1	29.4	1.7	5.5									
	R4	Residential	Unknown	W9/F08	30.7	28.4	2.3	7.5	100	0	0	44	6	42	5	4.5	16.7
				W10/F08	28.6	26	2.6	9.1									
	R5	Residential	Bedroom	W11/F08	30.4	28.7	1.7	5.6	99.1	0	0						
				W13/F08	26.9	25.9	1	3.7									
	R6**	Residential	Bedroom	W12/F08	30.9	29.1	1.8	5.8	99.9	0	0						
	R7	Residential	LKD	W14/F08	31.9	29.7	2.2	6.9	85.2	0	0	34	2	33	2	2.9	0
F09	R1	Residential	LKD	W2/F09	34	31.6	2.4	7.1	85.3	0	0	39	7	38	7	2.6	0
RIVERSIDE MEWS																	
F00	R1	Residential	LKD	W1/F00	9.2	8.3	0.9	9.8	99.6	0	0	33	1	31	1	6.1	0
				W2/F00	10	9	1	10									
				W3/F00	26.2	24.6	1.6	6.1									
				W4/F00	26.2	24.6	1.6	6.1									
				W5/F00	26.2	24.6	1.6	6.1									
				W6/F00	26.2	24.6	1.6	6.1									
F01	R1	Residential	Bedroom	W1/F01	13.5	10.5	3	22.2	99.7	0	0						
				W2/F01	27.2	25.5	1.7	6.3									
				W3/F01	27.2	25.5	1.7	6.3									
	R2	Residential	Bedroom	W4/F01	27.3	25.5	1.8	6.6	98.6	0	0						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R3	Residential	Bedroom	W5/F01	27.3	25.5	1.8	6.6	98.9	0	0						
				W6/F01	27.3	25.5	1.8	6.6									
	R4	Residential	Bedroom	W7/F01	26.6	25.1	1.5	5.6	88.3	0	0.1						
				W8/F01	22.8	22.3	0.5	2.2									
	R5	Residential	Bedroom	W9/F01	21.8	21.4	0.4	1.8	94	0	0						
	R6	Residential	LKD	W10/F01	20.9	20.5	0.4	1.9	88.3	0	0						
				W11/F01	19.7	19.3	0.4	2									
THE RHINE																	
B01	R1	Residential	Unknown	W1/B01	25	24.8	0.2	0.8	84	0	0						
	R2	Residential	Unknown	W2/B01	24.5	24.3	0.2	0.8	83.7	0	0						
	R3	Residential	Unknown	W3/B01	22.5	22.2	0.3	1.3	84.2	0	0						
	R4	Residential	Unknown	W4/B01	21.7	21.4	0.3	1.4	77.2	0	0						
	R5	Residential	Unknown	W5/B01	20.4	20	0.4	2	72.9	0	0						
	R6	Residential	Unknown	W6/B01	18.9	18.5	0.4	2.1	64.5	0	0						
F00	R1	Residential	LKD	W1/F00	25.1	24.8	0.3	1.2	95.2	0	0	2	0	2	0	0	0
				W2/F00	5.1	4.8	0.3	5.9									
	R2	Residential	Bedroom	W3/F00	7.8	7.7	0.1	1.3	79.4	0.1	0.6						
	R3	Residential	LKD	W4/F00	23.2	22.8	0.4	1.7	69.7	0.4	1.9	2	0	1	0	50	0
				W5/F00	4.7	4.4	0.3	6.4									
	R4	Residential	Bedroom	W6/F00	6.1	6	0.1	1.6	71.5	0.1	0.6						
	R5	Residential	Bedroom	W7/F00	19.7	19.4	0.3	1.5	88.8	0	0.2						
	R6	Residential	Bedroom	W8/F00	20.1	19.8	0.3	1.5	74.8	0	0						
	R7	Residential	Bedroom	W9/F00	6.5	6.4	0.1	1.5	57.8	0	0						
	R8	Residential	LKD	W10/F00	9.1	8.8	0.3	3.3	84.6	0.1	0.5						
				W11/F00	19.9	19.5	0.4	2									
F01	R1	Residential	LKD	W1/F01	26.1	25.8	0.3	1.1	99.7	0	0	3	0	2	0	33.3	0
				W2/F01	5.6	5.3	0.3	5.4									
	R2	Residential	Bedroom	W3/F01	8.7	8.6	0.1	1.1	88.1	0	0.4						
	R3	Residential	LKD	W4/F01	24.3	24	0.3	1.2	78.4	0.2	0.6	2	0	1	0	50	0
				W5/F01	5.3	5	0.3	5.7									
	R4	Residential	Bedroom	W6/F01	8.2	8.1	0.1	1.2	77.8	0.1	0.6						
	R5	Residential	Bedroom	W7/F01	21	20.6	0.4	1.9	90.5	0	0.2						
	R6	Residential	Bedroom	W8/F01	21.3	20.9	0.4	1.9	78.2	0	0						
	R7	Residential	LKD	W9/F01	9.7	9.4	0.3	3.1	91.5	0	0						
				W11/F01	21.4	20.9	0.5	2.3									
	R8	Residential	Bedroom	W10/F01	8.7	8.5	0.2	2.3	64.5	0	0						
F02	R1	Residential	LKD	W1/F02	27.1	26.8	0.3	1.1	99.8	0	0	4	0	3	0	25	0
				W2/F02	6.2	5.9	0.3	4.8									
	R2	Residential	Bedroom	W3/F02	9.7	9.5	0.2	2.1	92	0	0.1						
	R3	Residential	LKD	W4/F02	25.5	25.1	0.4	1.6	84.3	0.1	0.3	3	0	3	0	0	0
				W5/F02	5.9	5.6	0.3	5.1									
	R4	Residential	Bedroom	W6/F02	9.2	9.1	0.1	1.1	86.2	0	0.4						
	R5	Residential	Bedroom	W7/F02	22.2	21.8	0.4	1.8	94	0	0.1						
	R6	Residential	Bedroom	W8/F02	22.5	22.1	0.4	1.8	84.6	0	0.1						
	R7	Residential	LKD	W9/F02	9.9	9.6	0.3	3	95.1	0	0						
				W11/F02	22.9	22.4	0.5	2.2									
	R8	Residential	Bedroom	W10/F02	9.8	9.5	0.3	3.1	73	0	0						
F03	R1	Residential	LKD	W1/F03	28.1	27.8	0.3	1.1	99.8	0	0.1	5	0	4	0	20	0
				W2/F03	6.8	6.4	0.4	5.9									
	R2	Residential	Bedroom	W3/F03	10.6	10.4	0.2	1.9	93.2	0	0.1						
	R3	Residential	LKD	W4/F03	26.7	26.3	0.4	1.5	91.8	0	0.1	3	0	3	0	0	0

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W5/F03	6.5	6.2	0.3	4.6									
	R4	Residential	Bedroom	W6/F03	10.3	10.2	0.1	1	91.4	0	0.4						
	R5	Residential	Bedroom	W7/F03	23.2	22.8	0.4	1.7	97.6	0	0.1						
	R6	Residential	Bedroom	W8/F03	23.7	23.2	0.5	2.1	93.9	0	0.1						
	R7	Residential	LKD	W9/F03	10.2	9.9	0.3	2.9	97.7	0	0						
				W11/F03	24.5	24	0.5	2									
	R8	Residential	Bedroom	W10/F03	10.9	10.6	0.3	2.8	85.9	0	0						
F04	R1	Residential	LKD	W1/F04	29.1	28.7	0.4	1.4	99.8	0	0	5	0	4	0	20	0
				W2/F04	7.4	7	0.4	5.4									
	R2	Residential	Bedroom	W3/F04	11.5	11.3	0.2	1.7	93.3	0	0.2						
	R3	Residential	LKD	W4/F04	27.9	27.5	0.4	1.4	97.2	0.1	0.3	3	0	3	0	0	0
				W5/F04	7.1	6.8	0.3	4.2									
	R4	Residential	Bedroom	W6/F04	11.4	11.3	0.1	0.9	92	0.1	0.5						
	R5	Residential	Bedroom	W7/F04	23.4	23	0.4	1.7	98.2	0	0						
	R6	Residential	Bedroom	W8/F04	23.9	23.5	0.4	1.7	98.1	0	0.1						
	R7	Residential	LKD	W9/F04	10.5	10.2	0.3	2.9	100	0	0						
				W11/F04	26.2	25.7	0.5	1.9									
	R8	Residential	Bedroom	W10/F04	12	11.7	0.3	2.5	92.5	0	0						
F05	R1	Residential	LKD	W1/F05	30	29.6	0.4	1.3	99.8	0	0	6	0	5	0	16.7	0
				W2/F05	7.9	7.5	0.4	5.1									
	R2	Residential	Bedroom	W3/F05	12.4	12.2	0.2	1.6	93.7	0	0.2						
	R3	Residential	LKD	W4/F05	29.2	28.7	0.5	1.7	97.3	0.1	0.3	3	0	3	0	0	0
				W5/F05	7	6.9	0.1	1.4									
	R4	Residential	Bedroom	W6/F05	9.6	9.5	0.1	1	91.7	0	0.4						
	R5	Residential	Bedroom	W7/F05	10.9	10.8	0.1	0.9	97.8	0	0						
	R6	Residential	Bedroom	W8/F05	10.7	10.6	0.1	0.9	97.7	0	0.1						
	R7	Residential	LKD	W9/F05	9.4	9	0.4	4.3	100	0	0						
				W11/F05	27.8	27.3	0.5	1.8									
	R8	Residential	Bedroom	W10/F05	9.2	9	0.2	2.2	94.5	0	0						
F06	R1	Residential	LKD	W1/F06	30.8	30.4	0.4	1.3	99.8	0	0	6	0	5	0	16.7	0
				W2/F06	12.4	11.9	0.5	4									
	R2	Residential	Bedroom	W3/F06	24.1	23.9	0.2	0.8	96.6	0	0.1						
	R3	Residential	LKD	W4/F06	30.3	29.8	0.5	1.7	97.3	0.1	0.3	4	0	4	0	0	0
				W5/F06	8.8	8.7	0.1	1.1									
	R4	Residential	Bedroom	W6/F06	19.9	19.8	0.1	0.5	94.6	0	0.4						
	R5	Residential	Bedroom	W7/F06	23.7	23.3	0.4	1.7	98.4	0	0						
	R6	Residential	Bedroom	W8/F06	23.8	23.3	0.5	2.1	98	0	0.1						
	R7	Residential	LKD	W9/F06	11.5	11.1	0.4	3.5	100	0	0						
				W11/F06	29.2	28.8	0.4	1.4									
	R8	Residential	Bedroom	W10/F06	20.2	19.8	0.4	2	96.1	0	0						
THE NILE																	
B01	R1	Residential	Unknown	W1/B01	17.6	17.4	0.2	1.1	57.4	0.2	1.3						
	R2	Residential	Unknown	W2/B01	19.4	19.2	0.2	1	52.8	0	0						
	R3	Residential	Unknown	W3/B01	21	20.8	0.2	1	78.8	0	0						
				W4/B01	21.9	21.7	0.2	0.9									
	R4	Residential	Unknown	W5/B01	22.7	22.4	0.3	1.3	78.7	0	0						
	R5	Residential	Unknown	W6/B01	23	22.7	0.3	1.3	78.7	0	0						
	R6	Residential	Unknown	W7/B01	23.6	23.2	0.4	1.7	71.3	0	0.1						
F00	R1	Residential	LKD	W1/F00	30.1	8.3	21.8	72.4	98.5	0.3	1.5	56	14	15	2	73.2	85.7
				W2/F00	30.3	7.7	22.6	74.6									
				W3/F00	25.9	23.5	2.4	9.3									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W4/F00	15	14.9	0.1	0.7									
	R3**	Residential	LKD	W8/F00	23.9	23.6	0.3	1.3	80.6	0	0						
	R4	Residential	Bedroom	W9/F00	7.6	7.5	0.1	1.3	84.3	0	0.3						
	R5	Residential	Bedroom	W10/F00	20.8	20.7	0.1	0.5	96.5	0	0						
	R6	Residential	Bedroom	W11/F00	20.3	20.2	0.1	0.5	91.4	0	0.4						
	R7	Residential	Bedroom	W12/F00	8	7.9	0.1	1.3	77.3	0	0.7						
	R8	Residential	LKD	W13/F00	6	6	0	0	97.9	0	0						
				W14/F00	19.5	19.3	0.2	1									
	R9	Residential	Unknown	W15/F00	16.3	16.1	0.2	1.2	38.5	0	0.1						
	R10	Residential	Bedroom	W16/F00	10.6	10.4	0.2	1.9	34.7	0.1	3.7						
	R11	Residential	LKD	W17/F00	4.1	3.8	0.3	7.3	51	0	0.3						
				W19/F00	10.2	10	0.2	2									
	R12	Residential	Bedroom	W18/F00	1.3	1.2	0.1	7.7	31.2	0	0						
	R13	Residential	Bedroom	W20/F00	2.5	2.5	0	0	16.5	0	0						
	R14	Residential	Bedroom	W21/F00	7.9	7.9	0	0	25.3	0	0						
	R15	Residential	Bedroom	W22/F00	10.6	10.6	0	0	25.4	0	0						
F01	R1	Residential	LKD	W1/F01	30.9	8.7	22.2	71.8	98.6	0.3	1.4	60	15	19	3	68.3	80
				W2/F01	31.1	8.1	23	74									
				W3/F01	26.5	24.1	2.4	9.1									
				W4/F01	16.8	16.7	0.1	0.6									
	R3	Residential	LKD	W8/F01	24.6	24.3	0.3	1.2	90	0	0.1	12	0	10	0	16.7	0
				W9/F01	3.9	3.5	0.4	10.3									
	R4	Residential	Bedroom	W10/F01	8.2	8	0.2	2.4	84.6	0	0.3						
	R5	Residential	Bedroom	W11/F01	21.7	21.6	0.1	0.5	96.5	0	0						
	R6	Residential	Bedroom	W12/F01	21.4	21.2	0.2	0.9	92.6	0	0.4						
	R7	Residential	LKD	W13/F01	8.1	7.9	0.2	2.5	99.2	0	0						
				W15/F01	20.5	20.3	0.2	1									
	R8	Residential	Bedroom	W14/F01	8.5	8.5	0	0	77.5	0	0.7						
	R9	Residential	Unknown	W16/F01	17.3	17.1	0.2	1.2	41.7	0	0.1						
	R10	Residential	Bedroom	W17/F01	11.9	11.7	0.2	1.7	39.9	0.1	2.4						
	R11	Residential	LKD	W18/F01	4.5	4.2	0.3	6.7	54.8	0	0.1	1	0	1	0	0	0
				W20/F01	11.9	11.7	0.2	1.7									
				W21/F01	1.6	1.6	0	0									
	R12	Residential	Bedroom	W19/F01	1.6	1.5	0.1	6.3	39.2	0	0						
	R13	Residential	Bedroom	W22/F01	3.7	3.7	0	0	22.4	0	0						
	R14	Residential	Bedroom	W23/F01	8.9	8.9	0	0	31.8	0	0						
	R15	Residential	Bedroom	W24/F01	12.2	12.2	0	0	31.6	0	0						
F02	R1	Residential	LKD	W1/F02	31.8	8.4	23.4	73.6	98.6	0.3	1.4	62	16	21	3	66.1	81.2
				W2/F02	31.7	9.1	22.6	71.3									
				W3/F02	27.2	24.6	2.6	9.6									
				W4/F02	17.4	17.2	0.2	1.1									
	R3	Residential	LKD	W8/F02	25.5	25.1	0.4	1.6	96	0	0.1	12	0	12	0	0	0
				W9/F02	4.3	3.8	0.5	11.6									
	R4	Residential	Bedroom	W10/F02	8.8	8.6	0.2	2.3	85.3	0	0.4						
	R5	Residential	Bedroom	W11/F02	22.6	22.5	0.1	0.4	96.5	0	0						
	R6	Residential	Bedroom	W12/F02	22.3	22.1	0.2	0.9	94	0	0.3						
	R7	Residential	LKD	W13/F02	8.3	8.1	0.2	2.4	99.9	0	0						
				W15/F02	21.9	21.7	0.2	0.9									
	R8	Residential	Bedroom	W14/F02	9.2	9.1	0.1	1.1	78.6	0	0.6						
	R9	Residential	Unknown	W16/F02	18.7	18.5	0.2	1.1	43.9	0.1	1.3						
	R10	Residential	LKD	W17/F02	16.7	16.4	0.3	1.8	71.1	1	6	6	0	6	0	0	0
				W18/F02	2.4	2.3	0.1	4.2									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R11	Residential	Bedroom	W19/F02	1.5	1.4	0.1	6.7	38.6	0.6	17.2						
	R12	Residential	Bedroom	W20/F02	12.7	12.6	0.1	0.8	53.4	0	0						
	R13	Residential	Bedroom	W21/F02	13.6	13.4	0.2	1.5	47	0.1	1.5						
	R14	Residential	LKD	W22/F02	5.2	4.8	0.4	7.7	60.7	0	0.1	4	0	4	0	0	0
				W24/F02	13.9	13.8	0.1	0.7									
				W25/F02	1.8	1.8	0	0									
	R15	Residential	Bedroom	W23/F02	2.2	2.1	0.1	4.5	49.5	0	0						
	R16	Residential	Bedroom	W26/F02	5.1	5.1	0	0	32.4	0	0						
	R17	Residential	Bedroom	W27/F02	10	10	0	0	41.3	0	0						
	R18	Residential	Bedroom	W28/F02	14.1	14.1	0	0	43	0	0						
F03	R1	Residential	LKD	W1/F03	32.5	9.6	22.9	70.5	98.6	0.3	1.4	65	16	24	3	63.1	81.2
				W2/F03	32.6	8.9	23.7	72.7									
				W3/F03	27.9	25.2	2.7	9.7									
				W4/F03	18	17.8	0.2	1.1									
	R3	Residential	LKD	W8/F03	26.4	25.9	0.5	1.9	99.8	0	0.1	13	0	13	0	0	0
				W9/F03	4.7	4.1	0.6	12.8									
	R4	Residential	Bedroom	W10/F03	9.4	9.2	0.2	2.1	85.7	0.1	2.1						
	R5	Residential	Bedroom	W11/F03	23.1	22.9	0.2	0.9	96.5	0	0						
	R6	Residential	Bedroom	W12/F03	23.2	23	0.2	0.9	95.5	0	0.3						
	R7	Residential	LKD	W13/F03	8.6	8.3	0.3	3.5	99.9	0	0						
				W15/F03	23.6	23.4	0.2	0.8									
	R8	Residential	Bedroom	W14/F03	10	10	0	0	80.7	0	0.6						
	R9	Residential	Unknown	W16/F03	20.5	20.3	0.2	1	45.8	0.4	6						
	R10	Residential	LKD	W17/F03	18.5	18.2	0.3	1.6	72.9	0.9	5.7	7	1	6	0	14.3	100
				W18/F03	2.9	2.8	0.1	3.4									
	R11	Residential	Bedroom	W19/F03	2.1	2	0.1	4.8	48	0.4	9.3						
	R12	Residential	Bedroom	W20/F03	14.6	14.5	0.1	0.7	59.9	0	0						
	R13	Residential	Bedroom	W21/F03	15.4	15.2	0.2	1.3	57.6	0	0.9						
	R14	Residential	LKD	W22/F03	6	5.6	0.4	6.7	68.3	0	0	6	0	6	0	0	0
				W24/F03	16.4	16.2	0.2	1.2									
				W25/F03	2.1	2.1	0	0									
	R15	Residential	Bedroom	W23/F03	3.4	3.3	0.1	2.9	63.1	0	0						
	R16	Residential	Bedroom	W26/F03	6.8	6.7	0.1	1.5	51.2	0	0.1						
	R17	Residential	Bedroom	W27/F03	11.3	11.3	0	0	56.5	0	0						
	R18	Residential	Bedroom	W28/F03	16.3	16.3	0	0	62	0	0						
F04	R1	Residential	LKD	W1/F04	33.2	10	23.2	69.9	98.6	0.3	1.4	65	16	24	3	63.1	81.2
				W2/F04	33.3	9.3	24	72.1									
				W3/F04	28.5	25.8	2.7	9.5									
				W4/F04	18.6	18.4	0.2	1.1									
	R3	Residential	LKD	W8/F04	27.2	26.7	0.5	1.8	99.9	0	0.1	15	1	15	1	0	0
				W9/F04	5.1	4.4	0.7	13.7									
	R4	Residential	Bedroom	W10/F04	23.3	23	0.3	1.3	96.6	0	0						
	R5	Residential	Bedroom	W11/F04	10.1	9.8	0.3	3	86	0.2	2.5						
	R6	Residential	Bedroom	W12/F04	23.2	23	0.2	0.9	97.7	0	0.3						
	R7	Residential	LKD	W13/F04	8.8	8.5	0.3	3.4	99.9	0	0						
				W15/F04	25.4	25.2	0.2	0.8									
	R8	Residential	Bedroom	W14/F04	10.8	10.7	0.1	0.9	86.2	0	0.9						
	R9	Residential	Unknown	W16/F04	22.8	22.5	0.3	1.3	51.5	0.6	7.8						
	R10	Residential	LKD	W17/F04	20.8	20.5	0.3	1.4	76.7	0.3	2.1	7	1	7	1	0	0
				W18/F04	3.5	3.3	0.2	5.7									
	R11	Residential	Bedroom	W19/F04	4.1	4	0.1	2.4	65.8	0.4	7.5						
	R12	Residential	Bedroom	W20/F04	16	15.9	0.1	0.6	70.3	0	0						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R13	Residential	Bedroom	W21/F04	16.8	16.6	0.2	1.2	77	0.1	1.5						
	R14	Residential	LKD	W22/F04	7	6.6	0.4	5.7	76.7	0	0	6	0	6	0	0	0
				W24/F04	19.3	19.1	0.2	1									
				W25/F04	2.3	2.3	0	0									
	R15	Residential	Bedroom	W23/F04	5.8	5.6	0.2	3.4	84.4	0	0						
	R16	Residential	Bedroom	W26/F04	8.7	8.6	0.1	1.1	85.7	0	0.1						
	R17	Residential	Bedroom	W27/F04	12.7	12.7	0	0	78.4	0	0						
	R18	Residential	Bedroom	W28/F04	18.6	18.6	0	0	85.1	0	0						
F05	R1	Residential	LKD	W1/F05	33.9	10.6	23.3	68.7	98.6	0.3	1.4	65	17	24	3	63.1	82.4
				W2/F05	33.9	9.8	24.1	71.1									
				W3/F05	29.2	26.3	2.9	9.9									
				W4/F05	19.1	18.9	0.2	1									
	R3	Residential	LKD	W8/F05	28	27.4	0.6	2.1	99.9	0	0.1	16	2	15	1	6.2	50
				W9/F05	4.9	4.6	0.3	6.1									
	R4	Residential	Bedroom	W10/F05	10.3	10	0.3	2.9	85.3	0.1	2.2						
	R5	Residential	Bedroom	W11/F05	12	11.7	0.3	2.5	93.8	0	0						
	R6	Residential	Bedroom	W12/F05	16.4	16.2	0.2	1.2	96.7	0	0.3						
	R7	Residential	LKD	W13/F05	8.2	7.9	0.3	3.7	99.9	0	0						
				W15/F05	26.7	26.3	0.4	1.5									
	R8	Residential	Bedroom	W14/F05	10.9	10.8	0.1	0.9	86.8	0	0.2						
	R9	Residential	Unknown	W16/F05	25	24.7	0.3	1.2	69.6	0.6	6.5						
	R10	Residential	LKD	W17/F05	23.7	23.4	0.3	1.3	87.6	0	0	8	1	8	1	0	0
				W18/F05	3.8	3.7	0.1	2.6									
	R11	Residential	Bedroom	W19/F05	6.4	6.3	0.1	1.6	83	0.2	3.1						
	R12	Residential	Bedroom	W20/F05	7.8	7.7	0.1	1.3	94.4	0	0.1						
	R13	Residential	Bedroom	W21/F05	7.8	7.7	0.1	1.3	92	0.2	2.7						
	R14	Residential	LKD	W22/F05	7.3	6.9	0.4	5.5	99.8	0	0	7	0	7	0	0	0
				W24/F05	22.5	22.3	0.2	0.9									
				W25/F05	2.6	2.5	0.1	3.8									
	R15	Residential	Bedroom	W23/F05	7.7	7.7	0	0	87.9	0	0						
	R16	Residential	Bedroom	W26/F05	10.7	10.7	0	0	96.3	0	0						
	R17	Residential	Bedroom	W27/F05	14	14	0	0	83.5	0	0						
	R18	Residential	Bedroom	W28/F05	21.1	21.1	0	0	94.8	0	0						
F06	R1	Residential	LKD	W1/F06	34.4	11	23.4	68	98.6	0.3	1.4	62	15	21	1	66.1	93.3
				W2/F06	32	8	24	75									
				W3/F06	29.8	26.8	3	10.1									
				W4/F06	19.7	19.4	0.3	1.5									
	R3	Residential	LKD	W8/F06	28.7	28	0.7	2.4	99.9	0	0.1	18	2	17	1	5.6	50
				W9/F06	10.9	9.3	1.6	14.7									
	R4	Residential	Bedroom	W10/F06	20.1	19.8	0.3	1.5	89.7	0	0						
	R5	Residential	Bedroom	W11/F06	24.6	24.1	0.5	2	96.3	0	0.3						
	R6	Residential	Bedroom	W12/F06	25.2	24.8	0.4	1.6	97.8	0	0.1						
	R7	Residential	LKD	W13/F06	13.9	13.5	0.4	2.9	99.9	0	0						
				W15/F06	27.8	27.3	0.5	1.8									
	R8	Residential	Bedroom	W14/F06	20.6	20.3	0.3	1.5	90.9	0	0.3						
	R9	Residential	Unknown	W16/F06	26.9	26.6	0.3	1.1	84.9	0.5	4.9						
	R10	Residential	LKD	W17/F06	26.6	26.2	0.4	1.5	100	0	0	16	2	15	2	6.2	0
				W18/F06	13.5	11.4	2.1	15.6									
	R11	Residential	Bedroom	W19/F06	20.2	20.1	0.1	0.5	89.6	0	0.1						
	R12	Residential	Bedroom	W20/F06	25.9	25.6	0.3	1.2	98.5	0	0						
	R13	Residential	Bedroom	W21/F06	26.1	25.7	0.4	1.5	97.8	0	0.1						
	R14	Residential	LKD	W22/F06	19.3	18.9	0.4	2.1	100	0	0	14	1	13	1	7.1	0

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W24/F06	25.5	25.2	0.3	1.2									
				W25/F06	9.1	7.9	1.2	13.2									
	R15	Residential	Bedroom	W23/F06	23.9	23.7	0.2	0.8	93.9	0	0						
	R16	Residential	Bedroom	W26/F06	19.2	19.2	0	0	96.8	0	0						
	R17	Residential	Bedroom	W27/F06	15.3	15.3	0	0	84.3	0	0						
	R18	Residential	Bedroom	W28/F06	23.2	23.1	0.1	0.4	94.9	0	0						
F07	R1	Residential	LKD	W1/F07	34.3	11.1	23.2	67.6	99.5	0.1	0.5	61	16	22	2	63.9	87.5
				W2/F07	32.3	8.3	24	74.3									
				W3/F07	30.4	27.4	3	9.9									
				W4/F07	31	30.5	0.5	1.6									
	R3	Residential	Unknown	W8/F07	23.5	23	0.5	2.1	81	0	0						
	R4	Residential	Unknown	W9/F07	23.4	23.2	0.2	0.9	70	0	0						
	R5	Residential	Unknown	W10/F07	28.1	27.8	0.3	1.1	85.3	0.5	4.8						
	R6	Residential	Unknown	W11/F07	23	22.8	0.2	0.9	91.2	0	0						
	R7	Residential	Unknown	W12/F07	25.6	25.4	0.2	0.8	80.4	0.4	5.1						
	R8	Residential	Bedroom	W13/F07	16.8	16.7	0.1	0.6	85	0	0.1						
	R9	Residential	Bedroom	W14/F07	25.1	25	0.1	0.4	96.5	0.1	0.6						

30 CITY ROAD EAST																	
F01	R1	Residential	LKD	W1/F01	8.5	8.3	0.2	2.4	27.1	0	0						
	R2	Residential	Bedroom	W2/F01	15.2	15	0.2	1.3	32.5	0	0						
	R3	Residential	Bedroom	W3/F01	16.1	15.9	0.2	1.2	23.7	0	0						
	R4	Residential	Bedroom	W4/F01	8.1	7.8	0.3	3.7	26.7	0	0						
	R5	Residential	Bedroom	W5/F01	9.4	9.1	0.3	3.2	34.9	0	0						
F02	R1	Residential	LKD	W1/F02	10.9	10.6	0.3	2.8	36.2	0	0						
	R2	Residential	Bedroom	W2/F02	18.1	17.8	0.3	1.7	41.4	0	0						
	R3	Residential	Bedroom	W3/F02	19	18.7	0.3	1.6	32	0	0						
	R4	Residential	Bedroom	W4/F02	9.3	9	0.3	3.2	36.9	0	0.1						
	R5	Residential	Bedroom	W5/F02	10.9	10.6	0.3	2.8	47.3	0	0.1						
F03	R1	Residential	LKD	W1/F03	13.5	13.2	0.3	2.2	50.7	0	0						
	R2	Residential	Bedroom	W2/F03	21.2	20.9	0.3	1.4	57.8	0	0						
	R3	Residential	Bedroom	W3/F03	22.2	21.9	0.3	1.4	45.4	0	0						
	R4	Residential	Bedroom	W4/F03	10.4	10.1	0.3	2.9	55.8	0	0.3						
	R5	Residential	Bedroom	W5/F03	12.3	12	0.3	2.4	70.9	0	0						
F04	R1	Residential	LKD	W1/F04	15.8	15.5	0.3	1.9	69.3	0	0						
	R2	Residential	Bedroom	W2/F04	24.2	23.8	0.4	1.7	92	0	0						
	R3	Residential	Bedroom	W3/F04	25.3	25	0.3	1.2	73	0	0						
	R4	Residential	Bedroom	W4/F04	11.7	11.4	0.3	2.6	78.6	0	0						
	R5	Residential	Bedroom	W5/F04	13.9	13.6	0.3	2.2	84.6	0	0						
F05	R1	Residential	LKD	W1/F05	18.1	17.8	0.3	1.7	86.1	0	0						
	R2	Residential	Bedroom	W2/F05	27	26.6	0.4	1.5	98.6	0	0						
	R3	Residential	Bedroom	W3/F05	28.2	27.9	0.3	1.1	97.7	0	0						
	R4	Residential	Bedroom	W4/F05	13	12.7	0.3	2.3	83.8	0	0						
	R5	Residential	Bedroom	W5/F05	15.8	15.5	0.3	1.9	85.2	0	0						
F06	R1	Residential	LKD	W1/F06	20.4	19.9	0.5	2.5	89.1	0	0						
	R2	Residential	Bedroom	W2/F06	28.3	27.8	0.5	1.8	98.1	0	0						
	R3	Residential	Bedroom	W3/F06	29.3	28.9	0.4	1.4	98.2	0	0						
	R4	Residential	LKD	W4/F06	14.6	14.1	0.5	3.4	70.1	0	0						
				W5/F06	18.8	18.4	0.4	2.1									
F07	R1	Residential	LKD	W1/F07	23.5	23	0.5	2.1	89	0	0						
	R2	Residential	Bedroom	W2/F07	25.5	25	0.5	2	98.1	0	0						
	R3	Residential	Bedroom	W3/F07	26.6	26.1	0.5	1.9	98.3	0	0						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R4	Residential	LKD	W4/F07	14.9	14.2	0.7	4.7	80.3	3.2	14.8						
				W5/F07	10.5	3.6	6.9	65.7									
				W6/F07	26.1	25.4	0.7	2.7									
LUMIERE BUILDING																	
F00	R1	Residential	Unknown	W1/F00	0.3	0.3	0	0	6.5	0	0						
	R2	Residential	Unknown	W2/F00	7.4	7.4	0	0	19.5	0	0						
	R3	Residential	Unknown	W3/F00	1.7	1.7	0	0	12.7	0	0						
	R4	Residential	Unknown	W4/F00	0.3	0.3	0	0	6	0	0						
	R5	Residential	Unknown	W5/F00	4.5	4.5	0	0	10.2	0	0						
F01	R1	Residential	LKD	W1/F01	10.4	10.4	0	0	28.7	0	0						
				W2/F01	9.7	9.7	0	0									
	R2	Residential	Bedroom	W3/F01	2.1	2.1	0	0	16.7	0	0.3						
	R3	Residential	Bedroom	W4/F01	0.3	0.2	0.1	33.3	5.6	0	5.3						
	R4	Residential	LKD	W5/F01	5.8	5.8	0	0	20	0	0						
				W6/F01	6.2	6.2	0	0									
	R5	Residential	LKD	W7/F01	0	0	0	0	5.9	0	0						
				W8/F01	4.3	4.3	0	0									
	R6	Residential	Bedroom	W9/F01	4.9	4.9	0	0	10.3	0	-0.1						
	R7	Residential	Bedroom	W10/F01	4.9	4.9	0	0	10.7	0	0						
	R8	Residential	LKD	W11/F01	4.8	4.8	0	0	48.7	0	-0.2	15	6	13	5	13.3	16.7
				W12/F01	1.1	1.1	0	0									
				W13/F01	4.3	4	0.3	7									
F02	R1	Residential	LKD	W1/F02	13.6	13.5	0.1	0.7	42	0	0.1						
				W2/F02	12.8	12.7	0.1	0.8									
	R2	Residential	Bedroom	W3/F02	3.4	3.3	0.1	2.9	23	0	0.7						
	R3	Residential	Bedroom	W4/F02	0.9	0.7	0.2	22.2	10.6	0.2	13.6						
	R4	Residential	LKD	W5/F02	8	8	0	0	25.6	0	0.1						
				W6/F02	8.6	8.6	0	0									
	R5	Residential	LKD	W7/F02	0	0	0	0	8.1	0	0						
				W8/F02	6.4	6.4	0	0									
	R6	Residential	Bedroom	W9/F02	7	7	0	0	13.8	0	0						
	R7	Residential	Bedroom	W10/F02	7.1	7.1	0	0	14.3	0	0						
	R8	Residential	LKD	W11/F02	6.9	6.9	0	0	48.7	0	-0.3	17	7	14	6	17.6	14.3
				W12/F02	2.2	2.2	0	0									
				W13/F02	4.6	4.3	0.3	6.5									
F03	R1	Residential	LKD	W1/F03	17.8	17.5	0.3	1.7	70.3	0	0.1						
				W2/F03	16.7	16.4	0.3	1.8									
	R2	Residential	Bedroom	W3/F03	6.1	5.9	0.2	3.3	32.4	0	0						
	R3	Residential	Bedroom	W4/F03	2.9	2.6	0.3	10.3	19.9	0.3	10.8						
	R4	Residential	LKD	W5/F03	11.4	11.2	0.2	1.8	33	0	0.2						
				W6/F03	12.1	12.1	0	0									
	R5	Residential	LKD	W7/F03	0.9	0.9	0	0	12.9	0	0						
				W8/F03	9.6	9.6	0	0									
	R6	Residential	Bedroom	W9/F03	10.4	10.4	0	0	21.9	0	0.1						
	R7	Residential	Bedroom	W10/F03	10.4	10.4	0	0	22.5	0	0.1						
	R8	Residential	LKD	W11/F03	10.2	10.2	0	0	48.7	0	-0.3	18	7	15	7	16.7	0
				W12/F03	5.1	5.1	0	0									
				W13/F03	5	4.6	0.4	8									
F04	R1	Residential	LKD	W1/F04	22.4	22.1	0.3	1.3	89.5	0	0						
				W2/F04	21	20.7	0.3	1.4									
	R2	Residential	Bedroom	W3/F04	10.3	9.9	0.4	3.9	47.2	0	0						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R3	Residential	Bedroom	W4/F04	6.9	6.5	0.4	5.8	39.7	0.2	3.5						
	R4	Residential	LKD	W5/F04	16.1	15.8	0.3	1.9	49.4	0	0.4						
				W6/F04	17	16.8	0.2	1.2									
	R5	Residential	LKD	W7/F04	5.1	4.9	0.2	3.9	27.4	0	0.3						
				W8/F04	14.7	14.5	0.2	1.4									
	R6	Residential	Bedroom	W9/F04	15.4	15.2	0.2	1.3	34.8	0	0						
	R7	Residential	Bedroom	W10/F04	15.5	15.3	0.2	1.3	38.5	0	0						
	R8	Residential	LKD	W11/F04	15.2	15	0.2	1.3	48.7	0	0	19	7	16	7	15.8	0
				W12/F04	9.8	9.6	0.2	2									
				W13/F04	5.6	4.9	0.7	12.5									
F05	R1	Residential	LKD	W1/F05	26.4	26	0.4	1.5	99.3	0	0						
				W2/F05	25.4	25	0.4	1.6									
	R2	Residential	Bedroom	W3/F05	15.2	14.8	0.4	2.6	94.9	0	0						
	R3	Residential	Bedroom	W4/F05	11.9	11.6	0.3	2.5	89.3	0	0						
	R4	Residential	LKD	W5/F05	22.2	21.8	0.4	1.8	91.3	0	0.2						
				W6/F05	23	22.7	0.3	1.3									
	R5	Residential	LKD	W7/F05	10.8	10.6	0.2	1.9	80.9	0	0						
				W8/F05	21.1	20.7	0.4	1.9									
	R6	Residential	Bedroom	W9/F05	21.7	21.3	0.4	1.8	78.4	0	0						
	R7	Residential	Bedroom	W10/F05	21.6	21.2	0.4	1.9	80.6	0	0						
	R8	Residential	LKD	W11/F05	21.3	20.9	0.4	1.9	86.9	0	0	21	9	17	8	19	11.1
				W12/F05	15.8	15.5	0.3	1.9									
				W13/F05	6.8	5.6	1.2	17.6									
F06	R1	Residential	LKD	W1/F06	29.5	29.1	0.4	1.4	99.3	0	0						
				W2/F06	29.2	28.8	0.4	1.4									
	R2	Residential	Bedroom	W3/F06	20.1	19.6	0.5	2.5	97.3	0	0						
	R3	Residential	Bedroom	W4/F06	17.1	16.8	0.3	1.8	98.1	0	0						
	R4	Residential	LKD	W5/F06	27.2	26.8	0.4	1.5	99.2	0	0						
				W6/F06	27.9	27.5	0.4	1.4									
	R5	Residential	LKD	W7/F06	16.4	16.1	0.3	1.8	97.8	0	0						
				W8/F06	26.5	26.1	0.4	1.5									
	R6	Residential	Bedroom	W9/F06	27	26.5	0.5	1.9	96.7	0	0						
	R7	Residential	Bedroom	W10/F06	26.8	26.3	0.5	1.9	98	0	0						
	R8	Residential	LKD	W11/F06	26.4	25.9	0.5	1.9	100	0	0	26	14	20	11	23.1	21.4
				W12/F06	21.6	21.2	0.4	1.9									
				W13/F06	8.1	6.4	1.7	21									
F07	R1	Residential	LKD	W1/F07	30.3	29.9	0.4	1.3	99.3	0	0						
				W2/F07	30.1	29.7	0.4	1.3									
	R2	Residential	Bedroom	W3/F07	29.3	28.9	0.4	1.4	98.1	0	0						
	R3	Residential	Bedroom	W4/F07	26.2	25.8	0.4	1.5	99.3	0	0						
	R4	Residential	LKD	W5/F07	29.2	28.8	0.4	1.4	99.5	0	0						
				W6/F07	29	28.6	0.4	1.4									
	R5	Residential	LKD	W7/F07	24.9	24.6	0.3	1.2	98.8	0	0						
				W8/F07	28.2	27.7	0.5	1.8									
	R6	Residential	Bedroom	W9/F07	27.9	27.5	0.4	1.4	96.8	0	0						
	R7	Residential	Bedroom	W10/F07	27.6	27.1	0.5	1.8	98.1	0	0						
	R8	Residential	LKD	W11/F07	27.3	26.8	0.5	1.8	100	0	0	33	15	25	11	24.2	26.7
				W12/F07	26.5	26.1	0.4	1.5									
				W13/F07	13.5	11.1	2.4	17.8									
F08	R1	Residential	Unknown	W1/F08	33.2	26.8	6.4	19.3	100	0	0						
				W2/F08	30.4	30	0.4	1.3									
	R2	Residential	Unknown	W3/F08	30.2	29.8	0.4	1.3	100	0	0						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R3	Residential	Unknown	W4/F08	29.9	29.5	0.4	1.3	100	0	0						
	R4	Residential	Unknown	W5/F08	29.6	29.2	0.4	1.4	100	0	0						
	R5	Residential	Unknown	W6/F08	29.3	28.9	0.4	1.4	100	0	0						
	R6	Residential	Unknown	W7/F08	27.8	27.4	0.4	1.4	99.9	0	0						
	R7	Residential	Unknown	W8/F08	28.1	27.7	0.4	1.4	100	0	0						
	R8	Residential	Unknown	W9/F08	28.5	28	0.5	1.8	100	0	0						
	R9	Residential	Unknown	W10/F08	28.7	28.3	0.4	1.4	100	0	0						
	R10	Residential	Unknown	W11/F08	29	28.6	0.4	1.4	100	0	0						
F09	R1	Residential	Unknown	W1/F09	35.9	28.5	7.4	20.6	100	0	0						
				W2/F09	30.7	30.2	0.5	1.6									
	R2	Residential	Unknown	W3/F09	30.5	30	0.5	1.6	100	0	0						
	R3	Residential	Unknown	W4/F09	30.2	29.8	0.4	1.3	100	0	0						
	R4	Residential	Unknown	W5/F09	29.9	29.5	0.4	1.3	100	0	0						
	R5	Residential	Unknown	W6/F09	29.7	29.2	0.5	1.7	100	0	0						
	R6	Residential	Unknown	W7/F09	15.6	11.3	4.3	27.6	100	0	0	37	16	26	12	29.7	25
				W8/F09	28.1	27.7	0.4	1.4									
	R7	Residential	Unknown	W9/F09	28.4	28	0.4	1.4	100	0	0						
	R8	Residential	Unknown	W10/F09	28.8	28.3	0.5	1.7	100	0	0						
	R9	Residential	Unknown	W11/F09	29.1	28.6	0.5	1.7	100	0	0						
	R10	Residential	Unknown	W12/F09	29.4	29	0.4	1.4	100	0	0						
F10	R1	Residential	Unknown	W1/F10	30.2	29.8	0.4	1.3	100	0	0						
	R2	Residential	Unknown	W2/F10	29.9	29.4	0.5	1.7	100	0	0						
	R3	Residential	Unknown	W3/F10	15.9	11.5	4.4	27.7	100	0	0	37	16	27	12	27	25
				W4/F10	28.3	27.8	0.5	1.8									
	R4	Residential	Unknown	W5/F10	28.7	28.2	0.5	1.7	100	0	0						
	R5	Residential	Unknown	W6/F10	29	28.6	0.4	1.4	100	0	0						
	R6	Residential	Unknown	W7/F10	29.3	28.9	0.4	1.4	100	0	0						
	R7	Residential	Unknown	W8/F10	29.6	29.2	0.4	1.4	100	0	0						
	R8	Residential	Unknown	W9/F10	35.3	28.6	6.7	19	99.4	0.1	0.6	65	20	48	13	26.2	35
				W10/F10	30.4	30	0.4	1.3									
				W11/F10	36.4	29.8	6.6	18.1									
14 ALBION STREET																	
F01	R1	Residential	Unknown	W1/F01	7.1	7.1	0	0	63.3	0	0						
	R2	Residential	Unknown	W2/F01	3.9	3.8	0.1	2.6	36.9	0.1	2						
				W2/F02	3.9	3.8	0.1	2.6									
	R3	Residential	Unknown	W3/F01	1.3	1.3	0	0	10.5	0	0						
				W4/F01	0.8	0.8	0	0									
	R4	Residential	Unknown	W5/F01	4.7	4.3	0.4	8.5	37.8	0	0.9						
F02	R1	Residential	Unknown	W1/F02	14.8	14.6	0.2	1.4	62.2	0	0						
F03	R1	Residential	Unknown	W1/F03	4.5	4.1	0.4	8.9	16.2	0.6	41.8						
THE ROPEWORKS																	
F01	R1	Residential	LKD	W1/F01	6.2	5.1	1.1	17.7	57.9	2.4	13.8	24	6	21	3	12.5	50
				W2/F01	9.6	8.7	0.9	9.4									
				W3/F01	15.1	13.2	1.9	12.6									
	R2	Residential	Bedroom	W4/F01	16.2	13.6	2.6	16	86	0.5	4.9						
				W5/F01	8.2	8.1	0.1	1.2									
F02	R1	Residential	LKD	W1/F02	7.5	6.4	1.1	14.7	76	4.7	19.3	26	6	23	3	11.5	50
				W2/F02	10.8	9.7	1.1	10.2									
				W3/F02	17.5	14.7	2.8	16									
	R2	Residential	Bedroom	W4/F02	18.4	14.9	3.5	19	97.3	0.1	1.3						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W5/F02	25.8	25.7	0.1	0.4									
F03	R1	Residential	LKD	W1/F03	9.2	8.1	1.1	12	77.8	4.3	17.6	28	6	25	3	10.7	50
				W2/F03	12.1	11.1	1	8.3									
				W3/F03	18	15.1	2.9	16.1									
	R2	Residential	Bedroom	W4/F03	18.9	15.4	3.5	18.5	97.7	0.1	1.2						
				W5/F03	29.1	28.7	0.4	1.4									
F04	R1	Residential	LKD	W1/F04	10.9	10	0.9	8.3	78.1	4.1	16.8	26	6	23	3	11.5	50
				W2/F04	13.5	12.5	1	7.4									
				W3/F04	17.5	14.6	2.9	16.6									
	R2	Residential	Bedroom	W4/F04	17.3	13.7	3.6	20.8	95.4	0.1	1						
				W5/F04	28.8	28.2	0.6	2.1									
21 LITTLE PETER STREET																	
F01	R1	Residential	Unknown	W1/F01	12.4	10.9	1.5	12.1	97.9	0	0	46	4	45	3	2.2	25
				W12/F01	20.2	19	1.2	5.9									
	R2	Residential	Unknown	W2/F01	11.7	10	1.7	14.5	55.6	0.2	1.3						
				W3/F01	11.7	10.1	1.6	13.7									
	R3	Residential	Unknown	W4/F01	14.8	13.1	1.7	11.5	95	0.1	0.3						
				W5/F01	16.6	14.9	1.7	10.2									
	R4	Residential	Unknown	W6/F01	17.5	15.8	1.7	9.7	98.7	0.2	0.9						
				W7/F01	18.4	16.7	1.7	9.2									
	R5	Residential	Unknown	W8/F01	22.9	21	1.9	8.3	71.9	0.2	1.6						
	R6	Residential	Unknown	W9/F01	23.6	21.7	1.9	8.1	69.1	1	7.7						
	R7	Residential	Unknown	W10/F01	23.9	22.1	1.8	7.5	95.9	0	0.3						
				W11/F01	24	22.2	1.8	7.5									
F02	R1	Residential	Unknown	W1/F02	14.3	12.6	1.7	11.9	90.5	0	0.2	48	5	46	3	4.2	40
				W16/F02	21.1	19.7	1.4	6.6									
	R2	Residential	Unknown	W2/F02	13.6	11.7	1.9	14	46.4	0.5	4.3						
				W3/F02	13.7	11.8	1.9	13.9									
	R3	Residential	Unknown	W4/F02	16.5	14.7	1.8	10.9	90.8	0.1	0.6						
				W5/F02	18.5	16.7	1.8	9.7									
	R4	Residential	Unknown	W6/F02	20.5	18.6	1.9	9.3	98.1	0	0						
				W7/F02	21.9	19.9	2	9.1									
	R5	Residential	Unknown	W8/F02	22.6	20.5	2.1	9.3	86.9	0.8	4.6						
				W9/F02	23.4	21.2	2.2	9.4									
				W10/F02	23.8	21.8	2	8.4									
	R6	Residential	Unknown	W11/F02	24.5	22.4	2.1	8.6	37.3	0.3	4.7						
	R7	Residential	Unknown	W12/F02	25.3	23.3	2	7.9	91	0.1	0.5						
				W13/F02	25.3	23.3	2	7.9									
				W14/F02	25.4	23.3	2.1	8.3									
				W15/F02	25.5	23.4	2.1	8.2									
F03	R1	Residential	Unknown	W1/F03	16.8	15	1.8	10.7	95.8	0.1	0.4	54	10	52	8	3.7	20
				W11/F03	23.2	21.7	1.5	6.5									
	R2	Residential	Unknown	W2/F03	18.5	16.5	2	10.8	94.3	0	0						
	R3	Residential	Unknown	W3/F03	21	19	2	9.5	97.4	0	0						
	R4	Residential	Unknown	W4/F03	24.3	22	2.3	9.5	97.6	0	0						
	R5	Residential	Unknown	W5/F03	25.4	23.1	2.3	9.1	73.3	0.1	0.9						
				W6/F03	25.2	22.9	2.3	9.1									
	R6	Residential	Unknown	W7/F03	25.9	23.7	2.2	8.5	88.8	0	0						
				W8/F03	25.8	23.6	2.2	8.5									
	R7	Residential	Unknown	W9/F03	26.6	24.3	2.3	8.6	95.1	0	0.2						
				W10/F03	26.6	24.4	2.2	8.3									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
F04	R1	Residential	Unknown	W1/F04	26.7	24.1	2.6	9.7	57	0.1	0.5						
				W2/F04	23.6	21.1	2.5	10.6									
				W3/F04	25.7	23.1	2.6	10.1									
				W4/F04	27.5	24.9	2.6	9.5									
8-16 BRIDGEWATER ST																	
F00	R1	Residential	Living Room	W1/F00	8	8	0	0	78.5	0	0	46	6	46	6	0	0
				W2/F00	6.8	6.8	0	0									
				W3/F00	0	0	0	0									
				W4/F00	17.9	17.4	0.5	2.8									
F01	R1	Residential	Living Room	W1/F01	24.2	24.2	0	0	88	1.1	4.1	58	9	58	9	0	0
				W2/F01	19	18.5	0.5	2.6									
	R2	Residential	Bedroom	W3/F01	19	18.4	0.6	3.2	88	0	0						
F02	R1	Residential	Living Room	W1/F02	28	27.6	0.4	1.4	93.8	0.7	2.7	66	13	66	13	0	0
				W2/F02	20.3	19.6	0.7	3.4									
	R2	Residential	Bedroom	W3/F02	20.1	19.4	0.7	3.5	85.8	0	0						
F03	R1	Residential	Living Room	W1/F03	24.8	24.3	0.5	2	86.7	0	0.3	51	16	51	16	0	0
	R2	Residential	Kitchen***	W2/F03	19.5	18.7	0.8	4.1	84.1	0	0						
	R3	Residential	Bedroom	W3/F03	19.9	19.1	0.8	4	97.5	0	0						
20 SOUTHERN ST																	
F00	R1	Residential	Unknown	W3/F00	16.9	16.5	0.4	2.4	72.8	0	0.2	29	9	29	9	0	0
	R2	Residential	Unknown	W1/F00	17.3	16.8	0.5	2.9	91.2	0	0	33	10	33	10	0	0
				W2/F00	17.6	17.1	0.5	2.8									
F01	R1	Residential	Unknown	W1/F01	18.9	18.2	0.7	3.7	81.3	0	0.1	33	10	33	10	0	0
	R2	Residential	Unknown	W2/F01	18.4	17.8	0.6	3.3	88.5	0	0.1	30	10	30	10	0	0
F02	R1**	Residential	Unknown	W1/F02	20.2	19.4	0.8	4	60.4	0.1	0.3	34	10	34	10	0	0
	R2**	Residential	Unknown	W2/F02	19.8	19	0.8	4	62.7	0.1	0.7	30	10	30	10	0	0
F03	R1	Residential	Unknown	W1/F03*	79.6	79.1	0.5	0.6	99.2	0	0	75	19	74	18	1.3	5.3
				W2/F03*	83.4	82.6	0.8	1									
	R2	Residential	Unknown	W3/F03	18.2	17.4	0.8	4.4	76	0	0.1	25	9	25	9	0	0
	R3	Residential	Unknown	W4/F03	18	17.2	0.8	4.4	74.8	0	0.2	24	9	24	9	0	0
18-12 SOUTHERN ST																	
F01	R1**	Residential	Living Room	W1/F01	17.9	17.2	0.7	3.9	48.8	0.4	2.3	30	8	30	8	0	0
				W2/F01	17.3	16.8	0.5	2.9									
	R2	Residential	Unknown	W4/F01	16.8	16.4	0.4	2.4	72.2	0	0						
	R3	Residential	Unknown	W3/F01	14.5	14.4	0.1	0.7	41.5	0	0.1	24	6	24	6	0	0
F02	R1	Residential	Bedroom	W1/F02	19.6	18.9	0.7	3.6	57.1	1.3	7.4						
				W4/F02	13.5	13.5	0	0									
	R2	Residential	Unknown	W2/F02	19.4	18.7	0.7	3.6	63.4	0.6	12.3						
				W5/F02	19.1	18.4	0.7	3.7									
	R3	Residential	Unknown	W3/F02	18.2	17.6	0.6	3.3	39.6	0.1	1.8	29	7	29	7	0	0
8-10 SOUTHERN ST																	
F01	R1	Residential	Bedroom	W1/F01	11.1	11.1	0	0	22.7	0.1	1.6						
	R2**	Residential	Bedroom	W2/F01	13.2	13.1	0.1	0.8	44	0	0.1						
F02	R1	Residential	Bedroom	W1/F02	14.7	14.4	0.3	2	44.6	0.1	1.2						
	R2	Residential	Bedroom	W2/F02	17.2	16.7	0.5	2.9	65.8	0	0.2						
F03	R1	Residential	LKD	W1/F03	18.4	17.9	0.5	2.7	98.7	0	0	79	20	77	19	2.5	5
				W4/F03	10	10	0	0									
				W7/F03*	91	90.3	0.7	0.8									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W8/F03	33	32.5	0.5	1.5									
	R2	Residential	LKD	W2/F03	19	18.4	0.6	3.2	95.2	0.2	0.5	75	15	74	15	1.3	0
				W3/F03	3.4	3.4	0	0									
				W5/F03	29.6	29.5	0.1	0.3									
				W6/F03*	89.8	89.3	0.5	0.6									
357-361 DEANSGATE																	
F01	R1	Residential	Unknown	W1/F01	6.6	6.5	0.1	1.5	25.1	0.1	3.3						
	R2	Residential	Unknown	W2/F01	5.1	4.7	0.4	7.8	3.3	0	0						
	R3	Residential	Unknown	W3/F01	0.2	0.1	0.1	50	0.5	0.1	55.5						
	R4	Residential	Unknown	W4/F01	7	7	0	0	91.8	0	0	6	0	6	0	0	0
				W5/F01	1.4	1.4	0	0									
	R5	Residential	Unknown	W6/F01	26	24.5	1.5	5.8	83.4	0.1	0.5						
	R6	Residential	Unknown	W7/F01	26.1	24.7	1.4	5.4	53	0.3	3.8						
	R7	Residential	Unknown	W8/F01	26.6	25.2	1.4	5.3	91.7	0	0.2						
	R8	Residential	Unknown	W9/F01	26.8	25.4	1.4	5.2	56.7	0.3	4.7						
	R9	Residential	Unknown	W10/F01	27.4	26	1.4	5.1	82	0	0.1						
				W11/F01	24.5	24.4	0.1	0.4									
F02	R1	Residential	Unknown	W1/F02	8.7	8	0.7	8	7.8	0	0						
	R2	Residential	Unknown	W2/F02	13.7	12	1.7	12.4	38.6	0.2	3.3						
	R3	Residential	Unknown	W3/F02	0.2	0.2	0	0	0.5	0.1	55.6						
	R4	Residential	Unknown	W4/F02	9.1	9.1	0	0	94.2	0	0	8	0	8	0	0	0
				W5/F02	1.7	1.7	0	0									
	R5	Residential	Unknown	W6/F02	27.8	25.4	2.4	8.6	73.5	0.1	0.7						
	R6	Residential	Unknown	W7/F02	27.8	25.4	2.4	8.6	84.1	0	0.1						
	R7	Residential	Unknown	W8/F02	27.7	26	1.7	6.1	93.7	0.1	0.5						
	R8	Residential	Unknown	W9/F02	27.8	26.2	1.6	5.8	60.9	0.2	3.1						
	R9	Residential	Unknown	W10/F02	28.3	26.8	1.5	5.3	96.4	0	0.2						
	R10	Residential	Unknown	W11/F02	28.5	26.9	1.6	5.6	63	0.4	4.7						
	R11	Residential	Unknown	W12/F02	29.2	27.7	1.5	5.1	82.8	0	0						
				W13/F02	26.9	26.8	0.1	0.4									
F03	R1	Residential	Unknown	W1/F03	16.8	15.8	1	6	30.3	0	0						
	R2	Residential	Unknown	W2/F03	21.1	19.3	1.8	8.5	52.6	0.2	2.9						
	R3	Residential	Unknown	W3/F03	4.8	4.3	0.5	10.4	24.2	0.1	2.4						
	R4	Residential	Unknown	W4/F03	13	12.9	0.1	0.8	97	0	0.4	9	0	9	0	0	0
				W5/F03	2.6	2.6	0	0									
	R5	Residential	Unknown	W6/F03	29.2	26.5	2.7	9.2	90.5	0.1	0.5						
	R6	Residential	Unknown	W7/F03	29.2	26.5	2.7	9.2	95.3	0	0.1						
	R7	Residential	Unknown	W8/F03	28.9	27.1	1.8	6.2	94.4	0.1	0.4						
	R8	Residential	Unknown	W9/F03	29	27.2	1.8	6.2	62.6	0.2	2.8						
	R9	Residential	Unknown	W10/F03	29.5	27.8	1.7	5.8	96.9	0	0.2						
	R10	Residential	Unknown	W11/F03	29.7	28	1.7	5.7	64.4	0.3	4						
	R11	Residential	Unknown	W12/F03	30.3	28.6	1.7	5.6	84.5	0	0						
				W13/F03	29	28.8	0.2	0.7									
F04	R1	Residential	Unknown	W1/F04	28.4	26.6	1.8	6.3	80.8	0	0						
	R2	Residential	Unknown	W2/F04	30.2	28.4	1.8	6	81.4	0.2	1.4						
	R3	Residential	Unknown	W3/F04	27.5	25.7	1.8	6.5	84.6	0	0.1						
	R4	Residential	Unknown	W4/F04	20	18.2	1.8	9	84.2	0	0.1						
	R5	Residential	Unknown	W5/F04	23	21.6	1.4	6.1	100	0	0	27	0	27	0	0	0
				W6/F04	16.1	14.8	1.3	8.1									
DEANSGATE QUAY																	

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
B01	R1	Residential	Unknown	W1/B01	12.1	11.9	0.2	1.7	96.9	2.1	0.7						
				W2/B01	11.5	11.3	0.2	1.7									
				W3/B01	11.5	11.1	0.4	3.5									
				W4/B01	12	11.6	0.4	3.3									
				W5/B01	20.2	18.3	1.9	9.4									
				W5/F00	15.5	14.8	0.7	4.5									
				W6/B01	14.7	14.7	0	0									
				W7/B01	16.2	16.2	0	0									
				W8/B01	27.2	27.2	0	0									
F00	R1	Residential	LKD	W1/F00	7	6.6	0.4	5.7	44.1	1.4	12.7	17	2	17	2	0	0
	R2**	Residential	LKD	W2/F00	8.1	7.7	0.4	4.9	83	1.1	4.6	16	2	16	2	0	0
	R3	Residential	Bedroom	W3/F00	9.7	9	0.7	7.2	89.2	0	0.1						
	R4	Residential	Bedroom	W4/F00	18.7	18	0.7	3.7	88.4	0	0.2						
	R5	Residential	Lobby	W5/B01 (dup)	20.2	18.3	1.9	9.4	92.6	1.1	3.9						
				W5/F00 (dup)	15.5	14.8	0.7	4.5									
				W6/F00	5.7	3.8	1.9	33.3									
	R7	Residential	LKD	W10/F00	23.6	22	1.6	6.8	97.8	0.2	0.8						
				W11/F00	23.9	22.4	1.5	6.3									
				W12/F00	28.8	28.8	0	0									
F01	R1	Residential	LKD	W1/F01	2.3	1.6	0.7	30.4	83.5	0.7	3	30	3	29	2	3.3	33.3
				W2/F01	19.8	19.2	0.6	3									
	R2	Residential	LKD	W3/F01	21.1	20.2	0.9	4.3	90.4	0.1	0.2	29	2	29	2	0	0
				W4/F01	7.4	6.5	0.9	12.2									
	R3	Residential	Bedroom	W5/F01	13	12.5	0.5	3.8	97.9	0	0						
	R4	Residential	Bedroom	W6/F01	21.3	20.6	0.7	3.3	95.6	0	0						
	R5	Residential	Bedroom	W7/F01	21.5	20.6	0.9	4.2	92	0.1	0.6						
	R6	Residential	LKD	W8/F01	20	19.3	0.7	3.5	92.5	0.7	3.1	33	2	33	2	0	0
				W9/F01	23.6	21.4	2.2	9.3									
				W10/F01	22.2	20	2.2	9.9									
	R7	Residential	Unknown	W11/F01	6	4	2	33.3	58.4	2.1	36						
	R9	Residential	LKD	W13/F01	25.8	24	1.8	7	98.8	0.2	0.9						
				W14/F01	26.2	24.4	1.8	6.9									
				W15/F01	30.8	30.8	0	0									
F02	R1	Residential	LKD	W1/F02	2.5	1.8	0.7	28	85.6	0.4	1.7	35	4	34	3	2.9	25
				W2/F02	21.5	20.8	0.7	3.3									
	R2	Residential	LKD	W3/F02	22.9	21.9	1	4.4	90.4	0.1	0.2	35	4	34	3	2.9	25
				W4/F02	8.8	7.6	1.2	13.6									
	R3	Residential	Bedroom	W5/F02	15	14.4	0.6	4	98	0	0						
	R4	Residential	Bedroom	W6/F02	23.5	22.7	0.8	3.4	98.4	0	0						
	R5	Residential	Bedroom	W7/F02	24.2	23.2	1	4.1	94.3	0	0.4						
	R6	Residential	LKD	W8/F02	23.8	22.9	0.9	3.8	95.9	0.1	0.4	38	5	37	4	2.6	20
				W9/F02	26.2	23.8	2.4	9.2									
				W10/F02	24.3	21.9	2.4	9.9									
	R7	Residential	Unknown	W11/F02	6.4	4.1	2.3	35.9	64.7	1.9	31.3						
	R9	Residential	LKD	W13/F02	28	25.9	2.1	7.5	98.9	0.3	1.1						
				W14/F02	28.4	26.4	2	7									
				W15/F02	32.6	32.6	0	0									
F03	R1	Residential	LKD	W1/F03	2.7	2	0.7	25.9	87.8	0.2	0.9	39	5	38	4	2.6	20
				W2/F03	23.3	22.5	0.8	3.4									
	R2	Residential	LKD	W3/F03	24.7	23.6	1.1	4.5	90.5	0.1	0.3	40	6	39	5	2.5	16.7
				W4/F03	9.9	8.5	1.4	14.1									
	R3	Residential	Bedroom	W5/F03	16.8	15.8	1	6	98	0	0						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R4	Residential	Bedroom	W6/F03	25.4	24.2	1.2	4.7	98.5	0	0						
	R5	Residential	Bedroom	W7/F03	26.1	24.8	1.3	5	96.2	0	0.3						
	R6	Residential	LKD	W8/F03	26.5	25.4	1.1	4.2	96.1	0.1	0.4	41	5	39	4	4.9	20
				W9/F03	28.6	26	2.6	9.1									
				W10/F03	26.2	23.5	2.7	10.3									
	R7	Residential	Unknown	W11/F03	6.7	4.3	2.4	35.8	65.2	1.9	30.9						
	R10	Residential	LKD	W15/F03	29.8	27.6	2.2	7.4	98.9	0.3	1.1						
				W16/F03	30.2	28	2.2	7.3									
				W17/F03	33.7	33.7	0	0									
F04	R1	Residential	LKD	W1/F04	8.1	7.2	0.9	11.1	82.5	1.6	6.6	44	7	41	5	6.8	28.6
				W2/F04	24.7	23.8	0.9	3.6									
	R2	Residential	LKD	W3/F04	25.9	24.7	1.2	4.6	89.9	0.2	0.8	43	7	40	5	7	28.6
				W4/F04	15.1	12.9	2.2	14.6									
	R3	Residential	Bedroom	W5/F04	25.4	24.4	1	3.9	98	0	0						
	R4	Residential	Bedroom	W6/F04	26.1	24.6	1.5	5.7	98.5	0	0						
	R5	Residential	Bedroom	W7/F04	26.7	25.1	1.6	6	96.5	0	0.3						
	R6	Residential	LKD	W8/F04	27.7	26	1.7	6.1	95.8	0.1	0.4	44	7	42	6	4.5	14.3
				W9/F04	29.7	26.8	2.9	9.8									
				W10/F04	27.1	24.3	2.8	10.3									
	R7	Residential	Unknown	W11/F04	7.6	5.1	2.5	32.9	65.5	1.9	30.8						
	R9	Residential	LKD	W13/F04	30.4	28	2.4	7.9	98.9	0.3	1.1						
				W14/F04	30.5	28.2	2.3	7.5									
				W15/F04	33.6	33.5	0.1	0.3									
F05	R1**	Residential	Unknown	W1/F05	20.9	19.6	1.3	6.2	99.6	0	0.1	38	7	34	5	10.5	28.6
	R2	Residential	Unknown	W2/F05	21.3	19.9	1.4	6.6	99.7	0	0.1	41	7	39	6	4.9	14.3
				W3/F05	22.8	21.3	1.5	6.6									
				W4/F05	19.5	16.7	2.8	14.4									
	R3	Residential	Unknown	W5/F05	9.5	7	2.5	26.3	82.9	0.6	10.5						
	R5	Residential	LKD	W7/F05	27.4	25.1	2.3	8.4	98.8	0.3	1.2						
				W8/F05	23.7	21.3	2.4	10.1									
				W9/F05	29.5	29.5	0	0									

ROPEWORKS APARTMENTS BLOCK 1																	
F00	R2**	Residential	Bedroom	W3/F00	10.1	10.1	0	0	24.7	0	0						
	R3**	Residential	Bedroom	W4/F00	9.6	9.6	0	0	21.4	0	0						
	R4**	Residential	LKD	W5/F00	0.4	0.4	0	0	5.4	0	0						
				W6/F00	2	2	0	0									
	R5**	Residential	Bedroom	W7/F00	9	9	0	0	23.7	0	0						
	R6	Residential	LKD	W8/F00	3	3	0	0	17.8	0	0						
				W9/F00	1.1	1.1	0	0									
	R7**	Residential	Bedroom	W10/F00	9.3	9.3	0	0	22.8	0	0						
	R8**	Residential	Bedroom	W11/F00	9.5	9.5	0	0	21.9	0	0						
	R9	Residential	LKD	W12/F00	5.2	5.2	0	0	28.7	0.6	7.9						
				W13/F00	1.8	1.8	0	0									
	R10**	Residential	Bedroom	W14/F00	10.3	10.3	0	0	31.8	0	0						
	R11	Residential	LKD	W15/F00	10.8	10.8	0	0	41.4	0	0	18	0	18	0	0	0
				W16/F00	16.1	16	0.1	0.6									
F01	R2	Residential	Bedroom	W3/F01	7.6	7.6	0	0	53.1	0	0						
	R3	Residential	LKD	W4/F01	8.2	8.2	0	0	26.3	0	0						
	R4	Residential	Bedroom	W5/F01	11	11	0	0	51.6	0	0						
				W6/F01	10.9	10.9	0	0									
				W7/F01	11.4	11.4	0	0									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W8/F01	11.2	11.2	0	0									
	R5	Residential	Bedroom	W9/F01	10.4	10.4	0	0	41.2	0	0						
	R6**	Residential	LKD	W10/F01	0.1	0.1	0	0	4.9	0	0						
	R7**	Residential	Bedroom	W11/F01	9.6	9.6	0	0	24.8	0	0						
	R8	Residential	LKD	W12/F01	1.2	1.2	0	0	18.1	0	0						
	R9**	Residential	Bedroom	W13/F01	10.2	10.2	0	0	24.3	0	0						
	R10**	Residential	Bedroom	W14/F01	10.3	10.3	0	0	23.5	0	0						
	R11	Residential	LKD	W15/F01	1.6	1.5	0.1	6.3	25	4.3	43						
	R12**	Residential	Bedroom	W16/F01	11.3	11.2	0.1	0.9	41.9	3.2	27.5						
	R13	Residential	LKD	W17/F01	11.9	11.7	0.2	1.7	86.7	0.7	3.1	25	0	25	0	0	0
				W18/F01	12.1	11.9	0.2	1.7									
				W19/F01	12.2	12	0.2	1.6									
				W20/F01	12.4	12.3	0.1	0.8									
				W21/F01	18.1	18	0.1	0.6									
				W22/F01	18.8	18.7	0.1	0.5									
				W23/F01	19.1	19	0.1	0.5									
				W24/F01	20	19.8	0.2	1									
				W25/F01	13.8	13.8	0	0									
F02	R2	Residential	Bedroom	W3/F02	8.2	8.2	0	0	55.2	0	0						
	R3	Residential	LKD	W4/F02	8.8	8.8	0	0	27.4	0	0						
	R4	Residential	Bedroom	W5/F02	11.7	11.7	0	0	52.1	0	0						
				W6/F02	11.6	11.6	0	0									
				W7/F02	12	12	0	0									
				W8/F02	11.8	11.8	0	0									
	R5	Residential	Bedroom	W9/F02	10.9	10.9	0	0	44.2	0	0						
	R6**	Residential	LKD	W10/F02	0.4	0.4	0	0	4	0	0						
				W11/F02	0	0	0	0									
				W12/F02	1	1	0	0									
				W13/F02	1.6	1.6	0	0									
				W14/F02	0	0	0	0									
	R7**	Residential	Bedroom	W15/F02	10	10	0	0	24.6	0	0						
	R8	Residential	LKD	W16/F02	2	2	0	0	17.2	0	0						
				W17/F02	1.6	1.6	0	0									
				W18/F02	1.2	1.2	0	0									
				W19/F02	0.3	0.3	0	0									
				W20/F02	0.8	0.8	0	0									
	R9**	Residential	Bedroom	W21/F02	10.5	10.5	0	0	24.2	0	0						
	R10**	Residential	Bedroom	W22/F02	10.7	10.7	0	0	23.6	0	0						
	R11	Residential	LKD	W23/F02	3.2	3.2	0	0	24.8	3.9	40.9						
				W24/F02	2.7	2.6	0.1	3.7									
				W25/F02	0.4	0.4	0	0									
				W26/F02	1.6	1.5	0.1	6.3									
				W27/F02	0.1	0.1	0	0									
	R12**	Residential	Bedroom	W28/F02	11.7	11.6	0.1	0.9	42.9	3.4	27.9						
	R13	Residential	LKD	W29/F02	12.3	12.2	0.1	0.8	90.5	0.5	2.5	28	0	28	0	0	0
				W30/F02	12.4	12.3	0.1	0.8									
				W31/F02	12.6	12.5	0.1	0.8									
				W32/F02	12.8	12.7	0.1	0.8									
				W33/F02	21	20.9	0.1	0.5									
				W34/F02	21.7	21.5	0.2	0.9									
				W35/F02	22.5	22.4	0.1	0.4									
				W36/F02	23.2	23	0.2	0.9									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W37/F02	17.5	17.5	0	0									
F03	R1	Residential	LKD	W1/F03	15.1	14.6	0.5	3.3	91.4	0	0						
				W2/F03	14.6	14.3	0.3	2.1									
	R2**	Residential	Bedroom	W3/F03	14.2	14.1	0.1	0.7	43.8	0	0						
	R3	Residential	Bedroom	W4/F03	8.8	8.8	0	0	55.8	0	0						
	R4	Residential	LKD	W5/F03	9.4	9.4	0	0	28.3	0	0						
	R5	Residential	Bedroom	W6/F03	12.3	12.3	0	0	51.8	0	0						
				W7/F03	12.2	12.2	0	0									
				W8/F03	12.6	12.6	0	0									
				W9/F03	12.4	12.4	0	0									
	R6	Residential	Bedroom	W10/F03	11.3	11.3	0	0	46.1	0	0						
	R7**	Residential	LKD	W11/F03	0.5	0.5	0	0	4.2	0	0						
				W12/F03	0	0	0	0									
				W13/F03	1.1	1.1	0	0									
				W14/F03	1.8	1.8	0	0									
				W15/F03	0	0	0	0									
	R8**	Residential	Bedroom	W16/F03	10.3	10.3	0	0	24.7	0	0						
	R9	Residential	LKD	W17/F03	2.1	2.1	0	0	16.7	0	0						
				W18/F03	1.7	1.7	0	0									
				W19/F03	1.3	1.3	0	0									
				W20/F03	0.4	0.4	0	0									
				W21/F03	0.9	0.9	0	0									
	R10**	Residential	Bedroom	W22/F03	10.8	10.8	0	0	24.4	0	0						
	R11**	Residential	Bedroom	W23/F03	10.9	10.9	0	0	23.7	0	0						
	R12	Residential	LKD	W24/F03	3.4	3.4	0	0	25.2	3.9	40.6						
				W25/F03	2.9	2.8	0.1	3.4									
				W26/F03	1.8	1.7	0.1	5.6									
				W27/F03	0.5	0.5	0	0									
				W28/F03	0.1	0.1	0	0									
	R13**	Residential	Bedroom	W29/F03	12	11.9	0.1	0.8	43.6	3.5	28.4						
	R14	Residential	LKD	W30/F03	12.7	12.5	0.2	1.6	94	0.1	0.4	35	0	34	0	2.9	0
				W31/F03	12.8	12.6	0.2	1.6									
				W32/F03	13	12.9	0.1	0.8									
				W33/F03	13.1	13	0.1	0.8									
				W34/F03	24.8	24.6	0.2	0.8									
				W35/F03	25.3	25	0.3	1.2									
				W36/F03	26.4	26	0.4	1.5									
				W37/F03	26.8	26.4	0.4	1.5									
				W38/F03	22.2	22.1	0.1	0.5									
F04	R1	Residential	LKD	W1/F04	15.9	15.4	0.5	3.1	92.7	0	0						
				W2/F04	15.4	15.1	0.3	1.9									
	R2**	Residential	Bedroom	W3/F04	14.9	14.8	0.1	0.7	44.5	0	0.1						
	R3	Residential	Bedroom	W4/F04	9.3	9.3	0	0	56.2	0	0						
	R4	Residential	LKD	W5/F04	9.9	9.9	0	0	28.4	0	0						
	R5	Residential	Bedroom	W6/F04	12.6	12.6	0	0	51.7	0	0						
				W7/F04	12.5	12.5	0	0									
				W9/F04	12.6	12.6	0	0									
				W10/F04	12.3	12.3	0	0									
	R6	Residential	Bedroom	W8/F04	11.4	11.4	0	0	46.5	0	0						
	R7**	Residential	LKD	W11/F04	0.5	0.5	0	0	4.4	0	0						
				W12/F04	0	0	0	0									
				W13/F04	1.2	1.2	0	0									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W14/F04	1.9	1.9	0	0									
				W15/F04	0	0	0	0									
	R8**	Residential	Bedroom	W16/F04	10.5	10.5	0	0	24.7	0	0						
	R9	Residential	LKD	W17/F04	2.2	2.2	0	0	16.5	0	0						
				W18/F04	1.7	1.7	0	0									
				W19/F04	1.3	1.3	0	0									
				W20/F04	0.4	0.4	0	0									
				W21/F04	1	1	0	0									
	R10**	Residential	Bedroom	W22/F04	10.8	10.8	0	0	24.4	0	0						
	R11**	Residential	Bedroom	W23/F04	11	11	0	0	23.7	0	0						
	R12	Residential	LKD	W24/F04	3.6	3.6	0	0	25.4	3.9	40.4						
				W25/F04	3	2.9	0.1	3.3									
				W26/F04	1.8	1.8	0	0									
				W27/F04	0.5	0.5	0	0									
				W28/F04	0.2	0.2	0	0									
	R13**	Residential	Bedroom	W29/F04	11.9	11.8	0.1	0.8	44	3.7	29.4						
	R14	Residential	LKD	W30/F04	12.8	12.7	0.1	0.8	94.3	0.1	0.3	39	2	38	1	2.6	50
				W31/F04	12.7	12.6	0.1	0.8									
				W32/F04	13.2	13	0.2	1.5									
				W33/F04	13.1	13	0.1	0.8									
				W34/F04	28.4	28	0.4	1.4									
				W35/F04	28.7	28.1	0.6	2.1									
				W36/F04	29.5	28.9	0.6	2									
				W37/F04	29.7	29.1	0.6	2									
				W38/F04	27.3	26.9	0.4	1.5									
F05	R1	Residential	LKD	W1/F05	16.4	15.9	0.5	3	93.6	0	0						
				W2/F05	15.8	15.5	0.3	1.9									
	R2**	Residential	Bedroom	W3/F05	15.3	15.2	0.1	0.7	44.8	0	0.2						
	R3	Residential	Bedroom	W4/F05	9.6	9.6	0	0	56.7	0	0						
	R4	Residential	LKD	W5/F05	10.4	10.4	0	0	28.5	0	0						
	R5	Residential	Bedroom	W6/F05	12.1	12.1	0	0	51.6	0	0						
				W7/F05	11.8	11.8	0	0									
				W9/F05	11.2	11.2	0	0									
				W10/F05	10.4	10.4	0	0									
	R6	Residential	Bedroom	W8/F05	9.8	9.8	0	0	45.8	0	0						
	R7**	Residential	LKD	W11/F05	1.9	1.9	0	0	11.7	0	0						
				W12/F05	0.9	0.9	0	0									
				W13/F05	2.3	2.3	0	0									
				W14/F05	3.7	3.7	0	0									
				W15/F05	2.2	2.2	0	0									
	R8**	Residential	Bedroom	W16/F05	10	10	0	0	24.7	0	0						
	R9	Residential	LKD	W17/F05	3.7	3.7	0	0	17.1	0	0						
				W18/F05	2.4	2.4	0	0									
				W19/F05	1.8	1.8	0	0									
				W20/F05	2	2	0	0									
				W21/F05	0.4	0.4	0	0									
	R10**	Residential	Bedroom	W22/F05	8.1	8.1	0	0	23.4	0	0						
	R11**	Residential	Bedroom	W23/F05	8.5	8.5	0	0	23.3	0	0						
	R12	Residential	LKD	W24/F05	6.1	6.1	0	0	25.9	3.8	39.1						
				W25/F05	4.2	4.2	0	0									
				W26/F05	1.7	1.6	0.1	5.9									
				W27/F05	0.6	0.6	0	0									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W28/F05	0.5	0.5	0	0									
	R13**	Residential	Bedroom	W29/F05	9.9	9.8	0.1	1	44.5	3.7	29.3						
	R14	Residential	LKD	W30/F05	12.1	12	0.1	0.8	94.4	0.1	0.4	37	3	36	2	2.7	33.3
				W31/F05	10.9	10.8	0.1	0.9									
				W32/F05	12.6	12.5	0.1	0.8									
				W33/F05	11.7	11.6	0.1	0.9									
				W34/F05	30.1	29.4	0.7	2.3									
				W35/F05	30.2	29.5	0.7	2.3									
				W36/F05	29.2	28.6	0.6	2.1									
				W37/F05	29.4	28.7	0.7	2.4									
				W38/F05	29.6	29.1	0.5	1.7									
F06	R1	Residential	LKD	W1/F06	16.8	16.3	0.5	3	94.9	0	0						
				W2/F06	16.1	15.8	0.3	1.9									
	R2**	Residential	Bedroom	W3/F06	15.5	15.4	0.1	0.6	47.8	0	0.5						
	R3**	Residential	LKD	W4/F06	9.7	9.7	0	0	48.7	0	0						
	R4**	Residential	Bedroom	W5/F06	12.4	12.4	0	0	47.8	0	0						
	R5**	Residential	Bedroom	W6/F06	5.9	5.9	0	0	36.8	0	0						
				W7/F06	4.9	4.9	0	0									
				W8/F06	12.8	12.8	0	0									
				W9/F06	12.2	12.2	0	0									
	R6	Residential	LKD	W10/F06	4.1	4.1	0	0	61.3	0.1	1.1	44	10	41	7	6.8	30
				W11/F06	19.4	18.9	0.5	2.6									
				W12/F06	20.3	19.9	0.4	2									
				W13/F06	4	3.8	0.2	5									
F07	R1	Residential	LKD	W1/F07	16.4	15.7	0.7	4.3	95.8	0	0.2						
				W2/F07	15.2	14.8	0.4	2.6									
	R2**	Residential	Bedroom	W3/F07	13.9	13.8	0.1	0.7	47.6	0	0.5						
	R3**	Residential	LKD	W4/F07	6.7	6.7	0	0	45.3	0	0						
	R4**	Residential	Bedroom	W5/F07	11.8	11.8	0	0	47.7	0	0						
	R5**	Residential	Bedroom	W6/F07	12.6	12.6	0	0	42	0	0						
	R6	Residential	LKD	W7/F07	12.8	12.8	0	0	98.2	0	0	46	9	44	7	4.3	22.2
				W8/F07	28.4	27.7	0.7	2.5									
				W9/F07	29.3	28.6	0.7	2.4									

THE DANUBE																	
F00	R1	Residential	LKD	W1/F00	13.5	13.4	0.1	0.7	55.2	0	0						
				W2/F00	5.8	5.7	0.1	1.7									
	R2	Residential	Bedroom	W3/F00	1.6	1.5	0.1	6.3	20.3	0.1	7						
	R3	Residential	Bedroom	W4/F00	13	12.6	0.4	3.1	34.9	0	0.1						
	R4	Residential	Bedroom	W5/F00	12.4	11.7	0.7	5.6	34.8	0	0.6						
	R5	Residential	Bedroom	W6/F00	0.2	0.1	0.1	50	10.7	0	0						
	R6	Residential	LKD	W7/F00	2.1	1.9	0.2	9.5	29.4	0.1	1.5	1	0	0	0	100	0
				W8/F00	13.9	13.2	0.7	5									
	R7	Residential	Bedroom	W9/F00	17	16.4	0.6	3.5	35.7	0	0						
	R8	Residential	LKD	W10/F00	18.1	17.6	0.5	2.8	54	0.1	0.8						
				W11/F00	6.6	6.3	0.3	4.5									
F01	R1	Residential	Bedroom	W1/F01	13.1	13	0.1	0.8	42.2	0	1						
	R2	Residential	Bedroom	W2/F01	1.5	1.4	0.1	6.7	30.9	0	1						
	R3	Residential	LKD	W3/F01	1.8	1.5	0.3	16.7	73.3	0.1	0.8	2	0	1	0	50	0
				W4/F01	14.7	14.5	0.2	1.4									
	R4	Residential	LKD	W5/F01	15	14.9	0.1	0.7	58.4	0	0						
				W6/F01	6.8	6.6	0.2	2.9									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R5	Residential	Bedroom	W7/F01	2.4	2.2	0.2	8.3	31.5	0.1	5.7						
	R6	Residential	Bedroom	W8/F01	14.6	14.1	0.5	3.4	39.6	0	0						
	R7	Residential	Bedroom	W9/F01	13.8	13.2	0.6	4.3	39.3	0	0.5						
	R8	Residential	Bedroom	W10/F01	0.7	0.6	0.1	14.3	21.1	0	0						
	R9	Residential	LKD	W11/F01	2.6	2.4	0.2	7.7	30.4	0.1	1.4	1	0	0	0	100	0
				W12/F01	15.3	14.7	0.6	3.9									
	R10	Residential	Bedroom	W13/F01	18.3	17.7	0.6	3.3	38	0	0						
	R11	Residential	LKD	W14/F01	19.4	18.9	0.5	2.6	57.1	0.3	1.7						
				W15/F01	7.5	7.1	0.4	5.3									
F02	R1	Residential	Bedroom	W1/F02	14.5	14.2	0.3	2.1	47.7	0	0.7						
	R2	Residential	Bedroom	W2/F02	2.7	2.6	0.1	3.7	40.6	0	1						
	R3	Residential	LKD	W3/F02	2	1.7	0.3	15	76.3	0.1	0.8	2	0	1	0	50	0
				W4/F02	16.4	16.1	0.3	1.8									
	R4	Residential	LKD	W5/F02	16.9	16.6	0.3	1.8	65	0	0						
				W6/F02	7.6	7.4	0.2	2.6									
	R5	Residential	Bedroom	W7/F02	4.3	4.1	0.2	4.7	44.6	0.1	2						
	R6	Residential	Bedroom	W8/F02	16.4	15.9	0.5	3	46	0	0						
	R7	Residential	Bedroom	W9/F02	15.2	14.6	0.6	3.9	45.6	0	0.3						
	R8	Residential	Bedroom	W10/F02	2.1	2	0.1	4.8	33.2	0	0						
	R9	Residential	LKD	W11/F02	3.1	2.8	0.3	9.7	32.9	0.1	1.3	1	0	0	0	100	0
				W12/F02	17	16.4	0.6	3.5									
	R10	Residential	Bedroom	W13/F02	19.9	19.3	0.6	3	41.9	0	0						
	R11	Residential	LKD	W14/F02	21	20.5	0.5	2.4	59.9	0.3	2						
				W15/F02	7.9	7.5	0.4	5.1									
F03	R1	Residential	Bedroom	W1/F03	16.3	16.1	0.2	1.2	51.5	0	0.7						
	R2	Residential	Bedroom	W2/F03	3.7	3.6	0.1	2.7	49.9	0	0.9						
	R3	Residential	LKD	W3/F03	2.2	1.9	0.3	13.6	79.4	0.1	0.6	2	0	1	0	50	0
				W4/F03	18.2	17.9	0.3	1.6									
	R4	Residential	LKD	W5/F03	19.1	18.7	0.4	2.1	77.5	0	0						
				W6/F03	8.1	7.8	0.3	3.7									
	R5	Residential	Bedroom	W7/F03	5.9	5.6	0.3	5.1	54.3	0	0.2						
	R6	Residential	Bedroom	W8/F03	18.1	17.6	0.5	2.8	57.4	0	0						
	R7	Residential	Bedroom	W9/F03	17.2	16.5	0.7	4.1	53.6	0	0.3						
	R8	Residential	Bedroom	W10/F03	3.7	3.6	0.1	2.7	46.3	0	0						
	R9	Residential	LKD	W11/F03	3.4	3.2	0.2	5.9	36.7	0.1	1.2	2	0	1	0	50	0
				W12/F03	19.1	18.5	0.6	3.1									
	R10	Residential	Bedroom	W13/F03	21.8	21.2	0.6	2.8	48.9	0	0						
	R11	Residential	LKD	W14/F03	22.7	22.2	0.5	2.2	64.1	0.3	1.8						
				W15/F03	7.9	7.5	0.4	5.1									
F04	R1	Residential	Bedroom	W1/F04	18.2	17.9	0.3	1.6	61.5	0	0.5						
	R2	Residential	Bedroom	W2/F04	5.5	5.5	0	0	69.2	0	0.6						
	R3	Residential	LKD	W3/F04	2.4	2.2	0.2	8.3	80.6	0.1	0.6	2	0	1	0	50	0
				W4/F04	20.2	19.8	0.4	2									
	R4	Residential	LKD	W5/F04	21.4	21	0.4	1.9	93	0	0						
				W6/F04	9	8.6	0.4	4.4									
	R5	Residential	Bedroom	W7/F04	8.6	8.2	0.4	4.7	75.2	0	0						
	R6	Residential	Bedroom	W8/F04	19.7	19.2	0.5	2.5	73.1	0	0						
	R7	Residential	Bedroom	W9/F04	18.8	18.1	0.7	3.7	67.3	0	0.2						
	R8	Residential	Bedroom	W10/F04	6.3	6.2	0.1	1.6	70.9	0	0						
	R9	Residential	LKD	W11/F04	3.9	3.7	0.2	5.1	43.8	0.1	1	2	0	1	0	50	0
				W12/F04	21.5	20.8	0.7	3.3									
	R10	Residential	Bedroom	W13/F04	23.8	23.3	0.5	2.1	60.6	0	0						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R11	Residential	LKD	W14/F04	24.6	24.1	0.5	2	71.9	0.2	1.2						
				W15/F04	8.2	7.9	0.3	3.7									
F05	R1	Residential	Bedroom	W1/F05	20.1	19.7	0.4	2	79.5	0	0.4						
	R2	Residential	Bedroom	W2/F05	7.2	7.2	0	0	87.8	0	0.5						
	R3	Residential	LKD	W3/F05	2.7	2.4	0.3	11.1	81.5	0.1	0.6	2	0	1	0	50	0
				W4/F05	22.4	21.9	0.5	2.2									
	R4	Residential	LKD	W5/F05	23.7	23.2	0.5	2.1	97.6	0	0						
				W6/F05	8.7	8.3	0.4	4.6									
	R5	Residential	Bedroom	W7/F05	9.3	9	0.3	3.2	87.5	0	0.2						
	R6	Residential	Bedroom	W8/F05	9.7	9.4	0.3	3.1	96.6	0	0						
	R7	Residential	Bedroom	W9/F05	13.9	13.3	0.6	4.3	93.9	0	0						
	R8	Residential	Bedroom	W10/F05	8.3	8.3	0	0	89.2	0	0						
	R9	Residential	LKD	W11/F05	4.4	4.1	0.3	6.8	60.3	0.1	0.7	2	0	1	0	50	0
				W12/F05	24.1	23.4	0.7	2.9									
	R10	Residential	Bedroom	W13/F05	25.9	25.4	0.5	1.9	83.8	0	0						
	R11	Residential	LKD	W14/F05	26.6	26.1	0.5	1.9	82.6	0.2	0.9						
				W15/F05	8.4	8	0.4	4.8									
F06	R1	Residential	Bedroom	W1/F06	22.3	21.8	0.5	2.2	98.5	0	0.3						
	R2	Residential	Bedroom	W2/F06	19.3	19.2	0.1	0.5	93.2	0	0.2						
	R3	Residential	LKD	W3/F06	4.5	4.2	0.3	6.7	90.2	0.1	0.5	2	0	1	0	50	0
				W4/F06	24.5	24	0.5	2									
	R4	Residential	LKD	W5/F06	26	25.4	0.6	2.3	99.8	0	0						
				W6/F06	11.2	10.6	0.6	5.4									
	R5	Residential	Bedroom	W7/F06	19.7	19.2	0.5	2.5	92.2	0	0						
	R6	Residential	Bedroom	W8/F06	20.6	20	0.6	2.9	97.8	0.1	0.9						
	R7	Residential	Bedroom	W9/F06	21.4	20.8	0.6	2.8	98.4	0	0.3						
	R8	Residential	Bedroom	W10/F06	18	18	0	0	92.6	0	0						
	R9	Residential	LKD	W11/F06	6	5.7	0.3	5	90.3	0.1	0.4	4	0	3	0	25	0
				W12/F06	26.7	26.1	0.6	2.2									
	R10	Residential	Bedroom	W13/F06	26.3	25.7	0.6	2.3	96.6	0	0						
	R11	Residential	LKD	W14/F06	27.5	27	0.5	1.8	97	0.3	1.2						
				W15/F06	21	20.6	0.4	1.9									
JURYS INN																	
B01	R1	Residential	Bedroom	W1/B01	6.6	6.5	0.1	1.5	14	0	0						
F00	R1	Residential	Bedroom	W1/F00	14.3	14.3	0	0	80.1	0	0						
	R2	Residential	Bedroom	W2/F00	13.9	13.9	0	0	89.5	0	0						
	R3	Residential	Bedroom	W3/F00	7.3	7.2	0.1	1.4	64	0	0						
	R4	Residential	Bedroom	W4/F00	7.4	7.2	0.2	2.7	33.2	0.1	0.9						
	R5	Residential	Bedroom	W5/F00	7.1	6.4	0.7	9.9	57.9	0.1	1.4						
	R6	Residential	Bedroom	W6/F00	6.4	5.7	0.7	10.9	51.3	0.1	1.3						
	R7**	Residential	Bedroom	W7/F00	4.4	3.4	1	22.7	15.5	0.5	16.1						
	R8	Residential	Bedroom	W8/F00	4.3	4.2	0.1	2.3	7.8	0	0						
	R9	Residential	Bedroom	W9/F00	4.9	4.9	0	0	9.9	0	0						
	R10	Residential	Bedroom	W10/F00	5.9	5.8	0.1	1.7	13.8	0	0						
	R11	Residential	Bedroom	W11/F00	6.5	6.5	0	0	18.3	0	0						
	R12**	Residential	Bedroom	W12/F00	7.6	7.6	0	0	26.2	0	0						
F01	R2	Residential	Bedroom	W2/F01	16.7	16.7	0	0	52.1	0	0						
	R3	Residential	Bedroom	W3/F01	16.1	16.1	0	0	58.4	0	0.3						
	R4	Residential	Bedroom	W4/F01	15.3	15.2	0.1	0.7	55.7	0.3	3.9						
	R6	Residential	Bedroom	W6/F01	8.5	8.4	0.1	1.2	69.5	0	0						
	R7	Residential	Bedroom	W7/F01	8.7	8.4	0.3	3.4	33.8	0	0.6						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R8	Residential	Bedroom	W8/F01	8.6	7.9	0.7	8.1	67.6	0.1	0.7						
	R9	Residential	Bedroom	W9/F01	8	7.1	0.9	11.3	60.5	0.1	0.6						
	R10**	Residential	Bedroom	W10/F01	5.4	4.3	1.1	20.4	17.9	0.4	12.1						
	R11	Residential	Bedroom	W11/F01	5.6	5.6	0	0	10.7	0	0						
	R12	Residential	Bedroom	W12/F01	6.6	6.6	0	0	12.9	0	0						
	R13	Residential	Bedroom	W13/F01	8	8	0	0	18.8	0	0						
	R14	Residential	Bedroom	W14/F01	8.8	8.8	0	0	21.8	0	0						
	R15**	Residential	Bedroom	W15/F01	10.1	10	0.1	1	28.9	0	0						
F02	R1	Residential	Bedroom	W1/F02	32.5	32.5	0	0	98.2	0	0						
				W2/F02	13.9	13.9	0	0									
	R3	Residential	Bedroom	W4/F02	18.6	18.5	0.1	0.5	66.5	0.1	1.4						
	R4	Residential	Bedroom	W5/F02	18	17.9	0.1	0.6	68.6	0	0.1						
	R5	Residential	Bedroom	W6/F02	17.1	17.1	0	0	63.3	0.2	2.6						
	R7	Residential	Bedroom	W8/F02	9.5	9.3	0.2	2.1	70.9	0	0						
	R8	Residential	Bedroom	W9/F02	9.9	9.6	0.3	3	34.5	0	0.6						
	R9	Residential	Bedroom	W10/F02	10	9.3	0.7	7	69.3	0	0.4						
	R10	Residential	Bedroom	W11/F02	9.3	8.4	0.9	9.7	63.4	0	0						
	R11**	Residential	Bedroom	W12/F02	6.3	5.2	1.1	17.5	20.5	0.3	9.2						
	R12	Residential	Bedroom	W13/F02	6.9	6.9	0	0	13.5	0	0						
	R13	Residential	Bedroom	W14/F02	8.3	8.2	0.1	1.2	16.2	0	0						
	R14	Residential	Bedroom	W15/F02	10.1	10.1	0	0	24.7	0	0						
	R15	Residential	Bedroom	W16/F02	11.1	11	0.1	0.9	26.2	0	0						
	R16**	Residential	Bedroom	W17/F02	12.4	12.4	0	0	32.4	0	0						
F03	R1	Residential	Bedroom	W1/F03	33.5	33.5	0	0	98.2	0	0						
				W2/F03	14.3	14.3	0	0									
	R3	Residential	Bedroom	W4/F03	20.5	20.4	0.1	0.5	74.2	0.4	3.5						
	R4	Residential	Bedroom	W5/F03	20.1	20	0.1	0.5	78.1	0	0						
	R5	Residential	Bedroom	W6/F03	19.2	19.2	0	0	74.2	0.1	1.3						
	R7	Residential	Bedroom	W8/F03	10.5	10.2	0.3	2.9	72.7	0	0						
	R8	Residential	Bedroom	W9/F03	11.4	11	0.4	3.5	35.8	0	0.6						
	R9	Residential	Bedroom	W10/F03	11.8	11	0.8	6.8	71	0	0.1						
	R10	Residential	Bedroom	W11/F03	11.1	10.1	1	9	66.6	0	0						
	R11**	Residential	Bedroom	W12/F03	7.4	6.2	1.2	16.2	22.9	0.3	7.4						
	R12	Residential	Bedroom	W13/F03	8.5	8.4	0.1	1.2	17.4	0	0						
	R13	Residential	Bedroom	W14/F03	10.3	10.3	0	0	21.1	0	0						
	R14	Residential	Bedroom	W15/F03	12.8	12.7	0.1	0.8	33.3	0	0						
	R15	Residential	Bedroom	W16/F03	13.9	13.9	0	0	34.2	0	0						
	R16**	Residential	Bedroom	W17/F03	15.3	15.2	0.1	0.7	37.5	0	0						
F04	R1	Residential	Unknown	W1/F04	33.4	33.4	0	0	99.2	0	0						
				W2/F04	15	15	0	0									
	R3	Residential	Bedroom	W4/F04	22.7	22.4	0.3	1.3	83	0.1	1.2						
	R4	Residential	Bedroom	W5/F04	22.4	22.3	0.1	0.4	89.6	0	0.2						
	R5	Residential	Bedroom	W6/F04	21.6	21.5	0.1	0.5	86.3	0	0.3						
	R7	Residential	Bedroom	W8/F04	11.8	11.5	0.3	2.5	75	0	0						
	R8	Residential	Bedroom	W9/F04	13.3	12.9	0.4	3	38.7	0	0						
	R9	Residential	Bedroom	W10/F04	14.2	13.4	0.8	5.6	74.6	0	0						
	R10	Residential	Bedroom	W11/F04	13.4	12.4	1	7.5	69.7	0	0						
	R11**	Residential	Bedroom	W12/F04	8.8	7.6	1.2	13.6	25.4	0.2	4.1						
	R12	Residential	Bedroom	W13/F04	10.3	10.2	0.1	1	23.2	0	0						
	R13	Residential	Bedroom	W14/F04	12.9	12.9	0	0	28.8	0	0						
	R14	Residential	Bedroom	W15/F04	16.1	16.1	0	0	47.2	0	0						
	R15	Residential	Bedroom	W16/F04	17.5	17.4	0.1	0.6	49	0	0						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R16**	Residential	Bedroom	W17/F04	18.8	18.8	0	0	47.6	0	0						
F05	R1	Residential	Unknown	W1/F05	34.3	34.3	0	0	99.2	0	0						
				W2/F05	15.4	15.4	0	0									
	R3	Residential	Bedroom	W4/F05	24.8	24.4	0.4	1.6	90.6	0.1	1						
	R4	Residential	Bedroom	W5/F05	24.7	24.4	0.3	1.2	96.4	0	0.3						
	R5	Residential	Bedroom	W6/F05	24	23.8	0.2	0.8	92.4	0.2	1.2						
	R7	Residential	Bedroom	W8/F05	13.7	13.4	0.3	2.2	78.1	0	0						
	R8	Residential	Bedroom	W9/F05	15.9	15.4	0.5	3.1	46.8	0	0						
	R9	Residential	Bedroom	W10/F05	17.1	16.3	0.8	4.7	82.3	0	0						
	R10	Residential	Bedroom	W11/F05	16.2	15.2	1	6.2	72.9	0	0						
	R11**	Residential	Bedroom	W12/F05	10.7	9.4	1.3	12.1	32.6	0	0.5						
	R12	Residential	Bedroom	W13/F05	12.4	12.3	0.1	0.8	32.3	0	0						
	R13	Residential	Bedroom	W14/F05	16.1	16.1	0	0	41.6	0	0						
	R14	Residential	Bedroom	W15/F05	20.3	20.2	0.1	0.5	73.6	0	0						
	R15	Residential	Bedroom	W16/F05	21.7	21.7	0	0	76.4	0	0						
	R16**	Residential	Bedroom	W17/F05	22.9	22.8	0.1	0.4	73	0	0						
F06	R1	Residential	Unknown	W1/F06	36	36	0	0	98.1	0	0						
	R3	Residential	Bedroom	W3/F06	26.7	26.1	0.6	2.2	98.1	0	0						
	R4	Residential	Bedroom	W4/F06	26.8	26.4	0.4	1.5	98.9	0	0.1						
	R5	Residential	Bedroom	W5/F06	26.3	25.9	0.4	1.5	97.4	0.1	0.8						
	R7	Residential	Bedroom	W7/F06	16.6	16.2	0.4	2.4	84.3	0	0						
	R8	Residential	Bedroom	W8/F06	18.8	18.3	0.5	2.7	63.9	0	0						
	R9	Residential	Bedroom	W9/F06	20.2	19.3	0.9	4.5	89.3	0	0						
	R10	Residential	Bedroom	W10/F06	19.8	18.7	1.1	5.6	75.4	0	0						
	R11**	Residential	Bedroom	W11/F06	14.2	12.9	1.3	9.2	56.6	0	0.1						
	R12	Residential	Bedroom	W12/F06	14.7	14.7	0	0	50.8	0	0						
	R13	Residential	Bedroom	W13/F06	20.5	20.4	0.1	0.5	64.4	0	0						
	R14	Residential	Bedroom	W14/F06	25.3	25.2	0.1	0.4	95	0	0						
	R15	Residential	Bedroom	W15/F06	26.5	26.4	0.1	0.4	96	0	0						
	R16**	Residential	Bedroom	W16/F06	27.2	27.1	0.1	0.4	91.8	0	0						
BEETHAM TOWER																	
F00	R2	Residential	Unknown	W6/F00	13.1	6.9	6.2	47.3	48.9	1.5	17.2						
	R3	Residential	Unknown	W7/F00	12.7	5.5	7.2	56.7	41.5	1.7	21.7						
	R4	Residential	Unknown	W8/F00	12.1	3.8	8.3	68.6	28.6	2.9	40.8						
F25	R2	Residential	Bedroom	W6/F25	21.8	21.2	0.6	2.8	69.9	0	0						
				W7/F25	22.3	21.6	0.7	3.1									
	R3	Residential	Bedroom	W8/F25	23	22.3	0.7	3	87.3	0	0						
	R4	Residential	Bedroom	W9/F25	23.3	22.6	0.7	3	91.5	0	0						
				W10/F25	23.7	23.1	0.6	2.5									
	R5	Residential	LKD	W1/F25	34.6	34	0.6	1.7	100	0	0	75	23	75	23	0	0
				W2/F25	20.5	19.8	0.7	3.4									
				W3/F25	20.9	20.2	0.7	3.3									
				W4/F25	21.2	20.6	0.6	2.8									
				W5/F25	21.6	20.9	0.7	3.2									
	R6	Residential	LKD	W11/F25	24.2	23.5	0.7	2.9	100	0	0	37	11	37	11	0	0
				W12/F25	25.1	24.4	0.7	2.8									
				W13/F25	35.2	35.2	0	0									
				W14/F25	35.7	35.7	0	0									
F26	R1	Residential	LKD	W1/F26	34.8	34.2	0.6	1.7	100	0	0	76	23	76	23	0	0
				W2/F26	21	20.2	0.8	3.8									
				W3/F26	21.5	20.7	0.8	3.7									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W4/F26	21.8	21	0.8	3.7									
				W5/F26	22.2	21.4	0.8	3.6									
	R2	Residential	LKD	W11/F26	24.9	24.1	0.8	3.2	100	0	0	40	11	40	11	0	0
				W12/F26	25.9	25.1	0.8	3.1									
				W13/F26	36.6	36.6	0	0									
				W14/F26	36.8	36.8	0	0									
	R3	Residential	Bedroom	W9/F26	23.9	23.2	0.7	2.9	91.6	0	0						
				W10/F26	24.4	23.6	0.8	3.3									
	R4	Residential	Bedroom	W8/F26	23.6	22.8	0.8	3.4	87.4	0	0						
	R5	Residential	Bedroom	W6/F26	22.4	21.6	0.8	3.6	70.6	0	0						
				W7/F26	22.8	22.1	0.7	3.1									
F27	R2	Residential	LKD	W1/F27	35	34.4	0.6	1.7	100	0	0	76	23	76	23	0	0
				W2/F27	21.6	20.7	0.9	4.2									
				W3/F27	22.1	21.2	0.9	4.1									
				W4/F27	22.4	21.5	0.9	4									
				W5/F27	22.8	21.9	0.9	3.9									
	R3	Residential	LKD	W11/F27	25.6	24.7	0.9	3.5	100	0	0	41	11	41	11	0	0
				W12/F27	26.6	25.7	0.9	3.4									
				W13/F27	37.8	37.8	0	0									
				W14/F27	37.9	37.9	0	0									
	R4	Residential	Bedroom	W6/F27	23	22.1	0.9	3.9	70.1	0	0						
				W7/F27	23.5	22.5	1	4.3									
	R5	Residential	Bedroom	W8/F27	24.2	23.3	0.9	3.7	87.5	0	0						
	R6	Residential	Bedroom	W9/F27	24.6	23.7	0.9	3.7	91.6	0	0						
				W10/F27	25	24.1	0.9	3.6									
F28	R1	Residential	Bedroom	W6/F28	23.6	22.6	1	4.2	71.1	0	0						
				W7/F28	24.1	23	1.1	4.6									
	R2	Residential	Bedroom	W8/F28	24.8	23.8	1	4	87.6	0	0						
	R3	Residential	Bedroom	W9/F28	25.2	24.1	1.1	4.4	91.9	0	0						
				W10/F28	25.6	24.6	1	3.9									
	R4	Residential	LKD	W11/F28	26.2	25.1	1.1	4.2	100	0	0	41	11	41	11	0	0
				W12/F28	27.3	26.2	1.1	4									
				W13/F28	38.6	38.6	0	0									
				W14/F28	38.6	38.6	0	0									
	R5	Residential	LKD	W1/F28	35.3	34.6	0.7	2	100	0	0	78	23	77	23	1.3	0
				W2/F28	22.2	21.2	1	4.5									
				W3/F28	22.7	21.6	1.1	4.8									
				W4/F28	23	21.9	1.1	4.8									
				W5/F28	23.4	22.3	1.1	4.7									
F29	R2	Residential	LKD	W1/F29	35.5	34.9	0.6	1.7	100	0	0	78	23	77	23	1.3	0
				W2/F29	22.9	21.6	1.3	5.7									
				W3/F29	23.3	22	1.3	5.6									
				W4/F29	23.6	22.4	1.2	5.1									
				W5/F29	24	22.7	1.3	5.4									
	R3	Residential	LKD	W11/F29	26.7	25.5	1.2	4.5	100	0	0	41	11	41	11	0	0
				W12/F29	27.7	26.5	1.2	4.3									
				W13/F29	38.7	38.7	0	0									
				W14/F29	38.7	38.7	0	0									
	R4	Residential	Bedroom	W6/F29	24.2	23	1.2	5	71.4	0	0						
				W7/F29	24.6	23.4	1.2	4.9									
	R5	Residential	Bedroom	W8/F29	25.4	24.1	1.3	5.1	88.1	0	0						
	R6	Residential	Bedroom	W9/F29	25.7	24.5	1.2	4.7	92.1	0	0						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W10/F29	26.2	24.9	1.3	5									
F30	R1	Residential	Bedroom	W10/F30	24.9	23.4	1.5	6	71	0	0						
				W11/F30	25.3	23.8	1.5	5.9									
	R2	Residential	Bedroom	W12/F30	26	24.5	1.5	5.8	88.2	0	0.1						
	R3	Residential	Bedroom	W13/F30	26.5	25.1	1.4	5.3	93	0	0						
				W14/F30	26.9	25.5	1.4	5.2									
	R4	Residential	LKD	W5/F30	35.7	35.1	0.6	1.7	100	0	0	80	23	78	23	2.5	0
				W6/F30	23.6	22.1	1.5	6.4									
				W7/F30	24	22.5	1.5	6.3									
				W8/F30	24.3	22.8	1.5	6.2									
				W9/F30	24.6	23.2	1.4	5.7									
	R5	Residential	LKD	W15/F30	27.2	25.8	1.4	5.1	99.9	0	0	43	11	42	11	2.3	0
				W16/F30	28.2	26.8	1.4	5									
				W17/F30	38.9	38.9	0	0									
				W18/F30	38.9	38.9	0	0									
F31	R2	Residential	LKD	W1/F31	36	35.3	0.7	1.9	100	0	0	81	24	79	24	2.5	0
				W2/F31	24.4	22.7	1.7	7									
				W3/F31	24.8	23	1.8	7.3									
				W4/F31	25.2	23.5	1.7	6.7									
	R3	Residential	LKD	W10/F31	27.8	26.2	1.6	5.8	99.9	0	0	44	11	42	11	4.5	0
				W11/F31	28.8	27.1	1.7	5.9									
				W12/F31	39.1	39.1	0	0									
				W13/F31	39.1	39.1	0	0									
	R4	Residential	Bedroom	W5/F31	25.6	23.9	1.7	6.6	81	0	0						
				W6/F31	25.9	24.2	1.7	6.6									
	R5	Residential	Bedroom	W7/F31	26.7	25	1.7	6.4	88.6	0	0						
	R6	Residential	Bedroom	W8/F31	27.2	25.5	1.7	6.3	93.2	0	0						
				W9/F31	27.6	25.9	1.7	6.2									
F32	R2	Residential	LKD	W1/F32	36.2	35.6	0.6	1.7	100	0	0	81	24	79	24	2.5	0
				W2/F32	25.3	23.3	2	7.9									
				W3/F32	25.6	23.6	2	7.8									
				W4/F32	26	24	2	7.7									
	R3	Residential	LKD	W10/F32	28.5	26.6	1.9	6.7	99.9	0	0	47	11	44	11	6.4	0
				W11/F32	29.4	27.5	1.9	6.5									
				W12/F32	39.2	39.2	0	0									
				W13/F32	39.2	39.2	0	0									
	R4	Residential	Bedroom	W5/F32	26.4	24.4	2	7.6	81.4	0	0						
				W6/F32	26.7	24.7	2	7.5									
	R5	Residential	Bedroom	W7/F32	27.4	25.4	2	7.3	90.1	0	0						
	R6	Residential	Bedroom	W8/F32	27.9	26	1.9	6.8	92.9	0	0						
				W9/F32	28.3	26.4	1.9	6.7									
F33	R1	Residential	Bedroom	W5/F33	27.3	25	2.3	8.4	82.5	0	0						
				W6/F33	27.5	25.3	2.2	8									
	R2	Residential	Bedroom	W7/F33	28.2	25.9	2.3	8.2	90.8	0	0.1						
	R3	Residential	Bedroom	W8/F33	28.7	26.5	2.2	7.7	93.4	0	0						
				W9/F33	29.1	26.8	2.3	7.9									
	R4	Residential	LKD	W1/F33	36.5	35.9	0.6	1.6	100	0	0	83	24	80	24	3.6	0
				W2/F33	26.2	23.9	2.3	8.8									
				W3/F33	26.6	24.3	2.3	8.6									
				W4/F33	26.9	24.6	2.3	8.6									
	R5	Residential	LKD	W10/F33	29.3	27.1	2.2	7.5	99.9	0	0	47	11	44	11	6.4	0
				W11/F33	30.1	27.9	2.2	7.3									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W12/F33	39.4	39.4	0	0									
				W13/F33	39.4	39.4	0	0									
F34	R2	Residential	LKD	W1/F34	36.7	36.1	0.6	1.6	100	0	0	86	25	82	25	4.7	0
				W2/F34	27.3	24.6	2.7	9.9									
				W3/F34	27.6	24.9	2.7	9.8									
				W4/F34	27.9	25.3	2.6	9.3									
	R3	Residential	LKD	W10/F34	30.1	27.6	2.5	8.3	99.9	0	0	49	11	44	11	10.2	0
				W11/F34	30.9	28.4	2.5	8.1									
				W12/F34	39.5	39.5	0	0									
				W13/F34	39.5	39.5	0	0									
	R4	Residential	Bedroom	W5/F34	28.3	25.6	2.7	9.5	84.9	0	0.2						
				W6/F34	28.5	25.9	2.6	9.1									
	R5	Residential	Bedroom	W7/F34	29.1	26.5	2.6	8.9	91.8	0	0.1						
	R6	Residential	Bedroom	W8/F34	29.6	27	2.6	8.8	94.3	0	0						
				W9/F34	29.9	27.4	2.5	8.4									
F35	R1	Residential	Bedroom	W5/F35	29.3	26.3	3	10.2	87.8	0	0.2						
				W6/F35	29.6	26.5	3.1	10.5									
	R2	Residential	Bedroom	W7/F35	30.1	27.1	3	10	93.3	0	0.1						
	R3	Residential	Bedroom	W8/F35	30.6	27.6	3	9.8	95.3	0	0						
				W9/F35	30.9	27.9	3	9.7									
	R4	Residential	LKD	W1/F35	37	36.4	0.6	1.6	100	0	0	87	25	82	25	5.7	0
				W2/F35	28.4	25.4	3	10.6									
				W3/F35	28.7	25.7	3	10.5									
				W4/F35	29	26	3	10.3									
	R5	Residential	LKD	W10/F35	31	28.1	2.9	9.4	99.9	0	0	51	12	46	12	9.8	0
				W11/F35	31.7	28.8	2.9	9.1									
				W12/F35	39.6	39.6	0	0									
				W13/F35	39.6	39.6	0	0									
F36	R2	Residential	LKD	W1/F36	37.3	36.7	0.6	1.6	100	0	0	89	25	84	25	5.6	0
				W2/F36	29.7	26.2	3.5	11.8									
				W3/F36	29.9	26.4	3.5	11.7									
				W4/F36	30.2	26.7	3.5	11.6									
	R3	Residential	LKD	W10/F36	32	28.7	3.3	10.3	100	0	0	52	12	46	12	11.5	0
				W11/F36	32.7	29.4	3.3	10.1									
				W12/F36	39.6	39.6	0	0									
				W13/F36	39.6	39.6	0	0									
	R4	Residential	Bedroom	W5/F36	30.5	27	3.5	11.5	89.8	0	0.1						
				W6/F36	30.7	27.2	3.5	11.4									
	R5	Residential	Bedroom	W7/F36	31.2	27.8	3.4	10.9	94.6	0.1	0.5						
	R6	Residential	Bedroom	W8/F36	31.5	28.1	3.4	10.8	97.3	0	0.1						
				W9/F36	31.8	28.4	3.4	10.7									
F37	R1	Residential	Bedroom	W5/F37	31.7	27.8	3.9	12.3	89.7	0.1	0.8						
				W6/F37	31.9	28	3.9	12.2									
	R2	Residential	Bedroom	W7/F37	32.3	28.5	3.8	11.8	97.4	0.1	1.3						
	R3	Residential	Bedroom	W8/F37	32.6	28.7	3.9	12	99.8	0	0.1						
				W9/F37	32.8	29	3.8	11.6									
	R4	Residential	LKD	W10/F37	33	29.3	3.7	11.2	100	0	0	53	13	47	13	11.3	0
				W11/F37	33.6	29.9	3.7	11									
				W12/F37	39.6	39.6	0	0									
				W13/F37	39.6	39.6	0	0									
	R5	Residential	LKD	W1/F37	37.6	36.9	0.7	1.9	100	0	0	90	25	84	25	6.7	0
				W2/F37	31	27	4	12.9									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W3/F37	31.2	27.2	4	12.8									
				W4/F37	31.5	27.5	4	12.7									
F38	R1	Residential	Bedroom	W5/F38	33	28.5	4.5	13.6	90	0.3	3.9						
				W6/F38	33.1	28.7	4.4	13.3									
	R2	Residential	Bedroom	W7/F38	33.5	29.1	4.4	13.1	98.1	0	0.4						
	R3	Residential	Bedroom	W8/F38	33.7	29.4	4.3	12.8	99.9	0	0						
				W9/F38	33.9	29.6	4.3	12.7									
	R4	Residential	LKD	W1/F38	37.8	37.2	0.6	1.6	100	0	0	91	25	84	25	7.7	0
				W2/F38	32.4	27.9	4.5	13.9									
				W3/F38	32.6	28.1	4.5	13.8									
				W4/F38	32.8	28.3	4.5	13.7									
	R5	Residential	LKD	W10/F38	34.1	29.8	4.3	12.6	100	0	0	55	14	48	14	12.7	0
				W11/F38	34.6	30.4	4.2	12.1									
				W12/F38	39.6	39.6	0	0									
				W13/F38	39.6	39.6	0	0									
F39	R2	Residential	LKD	W1/F39	38.1	37.4	0.7	1.8	100	0	0	94	27	85	26	9.6	3.7
				W2/F39	33.8	28.7	5.1	15.1									
				W3/F39	34	28.9	5.1	15									
				W4/F39	34.1	29.1	5	14.7									
	R3	Residential	LKD	W10/F39	35.2	30.4	4.8	13.6	100	0	0	56	15	49	15	12.5	0
				W11/F39	35.6	30.9	4.7	13.2									
				W12/F39	39.6	39.6	0	0									
				W13/F39	39.6	39.6	0	0									
	R4	Residential	Bedroom	W5/F39	34.3	29.3	5	14.6	90.6	0.9	9						
				W6/F39	34.4	29.5	4.9	14.2									
	R5	Residential	Bedroom	W7/F39	34.7	29.8	4.9	14.1	98.4	0	0.2						
	R6	Residential	Bedroom	W8/F39	34.9	30	4.9	14	100	0	0						
				W9/F39	35	30.2	4.8	13.7									
F40	R1	Residential	Bedroom	W5/F40	35.6	30.2	5.4	15.2	96.5	0.3	3.4						
	R2	Residential	Bedroom	W6/F40	35.9	30.5	5.4	15	98.4	0	0.1						
	R3	Residential	Bedroom	W7/F40	36	30.7	5.3	14.7	99.9	0	0						
				W8/F40	36.2	30.9	5.3	14.6									
	R4	Residential	LKD	W1/F40	38.4	37.7	0.7	1.8	100	0	0	95	27	86	26	9.5	3.7
				W2/F40	35.2	29.7	5.5	15.6									
				W3/F40	35.4	29.9	5.5	15.5									
				W4/F40	35.5	30	5.5	15.5									
	R5	Residential	LKD	W9/F40	36.3	31.1	5.2	14.3	100	0	0	58	17	49	15	15.5	11.8
				W10/F40	36.6	31.4	5.2	14.2									
				W11/F40	39.6	39.6	0	0									
				W12/F40	39.6	39.6	0	0									
F41	R2	Residential	LKD	W1/F41	38.6	37.9	0.7	1.8	100	0	0	95	27	86	26	9.5	3.7
				W2/F41	36.6	30.5	6.1	16.7									
				W3/F41	36.7	30.7	6	16.3									
				W4/F41	36.8	30.8	6	16.3									
	R3	Residential	LKD	W9/F41	37.3	31.6	5.7	15.3	100	0	0	58	17	49	15	15.5	11.8
				W10/F41	37.5	31.9	5.6	14.9									
				W11/F41	39.6	39.6	0	0									
				W12/F41	39.6	39.6	0	0									
	R4	Residential	Bedroom	W5/F41	36.9	30.9	6	16.3	96.7	0.3	3.2						
	R5	Residential	Bedroom	W6/F41	37.1	31.2	5.9	15.9	98.4	0	0.1						
	R6	Residential	Bedroom	W7/F41	37.2	31.4	5.8	15.6	99.9	0	0						
				W8/F41	37.3	31.5	5.8	15.5									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
F42	R2	Residential	LKD	W1/F42	38.9	38.2	0.7	1.8	100	0	0	98	29	88	27	10.2	6.9
				W2/F42	38	31.4	6.6	17.4									
				W3/F42	38	31.5	6.5	17.1									
				W4/F42	38.1	31.6	6.5	17.1									
	R3	Residential	Bedroom	W5/F42	38.1	31.7	6.4	16.8	97.8	0	0						
	R4	Residential	Bedroom	W6/F42	38.2	31.9	6.3	16.5	99.4	0	0						
				W7/F42	38.2	32	6.2	16.2									
	R5	Residential	Bedroom	W8/F42	38.3	32.1	6.2	16.2	98.6	0	0						
				W9/F42	38.4	32.4	6	15.6									
				W10/F42	39.6	39.6	0	0									
F43	R2	Residential	LKD	W1/F43	39.1	38.4	0.7	1.8	100	0	0	98	29	88	27	10.2	6.9
				W2/F43	39.2	32.1	7.1	18.1									
				W3/F43	39.2	32.2	7	17.9									
				W4/F43	39.2	32.3	6.9	17.6									
	R3	Residential	Bedroom	W5/F43	39.2	32.3	6.9	17.6	97.8	0	0						
	R4	Residential	Bedroom	W6/F43	39.2	32.5	6.7	17.1	99.4	0	0						
				W7/F43	39.2	32.6	6.6	16.8									
	R5	Residential	Bedroom	W8/F43	39.3	32.7	6.6	16.8	99	0	0						
				W9/F43	39.3	32.9	6.4	16.3									
				W10/F43	39.6	39.6	0	0									
				W11/F43	39.6	39.6	0	0									
F44	R2	Residential	LKD	W1/F44	39.2	38.5	0.7	1.8	100	0	0	98	29	88	27	10.2	6.9
				W2/F44	39.6	32.5	7.1	17.9									
				W3/F44	39.6	32.5	7.1	17.9									
				W4/F44	39.6	32.6	7	17.7									
	R3	Residential	Bedroom	W5/F44	39.6	32.6	7	17.7	97.8	0	0						
	R4	Residential	Bedroom	W6/F44	39.6	32.8	6.8	17.2	99.3	0	0						
				W7/F44	39.6	32.8	6.8	17.2									
	R5	Residential	Bedroom	W8/F44	39.6	32.9	6.7	16.9	98.1	0	0						
				W9/F44	39.6	33.1	6.5	16.4									
				W10/F44	39.6	39.6	0	0									
				W11/F44	39.6	39.6	0	0									
F45	R2	Residential	LKD	W1/F45	39.3	38.6	0.7	1.8	100	0	0	98	29	88	27	10.2	6.9
				W2/F45	39.6	32.6	7	17.7									
				W3/F45	39.6	32.6	7	17.7									
				W4/F45	39.6	32.7	6.9	17.4									
	R3	Residential	Bedroom	W5/F45	39.6	32.7	6.9	17.4	97.8	0	0						
	R4	Residential	Bedroom	W6/F45	39.6	32.8	6.8	17.2	99.4	0	0						
				W7/F45	39.6	32.9	6.7	16.9									
	R5	Residential	Bedroom	W8/F45	39.6	33	6.6	16.7	98.2	0	0						
				W9/F45	39.6	33.2	6.4	16.2									
				W10/F45	39.6	39.6	0	0									
				W11/F45	39.6	39.6	0	0									
F46	R2	Residential	LKD	W1/F46	39.3	38.7	0.6	1.5	100	0	0	98	29	88	27	10.2	6.9
				W2/F46	39.6	32.7	6.9	17.4									
				W3/F46	39.6	32.7	6.9	17.4									
				W4/F46	39.6	32.8	6.8	17.2									
	R3	Residential	Bedroom	W5/F46	39.6	32.8	6.8	17.2	97.8	0	0						
	R4	Residential	Bedroom	W6/F46	39.6	32.9	6.7	16.9	99.4	0	0						
				W7/F46	39.6	33	6.6	16.7									
	R5	Residential	Bedroom	W8/F46	39.6	33.1	6.5	16.4	99	0	0						
				W9/F46	39.6	33.2	6.4	16.2									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W10/F46	39.6	39.6	0	0									
				W11/F46	39.6	39.6	0	0									
21-35 WHITWORTH ST																	
F01	R1	Residential	Bedroom	W1/F01	23	23	0	0	78.1	0	0						
	R4	Residential	Bedroom	W4/F01	26	25.8	0.2	0.8	94.3	0	0.1						
	R6	Residential	Bedroom	W6/F01	27	26.7	0.3	1.1	84.4	0.1	0.6						
	R7	Residential	Bedroom	W7/F01	27.5	27.1	0.4	1.5	91.6	0.1	0.7						
	R9	Residential	Bedroom	W9/F01	28	27.6	0.4	1.4	88.7	0.1	1.4						
	R12	Residential	Bedroom	W12/F01	28.2	27.8	0.4	1.4	96.9	0	0.2						
	R13	Residential	Bedroom	W13/F01	27.8	27.5	0.3	1.1	93.6	0	0.1						
	R16	Residential	Bedroom	W16/F01	23.3	22.9	0.4	1.7	80.9	0	0.3						
	R18	Residential	Bedroom	W18/F01	16.7	16.4	0.3	1.8	79.6	0.1	1.1						
	R20	Residential	Bedroom	W20/F01	18.2	17.3	0.9	4.9	63.6	0	0.5						
	R21	Residential	Bedroom	W21/F01	22.8	21.9	0.9	3.9	93.1	0	0						
				W22/F01	15.7	15.4	0.3	1.9									
	R22	Residential	Bedroom	W23/F01	24.6	23.7	0.9	3.7	96	0	0						
				W24/F01	25.4	25.1	0.3	1.2									
F02	R1	Residential	Bedroom	W1/F02	24.3	24.3	0	0	79.3	0	0.1						
	R4	Residential	Bedroom	W4/F02	27.3	26.9	0.4	1.5	94.9	0	0.2						
	R6	Residential	Bedroom	W6/F02	28.2	27.8	0.4	1.4	85.8	0.1	1						
	R7	Residential	Bedroom	W7/F02	28.6	28.2	0.4	1.4	92.8	0.1	0.8						
	R9	Residential	Bedroom	W9/F02	29.1	28.7	0.4	1.4	90.3	0.2	1.5						
	R12	Residential	Bedroom	W12/F02	29.6	29.2	0.4	1.4	97.4	0	0.2						
	R13	Residential	Bedroom	W13/F02	29.4	29.1	0.3	1	94.6	0	0.1						
	R16	Residential	Bedroom	W16/F02	25.6	25.2	0.4	1.6	83.7	0	0.2						
	R18	Residential	Bedroom	W18/F02	17.7	17.4	0.3	1.7	82.9	0.1	1						
	R20	Residential	Bedroom	W20/F02	20.1	19.2	0.9	4.5	70.5	0	0.4						
	R21	Residential	Bedroom	W21/F02	25.3	24.4	0.9	3.6	94.1	0	0						
				W22/F02	16.6	16.3	0.3	1.8									
	R22	Residential	Bedroom	W23/F02	26.4	25.5	0.9	3.4	98.3	0	0						
				W24/F02	27	26.7	0.3	1.1									
F03	R1	Residential	Bedroom	W1/F03	25.5	25.3	0.2	0.8	80.8	0	0.3						
	R4	Residential	Bedroom	W4/F03	28	27.6	0.4	1.4	95.9	0	0.2						
	R6	Residential	Bedroom	W6/F03	28.8	28.4	0.4	1.4	87.5	0.1	1.1						
	R7	Residential	Bedroom	W7/F03	29.2	28.8	0.4	1.4	94.3	0.1	0.8						
	R9	Residential	Bedroom	W9/F03	29.7	29.3	0.4	1.3	92.2	0.2	1.5						
	R12	Residential	Bedroom	W12/F03	30.4	30	0.4	1.3	97.9	0	0.2						
	R13	Residential	Bedroom	W13/F03	30.4	30.1	0.3	1	96.2	0	0.1						
	R16	Residential	Bedroom	W16/F03	28.3	27.9	0.4	1.4	93.7	0	0.2						
	R18	Residential	Bedroom	W18/F03	19.3	19	0.3	1.6	88.1	0.1	1						
	R20	Residential	Bedroom	W20/F03	23.3	22.3	1	4.3	81.4	0	0						
	R21	Residential	Bedroom	W21/F03	28.1	27.2	0.9	3.2	95.1	0	0						
				W22/F03	17.4	17.2	0.2	1.1									
	R22	Residential	Bedroom	W23/F03	27.9	26.9	1	3.6	98.3	0	0						
				W24/F03	28.8	28.6	0.2	0.7									
F04	R1	Residential	Bedroom	W1/F04	19.6	19.6	0	0	81.8	0	0.2						
	R4	Residential	Bedroom	W4/F04	21.5	21.4	0.1	0.5	96.1	0	0.1						
	R6	Residential	Bedroom	W6/F04	22.2	22.2	0	0	88.9	0	0.3						
	R7	Residential	Bedroom	W7/F04	22.6	22.6	0	0	95.4	0	0.3						
	R9	Residential	Bedroom	W9/F04	23.2	23.1	0.1	0.4	93.7	0	0.3						
	R12	Residential	Bedroom	W12/F04	24	23.9	0.1	0.4	97.8	0	0.1						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R13	Residential	Bedroom	W13/F04	24.1	24.1	0	0	97.7	0	0.1						
	R16	Residential	Bedroom	W16/F04	23.7	23.6	0.1	0.4	96.2	0	0.1						
	R18	Residential	Bedroom	W18/F04	19.3	19.2	0.1	0.5	96	0	0.3						
	R20	Residential	Bedroom	W20/F04	24.9	23.9	1	4	94.8	0	0						
	R21	Residential	Bedroom	W21/F04	26.1	25	1.1	4.2	96.4	0	0						
				W22/F04	17.2	16.9	0.3	1.7									
	R22	Residential	Bedroom	W23/F04	27.6	26.5	1.1	4	99.2	0	0						
				W24/F04	33.7	33.4	0.3	0.9									
84 GREAT BRIDGE ST																	
F00	R1	Residential	LKD	W1/F00	1.2	1.2	0	0	75.2	0.7	4.4	39	11	34	7	12.8	36.4
				W2/F00	24.3	23.2	1.1	4.5									
	R2	Residential	Bedroom	W3/F00	25.2	24	1.2	4.8	83	0	0						
	R3	Residential	Bedroom	W4/F00	25.9	24.7	1.2	4.6	91.5	0	0.3						
	R4	Residential	Bedroom	W5/F00	20.1	18.9	1.2	6	76.7	0.1	1.1						
	R5	Residential	LKD	W6/F00	25.5	24.2	1.3	5.1	98.4	0	0	67	11	62	9	7.5	18.2
				W7/F00	26.6	25.3	1.3	4.9									
				W8/F00	25.4	23.8	1.6	6.3									
F01	R1	Residential	LKD	W1/F01	0	0	0	0	87.3	0.4	2.1	44	14	37	8	15.9	42.9
				W2/F01	26.5	25.1	1.4	5.3									
	R2	Residential	Bedroom	W3/F01	27.1	25.7	1.4	5.2	86.8	0	0						
	R3	Residential	Bedroom	W4/F01	27.5	26.1	1.4	5.1	94.2	0	0.3						
	R4	Residential	Bedroom	W5/F01	22	20.6	1.4	6.4	83.6	0.1	1.3						
	R5	Residential	LKD	W6/F01	27.4	25.8	1.6	5.8	99.8	0	0	75	14	68	10	9.3	28.6
				W7/F01	28.2	26.6	1.6	5.7									
				W8/F01	27.7	25.5	2.2	7.9									
				W9/F01	8.5	8.5	0	0									
F02	R1	Residential	LKD	W1/F02	10.6	9.6	1	9.4	88.6	0.3	1.5	44	14	37	8	15.9	42.9
				W2/F02	28.4	26.8	1.6	5.6									
	R2	Residential	Bedroom	W3/F02	28.7	27.1	1.6	5.6	86.7	0	0						
	R3	Residential	Bedroom	W4/F02	23.6	21.9	1.7	7.2	92.5	0.1	0.8						
	R4	Residential	Bedroom	W5/F02	28	26.2	1.8	6.4	88.3	0	0.1						
	R5	Residential	LKD	W6/F02	29	27.2	1.8	6.2	99.9	0	0	78	17	70	12	10.3	29.4
				W7/F02	29.4	27.6	1.8	6.1									
				W8/F02	29.7	26.9	2.8	9.4									
				W9/F02	8.6	8.6	0	0									
F03	R1	Residential	LKD	W1/F03	12.7	11.6	1.1	8.7	90.7	0.1	0.5	46	15	38	8	17.4	46.7
				W2/F03	30.1	28.3	1.8	6									
	R2	Residential	Bedroom	W3/F03	30.2	28.4	1.8	6	89.2	0	0						
	R3	Residential	Bedroom	W4/F03	24.2	22.3	1.9	7.9	95.1	0.1	0.8						
	R4	Residential	Bedroom	W5/F03	28.7	26.8	1.9	6.6	90.8	0	0.2						
	R5	Residential	LKD	W6/F03	29.9	27.9	2	6.7	91.9	0	0	84	20	76	14	9.5	30
				W7/F03	30.5	28.5	2	6.6									
				W8/F03	32.1	28.6	3.5	10.9									
				W9/F03	31.9	28.6	3.3	10.3									
F04	R1	Residential	LKD	W1/F04	15.2	14	1.2	7.9	97.7	0.1	0.3	47	15	39	8	17	46.7
				W2/F04	31.3	29.5	1.8	5.8									
	R2	Residential	Bedroom	W3/F04	31.3	29.4	1.9	6.1	93.1	0	0						
	R3	Residential	Bedroom	W4/F04	24.1	22.1	2	8.3	96.5	0.1	0.8						
	R4	Residential	LKD	W5/F04	28.9	26.9	2	6.9	100	0	0	85	21	78	15	8.2	28.6
				W6/F04	30.3	28.3	2	6.6									
				W7/F04	33.3	29.9	3.4	10.2									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
F05	R1	Residential	LKD	W1/F05	28.7	27.4	1.3	4.5	99.7	0	0	46	15	39	9	15.2	40
				W2/F05	31.8	29.9	1.9	6									
	R2	Residential	Bedroom	W3/F05	31.7	29.8	1.9	6	94	0	0						
	R3	Residential	LKD	W4/F05	22.3	20.2	2.1	9.4	97.1	0	0	86	23	79	17	8.1	26.1
				W5/F05	33.4	30.1	3.3	9.9									
CHEPSTOW HOUSE																	
B01	R1	Residential	LKD	W1/B01	16.3	15.3	1	6.1	43.9	0	0.3	14	0	14	0	0	0
				W2/B01	14.9	13.8	1.1	7.4									
F00	R1	Residential	LKD	W1/F00	18.4	17.3	1.1	6	46.4	0	0.3	17	0	17	0	0	0
				W2/F00	16.8	15.6	1.2	7.1									
	R4	Residential	LKD	W4/F00	18.6	17.6	1	5.4	99.9	0	0	56	10	55	9	1.8	10
				W5/F00	18.5	17.4	1.1	5.9									
				W6/F00	18.4	17.3	1.1	6									
				W7/F00	18.2	17.2	1	5.5									
				W8/F00	21.7	20.4	1.3	6									
	R5	Residential	Bedroom	W9/F00	20.9	19.8	1.1	5.3	98.7	0	0						
				W10/F00	20.8	19.6	1.2	5.8									
	R6	Residential	LKD	W11/F00	20.8	19.7	1.1	5.3	83.3	0.2	2.2	45	9	43	7	4.4	22.2
				W12/F00	20.7	19.8	0.9	4.3									
F01	R1	Residential	LKD	W1/F01	21.5	20.4	1.1	5.1	64.4	0.1	0.5	19	0	19	0	0	0
				W2/F01	19.6	18.4	1.2	6.1									
	R4	Residential	LKD	W6/F01	25.9	24.3	1.6	6.2	70.5	0.3	1.1	56	15	54	13	3.6	13.3
				W7/F01	25.9	24.4	1.5	5.8									
F02	R1	Residential	LKD	W1/F02	24.7	23.7	1	4	77.3	0	0	21	0	21	0	0	0
				W2/F02	22.6	21.4	1.2	5.3									
	R4	Residential	LKD	W6/F02	28.8	27	1.8	6.3	72.9	0.1	0.4	63	21	62	20	1.6	4.8
				W7/F02	28.9	27.2	1.7	5.9									
F03	R1	Residential	LKD	W1/F03	26.5	25.3	1.2	4.5	86.9	0	0	27	2	27	2	0	0
				W2/F03	24.3	23	1.3	5.3									
				W3/F03	25.2	23.9	1.3	5.2									
	R2	Residential	LKD	W4/F03	22.1	20.8	1.3	5.9	99.4	0	0	69	20	67	18	2.9	10
				W5/F03	21.8	20.6	1.2	5.5									
				W6/F03	21.5	20.3	1.2	5.6									
				W7/F03	28.1	26.4	1.7	6									
				W8/F03	28.6	26.8	1.8	6.3									
				W9/F03	28.9	27.1	1.8	6.2									
	R3	Residential	LKD	W10/F03	29.5	27.7	1.8	6.1	67.3	1	3.5	62	22	61	21	1.6	4.5
				W11/F03	29.6	27.8	1.8	6.1									
HACIENDA																	
F01	R1**	Residential	LKD	W1/F01	2.1	2.1	0	0	21.1	0	0						
	R2	Residential	Bedroom	W2/F01	12.2	10.9	1.3	10.7	28.9	0.2	5.1						
	R3	Residential	Bedroom	W3/F01	12.2	10.9	1.3	10.7	22	0.1	4						
	R4	Residential	Bedroom	W4/F01	12.3	10.9	1.4	11.4	21	0	0.1						
	R5	Residential	Bedroom	W5/F01	12.2	10.8	1.4	11.5	24.6	0	0						
	R6**	Residential	LKD	W6/F01	2.5	2	0.5	20	10.5	0	0.6						
	R7**	Residential	LKD	W7/F01	1.5	1.5	0	0	4.5	0	0						
	R8	Residential	Bedroom	W8/F01	13.4	11.7	1.7	12.7	47.5	0.1	1						
	R9	Residential	Bedroom	W9/F01	14	12.3	1.7	12.1	38.7	0	0.5						
	R10**	Residential	Bedroom	W10/F01	14.5	12.9	1.6	11	37.5	0	0						
	R11	Residential	Bedroom	W11/F01	15	13.3	1.7	11.3	51.8	0	0						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R12**	Residential	LKD	W12/F01	5.3	5	0.3	5.7	26.1	0	0.1						
	R13**	Residential	LKD	W13/F01	4.8	4.7	0.1	2.1	17.7	0	0						
	R14	Residential	Bedroom	W14/F01	14.7	13.2	1.5	10.2	52.4	0.1	2.1						
	R15	Residential	Bedroom	W15/F01	14.4	13	1.4	9.7	39	0.1	1.4						
	R16	Residential	Bedroom	W16/F01	14.2	12.7	1.5	10.6	63.1	0	0						
	R17**	Residential	LKD	W17/F01	14	12.5	1.5	10.7	43.1	0	0						
	R18	Residential	Bedroom	W18/F01	13.7	12.1	1.6	11.7	74.4	0.2	1.7						
	R19	Residential	Bedroom	W19/F01	13.4	11.3	2.1	15.7	62.2	0.8	9.5						
	R20	Residential	LKD	W20/F01	13.4	10.5	2.9	21.6	93.2	0.6	2.4	41	8	39	6	4.9	25
				W21/F01	6.8	6.8	0	0									
				W22/F01	18	15.5	2.5	13.9									
				W23/F01	19	16.8	2.2	11.6									
F02	R1**	Residential	LKD	W1/F02	3.4	3.4	0	0	22.7	0	0						
	R2	Residential	Bedroom	W2/F02	14	12.7	1.3	9.3	31.8	0.2	4						
	R3	Residential	Bedroom	W3/F02	14	12.6	1.4	10	24.1	0.1	3.7						
	R4	Residential	Bedroom	W4/F02	14	12.6	1.4	10	23.6	0	0						
	R5	Residential	Bedroom	W5/F02	14	12.6	1.4	10	28.5	0	0						
	R6**	Residential	LKD	W6/F02	4	3.5	0.5	12.5	13.1	0	0.4						
	R7**	Residential	LKD	W7/F02	2.7	2.7	0	0	6.4	0	0						
	R8	Residential	Bedroom	W8/F02	15.2	13.5	1.7	11.2	59.4	0.1	0.8						
	R9	Residential	Bedroom	W9/F02	15.9	14.1	1.8	11.3	49	0	0.3						
	R10**	Residential	Bedroom	W10/F02	16.5	14.7	1.8	10.9	47.7	0	0						
	R11	Residential	Bedroom	W11/F02	17.1	15.2	1.9	11.1	65.7	0	0						
	R12**	Residential	LKD	W12/F02	7.2	6.7	0.5	6.9	36.8	0	0.1						
	R13**	Residential	LKD	W13/F02	6.4	6.3	0.1	1.6	27.3	0	0						
	R14	Residential	Bedroom	W14/F02	17	15.3	1.7	10	67.7	0.1	1.5						
	R15	Residential	Bedroom	W15/F02	16.8	15.1	1.7	10.1	50	0.1	0.9						
	R16	Residential	Bedroom	W16/F02	6	5.7	0.3	5	70.1	0	0.7						
	R17**	Residential	LKD	W17/F02	16.4	14.5	1.9	11.6	40.8	0	0.4						
	R18	Residential	Bedroom	W18/F02	16.2	14.2	2	12.3	62.9	0.1	1.7						
	R19	Residential	Bedroom	W19/F02	15.7	13.5	2.2	14	55.5	0	0						
	R20	Residential	LKD	W20/F02	15.5	12.5	3	19.4	93.5	0.6	2.5	42	9	40	7	4.8	22.2
				W21/F02	6.9	6.9	0	0									
				W22/F02	18.4	15.8	2.6	14.1									
				W23/F02	19.4	17.1	2.3	11.9									
F03	R1**	Residential	LKD	W1/F03	4.9	4.9	0	0	24.9	0	0						
	R2	Residential	Bedroom	W2/F03	16.1	14.7	1.4	8.7	35.9	0.2	4.2						
	R3	Residential	Bedroom	W3/F03	16.1	14.6	1.5	9.3	27.5	0.2	3.9						
	R4	Residential	Bedroom	W4/F03	16.1	14.6	1.5	9.3	28	0	0						
	R5	Residential	Bedroom	W5/F03	16.1	14.6	1.5	9.3	34.7	0	0						
	R6**	Residential	LKD	W6/F03	5.7	5.1	0.6	10.5	15.8	0	0.4						
	R7**	Residential	LKD	W7/F03	4.1	4.1	0	0	10.4	0	0						
	R8	Residential	Bedroom	W8/F03	17.1	15.3	1.8	10.5	77.7	0	0.3						
	R9	Residential	Bedroom	W9/F03	17.8	15.9	1.9	10.7	65.1	0	0.3						
	R10**	Residential	Bedroom	W10/F03	18.4	16.5	1.9	10.3	64.5	0	0						
	R11	Residential	Bedroom	W11/F03	19	17	2	10.5	85.3	0	0						
	R12**	Residential	LKD	W12/F03	9	8.2	0.8	8.9	55.1	0	0						
	R13**	Residential	LKD	W13/F03	8	7.8	0.2	2.5	43.2	0	0						
	R14	Residential	Bedroom	W14/F03	19.6	17.6	2	10.2	87.5	0.1	0.9						
	R15	Residential	Bedroom	W15/F03	19.5	17.4	2.1	10.8	66.6	0.1	0.6						
	R16	Residential	Bedroom	W16/F03	8	7.4	0.6	7.5	87.7	0	0.3						
	R17**	Residential	LKD	W17/F03	19	16.8	2.2	11.6	52.1	0	0.2						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R18	Residential	Bedroom	W18/F03	18.8	16.5	2.3	12.2	81.2	0.1	1.2						
	R19	Residential	Bedroom	W19/F03	18.5	15.9	2.6	14.1	70.8	0	0						
	R20	Residential	LKD	W20/F03	18	15	3	16.7	94	0.6	2.5	43	9	41	7	4.7	22.2
				W21/F03	7	7	0	0									
				W22/F03	18.8	16.2	2.6	13.8									
				W23/F03	19.8	17.4	2.4	12.1									
F04	R1**	Residential	LKD	W1/F04	6.7	6.7	0	0	27.8	0	0						
	R2	Residential	Bedroom	W2/F04	18.5	17.1	1.4	7.6	44.6	0.1	2						
	R3	Residential	Bedroom	W3/F04	18.4	17	1.4	7.6	33.7	0.2	3.3						
	R4	Residential	Bedroom	W4/F04	18.5	17	1.5	8.1	35.3	0	0						
	R5	Residential	Bedroom	W5/F04	18.4	16.9	1.5	8.2	44.7	0	0						
	R6**	Residential	LKD	W6/F04	7.6	7	0.6	7.9	20.1	0	0.3						
	R7**	Residential	LKD	W7/F04	5.6	5.6	0	0	16.5	0	0						
	R8	Residential	Bedroom	W8/F04	19.2	17.4	1.8	9.4	82.2	0	0.3						
	R9	Residential	Bedroom	W9/F04	19.8	17.9	1.9	9.6	85.6	0	0.2						
	R10**	Residential	Bedroom	W10/F04	20.3	18.4	1.9	9.4	84	0	0						
	R11	Residential	Bedroom	W11/F04	20.8	18.8	2	9.6	90.5	0	0						
	R12**	Residential	LKD	W12/F04	10.5	9.6	0.9	8.6	87.5	0	0						
	R13**	Residential	LKD	W13/F04	9.3	9	0.3	3.2	74.9	0	0						
	R14	Residential	Bedroom	W14/F04	21.9	19.6	2.3	10.5	96.7	0.1	0.7						
	R15	Residential	Bedroom	W15/F04	22	19.6	2.4	10.9	85.4	0.1	0.4						
	R16	Residential	Bedroom	W16/F04	10.1	9.3	0.8	7.9	99	0	0.3						
	R17**	Residential	LKD	W17/F04	21.8	19.1	2.7	12.4	72.6	0	0.1						
	R18	Residential	Bedroom	W18/F04	21.6	18.9	2.7	12.5	93.3	0.1	1						
	R19	Residential	Bedroom	W19/F04	21.4	18.5	2.9	13.6	86.4	0	0						
	R20	Residential	LKD	W20/F04	21	17.8	3.2	15.2	94.8	0.6	2.2	43	9	41	7	4.7	22.2
				W21/F04	7.2	7.1	0.1	1.4									
				W22/F04	19.3	16.6	2.7	14									
				W23/F04	20.1	17.7	2.4	11.9									
F05	R1**	Residential	LKD	W1/F05	8.7	8.7	0	0	32.6	0	0						
	R2	Residential	Bedroom	W2/F05	21.1	19.7	1.4	6.6	56.9	0.1	2.1						
	R3	Residential	Bedroom	W3/F05	21	19.6	1.4	6.7	42.9	0.2	2.5						
	R4	Residential	Bedroom	W4/F05	21	19.5	1.5	7.1	45.7	0	0						
	R5	Residential	Bedroom	W5/F05	20.9	19.3	1.6	7.7	58.2	0	0						
	R6**	Residential	LKD	W6/F05	9.6	9	0.6	6.3	27.1	0	0.2						
	R7**	Residential	LKD	W7/F05	7.3	7.3	0	0	26.8	0	0						
	R8	Residential	Bedroom	W8/F05	21.4	19.6	1.8	8.4	86.8	0	0.2						
	R9	Residential	Bedroom	W9/F05	21.9	20	1.9	8.7	88.9	0	0.2						
	R10**	Residential	Bedroom	W10/F05	22.3	20.3	2	9	89.3	0	0						
	R11	Residential	Bedroom	W11/F05	22.7	20.6	2.1	9.3	94	0	0						
	R12**	Residential	LKD	W12/F05	12	11.1	0.9	7.5	99.9	0	0						
	R13**	Residential	LKD	W13/F05	10.5	10.2	0.3	2.9	91.4	0	0						
	R14	Residential	Bedroom	W14/F05	23.7	21.2	2.5	10.5	97.2	0.1	0.6						
	R15	Residential	Bedroom	W15/F05	23.9	21.3	2.6	10.9	89.7	0	0.4						
	R16	Residential	Bedroom	W16/F05	11.5	10.7	0.8	7	99	0	0.3						
	R17**	Residential	LKD	W17/F05	24	21.1	2.9	12.1	90.5	0	0.1						
	R18	Residential	Bedroom	W18/F05	23.9	21	2.9	12.1	96.6	0.1	0.9						
	R19	Residential	Bedroom	W19/F05	24	20.9	3.1	12.9	96.6	0	0						
	R20	Residential	LKD	W20/F05	23.7	20.5	3.2	13.5	97.3	0.2	0.6	44	9	42	7	4.5	22.2
				W21/F05	7.3	7.1	0.2	2.7									
				W22/F05	19.7	16.9	2.8	14.2									
				W23/F05	20.5	18	2.5	12.2									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
F06	R1**	Residential	LKD	W1/F06	10.8	10.8	0	0	42.4	0	0						
	R2	Residential	Bedroom	W2/F06	23.9	22.4	1.5	6.3	80	0.1	1.2						
	R3	Residential	Bedroom	W3/F06	23.8	22.3	1.5	6.3	60.2	0.1	1.5						
	R4	Residential	Bedroom	W4/F06	23.7	22.1	1.6	6.8	62.9	0	0						
	R5	Residential	Bedroom	W5/F06	23.5	21.9	1.6	6.8	81.2	0	0						
	R6**	Residential	LKD	W6/F06	11.7	11.1	0.6	5.1	42.1	0	0.1						
	R7**	Residential	LKD	W7/F06	9.1	9.1	0	0	44.2	0	0						
	R8	Residential	Bedroom	W8/F06	23.6	21.7	1.9	8.1	94.5	0	0.2						
	R9	Residential	Bedroom	W9/F06	23.9	21.9	2	8.4	92.7	0	0.1						
	R10**	Residential	Bedroom	W10/F06	24.1	22.1	2	8.3	93.8	0	0						
	R11	Residential	Bedroom	W11/F06	24.4	22.2	2.2	9	96.9	0	0						
	R12**	Residential	LKD	W12/F06	13.2	12.3	0.9	6.8	99.9	0	0						
	R13**	Residential	LKD	W13/F06	11.5	11.1	0.4	3.5	92.6	0	0						
	R14	Residential	Bedroom	W14/F06	25.1	22.6	2.5	10	97.2	0.1	0.6						
	R15	Residential	Bedroom	W15/F06	25.4	22.7	2.7	10.6	90.2	0	0.3						
	R16	Residential	Bedroom	W16/F06	12.6	11.7	0.9	7.1	99	0	0.3						
	R17**	Residential	LKD	W17/F06	25.7	22.7	3	11.7	92.6	0	0.1						
	R18	Residential	Bedroom	W18/F06	25.7	22.6	3.1	12.1	97	0.1	0.5						
	R19	Residential	Bedroom	W19/F06	25.8	22.6	3.2	12.4	96.8	0	0						
	R20	Residential	LKD	W20/F06	25.7	22.4	3.3	12.8	99.7	0.1	0.2	45	10	43	8	4.4	20
				W21/F06	7.3	7.2	0.1	1.4									
				W22/F06	20	17.2	2.8	14									
				W23/F06	20.8	18.3	2.5	12									
F07	R1	Residential	LKD	W1/F07	26.9	25.5	1.4	5.2	96.6	0.1	0.2						
				W2/F07	22.2	20.7	1.5	6.8									
	R3	Residential	LKD	W3/F07	26.7	25.1	1.6	6	95.7	0.2	0.8						
				W4/F07	21.4	19.8	1.6	7.5									
	R5	Residential	LKD	W5/F07	26.1	24.3	1.8	6.9	94.9	0.4	1.5						
				W6/F07	20.7	18.9	1.8	8.7									
	R7	Residential	LKD	W7/F07	26.1	24.1	2	7.7	96.4	0.4	1.4						
				W8/F07	20.7	18.6	2.1	10.1									
	R9	Residential	LKD	W9/F07	26.2	24	2.2	8.4	96.4	0.2	0.9						
				W10/F07	21.6	19.3	2.3	10.6									
	R11	Residential	LKD	W11/F07	26.3	23.8	2.5	9.5	97	0.2	0.7						
				W12/F07	21.3	18.7	2.6	12.2									
	R13	Residential	Bedroom	W14/F07	13.1	12.2	0.9	6.9	99.7	0	0.1						
	R14	Residential	Bedroom	W15/F07	26.6	23.6	3	11.3	98.2	0	0.4						
	R15	Residential	Bedroom	W16/F07	26.7	23.6	3.1	11.6	96.4	0.1	1.2						
	R16	Residential	Bedroom	W17/F07	26.8	23.5	3.3	12.3	97	0	0						
	R17	Residential	LKD	W18/F07	26.6	23.2	3.4	12.8	99.8	0	0	45	10	43	8	4.4	20
				W19/F07	7.4	7.2	0.2	2.7									
				W20/F07	20.3	17.4	2.9	14.3									
				W21/F07	21.1	18.5	2.6	12.3									
F08	R1	Residential	Unknown	W1/F08	30	28.5	1.5	5	89.9	1.4	4.4						
				W2/F08	29.9	28.4	1.5	5									
	R2	Residential	Unknown	W3/F08	29.5	27.9	1.6	5.4	92.9	0.8	2.4						
				W4/F08	29.3	27.6	1.7	5.8									
	R3	Residential	Unknown	W5/F08	28.7	26.9	1.8	6.3	97	0.1	0.5						
				W6/F08	28.5	26.6	1.9	6.7									
	R4	Residential	Unknown	W7/F08	28.1	26.1	2	7.1	95.7	0.3	1.2						
				W8/F08	28	25.9	2.1	7.5									
	R5	Residential	Unknown	W9/F08	27.8	25.5	2.3	8.3	88.3	1.1	4.3						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W10/F08	27.6	25.3	2.3	8.3									
	R6	Residential	Unknown	W11/F08	27.5	24.9	2.6	9.5	84.7	1.4	5.7						
				W12/F08	27.2	24.5	2.7	9.9									
	R7	Residential	Bedroom	W13/F08	13.6	12.7	0.9	6.6	99.7	0	0.1						
	R8	Residential	Bedroom	W14/F08	27.5	24.5	3	10.9	98.3	0	0.3						
	R9	Residential	Bedroom	W15/F08	27.5	24.3	3.2	11.6	97	0.1	0.6						
	R10	Residential	Bedroom	W16/F08	27.5	24.2	3.3	12	97.1	0	0						
	R11	Residential	LKD	W17/F08	27.4	23.9	3.5	12.8	99.2	0	0.1	46	11	44	9	4.3	18.2
				W18/F08	7.5	7.3	0.2	2.7									
				W19/F08	20.6	17.7	2.9	14.1									
				W20/F08	21.4	18.8	2.6	12.1									
F09	R1	Residential	Unknown	W1/F09	28.8	28	0.8	2.8	100	0	0	33	9	31	8	6.1	11.1
				W2/F09	28.8	26.4	2.4	8.3									
	R2	Residential	Unknown	W3/F09	28.5	25.8	2.7	9.5	85.5	1.4	5.7						
				W4/F09	28.1	25.3	2.8	10									
	R3	Residential	Bedroom	W5/F09	14	13.1	0.9	6.4	99.7	0	0.1						
	R4	Residential	Bedroom	W6/F09	28.3	25.2	3.1	11	98.5	0	0						
	R5	Residential	Bedroom	W7/F09	28.3	25	3.3	11.7	96.8	0.1	0.7						
	R6	Residential	Bedroom	W8/F09	28.2	24.8	3.4	12.1	97	0	0						
	R7	Residential	LKD	W9/F09	28	24.4	3.6	12.9	99.8	0	0	47	11	45	9	4.3	18.2
				W10/F09	7.5	7.4	0.1	1.3									
				W11/F09	21	18	3	14.3									
				W12/F09	21.7	19.1	2.6	12									
F10	R1	Residential	Unknown	W1/F10	38.2	37.3	0.9	2.4	100	0	0	51	15	49	14	3.9	6.7
				W2/F10	29.7	27.3	2.4	8.1									
	R2	Residential	Unknown	W3/F10	29.3	26.6	2.7	9.2	86.2	1.4	5.5						
				W4/F10	28.9	26.1	2.8	9.7									
	R3	Residential	Bedroom	W5/F10	14.4	13.4	1	6.9	99.7	0	0.1						
	R4	Residential	Bedroom	W6/F10	28.9	25.7	3.2	11.1	98.4	0	0.2						
	R5	Residential	Bedroom	W7/F10	28.8	25.5	3.3	11.5	96.9	0.1	0.7						
	R6	Residential	Bedroom	W8/F10	28.7	25.2	3.5	12.2	97	0	0						
	R7	Residential	LKD	W9/F10	28.5	24.9	3.6	12.6	99.3	0	0						
				W10/F10	10.8	8.9	1.9	17.6									
F11	R1	Residential	Unknown	W1/F11	29.6	26.8	2.8	9.5	85.1	0	0						
	R2	Residential	Bedroom	W2/F11	27.1	24	3.1	11.4	98	0.1	0.6						
	R3	Residential	Bedroom	W3/F11	26	24.5	1.5	5.8	90.7	0.1	2.1						
	R4	Residential	LKD	W4/F11	26.2	22.6	3.6	13.7	97.1	0.3	0.5						
				W5/F11	22.3	18.9	3.4	15.2									
F12	R1	Residential	Unknown	W1/F12	30.3	27.4	2.9	9.6	85.1	0	0						
	R2	Residential	Bedroom	W2/F12	26	22.9	3.1	11.9	98	0.1	0.5						
	R3	Residential	Bedroom	W3/F12	25	23.5	1.5	6	90.6	0.1	2.1						
	R4	Residential	LKD	W4/F12	30	26.4	3.6	12	94.9	1.6	3.7						
				W5/F12	19.9	16.3	3.6	18.1									
				W6/F12	4.5	4.1	0.4	8.9									
325 DEANSGATE STAYCITY APARTHOTEL																	
F01	R1	Residential	#NAME?	W1/F01	9.7	9.4	0.3	3.1	84.4	0.3	1.9	37	11	37	11	0	0
				W2/F01	9.6	9.2	0.4	4.2									
				W3/F01	9.4	9.1	0.3	3.2									
				W4/F01	9.3	8.9	0.4	4.3									
				W5/F01	9.2	8.8	0.4	4.3									
				W6/F01	9	8.6	0.4	4.4									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W7/F01	9	8.5	0.5	5.6									
				W8/F01	19.6	18.6	1	5.1									
				W9/F01	19.7	18.5	1.2	6.1									
	R2**	Residential	#NAME?	W10/F01	19.8	18.5	1.3	6.6	93.8	0.1	0.6	37	11	37	11	0	0
				W11/F01	20.1	18.7	1.4	7									
	R3**	Residential	#NAME?	W12/F01	20.3	18.9	1.4	6.9	46.7	0.3	4	38	11	38	11	0	0
				W13/F01	21	19.3	1.7	8.1									
	R4**	Residential	#NAME?	W14/F01	21.2	19.5	1.7	8	97.2	0.1	0.8	36	11	35	10	2.8	9.1
				W15/F01	21.5	19.8	1.7	7.9									
				W16/F01	21.8	20	1.8	8.3									
	R5**	Residential	#NAME?	W17/F01	22.1	20.1	2	9	94.4	0.2	1.4	36	11	33	9	8.3	18.2
				W18/F01	22.2	20.2	2	9									
	R6	Residential	#NAME?	W19/F01	22.3	20.3	2	9	60.7	0.9	5.5	54	18	52	17	3.7	5.6
				W20/F01	21.2	19	2.2	10.4									
				W21/F01	20.1	18.9	1.2	6									
				W22/F01	19.9	18.7	1.2	6									
F02	R1	Residential	#NAME?	W1/F02	12.9	12.4	0.5	3.9	89.5	0.2	1.1	37	11	37	11	0	0
				W2/F02	12.7	12.2	0.5	3.9									
				W3/F02	12.6	12	0.6	4.8									
				W4/F02	12.4	11.8	0.6	4.8									
				W5/F02	12.2	11.6	0.6	4.9									
				W6/F02	12	11.3	0.7	5.8									
				W7/F02	11.9	11.2	0.7	5.9									
				W8/F02	20.9	19.4	1.5	7.2									
				W9/F02	21.1	19.5	1.6	7.6									
	R2**	Residential	#NAME?	W10/F02	21.3	19.6	1.7	8	93.8	0.1	0.6	37	11	37	11	0	0
				W11/F02	21.5	19.8	1.7	7.9									
	R3**	Residential	#NAME?	W12/F02	21.7	19.9	1.8	8.3	47.6	0.3	3.6	38	11	38	11	0	0
				W13/F02	22.1	20.1	2	9									
	R4**	Residential	#NAME?	W14/F02	22.3	20.2	2.1	9.4	97.4	0.2	1.1	38	11	37	10	2.6	9.1
				W15/F02	22.4	20.3	2.1	9.4									
				W16/F02	22.6	20.4	2.2	9.7									
	R5**	Residential	#NAME?	W17/F02	22.9	20.5	2.4	10.5	94.8	0.2	1.1	38	11	36	10	5.3	9.1
				W18/F02	23	20.6	2.4	10.4									
	R6	Residential	#NAME?	W19/F02	23.1	20.7	2.4	10.4	60.9	1	5.8	43	15	40	14	7	6.7
				W20/F02	21.9	19.4	2.5	11.4									
				W21/F02	7.1	6	1.1	15.5									
				W22/F02	5.9	4.7	1.2	20.3									
F03	R1	Residential	#NAME?	W1/F03	18.7	17.8	0.9	4.8	94.4	0	0.1	39	11	39	11	0	0
				W2/F03	17.4	16.4	1	5.7									
				W3/F03	21.8	19.9	1.9	8.7									
				W4/F03	22	20	2	9.1									
	R2**	Residential	#NAME?	W5/F03	22.3	20.3	2	9	83.8	0.5	2.2	38	11	38	11	0	0
				W6/F03	22.5	20.4	2.1	9.3									
				W7/F03	22.9	20.6	2.3	10									
	R3**	Residential	#NAME?	W8/F03	23	20.7	2.3	10	97.4	0.1	0.3	38	11	36	10	5.3	9.1
				W9/F03	23.1	20.8	2.3	10									
				W10/F03	23.3	20.9	2.4	10.3									
				W11/F03	23.5	21	2.5	10.6									
	R4**	Residential	#NAME?	W12/F03	23.6	21.1	2.5	10.6	92.1	0.2	0.8	39	11	36	10	7.7	9.1
				W13/F03	23.8	21.2	2.6	10.9									
				W14/F03	24	21.3	2.7	11.3									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W15/F03	24.2	21.5	2.7	11.2									
	R5	Residential	#NAME?	W16/F03	24.3	21.5	2.8	11.5	98	0	0.1	67	19	65	18	3	5.3
				W17/F03	24.5	21.6	2.9	11.8									
				W18/F03	29.1	27.8	1.3	4.5									
				W19/F03	26.8	25.5	1.3	4.9									
				W20/F03	22.8	21.7	1.1	4.8									
				W21/F03	17.5	16.6	0.9	5.1									
F04	R1	Residential	#NAME?	W1/F04	22	21	1	4.5	94.5	0	0.1	40	11	40	11	0	0
				W2/F04	20.4	19.2	1.2	5.9									
				W3/F04	22.3	20.3	2	9									
				W4/F04	22.5	20.4	2.1	9.3									
	R2**	Residential	#NAME?	W5/F04	22.8	20.6	2.2	9.6	84.2	0.5	2	40	12	38	11	5	8.3
				W6/F04	23	20.8	2.2	9.6									
				W7/F04	23.3	21	2.3	9.9									
	R3**	Residential	#NAME?	W8/F04	23.4	21.1	2.3	9.8	97.4	0.1	0.4	38	11	36	10	5.3	9.1
				W9/F04	23.5	21.2	2.3	9.8									
				W10/F04	23.7	21.3	2.4	10.1									
				W11/F04	23.9	21.4	2.5	10.5									
	R4**	Residential	#NAME?	W12/F04	24	21.5	2.5	10.4	92.5	0.2	0.7	39	11	36	10	7.7	9.1
				W13/F04	24.2	21.6	2.6	10.7									
				W14/F04	24.4	21.7	2.7	11.1									
				W15/F04	24.6	21.9	2.7	11									
	R5	Residential	#NAME?	W16/F04	24.7	21.9	2.8	11.3	98	0	0	67	19	65	18	3	5.3
				W17/F04	24.8	22	2.8	11.3									
				W18/F04	29.4	28.1	1.3	4.4									
				W19/F04	27.1	25.8	1.3	4.8									
				W20/F04	23.1	21.9	1.2	5.2									
				W21/F04	17.7	16.7	1	5.6									
F05	R1	Residential	#NAME?	W1/F05	22.4	21.5	0.9	4	94.5	0	0.1	40	11	40	11	0	0
				W2/F05	20.8	19.6	1.2	5.8									
				W3/F05	22.6	20.6	2	8.8									
				W4/F05	22.8	20.7	2.1	9.2									
	R2**	Residential	#NAME?	W5/F05	23.1	21	2.1	9.1	85.1	0.4	1.4	40	12	38	11	5	8.3
				W6/F05	23.3	21.1	2.2	9.4									
				W7/F05	23.6	21.3	2.3	9.7									
	R3**	Residential	#NAME?	W8/F05	23.7	21.4	2.3	9.7	97.4	0.1	0.4	38	11	36	10	5.3	9.1
				W9/F05	23.9	21.5	2.4	10									
				W10/F05	24	21.6	2.4	10									
				W11/F05	24.3	21.7	2.6	10.7									
	R4**	Residential	#NAME?	W12/F05	24.3	21.8	2.5	10.3	92.8	0.1	0.6	39	11	36	10	7.7	9.1
				W13/F05	24.5	21.9	2.6	10.6									
				W14/F05	24.7	22	2.7	10.9									
				W15/F05	24.9	22.2	2.7	10.8									
	R5	Residential	#NAME?	W16/F05	25	22.2	2.8	11.2	98	0	0	68	19	65	18	4.4	5.3
				W17/F05	25.1	22.3	2.8	11.2									
				W18/F05	29.6	28.4	1.2	4.1									
				W19/F05	27.3	26.1	1.2	4.4									
				W20/F05	23.3	22.1	1.2	5.2									
				W21/F05	17.8	16.9	0.9	5.1									
F06	R1	Residential	#NAME?	W1/F06	22.5	21.6	0.9	4	94.5	0	0.1	41	11	41	11	0	0
				W2/F06	20.9	19.7	1.2	5.7									
				W3/F06	22.9	20.9	2	8.7									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W4/F06	23	21	2	8.7									
	R2**	Residential	#NAME?	W5/F06	23.3	21.3	2	8.6	85.5	0.3	1.4	40	12	38	11	5	8.3
				W6/F06	23.6	21.4	2.2	9.3									
				W7/F06	23.9	21.6	2.3	9.6									
	R3**	Residential	#NAME?	W8/F06	24	21.7	2.3	9.6	97.6	0.1	0.3	38	11	36	10	5.3	9.1
				W9/F06	24.2	21.8	2.4	9.9									
				W10/F06	24.3	21.9	2.4	9.9									
				W11/F06	24.5	22.1	2.4	9.8									
	R4**	Residential	#NAME?	W12/F06	24.6	22.1	2.5	10.2	92.9	0.2	0.6	39	11	36	10	7.7	9.1
				W13/F06	24.8	22.2	2.6	10.5									
				W14/F06	25	22.4	2.6	10.4									
				W15/F06	25.2	22.5	2.7	10.7									
	R5	Residential	#NAME?	W16/F06	25.4	22.6	2.8	11	97.9	0	0.1	70	20	67	19	4.3	5
				W17/F06	25.5	22.6	2.9	11.4									
				W18/F06	29.9	28.6	1.3	4.3									
				W19/F06	27.5	26.3	1.2	4.4									
				W20/F06	23.5	22.4	1.1	4.7									
				W21/F06	18	17.1	0.9	5									
F07	R1	Residential	#NAME?	W1/F07	22.6	21.7	0.9	4	94.5	0	0.1	41	11	41	11	0	0
				W2/F07	21	19.9	1.1	5.2									
				W3/F07	23.2	21.2	2	8.6									
				W4/F07	23.3	21.3	2	8.6									
	R2**	Residential	#NAME?	W5/F07	23.6	21.6	2	8.5	85.6	0.4	1.5	40	12	38	11	5	8.3
				W6/F07	23.9	21.7	2.2	9.2									
				W7/F07	24.2	21.9	2.3	9.5									
	R3**	Residential	#NAME?	W8/F07	24.3	22.1	2.2	9.1	97.7	0.1	0.3	39	11	37	10	5.1	9.1
				W9/F07	24.4	22.2	2.2	9									
				W10/F07	24.6	22.3	2.3	9.3									
				W11/F07	24.9	22.4	2.5	10									
	R4**	Residential	#NAME?	W12/F07	25	22.5	2.5	10	93.4	0.2	0.6	40	11	37	10	7.5	9.1
				W13/F07	25.1	22.6	2.5	10									
				W14/F07	25.3	22.7	2.6	10.3									
				W15/F07	25.5	22.9	2.6	10.2									
	R5	Residential	#NAME?	W16/F07	25.7	22.9	2.8	10.9	98.2	0	0	71	20	68	19	4.2	5
				W17/F07	25.8	23	2.8	10.9									
				W18/F07	30.1	28.9	1.2	4									
				W19/F07	27.7	26.6	1.1	4									
				W20/F07	23.7	22.6	1.1	4.6									
				W21/F07	18.1	17.2	0.9	5									
F08	R1	Residential	#NAME?	W1/F08	22.7	21.8	0.9	4	94.5	0	0	41	11	41	11	0	0
				W2/F08	21.1	20	1.1	5.2									
				W3/F08	23.4	21.6	1.8	7.7									
				W4/F08	23.6	21.7	1.9	8.1									
	R2**	Residential	#NAME?	W5/F08	23.9	21.9	2	8.4	86.2	0.4	1.5	40	12	38	11	5	8.3
				W6/F08	24.2	22.1	2.1	8.7									
				W7/F08	24.5	22.3	2.2	9									
	R3**	Residential	#NAME?	W8/F08	24.6	22.4	2.2	8.9	97.7	0.1	0.3	39	11	37	10	5.1	9.1
				W9/F08	24.7	22.5	2.2	8.9									
				W10/F08	24.9	22.6	2.3	9.2									
				W11/F08	25.1	22.7	2.4	9.6									
	R4**	Residential	#NAME?	W12/F08	25.3	22.8	2.5	9.9	93.5	0.2	0.6	40	11	37	10	7.5	9.1
				W13/F08	25.4	22.9	2.5	9.8									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W14/F08	25.6	23.1	2.5	9.8									
				W15/F08	25.8	23.2	2.6	10.1									
	R5	Residential	#NAME?	W16/F08	26	23.3	2.7	10.4	98	0	0	72	21	68	19	5.6	9.5
				W17/F08	26.1	23.3	2.8	10.7									
				W18/F08	30.3	29.1	1.2	4									
				W19/F08	27.9	26.8	1.1	3.9									
				W20/F08	23.9	22.8	1.1	4.6									
				W21/F08	18.2	17.4	0.8	4.4									
F09	R1	Residential	#NAME?	W1/F09	22.8	21.9	0.9	3.9	94.6	0	0	41	11	41	11	0	0
				W2/F09	21.2	20.1	1.1	5.2									
				W3/F09	23.7	21.9	1.8	7.6									
				W4/F09	23.9	22	1.9	7.9									
	R2**	Residential	#NAME?	W5/F09	24.2	22.2	2	8.3	87	0.3	1.3	40	12	38	11	5	8.3
				W6/F09	24.4	22.4	2	8.2									
				W7/F09	24.8	22.6	2.2	8.9									
	R3**	Residential	#NAME?	W8/F09	24.9	22.7	2.2	8.8	97.7	0.1	0.2	39	11	37	10	5.1	9.1
				W9/F09	25	22.8	2.2	8.8									
				W10/F09	25.2	22.9	2.3	9.1									
				W11/F09	25.4	23.1	2.3	9.1									
	R4**	Residential	#NAME?	W12/F09	25.5	23.1	2.4	9.4	93.5	0.2	0.6	40	11	37	10	7.5	9.1
				W13/F09	25.7	23.2	2.5	9.7									
				W14/F09	25.9	23.4	2.5	9.7									
				W15/F09	26.1	23.6	2.5	9.6									
	R5	Residential	#NAME?	W16/F09	26.3	23.6	2.7	10.3	98	0	0.1	72	21	68	19	5.6	9.5
				W17/F09	26.4	23.7	2.7	10.2									
				W18/F09	30.5	29.4	1.1	3.6									
				W19/F09	28.1	27.1	1	3.6									
				W20/F09	24	23	1	4.2									
				W21/F09	18.3	17.5	0.8	4.4									
F10	R1	Residential	#NAME?	W1/F10	22.9	22.1	0.8	3.5	94.6	0	0	41	11	41	11	0	0
				W2/F10	21.2	20.2	1	4.7									
				W3/F10	24	22.2	1.8	7.5									
				W4/F10	24.1	22.3	1.8	7.5									
	R2**	Residential	#NAME?	W5/F10	24.5	22.6	1.9	7.8	87.4	0.3	1.2	40	12	38	11	5	8.3
				W6/F10	24.7	22.7	2	8.1									
				W7/F10	25	22.9	2.1	8.4									
	R3**	Residential	#NAME?	W8/F10	25.2	23	2.2	8.7	97.7	0.1	0.3	39	11	37	10	5.1	9.1
				W9/F10	25.3	23.2	2.1	8.3									
				W10/F10	25.5	23.3	2.2	8.6									
				W11/F10	25.7	23.4	2.3	8.9									
	R4**	Residential	#NAME?	W12/F10	25.8	23.5	2.3	8.9	93.7	0.2	0.6	40	11	37	10	7.5	9.1
				W13/F10	26	23.6	2.4	9.2									
				W14/F10	26.2	23.8	2.4	9.2									
				W15/F10	26.4	23.9	2.5	9.5									
	R5	Residential	#NAME?	W16/F10	26.6	24	2.6	9.8	98.2	0	0	72	21	68	19	5.6	9.5
				W17/F10	26.7	24	2.7	10.1									
				W18/F10	30.7	29.6	1.1	3.6									
				W19/F10	28.3	27.3	1	3.5									
				W20/F10	24.2	23.2	1	4.1									
				W21/F10	18.4	17.6	0.8	4.3									
F11	R1	Residential	#NAME?	W1/F11	23	22.2	0.8	3.5	94.6	0	0	41	11	41	11	0	0
				W2/F11	21.3	20.4	0.9	4.2									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W3/F11	24.2	22.5	1.7	7									
				W4/F11	24.4	22.6	1.8	7.4									
	R2**	Residential	#NAME?	W5/F11	24.7	22.9	1.8	7.3	88.2	0.3	1	40	12	38	11	5	8.3
				W6/F11	25	23	2	8									
				W7/F11	25.3	23.3	2	7.9									
	R3**	Residential	#NAME?	W8/F11	25.5	23.4	2.1	8.2	97.7	0.1	0.3	39	11	37	10	5.1	9.1
				W9/F11	25.6	23.5	2.1	8.2									
				W10/F11	25.8	23.6	2.2	8.5									
				W11/F11	26	23.7	2.3	8.8									
	R4**	Residential	#NAME?	W12/F11	26.1	23.8	2.3	8.8	93.8	0.1	0.5	40	11	37	10	7.5	9.1
				W13/F11	26.3	23.9	2.4	9.1									
				W14/F11	26.5	24.1	2.4	9.1									
				W15/F11	26.7	24.3	2.4	9									
	R5	Residential	#NAME?	W16/F11	26.9	24.3	2.6	9.7	98.1	0	0.1	72	21	68	19	5.6	9.5
				W17/F11	27	24.4	2.6	9.6									
				W18/F11	30.9	29.8	1.1	3.6									
				W19/F11	28.5	27.5	1	3.5									
				W20/F11	24.4	23.4	1	4.1									
				W21/F11	18.5	17.8	0.7	3.8									
F12	R1	Residential	#NAME?	W1/F12	23.1	22.3	0.8	3.5	94.8	0	0	41	11	41	11	0	0
				W2/F12	21.4	20.5	0.9	4.2									
				W3/F12	24.5	22.9	1.6	6.5									
				W4/F12	24.7	22.9	1.8	7.3									
	R2**	Residential	#NAME?	W5/F12	25	23.2	1.8	7.2	89.2	0.3	1	40	12	38	11	5	8.3
				W6/F12	25.3	23.4	1.9	7.5									
				W7/F12	25.6	23.6	2	7.8									
	R3**	Residential	#NAME?	W8/F12	25.8	23.7	2.1	8.1	97.8	0.1	0.3	39	11	37	10	5.1	9.1
				W9/F12	25.9	23.8	2.1	8.1									
				W10/F12	26.1	24	2.1	8									
				W11/F12	26.3	24.1	2.2	8.4									
	R4**	Residential	#NAME?	W12/F12	26.4	24.2	2.2	8.3	93.9	0.1	0.5	40	11	37	10	7.5	9.1
				W13/F12	26.6	24.3	2.3	8.6									
				W14/F12	26.8	24.5	2.3	8.6									
				W15/F12	27	24.6	2.4	8.9									
	R5	Residential	#NAME?	W16/F12	27.2	24.7	2.5	9.2	98	0	0.1	72	21	68	19	5.6	9.5
				W17/F12	27.3	24.8	2.5	9.2									
				W18/F12	31.1	30.1	1	3.2									
				W19/F12	28.7	27.8	0.9	3.1									
				W20/F12	24.5	23.6	0.9	3.7									
				W21/F12	18.6	17.9	0.7	3.8									
F13	R1	Residential	#NAME?	W1/F13	23.1	22.5	0.6	2.6	94.9	0	-0.1	41	11	41	11	0	0
				W2/F13	21.5	20.7	0.8	3.7									
				W3/F13	24.8	23.2	1.6	6.5									
				W4/F13	25	23.3	1.7	6.8									
	R2**	Residential	#NAME?	W5/F13	25.3	23.6	1.7	6.7	90.9	0.1	0.4	40	12	38	11	5	8.3
				W6/F13	25.6	23.7	1.9	7.4									
				W7/F13	25.9	24	1.9	7.3									
	R3**	Residential	#NAME?	W8/F13	26.1	24.1	2	7.7	97.8	0.1	0.4	39	11	37	10	5.1	9.1
				W9/F13	26.2	24.2	2	7.6									
				W10/F13	26.4	24.3	2.1	8									
				W11/F13	26.6	24.4	2.2	8.3									
	R4**	Residential	#NAME?	W12/F13	26.7	24.5	2.2	8.2	94	0.2	0.6	41	11	37	10	9.8	9.1

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W13/F13	26.9	24.6	2.3	8.6									
				W14/F13	27.1	24.8	2.3	8.5									
				W15/F13	27.3	25	2.3	8.4									
	R5	Residential	#NAME?	W16/F13	27.5	25.1	2.4	8.7	98.2	0	0.1	72	21	68	19	5.6	9.5
				W17/F13	27.6	25.1	2.5	9.1									
				W18/F13	31.3	30.3	1	3.2									
				W19/F13	28.9	28	0.9	3.1									
				W20/F13	24.7	23.8	0.9	3.6									
				W21/F13	18.7	18.1	0.6	3.2									
F14	R1	Residential	#NAME?	W1/F14	23.2	22.6	0.6	2.6	94.7	0	-0.1	41	11	41	11	0	0
				W2/F14	21.6	20.9	0.7	3.2									
				W3/F14	25.1	23.5	1.6	6.4									
				W4/F14	25.3	23.7	1.6	6.3									
	R2**	Residential	#NAME?	W5/F14	25.6	23.9	1.7	6.6	91.6	0.1	0.5	40	12	38	11	5	8.3
				W6/F14	25.9	24.1	1.8	6.9									
				W7/F14	26.2	24.3	1.9	7.3									
	R3**	Residential	#NAME?	W8/F14	26.4	24.4	2	7.6	97.8	0.1	0.4	39	11	37	10	5.1	9.1
				W9/F14	26.5	24.6	1.9	7.2									
				W10/F14	26.7	24.7	2	7.5									
				W11/F14	26.9	24.8	2.1	7.8									
	R4**	Residential	#NAME?	W12/F14	27	24.9	2.1	7.8	93.9	0.2	0.6	41	11	37	10	9.8	9.1
				W13/F14	27.2	25	2.2	8.1									
				W14/F14	27.4	25.2	2.2	8									
				W15/F14	27.6	25.4	2.2	8									
	R5	Residential	#NAME?	W16/F14	27.8	25.4	2.4	8.6	98.1	0	0	73	21	68	19	6.8	9.5
				W17/F14	27.9	25.5	2.4	8.6									
				W18/F14	31.5	30.6	0.9	2.9									
				W19/F14	29.1	28.2	0.9	3.1									
				W20/F14	24.9	24	0.9	3.6									
				W21/F14	18.8	18.2	0.6	3.2									
F15	R1	Residential	#NAME?	W1/F15	23.3	22.8	0.5	2.1	95	0	0	42	12	42	12	0	0
				W2/F15	21.7	21	0.7	3.2									
				W3/F15	25.4	23.9	1.5	5.9									
				W4/F15	25.6	24	1.6	6.3									
	R2**	Residential	#NAME?	W5/F15	25.9	24.3	1.6	6.2	91.9	0.1	0.5	41	13	39	12	4.9	7.7
				W6/F15	26.2	24.5	1.7	6.5									
				W7/F15	26.5	24.7	1.8	6.8									
	R3**	Residential	#NAME?	W8/F15	26.7	24.8	1.9	7.1	97.8	0.2	0.6	39	11	37	10	5.1	9.1
				W9/F15	26.8	24.9	1.9	7.1									
				W10/F15	27	25	2	7.4									
				W11/F15	27.2	25.2	2	7.4									
	R4**	Residential	#NAME?	W12/F15	27.3	25.3	2	7.3	94	0.2	0.6	41	11	37	10	9.8	9.1
				W13/F15	27.5	25.4	2.1	7.6									
				W14/F15	27.7	25.6	2.1	7.6									
				W15/F15	27.9	25.7	2.2	7.9									
	R5	Residential	#NAME?	W16/F15	28.1	25.8	2.3	8.2	98.1	0	0.1	73	21	68	19	6.8	9.5
				W17/F15	28.2	25.9	2.3	8.2									
				W18/F15	31.7	30.8	0.9	2.8									
				W19/F15	29.3	28.5	0.8	2.7									
				W20/F15	25.1	24.2	0.9	3.6									
				W21/F15	18.9	18.3	0.6	3.2									
F16	R1	Residential	#NAME?	W1/F16	23.4	22.9	0.5	2.1	95.1	0	0	42	12	42	12	0	0

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W2/F16	21.8	21.2	0.6	2.8									
				W3/F16	25.7	24.3	1.4	5.4									
				W4/F16	25.9	24.4	1.5	5.8									
	R2**	Residential	#NAME?	W5/F16	26.2	24.7	1.5	5.7	92.1	0.1	0.3	41	13	39	12	4.9	7.7
				W6/F16	26.5	24.8	1.7	6.4									
				W7/F16	26.8	25.1	1.7	6.3									
	R3**	Residential	#NAME?	W8/F16	27	25.2	1.8	6.7	97.8	0.2	0.6	40	12	38	11	5	8.3
				W9/F16	27.1	25.3	1.8	6.6									
				W10/F16	27.3	25.4	1.9	7									
				W11/F16	27.5	25.6	1.9	6.9									
	R4**	Residential	#NAME?	W12/F16	27.6	25.7	1.9	6.9	94.1	0.2	0.6	42	12	38	11	9.5	8.3
				W13/F16	27.8	25.8	2	7.2									
				W14/F16	28	25.9	2.1	7.5									
				W15/F16	28.2	26.1	2.1	7.4									
	R5	Residential	#NAME?	W16/F16	28.4	26.2	2.2	7.7	98.3	0	0	73	21	68	19	6.8	9.5
				W17/F16	28.5	26.3	2.2	7.7									
				W18/F16	31.9	31.1	0.8	2.5									
				W19/F16	29.6	28.7	0.9	3									
				W20/F16	25.2	24.5	0.7	2.8									
				W21/F16	19	18.5	0.5	2.6									
F17	R1	Residential	#NAME?	W1/F17	23.6	23.1	0.5	2.1	95.3	0	0	42	12	42	12	0	0
				W2/F17	22	21.4	0.6	2.7									
				W3/F17	26	24.6	1.4	5.4									
				W4/F17	26.2	24.8	1.4	5.3									
	R2**	Residential	#NAME?	W5/F17	26.6	25	1.6	6	92.1	0.1	0.4	41	13	39	12	4.9	7.7
				W6/F17	26.8	25.2	1.6	6									
				W7/F17	27.1	25.4	1.7	6.3									
	R3**	Residential	#NAME?	W8/F17	27.3	25.6	1.7	6.2	97.8	0.2	0.6	41	13	39	12	4.9	7.7
				W9/F17	27.4	25.7	1.7	6.2									
				W10/F17	27.6	25.8	1.8	6.5									
				W11/F17	27.8	25.9	1.9	6.8									
	R4**	Residential	#NAME?	W12/F17	28	26	2	7.1	94.1	0.2	0.6	42	12	38	11	9.5	8.3
				W13/F17	28.1	26.1	2	7.1									
				W14/F17	28.4	26.3	2.1	7.4									
				W15/F17	28.6	26.5	2.1	7.3									
	R5	Residential	#NAME?	W16/F17	28.7	26.6	2.1	7.3	98.1	0	0.1	74	22	69	20	6.8	9.1
				W17/F17	28.8	26.6	2.2	7.6									
				W18/F17	32.2	31.4	0.8	2.5									
				W19/F17	29.8	29	0.8	2.7									
				W20/F17	25.5	24.7	0.8	3.1									
				W21/F17	19.2	18.6	0.6	3.1									
F18	R1	Residential	#NAME?	W1/F18	23.7	23.2	0.5	2.1	95.4	0	0	42	12	42	12	0	0
				W2/F18	22.1	21.6	0.5	2.3									
				W3/F18	26.4	25	1.4	5.3									
				W4/F18	26.5	25.1	1.4	5.3									
	R2**	Residential	#NAME?	W5/F18	26.9	25.4	1.5	5.6	92.1	0.1	0.4	41	13	39	12	4.9	7.7
				W6/F18	27.1	25.6	1.5	5.5									
				W7/F18	27.5	25.8	1.7	6.2									
	R3**	Residential	#NAME?	W8/F18	27.7	25.9	1.8	6.5	97.8	0.2	0.6	42	13	39	12	7.1	7.7
				W9/F18	27.8	26	1.8	6.5									
				W10/F18	27.9	26.1	1.8	6.5									
				W11/F18	28.2	26.3	1.9	6.7									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R4**	Residential	#NAME?	W12/F18	28.3	26.4	1.9	6.7	94.1	0.2	0.7	44	13	40	12	9.1	7.7
				W13/F18	28.4	26.5	1.9	6.7									
				W14/F18	28.7	26.7	2	7									
				W15/F18	28.9	26.9	2	6.9									
	R5	Residential	#NAME?	W16/F18	29.1	27	2.1	7.2	98.1	0	0.1	76	23	71	21	6.6	8.7
				W17/F18	29.2	27	2.2	7.5									
				W18/F18	32.5	31.7	0.8	2.5									
				W19/F18	30.1	29.3	0.8	2.7									
				W20/F18	25.7	25	0.7	2.7									
				W21/F18	19.3	18.7	0.6	3.1									
F19	R1	Residential	#NAME?	W1/F19	23.8	23.4	0.4	1.7	95.5	0	0	42	12	42	12	0	0
				W2/F19	22.2	21.8	0.4	1.8									
				W3/F19	26.7	25.4	1.3	4.9									
				W4/F19	26.9	25.5	1.4	5.2									
	R2**	Residential	#NAME?	W5/F19	27.2	25.8	1.4	5.1	92.2	0.2	0.8	41	13	40	12	2.4	7.7
				W6/F19	27.5	25.9	1.6	5.8									
				W7/F19	27.8	26.2	1.6	5.8									
	R3**	Residential	#NAME?	W8/F19	28	26.3	1.7	6.1	97.8	0.2	0.7	42	13	40	12	4.8	7.7
				W9/F19	28.1	26.4	1.7	6									
				W10/F19	28.3	26.5	1.8	6.4									
				W11/F19	28.5	26.7	1.8	6.3									
	R4**	Residential	#NAME?	W12/F19	28.7	26.8	1.9	6.6	94.1	0.2	0.8	44	13	41	12	6.8	7.7
				W13/F19	28.8	26.9	1.9	6.6									
				W14/F19	29.1	27.1	2	6.9									
				W15/F19	29.2	27.2	2	6.8									
	R5	Residential	#NAME?	W16/F19	29.4	27.3	2.1	7.1	98.5	0	0.1	76	23	71	21	6.6	8.7
				W17/F19	29.5	27.4	2.1	7.1									
				W18/F19	33.1	32.3	0.8	2.4									
				W19/F19	30.7	30	0.7	2.3									
				W20/F19	26.2	25.5	0.7	2.7									
				W21/F19	19.5	18.9	0.6	3.1									
F20	R1	Residential	#NAME?	W1/F20	24	23.6	0.4	1.7	95.6	0	0	42	12	42	12	0	0
				W2/F20	22.4	22	0.4	1.8									
				W3/F20	27	25.7	1.3	4.8									
				W4/F20	27.2	25.8	1.4	5.1									
	R2**	Residential	#NAME?	W5/F20	27.6	26.1	1.5	5.4	92.4	0.2	0.8	41	13	40	12	2.4	7.7
				W6/F20	27.8	26.3	1.5	5.4									
				W7/F20	28.2	26.5	1.7	6									
	R3**	Residential	#NAME?	W8/F20	28.4	26.7	1.7	6	97.8	0.2	0.7	42	13	40	12	4.8	7.7
				W9/F20	28.5	26.8	1.7	6									
				W10/F20	28.6	26.9	1.7	5.9									
				W11/F20	28.9	27	1.9	6.6									
	R4**	Residential	#NAME?	W12/F20	29	27.1	1.9	6.6	94.2	0.2	0.8	44	13	41	12	6.8	7.7
				W13/F20	29.1	27.2	1.9	6.5									
				W14/F20	29.4	27.4	2	6.8									
				W15/F20	29.6	27.6	2	6.8									
	R5	Residential	#NAME?	W16/F20	29.7	27.7	2	6.7	98.4	0	0.2	80	24	75	22	6.2	8.3
				W17/F20	29.9	27.7	2.2	7.4									
				W18/F20	34.3	33.5	0.8	2.3									
				W19/F20	32.4	31.6	0.8	2.5									
				W20/F20	28	27.2	0.8	2.9									
				W21/F20	20	19.5	0.5	2.5									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
VIADUX 1																	
F02	R1	Residential	LKD	W1/F02	24.4	24.4	0	0	95.1	0.7	1.8	48	9	32	6	33.3	33.3
				W2/F02	29.6	19.6	10	33.8									
				W3/F02	29.5	19.4	10.1	34.2									
				W4/F02	29.5	18.7	10.8	36.6									
				W5/F02	29.4	17.6	11.8	40.1									
	R2	Residential	Bedroom	W6/F02	29.2	15.6	13.6	46.6	53.7	5.7	45.9						
	R3**	Residential	LKD	W7/F02	29.1	14.3	14.8	50.9	47.8	13	48.5	44	9	24	6	45.5	33.3
				W8/F02	29	13.8	15.2	52.4									
	R4	Residential	Bedroom	W9/F02	28.8	12.7	16.1	55.9	49.3	6.7	48.9						
	R5	Residential	Bedroom	W10/F02	28.6	11.6	17	59.4	34.1	8.7	64.8						
	R6	Residential	LKD	W11/F02	28.3	11	17.3	61.1	27.3	20.6	71.6	42	10	21	6	50	40
				W12/F02	28.2	10.7	17.5	62.1									
	R7	Residential	Bedroom	W13/F02	28	10.3	17.7	63.2	29.7	10	68.3						
	R8	Residential	Bedroom	W14/F02	27.7	10.4	17.3	62.5	45.6	8	53						
	R9	Residential	LKD	W15/F02	27.4	10.8	16.6	60.6	65.5	8.4	30.2	39	8	26	7	33.3	12.5
				W16/F02	27.3	11.3	16	58.6									
	R10	Residential	Bedroom	W17/F02	27.1	12.2	14.9	55	76.3	2.6	19.2						
	R11	Residential	LKD	W18/F02	26.8	13.5	13.3	49.6	95.2	0.2	0.4	72	16	63	16	12.5	0
				W19/F02	26.7	13.9	12.8	47.9									
				W20/F02	26.4	14.6	11.8	44.7									
				W21/F02	27.4	26.3	1.1	4									
F03	R1	Residential	LKD	W1/F03	25.5	25.5	0	0	95.1	0.8	1.9	48	9	32	6	33.3	33.3
				W2/F03	30.7	20.5	10.2	33.2									
				W3/F03	30.7	20.3	10.4	33.9									
				W4/F03	30.5	19.4	11.1	36.4									
				W5/F03	30.4	18.2	12.2	40.1									
	R2	Residential	Bedroom	W6/F03	30.1	16.1	14	46.5	52.5	5.9	47.1						
	R3**	Residential	LKD	W7/F03	30	14.8	15.2	50.7	47.1	13.2	49.2	44	9	24	6	45.5	33.3
				W8/F03	29.9	14.2	15.7	52.5									
	R4	Residential	Bedroom	W9/F03	29.7	13.2	16.5	55.6	48.3	6.9	49.9						
	R5	Residential	Bedroom	W10/F03	29.4	12	17.4	59.2	33.5	8.8	65.4						
	R6	Residential	LKD	W11/F03	29.1	11.5	17.6	60.5	27.1	20.7	71.8	42	10	22	6	47.6	40
				W12/F03	29	11.1	17.9	61.7									
	R7	Residential	Bedroom	W13/F03	28.7	10.7	18	62.7	30.1	10	67.9						
	R8	Residential	Bedroom	W14/F03	28.4	10.8	17.6	62	44.1	8.2	54.5						
	R9	Residential	LKD	W15/F03	28.1	11.2	16.9	60.1	64.3	8.8	31.6	41	8	27	7	34.1	12.5
				W16/F03	28	11.7	16.3	58.2									
	R10	Residential	Bedroom	W17/F03	27.8	12.5	15.3	55	72	3.3	23.7						
	R11	Residential	LKD	W18/F03	27.5	13.9	13.6	49.5	95.3	0.2	0.4	73	16	64	16	12.3	0
				W19/F03	27.3	14.3	13	47.6									
				W20/F03	27	15	12	44.4									
				W21/F03	27.7	26.7	1	3.6									
F04	R1	Residential	LKD	W1/F04	26.5	26.5	0	0	94.9	0.9	2.1	49	10	33	7	32.7	30
				W2/F04	31.7	21.2	10.5	33.1									
				W3/F04	31.6	21	10.6	33.5									
				W4/F04	31.4	20	11.4	36.3									
				W5/F04	31.2	18.7	12.5	40.1									
	R2	Residential	Bedroom	W6/F04	30.9	16.6	14.3	46.3	51.4	6	48.2						
	R3**	Residential	LKD	W7/F04	30.7	15.2	15.5	50.5	46.5	13.4	49.9	45	9	24	6	46.7	33.3
				W8/F04	30.6	14.7	15.9	52									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R4	Residential	Bedroom	W9/F04	30.4	13.6	16.8	55.3	46.6	7.2	51.8						
	R5	Residential	Bedroom	W10/F04	30.1	12.4	17.7	58.8	33.8	8.8	65.1						
	R6	Residential	LKD	W11/F04	29.8	11.9	17.9	60.1	27.1	20.7	71.8	43	10	23	6	46.5	40
				W12/F04	29.6	11.5	18.1	61.1									
	R7	Residential	Bedroom	W13/F04	29.4	11.2	18.2	61.9	30.4	9.9	67.6						
	R8	Residential	Bedroom	W14/F04	29.1	11.2	17.9	61.5	43.7	8.3	54.9						
	R9	Residential	LKD	W15/F04	28.7	11.6	17.1	59.6	62.2	9.5	33.8	42	9	28	8	33.3	11.1
				W16/F04	28.6	12	16.6	58									
	R10	Residential	Bedroom	W17/F04	28.4	12.8	15.6	54.9	70.8	3.4	25						
	R11	Residential	LKD	W18/F04	28.1	14.3	13.8	49.1	95.3	0.2	0.4	75	16	66	16	12	0
				W19/F04	27.8	14.7	13.1	47.1									
				W20/F04	27.5	15.3	12.2	44.4									
				W21/F04	28.1	27	1.1	3.9									
F05	R1	Residential	LKD	W1/F05	27.3	27.3	0	0	94.9	0.9	2.2	49	10	32	7	34.7	30
				W2/F05	32.5	21.8	10.7	32.9									
				W3/F05	32.4	21.5	10.9	33.6									
				W4/F05	32.2	20.5	11.7	36.3									
				W5/F05	32	19.2	12.8	40									
	R2	Residential	Bedroom	W6/F05	31.7	17.1	14.6	46.1	50.6	6.1	49.1						
	R3**	Residential	LKD	W7/F05	31.5	15.6	15.9	50.5	46.6	13.4	49.8	46	9	25	6	45.7	33.3
				W8/F05	31.3	15.1	16.2	51.8									
	R4	Residential	Bedroom	W9/F05	31.1	14	17.1	55	45.9	7.2	52.5						
	R5	Residential	Bedroom	W10/F05	30.7	12.8	17.9	58.3	34.1	8.7	64.8						
	R6	Residential	LKD	W11/F05	30.5	12.3	18.2	59.7	27.4	20.6	71.5	46	10	24	6	47.8	40
				W12/F05	30.3	11.9	18.4	60.7									
	R7	Residential	Bedroom	W13/F05	30	11.6	18.4	61.3	31.2	9.8	66.7						
	R8	Residential	Bedroom	W14/F05	29.7	11.5	18.2	61.3	43.8	8.3	54.8						
	R9	Residential	LKD	W15/F05	29.3	12.1	17.2	58.7	61.3	9.8	34.9	43	9	29	8	32.6	11.1
				W16/F05	29.2	12.4	16.8	57.5									
	R10	Residential	Bedroom	W17/F05	28.9	13.2	15.7	54.3	70.4	3.5	25.4						
	R11	Residential	LKD	W18/F05	28.6	14.6	14	49	95.3	0.1	0.4	78	16	69	16	11.5	0
				W19/F05	28.4	15	13.4	47.2									
				W20/F05	28	15.7	12.3	43.9									
				W21/F05	28.4	27.4	1	3.5									
F06	R1	Residential	LKD	W1/F06	28	28	0	0	94.8	0.9	2.2	50	10	34	7	32	30
				W2/F06	33.2	22.2	11	33.1									
				W3/F06	33.1	22	11.1	33.5									
				W4/F06	32.9	21	11.9	36.2									
				W5/F06	32.7	19.6	13.1	40.1									
	R2	Residential	Bedroom	W6/F06	32.3	17.4	14.9	46.1	50.4	6.1	49.2						
	R3**	Residential	LKD	W7/F06	32.1	16	16.1	50.2	46.9	13.3	49.5	46	9	25	6	45.7	33.3
				W8/F06	32	15.5	16.5	51.6									
	R4	Residential	Bedroom	W9/F06	31.7	14.4	17.3	54.6	46.2	7.2	52.2						
	R5	Residential	Bedroom	W10/F06	31.3	13.1	18.2	58.1	34.6	8.6	64.3						
	R6	Residential	LKD	W11/F06	31.1	12.6	18.5	59.5	27.9	20.4	70.9	46	10	25	6	45.7	40
				W12/F06	30.9	12.2	18.7	60.5									
	R7	Residential	Bedroom	W13/F06	30.6	11.9	18.7	61.1	32.4	9.6	65.4						
	R8	Residential	Bedroom	W14/F06	30.2	11.9	18.3	60.6	43.9	8.3	54.8						
	R9	Residential	LKD	W15/F06	29.9	12.5	17.4	58.2	60.8	10	35.5	43	9	29	8	32.6	11.1
				W16/F06	29.7	12.8	16.9	56.9									
	R10	Residential	Bedroom	W17/F06	29.5	13.6	15.9	53.9	69.8	3.6	26.1						
	R11	Residential	LKD	W18/F06	29.1	15	14.1	48.5	95.4	0.1	0.4	79	16	70	16	11.4	0

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W19/F06	28.9	15.4	13.5	46.7									
				W20/F06	28.5	16.1	12.4	43.5									
				W21/F06	28.8	27.8	1	3.5									
F07	R1	Residential	LKD	W1/F07	28.6	28.6	0	0	94.8	0.9	2.3	50	10	34	7	32	30
				W2/F07	33.8	22.6	11.2	33.1									
				W3/F07	33.7	22.3	11.4	33.8									
				W4/F07	33.4	21.3	12.1	36.2									
				W5/F07	33.2	19.9	13.3	40.1									
	R2	Residential	Bedroom	W6/F07	32.9	17.7	15.2	46.2	51	6.1	48.7						
	R3**	Residential	LKD	W7/F07	32.6	16.3	16.3	50	47.3	13.2	49.1	48	10	26	7	45.8	30
				W8/F07	32.5	15.8	16.7	51.4									
	R4	Residential	Bedroom	W9/F07	32.3	14.7	17.6	54.5	46.5	7.1	51.9						
	R5	Residential	Bedroom	W10/F07	31.9	13.4	18.5	58	35.2	8.6	63.7						
	R6	Residential	LKD	W11/F07	31.6	12.9	18.7	59.2	28.8	20.2	70.1	47	10	25	6	46.8	40
				W12/F07	31.4	12.5	18.9	60.2									
	R7	Residential	Bedroom	W13/F07	31.1	12.2	18.9	60.8	33.1	9.5	64.6						
	R8	Residential	Bedroom	W14/F07	30.8	12.3	18.5	60.1	43.8	8.3	54.8						
	R9	Residential	LKD	W15/F07	30.4	12.8	17.6	57.9	61.7	9.7	34.5	43	9	29	8	32.6	11.1
				W16/F07	30.2	13.2	17	56.3									
	R10	Residential	Bedroom	W17/F07	30	14	16	53.3	70	3.5	25.8						
	R11	Residential	LKD	W18/F07	29.6	15.4	14.2	48	95.5	0.1	0.3	80	16	71	16	11.2	0
				W19/F07	29.4	15.8	13.6	46.3									
				W20/F07	29	16.4	12.6	43.4									
				W21/F07	29.1	28.1	1	3.4									
F08	R1	Residential	LKD	W1/F08	29.1	29.1	0	0	94.9	0.9	2.2	51	10	34	7	33.3	30
				W2/F08	34.3	22.8	11.5	33.5									
				W3/F08	34.2	22.5	11.7	34.2									
				W4/F08	33.9	21.4	12.5	36.9									
				W5/F08	33.7	20	13.7	40.7									
	R2	Residential	Bedroom	W6/F08	33.3	17.9	15.4	46.2	51.5	6	48.2						
	R3**	Residential	LKD	W7/F08	33.1	16.5	16.6	50.2	47.7	13	48.6	48	10	26	7	45.8	30
				W8/F08	33	16	17	51.5									
	R4	Residential	Bedroom	W9/F08	32.7	14.9	17.8	54.4	46.9	7.1	51.4						
	R5	Residential	Bedroom	W10/F08	32.3	13.7	18.6	57.6	35.7	8.5	63.2						
	R6	Residential	LKD	W11/F08	32.1	13.1	19	59.2	29.3	20	69.6	48	10	26	6	45.8	40
				W12/F08	31.9	12.8	19.1	59.9									
	R7	Residential	Bedroom	W13/F08	31.6	12.5	19.1	60.4	34.2	9.3	63.5						
	R8	Residential	Bedroom	W14/F08	31.2	12.6	18.6	59.6	43.8	8.3	54.9						
	R9	Residential	LKD	W15/F08	30.9	13.2	17.7	57.3	62.6	9.4	33.5	47	9	32	8	31.9	11.1
				W16/F08	30.7	13.5	17.2	56									
	R10	Residential	Bedroom	W17/F08	30.5	14.3	16.2	53.1	70.5	3.5	25.4						
	R11	Residential	LKD	W18/F08	30.1	15.7	14.4	47.8	95.6	0.1	0.2	80	16	71	16	11.2	0
				W19/F08	29.9	16.1	13.8	46.2									
				W20/F08	29.5	16.8	12.7	43.1									
				W21/F08	29.5	28.5	1	3.4									
F09	R1	Residential	LKD	W1/F09	29.5	29.5	0	0	94.9	0.9	2.2	53	12	35	8	34	33.3
				W2/F09	34.6	22.9	11.7	33.8									
				W3/F09	34.5	22.6	11.9	34.5									
				W4/F09	34.2	21.6	12.6	36.8									
				W5/F09	34.1	20.2	13.9	40.8									
	R2	Residential	Bedroom	W6/F09	33.7	18	15.7	46.6	52.2	5.9	47.5						
	R3**	Residential	LKD	W7/F09	33.5	16.7	16.8	50.1	48.3	12.9	48	50	11	26	7	48	36.4

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W8/F09	33.4	16.1	17.3	51.8									
	R4	Residential	Bedroom	W9/F09	33.1	15.1	18	54.4	47.5	7	50.8						
	R5	Residential	Bedroom	W10/F09	32.7	13.9	18.8	57.5	36	8.4	62.8						
	R6	Residential	LKD	W11/F09	32.5	13.4	19.1	58.8	30.8	19.6	68	50	11	27	7	46	36.4
				W12/F09	32.3	13	19.3	59.8									
	R7	Residential	Bedroom	W13/F09	32	12.8	19.2	60	35.2	9.2	62.4						
	R8	Residential	Bedroom	W14/F09	31.7	12.9	18.8	59.3	44.1	8.2	54.5						
	R9	Residential	LKD	W15/F09	31.3	13.5	17.8	56.9	63.7	9.1	32.5	47	9	32	8	31.9	11.1
				W16/F09	31.2	13.9	17.3	55.4									
	R10	Residential	Bedroom	W17/F09	30.9	14.7	16.2	52.4	70.9	3.4	24.9						
	R11	Residential	LKD	W18/F09	30.6	16.1	14.5	47.4	95.6	0.1	0.2	84	17	75	17	10.7	0
				W19/F09	30.3	16.5	13.8	45.5									
				W20/F09	30	17.1	12.9	43									
				W21/F09	29.9	28.9	1	3.3									
F10	R1	Residential	LKD	W1/F10	29.9	29.9	0	0	94.9	0.9	2.2	54	13	35	8	35.2	38.5
				W2/F10	34.9	23	11.9	34.1									
				W3/F10	34.8	22.7	12.1	34.8									
				W4/F10	34.6	21.7	12.9	37.3									
				W5/F10	34.4	20.3	14.1	41									
	R2	Residential	Bedroom	W6/F10	34.1	18.2	15.9	46.6	53.1	5.8	46.7						
	R3**	Residential	LKD	W7/F10	33.9	16.8	17.1	50.4	48.9	12.7	47.3	50	11	26	7	48	36.4
				W8/F10	33.7	16.3	17.4	51.6									
	R4	Residential	Bedroom	W9/F10	33.5	15.2	18.3	54.6	48.5	6.9	49.7						
	R5	Residential	Bedroom	W10/F10	33.2	14.1	19.1	57.5	36.3	8.4	62.5						
	R6	Residential	LKD	W11/F10	32.9	13.6	19.3	58.7	31.9	19.2	66.8	50	11	27	7	46	36.4
				W12/F10	32.7	13.3	19.4	59.3									
	R7	Residential	Bedroom	W13/F10	32.5	13.1	19.4	59.7	36.3	9	61.2						
	R8	Residential	Bedroom	W14/F10	32.1	13.2	18.9	58.9	44.2	8.2	54.4						
	R9	Residential	LKD	W15/F10	31.7	13.8	17.9	56.5	65.6	8.6	30.5	47	9	32	8	31.9	11.1
				W16/F10	31.6	14.2	17.4	55.1									
	R10	Residential	Bedroom	W17/F10	31.4	15.1	16.3	51.9	70.9	3.4	24.9						
	R11	Residential	LKD	W18/F10	31	16.4	14.6	47.1	95.6	0.1	0.2	84	17	75	17	10.7	0
				W19/F10	30.8	16.8	14	45.5									
				W20/F10	30.5	17.5	13	42.6									
				W21/F10	30.2	29.3	0.9	3									
F11	R1	Residential	LKD	W1/F11	30.3	30.3	0	0	94.9	0.9	2.2	54	13	35	8	35.2	38.5
				W2/F11	35.3	23.1	12.2	34.6									
				W3/F11	35.2	22.8	12.4	35.2									
				W4/F11	34.9	21.7	13.2	37.8									
				W5/F11	34.8	20.4	14.4	41.4									
	R2	Residential	Bedroom	W6/F11	34.4	18.3	16.1	46.8	53.4	5.8	46.3						
	R3**	Residential	LKD	W7/F11	34.2	17	17.2	50.3	49.5	12.5	46.7	50	11	26	7	48	36.4
				W8/F11	34.1	16.4	17.7	51.9									
	R4	Residential	Bedroom	W9/F11	33.9	15.4	18.5	54.6	49.4	6.7	48.9						
	R5	Residential	Bedroom	W10/F11	33.6	14.2	19.4	57.7	36.6	8.4	62.3						
	R6	Residential	LKD	W11/F11	33.3	13.8	19.5	58.6	33.1	18.9	65.6	50	11	27	7	46	36.4
				W12/F11	33.1	13.5	19.6	59.2									
	R7	Residential	Bedroom	W13/F11	32.9	13.4	19.5	59.3	37.5	8.8	60						
	R8	Residential	Bedroom	W14/F11	32.6	13.6	19	58.3	44.1	8.2	54.5						
	R9	Residential	LKD	W15/F11	32.2	14.2	18	55.9	66.4	8.4	29.7	48	10	32	9	33.3	10
				W16/F11	32.1	14.6	17.5	54.5									
	R10	Residential	Bedroom	W17/F11	31.9	15.5	16.4	51.4	71.1	3.5	25						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R11	Residential	LKD	W18/F11	31.5	16.8	14.7	46.7	95.6	0.1	0.2	84	17	75	17	10.7	0
				W19/F11	31.3	17.2	14.1	45									
				W20/F11	30.9	17.9	13	42.1									
				W21/F11	30.6	29.7	0.9	2.9									
F12	R1	Residential	LKD	W1/F12	30.8	30.8	0	0	95	0.9	2.2	54	13	35	8	35.2	38.5
				W2/F12	35.6	23.2	12.4	34.8									
				W3/F12	35.5	22.9	12.6	35.5									
				W4/F12	35.2	21.8	13.4	38.1									
				W5/F12	35.1	20.5	14.6	41.6									
	R2	Residential	Bedroom	W6/F12	34.8	18.4	16.4	47.1	53.6	5.8	46.1						
	R3**	Residential	LKD	W7/F12	34.6	17.1	17.5	50.6	50.1	12.3	46	51	12	27	8	47.1	33.3
				W8/F12	34.5	16.6	17.9	51.9									
	R4	Residential	Bedroom	W9/F12	34.3	15.5	18.8	54.8	49.3	6.7	49						
	R5	Residential	Bedroom	W10/F12	34	14.4	19.6	57.6	36.6	8.4	62.2						
	R6	Residential	LKD	W11/F12	33.7	14	19.7	58.5	34.5	18.5	64.1	51	12	28	8	45.1	33.3
				W12/F12	33.6	13.8	19.8	58.9									
	R7	Residential	Bedroom	W13/F12	33.3	13.6	19.7	59.2	38.6	8.6	58.9						
	R8	Residential	Bedroom	W14/F12	33	13.9	19.1	57.9	44.6	8.2	54						
	R9	Residential	LKD	W15/F12	32.7	14.5	18.2	55.7	67	8.2	29	49	10	34	9	30.6	10
				W16/F12	32.6	15	17.6	54									
	R10	Residential	Bedroom	W17/F12	32.3	15.9	16.4	50.8	71.5	3.5	25						
	R11	Residential	LKD	W18/F12	32	17.2	14.8	46.3	95.6	0.1	0.2	84	17	75	17	10.7	0
				W19/F12	31.8	17.6	14.2	44.7									
				W20/F12	31.4	18.3	13.1	41.7									
				W21/F12	31	30.2	0.8	2.6									
F13	R1	Residential	LKD	W1/F13	31.2	31.2	0	0	95	0.8	2.1	54	13	35	8	35.2	38.5
				W2/F13	35.9	23.2	12.7	35.4									
				W3/F13	35.8	23	12.8	35.8									
				W4/F13	35.6	21.8	13.8	38.8									
				W5/F13	35.4	20.5	14.9	42.1									
	R2	Residential	Bedroom	W6/F13	35.2	18.5	16.7	47.4	53.6	5.7	46.1						
	R3**	Residential	LKD	W7/F13	35	17.2	17.8	50.9	50.7	12.2	45.4	52	13	27	8	48.1	38.5
				W8/F13	34.9	16.7	18.2	52.1									
	R4	Residential	Bedroom	W9/F13	34.7	15.7	19	54.8	49.3	6.7	48.9						
	R5	Residential	Bedroom	W10/F13	34.4	14.6	19.8	57.6	36.7	8.4	62.1						
	R6	Residential	LKD	W11/F13	34.1	14.2	19.9	58.4	35.7	18.1	62.9	52	13	29	9	44.2	30.8
				W12/F13	34	14	20	58.8									
	R7	Residential	Bedroom	W13/F13	33.8	13.9	19.9	58.9	39.3	8.5	58						
	R8	Residential	Bedroom	W14/F13	33.5	14.3	19.2	57.3	44.5	8.2	54.1						
	R9	Residential	LKD	W15/F13	33.1	14.9	18.2	55	67.8	7.9	28.2	50	11	35	10	30	9.1
				W16/F13	33	15.4	17.6	53.3									
	R10	Residential	Bedroom	W17/F13	32.8	16.3	16.5	50.3	72	3.4	24.7						
	R11	Residential	LKD	W18/F13	32.5	17.6	14.9	45.8	95.6	0.1	0.2	86	18	77	18	10.5	0
				W19/F13	32.3	18.1	14.2	44									
				W20/F13	32	18.8	13.2	41.3									
				W21/F13	31.5	30.6	0.9	2.9									
F14	R1	Residential	LKD	W1/F14	31.7	31.7	0	0	95.1	0.9	2.1	55	14	35	8	36.4	42.9
				W2/F14	36.2	23.3	12.9	35.6									
				W3/F14	36.1	23.1	13	36									
				W4/F14	35.9	21.9	14	39									
				W5/F14	35.8	20.6	15.2	42.5									
	R2	Residential	Bedroom	W6/F14	35.5	18.6	16.9	47.6	53.5	5.8	46.2						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R3**	Residential	LKD	W7/F14	35.3	17.3	18	51	51	12.1	45.1	52	13	27	8	48.1	38.5
				W8/F14	35.3	16.8	18.5	52.4									
	R4	Residential	Bedroom	W9/F14	35.1	15.8	19.3	55	49.3	6.8	49						
	R5	Residential	Bedroom	W10/F14	34.8	14.8	20	57.5	36.7	8.4	62.1						
	R6	Residential	LKD	W11/F14	34.6	14.5	20.1	58.1	37.2	17.7	61.3	52	13	29	9	44.2	30.8
				W12/F14	34.4	14.3	20.1	58.4									
	R7	Residential	Bedroom	W13/F14	34.2	14.2	20	58.5	40.1	8.4	57.2						
	R8	Residential	Bedroom	W14/F14	33.9	14.6	19.3	56.9	44.8	8.1	53.8						
	R9	Residential	LKD	W15/F14	33.6	15.2	18.4	54.8	69	7.6	27	50	11	35	10	30	9.1
				W16/F14	33.5	15.8	17.7	52.8									
	R10	Residential	Bedroom	W17/F14	33.3	16.7	16.6	49.8	72.4	3.4	24.4						
	R11	Residential	LKD	W18/F14	33	18.1	14.9	45.2	95.6	0.1	0.2	86	18	77	18	10.5	0
				W19/F14	32.8	18.5	14.3	43.6									
				W20/F14	32.5	19.2	13.3	40.9									
				W21/F14	31.9	31.1	0.8	2.5									
F15	R1	Residential	LKD	W1/F15	32.3	32.3	0	0	95.1	0.9	2.2	55	14	35	8	36.4	42.9
				W2/F15	36.5	23.4	13.1	35.9									
				W3/F15	36.4	23.1	13.3	36.5									
				W4/F15	36.2	21.9	14.3	39.5									
				W5/F15	36.1	20.7	15.4	42.7									
	R2	Residential	Bedroom	W6/F15	35.9	18.7	17.2	47.9	53.5	5.8	46.2						
	R3**	Residential	LKD	W7/F15	35.7	17.4	18.3	51.3	51	12.1	45.2	52	13	27	8	48.1	38.5
				W8/F15	35.6	17	18.6	52.2									
	R4	Residential	Bedroom	W9/F15	35.5	16	19.5	54.9	49.2	6.8	49						
	R5	Residential	Bedroom	W10/F15	35.2	15.1	20.1	57.1	36.7	8.4	62.2						
	R6	Residential	LKD	W11/F15	35	14.7	20.3	58	38.4	17.3	60	53	14	30	10	43.4	28.6
				W12/F15	34.9	14.6	20.3	58.2									
	R7	Residential	Bedroom	W13/F15	34.7	14.6	20.1	57.9	40.6	8.3	56.7						
	R8	Residential	Bedroom	W14/F15	34.4	15	19.4	56.4	44.7	8.2	53.9						
	R9	Residential	LKD	W15/F15	34.1	15.6	18.5	54.3	69.8	7.4	26.2	52	13	37	12	28.8	7.7
				W16/F15	34	16.1	17.9	52.6									
	R10	Residential	Bedroom	W17/F15	33.8	17.1	16.7	49.4	72	3.5	24.9						
	R11	Residential	LKD	W18/F15	33.6	18.5	15.1	44.9	95.6	0.1	0.2	86	18	77	18	10.5	0
				W19/F15	33.4	19	14.4	43.1									
				W20/F15	33	19.7	13.3	40.3									
				W21/F15	32.3	31.5	0.8	2.5									
F16	R1	Residential	LKD	W1/F16	32.8	32.8	0	0	95	0.9	2.3	57	16	36	9	36.8	43.8
				W2/F16	36.8	23.5	13.3	36.1									
				W3/F16	36.7	23.2	13.5	36.8									
				W4/F16	36.6	22	14.6	39.9									
				W5/F16	36.5	20.7	15.8	43.3									
	R2	Residential	Bedroom	W6/F16	36.2	18.8	17.4	48.1	53.1	5.8	46.6						
	R3**	Residential	LKD	W7/F16	36.1	17.6	18.5	51.2	50.4	12.3	45.9	53	14	28	9	47.2	35.7
				W8/F16	36	17.1	18.9	52.5									
	R4	Residential	Bedroom	W9/F16	35.9	16.2	19.7	54.9	49	6.8	49.2						
	R5	Residential	Bedroom	W10/F16	35.6	15.3	20.3	57	36.5	8.4	62.3						
	R6	Residential	LKD	W11/F16	35.5	15	20.5	57.7	39.7	16.9	58.8	53	14	30	10	43.4	28.6
				W12/F16	35.3	14.8	20.5	58.1									
	R7	Residential	Bedroom	W13/F16	35.1	14.9	20.2	57.5	40.3	8.3	56.9						
	R8	Residential	Bedroom	W14/F16	34.9	15.3	19.6	56.2	44	8.3	54.6						
	R9	Residential	LKD	W15/F16	34.6	16	18.6	53.8	70.1	7.3	26	52	13	37	12	28.8	7.7
				W16/F16	34.5	16.5	18	52.2									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R10	Residential	Bedroom	W17/F16	34.3	17.5	16.8	49	71.1	3.6	25.8						
	R11	Residential	LKD	W18/F16	34.1	19	15.1	44.3	95.6	0.1	0.2	87	19	78	19	10.3	0
				W19/F16	33.9	19.4	14.5	42.8									
				W20/F16	33.6	20.1	13.5	40.2									
				W21/F16	32.8	32	0.8	2.4									
F17	R1	Residential	LKD	W1/F17	33.4	33.4	0	0	94.9	1	2.4	57	16	36	9	36.8	43.8
				W2/F17	37.1	23.6	13.5	36.4									
				W3/F17	37.1	23.3	13.8	37.2									
				W4/F17	36.9	22	14.9	40.4									
				W5/F17	36.8	20.8	16	43.5									
	R2	Residential	Bedroom	W6/F17	36.6	18.9	17.7	48.4	52.2	5.9	47.5						
	R3**	Residential	LKD	W7/F17	36.5	17.7	18.8	51.5	50.1	12.5	46.3	55	16	29	10	47.3	37.5
				W8/F17	36.4	17.2	19.2	52.7									
	R4	Residential	Bedroom	W9/F17	36.3	16.3	20	55.1	47.2	7	51						
	R5	Residential	Bedroom	W10/F17	36	15.5	20.5	56.9	36.4	8.4	62.5						
	R6	Residential	LKD	W11/F17	35.9	15.2	20.7	57.7	40.7	16.7	57.8	53	14	30	10	43.4	28.6
				W12/F17	35.8	15.1	20.7	57.8									
	R7	Residential	Bedroom	W13/F17	35.6	15.2	20.4	57.3	40.1	8.4	57.2						
	R8	Residential	Bedroom	W14/F17	35.4	15.7	19.7	55.6	43.7	8.3	54.9						
	R9	Residential	LKD	W15/F17	35.2	16.5	18.7	53.1	69.6	7.5	26.5	53	14	38	13	28.3	7.1
				W16/F17	35.1	17	18.1	51.6									
	R10	Residential	Bedroom	W17/F17	34.8	17.8	17	48.9	70.8	3.7	26.2						
	R11	Residential	LKD	W18/F17	34.7	19.4	15.3	44.1	95.6	0.1	0.2	87	19	79	19	9.2	0
				W19/F17	34.5	19.9	14.6	42.3									
				W20/F17	34.2	20.6	13.6	39.8									
				W21/F17	33.2	32.5	0.7	2.1									
F18	R1	Residential	LKD	W1/F18	34	34	0	0	94.9	1	2.4	58	17	37	10	36.2	41.2
				W2/F18	37.4	23.7	13.7	36.6									
				W3/F18	37.4	23.4	14	37.4									
				W4/F18	37.2	22.1	15.1	40.6									
				W5/F18	37.1	20.8	16.3	43.9									
	R2	Residential	Bedroom	W6/F18	37	19	18	48.6	51.7	6	47.9						
	R3**	Residential	LKD	W7/F18	36.9	17.8	19.1	51.8	50	12.5	46.4	55	16	29	10	47.3	37.5
				W8/F18	36.8	17.4	19.4	52.7									
	R4	Residential	Bedroom	W9/F18	36.7	16.5	20.2	55	46.8	7.1	51.6						
	R5	Residential	Bedroom	W10/F18	36.5	15.7	20.8	57	36.2	8.4	62.7						
	R6	Residential	LKD	W11/F18	36.3	15.5	20.8	57.3	42.3	16.3	56.3	54	15	31	11	42.6	26.7
				W12/F18	36.2	15.4	20.8	57.5									
	R7	Residential	Bedroom	W13/F18	36.1	15.6	20.5	56.8	40.4	8.3	56.9						
	R8	Residential	Bedroom	W14/F18	35.9	16.1	19.8	55.2	43.9	8.3	54.7						
	R9	Residential	LKD	W15/F18	35.7	16.9	18.8	52.7	69.5	7.5	26.6	54	15	39	14	27.8	6.7
				W16/F18	35.6	17.4	18.2	51.1									
	R10	Residential	Bedroom	W17/F18	35.4	18.3	17.1	48.3	69.9	3.8	27.2						
	R11	Residential	LKD	W18/F18	35.2	19.9	15.3	43.5	95.7	0.1	0.2	87	19	79	19	9.2	0
				W19/F18	35.1	20.4	14.7	41.9									
				W20/F18	34.8	21.2	13.6	39.1									
				W21/F18	33.7	32.9	0.8	2.4									
F19	R1	Residential	LKD	W1/F19	34.7	34.7	0	0	94.9	1	2.5	58	17	37	10	36.2	41.2
				W2/F19	37.7	23.8	13.9	36.9									
				W3/F19	37.7	23.5	14.2	37.7									
				W4/F19	37.5	22.2	15.3	40.8									
				W5/F19	37.5	20.9	16.6	44.3									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R2	Residential	Bedroom	W6/F19	37.3	19.1	18.2	48.8	51.7	6	48.1						
	R3**	Residential	LKD	W7/F19	37.2	17.9	19.3	51.9	50.1	12.5	46.4	55	16	29	10	47.3	37.5
				W8/F19	37.2	17.5	19.7	53									
	R4	Residential	Bedroom	W9/F19	37.1	16.7	20.4	55	46.8	7.1	51.5						
	R5	Residential	Bedroom	W10/F19	36.9	15.9	21	56.9	36.3	8.4	62.5						
	R6	Residential	LKD	W11/F19	36.8	15.7	21.1	57.3	43.8	15.9	54.8	55	16	32	12	41.8	25
				W12/F19	36.7	15.7	21	57.2									
	R7	Residential	Bedroom	W13/F19	36.5	15.9	20.6	56.4	40.7	8.3	56.5						
	R8	Residential	Bedroom	W14/F19	36.4	16.5	19.9	54.7	43.9	8.3	54.7						
	R9	Residential	LKD	W15/F19	36.2	17.3	18.9	52.2	69.6	7.6	26.7	54	15	39	14	27.8	6.7
				W16/F19	36.1	17.8	18.3	50.7									
	R10	Residential	Bedroom	W17/F19	36	18.8	17.2	47.8	69.8	3.8	27.3						
	R11	Residential	LKD	W18/F19	35.7	20.3	15.4	43.1	95.7	0.1	0.2	88	20	80	20	9.1	0
				W19/F19	35.6	20.9	14.7	41.3									
				W20/F19	35.4	21.7	13.7	38.7									
				W21/F19	34.1	33.4	0.7	2.1									
F20	R1	Residential	LKD	W1/F20	35.3	35.3	0	0	94.8	1	2.5	58	17	37	10	36.2	41.2
				W2/F20	38	23.9	14.1	37.1									
				W3/F20	38	23.6	14.4	37.9									
				W4/F20	37.9	22.3	15.6	41.2									
				W5/F20	37.8	21	16.8	44.4									
	R2	Residential	Bedroom	W6/F20	37.7	19.2	18.5	49.1	52	6	47.7						
	R3**	Residential	LKD	W7/F20	37.6	18.1	19.5	51.9	50.2	12.5	46.3	55	16	29	10	47.3	37.5
				W8/F20	37.5	17.6	19.9	53.1									
	R4	Residential	Bedroom	W9/F20	37.4	16.8	20.6	55.1	47	7.1	51.3						
	R5	Residential	Bedroom	W10/F20	37.3	16.1	21.2	56.8	36.4	8.4	62.4						
	R6	Residential	LKD	W11/F20	37.2	16	21.2	57	44.8	15.6	53.8	55	16	32	12	41.8	25
				W12/F20	37.1	16	21.1	56.9									
	R7	Residential	Bedroom	W13/F20	37	16.2	20.8	56.2	41	8.2	56.2						
	R8	Residential	Bedroom	W14/F20	36.8	16.9	19.9	54.1	43.9	8.3	54.7						
	R9	Residential	LKD	W15/F20	36.7	17.7	19	51.8	69.9	7.5	26.5	55	16	40	15	27.3	6.2
				W16/F20	36.6	18.2	18.4	50.3									
	R10	Residential	Bedroom	W17/F20	36.5	19.2	17.3	47.4	70.2	3.8	26.9						
	R11	Residential	LKD	W18/F20	36.3	20.8	15.5	42.7	96.4	0	0.1	89	20	80	20	10.1	0
				W19/F20	36.2	21.3	14.9	41.2									
				W20/F20	35.9	22.2	13.7	38.2									
				W21/F20	34.5	33.8	0.7	2									
F21	R1	Residential	LKD	W1/F21	36	36	0	0	94.9	1	2.5	59	18	37	10	37.3	44.4
				W2/F21	38.3	24	14.3	37.3									
				W3/F21	38.3	23.7	14.6	38.1									
				W4/F21	38.2	22.4	15.8	41.4									
				W5/F21	38.1	21.1	17	44.6									
	R2	Residential	Bedroom	W6/F21	38	19.3	18.7	49.2	52.2	5.9	47.5						
	R3**	Residential	LKD	W7/F21	37.9	18.2	19.7	52	50.2	12.5	46.2	56	17	29	10	48.2	41.2
				W8/F21	37.9	17.8	20.1	53									
	R4	Residential	Bedroom	W9/F21	37.8	17	20.8	55	47.4	7	51						
	R5	Residential	Bedroom	W10/F21	37.7	16.4	21.3	56.5	36.6	8.4	62.3						
	R6	Residential	LKD	W11/F21	37.6	16.2	21.4	56.9	45.1	15.5	53.5	55	16	32	12	41.8	25
				W12/F21	37.5	16.3	21.2	56.5									
	R7	Residential	Bedroom	W13/F21	37.4	16.6	20.8	55.6	41.1	8.2	56.2						
	R8	Residential	Bedroom	W14/F21	37.3	17.2	20.1	53.9	43.8	8.3	54.8						
	R9	Residential	LKD	W15/F21	37.2	18.1	19.1	51.3	70.2	7.5	26.3	55	16	40	15	27.3	6.2

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W16/F21	37.1	18.7	18.4	49.6									
	R10	Residential	Bedroom	W17/F21	37	19.7	17.3	46.8	70.7	3.7	26.5						
	R11	Residential	LKD	W18/F21	36.8	21.3	15.5	42.1	96.8	0	0.1	90	21	81	21	10	0
				W19/F21	36.7	21.8	14.9	40.6									
				W20/F21	36.5	22.7	13.8	37.8									
				W21/F21	34.9	34.3	0.6	1.7									
F22	R1	Residential	LKD	W1/F22	36.6	36.6	0	0	94.9	1	2.4	59	18	37	10	37.3	44.4
				W2/F22	38.5	24	14.5	37.7									
				W3/F22	38.5	23.8	14.7	38.2									
				W4/F22	38.4	22.5	15.9	41.4									
				W5/F22	38.4	21.2	17.2	44.8									
	R2	Residential	Bedroom	W6/F22	38.3	19.4	18.9	49.3	52.9	5.8	46.8						
	R3**	Residential	LKD	W7/F22	38.2	18.3	19.9	52.1	50.3	12.4	46.1	56	17	29	10	48.2	41.2
				W8/F22	38.2	17.9	20.3	53.1									
	R4	Residential	Bedroom	W9/F22	38.1	17.2	20.9	54.9	47.8	7	50.5						
	R5	Residential	Bedroom	W10/F22	38	16.6	21.4	56.3	36.7	8.3	62.1						
	R6	Residential	LKD	W11/F22	38	16.5	21.5	56.6	45.2	15.5	53.4	56	17	33	13	41.1	23.5
				W12/F22	37.9	16.5	21.4	56.5									
	R7	Residential	Bedroom	W13/F22	37.8	16.9	20.9	55.3	41.2	8.2	56.1						
	R8	Residential	Bedroom	W14/F22	37.7	17.6	20.1	53.3	44	8.3	54.6						
	R9	Residential	LKD	W15/F22	37.6	18.5	19.1	50.8	70.3	7.4	26.2	55	16	40	15	27.3	6.2
				W16/F22	37.5	19.1	18.4	49.1									
	R10	Residential	Bedroom	W17/F22	37.5	20.1	17.4	46.4	70.9	3.7	26.2						
	R11	Residential	LKD	W18/F22	37.3	21.7	15.6	41.8	97	0	0.1	90	21	81	21	10	0
				W19/F22	37.2	22.3	14.9	40.1									
				W20/F22	37.1	23.2	13.9	37.5									
				W21/F22	35.4	34.7	0.7	2									
F23	R1	Residential	LKD	W1/F23	37.2	37.2	0	0	94.9	1	2.4	59	18	37	10	37.3	44.4
				W2/F23	38.8	24.1	14.7	37.9									
				W3/F23	38.8	23.8	15	38.7									
				W4/F23	38.7	22.6	16.1	41.6									
				W5/F23	38.7	21.3	17.4	45									
	R2	Residential	Bedroom	W6/F23	38.6	19.5	19.1	49.5	53.5	5.8	46.2						
	R3**	Residential	LKD	W7/F23	38.5	18.4	20.1	52.2	50.5	12.4	45.9	56	17	29	10	48.2	41.2
				W8/F23	38.5	18	20.5	53.2									
	R4	Residential	Bedroom	W9/F23	38.5	17.3	21.2	55.1	48.9	6.8	49.3						
	R5	Residential	Bedroom	W10/F23	38.4	16.7	21.7	56.5	36.8	8.3	62.1						
	R6	Residential	LKD	W11/F23	38.3	16.7	21.6	56.4	45.2	15.5	53.4	56	17	33	13	41.1	23.5
				W12/F23	38.3	16.8	21.5	56.1									
	R7	Residential	Bedroom	W13/F23	38.2	17.2	21	55	41.2	8.2	56						
	R8	Residential	Bedroom	W14/F23	38.1	17.9	20.2	53	44	8.2	54.6						
	R9	Residential	LKD	W15/F23	38	18.9	19.1	50.3	70.4	7.4	26.1	56	17	40	16	28.6	5.9
				W16/F23	38	19.5	18.5	48.7									
	R10	Residential	Bedroom	W17/F23	37.9	20.6	17.3	45.6	71	3.7	26.1						
	R11	Residential	LKD	W18/F23	37.8	22.1	15.7	41.5	97	0	0.1	91	22	82	22	9.9	0
				W19/F23	37.7	22.7	15	39.8									
				W20/F23	37.6	23.6	14	37.2									
				W21/F23	35.8	35.1	0.7	2									
F24	R1	Residential	LKD	W1/F24	37.8	37.8	0	0	94.9	1	2.4	60	19	38	11	36.7	42.1
				W2/F24	39	24.2	14.8	37.9									
				W3/F24	39	23.9	15.1	38.7									
				W4/F24	38.9	22.6	16.3	41.9									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W5/F24	38.9	21.4	17.5	45									
	R2	Residential	Bedroom	W6/F24	38.9	19.6	19.3	49.6	53.6	5.8	46.1						
	R3**	Residential	LKD	W7/F24	38.8	18.5	20.3	52.3	50.7	12.3	45.7	57	18	30	11	47.4	38.9
				W8/F24	38.8	18.1	20.7	53.4									
	R4	Residential	Bedroom	W9/F24	38.8	17.4	21.4	55.2	49.3	6.7	48.9						
	R5	Residential	Bedroom	W10/F24	38.7	16.9	21.8	56.3	36.8	8.3	62.1						
	R6	Residential	LKD	W11/F24	38.6	16.9	21.7	56.2	45.3	15.5	53.3	56	17	33	13	41.1	23.5
				W12/F24	38.6	17	21.6	56									
	R7	Residential	Bedroom	W13/F24	38.6	17.4	21.2	54.9	41.1	8.2	56						
	R8	Residential	Bedroom	W14/F24	38.5	18.3	20.2	52.5	44.2	8.2	54.4						
	R9	Residential	LKD	W15/F24	38.4	19.2	19.2	50	70.7	7.3	25.9	56	17	40	16	28.6	5.9
				W16/F24	38.4	19.9	18.5	48.2									
	R10	Residential	Bedroom	W17/F24	38.4	20.9	17.5	45.6	71.3	3.6	25.8						
	R11	Residential	LKD	W18/F24	38.3	22.5	15.8	41.3	97	0	0.1	92	23	83	23	9.8	0
				W19/F24	38.2	23.1	15.1	39.5									
				W20/F24	38	24	14	36.8									
				W21/F24	36.1	35.5	0.6	1.7									
F25	R1	Residential	LKD	W1/F25	38.3	38.3	0	0	95	1	2.3	60	19	38	11	36.7	42.1
				W2/F25	39.1	24.3	14.8	37.9									
				W3/F25	39.1	24	15.1	38.6									
				W4/F25	39.1	22.7	16.4	41.9									
				W5/F25	39	21.5	17.5	44.9									
	R2	Residential	Bedroom	W6/F25	39	19.7	19.3	49.5	53.8	5.7	45.9						
	R3**	Residential	LKD	W7/F25	39	18.6	20.4	52.3	51.1	12.2	45.3	58	19	31	12	46.6	36.8
				W8/F25	38.9	18.2	20.7	53.2									
	R4	Residential	Bedroom	W9/F25	38.9	17.5	21.4	55	49.3	6.7	48.9						
	R5	Residential	Bedroom	W10/F25	38.9	17	21.9	56.3	36.8	8.3	62						
	R6	Residential	LKD	W11/F25	38.8	17	21.8	56.2	45.3	15.5	53.3	57	18	34	14	40.4	22.2
				W12/F25	38.8	17.1	21.7	55.9									
	R7	Residential	Bedroom	W13/F25	38.8	17.6	21.2	54.6	41.2	8.2	56						
	R8	Residential	Bedroom	W14/F25	38.7	18.5	20.2	52.2	44.6	8.2	54						
	R9	Residential	LKD	W15/F25	38.7	19.5	19.2	49.6	71.1	7.2	25.4	56	17	41	16	26.8	5.9
				W16/F25	38.7	20.1	18.6	48.1									
	R10	Residential	Bedroom	W17/F25	38.6	21.2	17.4	45.1	71.7	3.5	25.3						
	R11	Residential	LKD	W18/F25	38.5	22.8	15.7	40.8	97	0	0.1	93	24	84	24	9.7	0
				W19/F25	38.5	23.4	15.1	39.2									
				W20/F25	38.4	24.3	14.1	36.7									
				W21/F25	36.5	35.9	0.6	1.6									
F26	R1	Residential	LKD	W1/F26	38.7	38.7	0	0	95	0.9	2.3	60	19	39	12	35	36.8
				W2/F26	39.2	24.3	14.9	38									
				W3/F26	39.2	24	15.2	38.8									
				W4/F26	39.1	22.8	16.3	41.7									
				W5/F26	39.1	21.6	17.5	44.8									
	R2	Residential	Bedroom	W6/F26	39.1	19.8	19.3	49.4	53.6	5.8	46.1						
	R3**	Residential	LKD	W7/F26	39	18.7	20.3	52.1	51.3	12.2	45.1	58	19	31	12	46.6	36.8
				W8/F26	39	18.3	20.7	53.1									
	R4	Residential	Bedroom	W9/F26	39	17.6	21.4	54.9	49.3	6.7	49						
	R5	Residential	Bedroom	W10/F26	38.9	17.1	21.8	56	36.7	8.4	62.2						
	R6	Residential	LKD	W11/F26	38.9	17.1	21.8	56	45.3	15.5	53.3	58	19	35	15	39.7	21.1
				W12/F26	38.9	17.3	21.6	55.5									
	R7	Residential	Bedroom	W13/F26	38.9	17.7	21.2	54.5	41.2	8.2	56						
	R8	Residential	Bedroom	W14/F26	38.8	18.6	20.2	52.1	44.7	8.1	53.8						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)				NSL			APSH (ROOM)					
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R9	Residential	LKD	W15/F26	38.8	19.6	19.2	49.5	71.6	7.1	24.9	57	18	42	17	26.3	5.6
				W16/F26	38.8	20.3	18.5	47.7									
	R10	Residential	Bedroom	W17/F26	38.7	21.3	17.4	45	72.2	3.5	24.9						
	R11	Residential	LKD	W18/F26	38.7	23	15.7	40.6	97	0	0.1	93	24	84	24	9.7	0
				W19/F26	38.6	23.5	15.1	39.1									
				W20/F26	38.5	24.5	14	36.4									
				W21/F26	36.8	36.2	0.6	1.6									
F27	R1	Residential	LKD	W1/F27	38.8	38.8	0	0	95.1	0.9	2.2	60	19	39	12	35	36.8
				W2/F27	39.2	24.4	14.8	37.8									
				W3/F27	39.2	24.1	15.1	38.5									
				W4/F27	39.2	22.9	16.3	41.6									
				W5/F27	39.2	21.6	17.6	44.9									
	R2	Residential	Bedroom	W6/F27	39.1	19.9	19.2	49.1	53.5	5.8	46.2						
	R3**	Residential	LKD	W7/F27	39.1	18.8	20.3	51.9	51.3	12.2	45.1	58	19	31	12	46.6	36.8
				W8/F27	39.1	18.4	20.7	52.9									
	R4	Residential	Bedroom	W9/F27	39.1	17.7	21.4	54.7	49.3	6.7	49						
	R5	Residential	Bedroom	W10/F27	39	17.2	21.8	55.9	36.7	8.4	62.2						
	R6	Residential	LKD	W11/F27	39	17.2	21.8	55.9	45.3	15.4	53.2	58	19	35	15	39.7	21.1
				W12/F27	39	17.4	21.6	55.4									
	R7	Residential	Bedroom	W13/F27	39	17.8	21.2	54.4	41.1	8.2	56.2						
	R8	Residential	Bedroom	W14/F27	39	18.7	20.3	52.1	44.8	8.1	53.8						
	R9	Residential	LKD	W15/F27	38.9	19.7	19.2	49.4	71.8	7	24.7	58	19	43	18	25.9	5.3
				W16/F27	38.9	20.4	18.5	47.6									
	R10	Residential	Bedroom	W17/F27	38.9	21.5	17.4	44.7	72.4	3.4	24.6						
	R11	Residential	LKD	W18/F27	38.8	23.1	15.7	40.5	97	0	0.1	96	27	87	27	9.4	0
				W19/F27	38.8	23.7	15.1	38.9									
				W20/F27	38.7	24.6	14.1	36.4									
				W21/F27	37	36.5	0.5	1.4									
F28	R1	Residential	LKD	W1/F28	39	39	0	0	95.1	0.9	2.2	60	19	39	12	35	36.8
				W2/F28	39.3	24.4	14.9	37.9									
				W3/F28	39.3	24.1	15.2	38.7									
				W4/F28	39.3	22.9	16.4	41.7									
				W5/F28	39.3	21.7	17.6	44.8									
	R2	Residential	Bedroom	W6/F28	39.2	19.9	19.3	49.2	53.5	5.8	46.2						
	R3**	Residential	LKD	W7/F28	39.2	18.9	20.3	51.8	51	12.2	45.4	58	19	31	12	46.6	36.8
				W8/F28	39.2	18.5	20.7	52.8									
	R4	Residential	Bedroom	W9/F28	39.2	17.8	21.4	54.6	49.1	6.8	49.1						
	R5	Residential	Bedroom	W10/F28	39.1	17.3	21.8	55.8	36.6	8.4	62.2						
	R6	Residential	LKD	W11/F28	39.1	17.3	21.8	55.8	45.3	15.5	53.3	58	19	35	15	39.7	21.1
				W12/F28	39.1	17.5	21.6	55.2									
	R7	Residential	Bedroom	W13/F28	39.1	17.9	21.2	54.2	40.9	8.2	56.3						
	R8	Residential	Bedroom	W14/F28	39.1	18.8	20.3	51.9	44.2	8.2	54.4						
	R9	Residential	LKD	W15/F28	39	19.8	19.2	49.2	71.7	7.1	24.8	58	19	43	18	25.9	5.3
				W16/F28	39	20.5	18.5	47.4									
	R10	Residential	Bedroom	W17/F28	39	21.6	17.4	44.6	71.7	3.6	25.4						
	R11	Residential	LKD	W18/F28	39	23.3	15.7	40.3	97.1	0	0.1	96	27	87	27	9.4	0
				W19/F28	38.9	23.9	15	38.6									
				W20/F28	38.8	24.8	14	36.1									
				W21/F28	37.3	36.8	0.5	1.3									
F29	R1	Residential	LKD	W1/F29	39.1	39.1	0	0	95	1	2.3	60	19	38	11	36.7	42.1
				W2/F29	39.3	24.5	14.8	37.7									
				W3/F29	39.3	24.2	15.1	38.4									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W4/F29	39.3	22.9	16.4	41.7									
				W5/F29	39.3	21.7	17.6	44.8									
	R2	Residential	Bedroom	W6/F29	39.3	20	19.3	49.1	52.9	5.8	46.8						
	R3**	Residential	LKD	W7/F29	39.3	18.9	20.4	51.9	50.3	12.5	46.1	58	19	31	12	46.6	36.8
				W8/F29	39.3	18.5	20.8	52.9									
	R4	Residential	Bedroom	W9/F29	39.2	17.9	21.3	54.3	48.4	6.9	49.9						
	R5	Residential	Bedroom	W10/F29	39.2	17.4	21.8	55.6	36.6	8.4	62.2						
	R6	Residential	LKD	W11/F29	39.2	17.4	21.8	55.6	45.2	15.5	53.3	58	19	35	15	39.7	21.1
				W12/F29	39.2	17.6	21.6	55.1									
	R7	Residential	Bedroom	W13/F29	39.2	18	21.2	54.1	40.8	8.3	56.4						
	R8	Residential	Bedroom	W14/F29	39.2	18.9	20.3	51.8	44	8.3	54.6						
	R9	Residential	LKD	W15/F29	39.2	19.9	19.3	49.2	70.6	7.4	26	58	19	43	18	25.9	5.3
				W16/F29	39.1	20.6	18.5	47.3									
	R10	Residential	Bedroom	W17/F29	39.1	21.7	17.4	44.5	70.9	3.7	26.1						
	R11	Residential	LKD	W18/F29	39.1	23.4	15.7	40.2	97	0	0.1	96	27	87	27	9.4	0
				W19/F29	39	24	15	38.5									
				W20/F29	39	25	14	35.9									
				W21/F29	37.6	37.1	0.5	1.3									
F30	R1	Residential	LKD	W1/F30	39.3	39.3	0	0	94.9	1	2.4	60	19	37	11	38.3	42.1
				W2/F30	39.4	24.5	14.9	37.8									
				W3/F30	39.4	24.2	15.2	38.6									
				W4/F30	39.4	23	16.4	41.6									
				W5/F30	39.4	21.7	17.7	44.9									
	R2	Residential	Bedroom	W6/F30	39.4	20	19.4	49.2	51.9	6	47.8						
	R3**	Residential	LKD	W7/F30	39.4	19	20.4	51.8	50.1	12.5	46.4	58	19	31	12	46.6	36.8
				W8/F30	39.3	18.6	20.7	52.7									
	R4	Residential	Bedroom	W9/F30	39.3	18	21.3	54.2	46.8	7.1	51.5						
	R5	Residential	Bedroom	W10/F30	39.3	17.5	21.8	55.5	36.2	8.4	62.6						
	R6	Residential	LKD	W11/F30	39.3	17.5	21.8	55.5	45.3	15.5	53.3	58	19	35	15	39.7	21.1
				W12/F30	39.3	17.6	21.7	55.2									
	R7	Residential	Bedroom	W13/F30	39.3	18.1	21.2	53.9	40.7	8.3	56.5						
	R8	Residential	Bedroom	W14/F30	39.3	19	20.3	51.7	43.8	8.3	54.8						
	R9	Residential	LKD	W15/F30	39.3	20	19.3	49.1	70.2	7.5	26.3	58	19	43	18	25.9	5.3
				W16/F30	39.3	20.8	18.5	47.1									
	R10	Residential	Bedroom	W17/F30	39.2	21.8	17.4	44.4	70.5	3.7	26.6						
	R11	Residential	LKD	W18/F30	39.2	23.6	15.6	39.8	97	0	0.1	96	27	87	27	9.4	0
				W19/F30	39.2	24.2	15	38.3									
				W20/F30	39.2	25.2	14	35.7									
				W21/F30	37.8	37.3	0.5	1.3									
F31	R1	Residential	LKD	W1/F31	39.4	39.4	0	0	94.9	1	2.5	60	19	38	11	36.7	42.1
				W2/F31	39.5	24.6	14.9	37.7									
				W3/F31	39.5	24.3	15.2	38.5									
				W4/F31	39.4	23	16.4	41.6									
				W5/F31	39.4	21.8	17.6	44.7									
	R2	Residential	Bedroom	W6/F31	39.4	20.1	19.3	49	51.7	6	48						
	R3**	Residential	LKD	W7/F31	39.4	19.1	20.3	51.5	50.1	12.5	46.4	58	19	31	12	46.6	36.8
				W8/F31	39.4	18.7	20.7	52.5									
	R4	Residential	Bedroom	W9/F31	39.4	18	21.4	54.3	46.7	7.1	51.6						
	R5	Residential	Bedroom	W10/F31	39.4	17.6	21.8	55.3	36.3	8.4	62.6						
	R6	Residential	LKD	W11/F31	39.4	17.6	21.8	55.3	45.3	15.5	53.3	58	19	35	15	39.7	21.1
				W12/F31	39.4	17.7	21.7	55.1									
	R7	Residential	Bedroom	W13/F31	39.4	18.2	21.2	53.8	40.7	8.3	56.5						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R8	Residential	Bedroom	W14/F31	39.4	19.1	20.3	51.5	43.8	8.3	54.8						
	R9	Residential	LKD	W15/F31	39.4	20.1	19.3	49	70.1	7.5	26.5	58	19	43	18	25.9	5.3
				W16/F31	39.4	20.9	18.5	47									
	R10	Residential	Bedroom	W17/F31	39.4	22	17.4	44.2	69.8	3.8	27.4						
	R11	Residential	LKD	W18/F31	39.3	23.7	15.6	39.7	97	0	0.1	96	27	87	27	9.4	0
				W19/F31	39.3	24.3	15	38.2									
				W20/F31	39.3	25.3	14	35.6									
				W21/F31	38.1	37.6	0.5	1.3									
F32	R1	Residential	LKD	W1/F32	39.5	39.5	0	0	94.8	1	2.5	60	19	38	11	36.7	42.1
				W2/F32	39.5	24.6	14.9	37.7									
				W3/F32	39.5	24.4	15.1	38.2									
				W4/F32	39.5	23.1	16.4	41.5									
				W5/F32	39.5	21.9	17.6	44.6									
	R2	Residential	Bedroom	W6/F32	39.5	20.2	19.3	48.9	51.8	6	47.9						
	R3**	Residential	LKD	W7/F32	39.5	19.1	20.4	51.6	50.2	12.5	46.3	58	19	31	12	46.6	36.8
				W8/F32	39.5	18.8	20.7	52.4									
	R4	Residential	Bedroom	W9/F32	39.5	18.1	21.4	54.2	46.8	7.1	51.5						
	R5	Residential	Bedroom	W10/F32	39.5	17.7	21.8	55.2	36.3	8.4	62.5						
	R6	Residential	LKD	W11/F32	39.5	17.7	21.8	55.2	45.3	15.5	53.3	58	19	35	15	39.7	21.1
				W12/F32	39.5	17.8	21.7	54.9									
	R7	Residential	Bedroom	W13/F32	39.5	18.3	21.2	53.7	40.9	8.3	56.4						
	R8	Residential	Bedroom	W14/F32	39.5	19.2	20.3	51.4	43.9	8.3	54.7						
	R9	Residential	LKD	W15/F32	39.5	20.3	19.2	48.6	70.1	7.5	26.4	58	19	43	18	25.9	5.3
				W16/F32	39.5	21	18.5	46.8									
	R10	Residential	Bedroom	W17/F32	39.5	22.1	17.4	44.1	69.9	3.8	27.2						
	R11	Residential	LKD	W18/F32	39.4	23.8	15.6	39.6	97	0	0.1	97	28	88	28	9.3	0
				W19/F32	39.4	24.5	14.9	37.8									
				W20/F32	39.4	25.5	13.9	35.3									
				W21/F32	38.3	37.9	0.4	1									
F33	R1	Residential	LKD	W1/F33	39.6	39.6	0	0	94.8	1	2.5	60	19	38	11	36.7	42.1
				W2/F33	39.6	24.7	14.9	37.6									
				W3/F33	39.6	24.4	15.2	38.4									
				W4/F33	39.6	23.1	16.5	41.7									
				W5/F33	39.6	22	17.6	44.4									
	R2	Residential	Bedroom	W6/F33	39.5	20.2	19.3	48.9	52.1	5.9	47.6						
	R3**	Residential	LKD	W7/F33	39.5	19.2	20.3	51.4	50.2	12.5	46.3	58	19	31	12	46.6	36.8
				W8/F33	39.5	18.9	20.6	52.2									
	R4	Residential	Bedroom	W9/F33	39.5	18.2	21.3	53.9	47.1	7.1	51.2						
	R5	Residential	Bedroom	W10/F33	39.5	17.8	21.7	54.9	36.5	8.4	62.4						
	R6	Residential	LKD	W11/F33	39.5	17.8	21.7	54.9	45.3	15.5	53.3	58	19	35	15	39.7	21.1
				W12/F33	39.5	17.9	21.6	54.7									
	R7	Residential	Bedroom	W13/F33	39.5	18.4	21.1	53.4	41.1	8.2	56.1						
	R8	Residential	Bedroom	W14/F33	39.5	19.3	20.2	51.1	44	8.2	54.6						
	R9	Residential	LKD	W15/F33	39.5	20.4	19.1	48.4	70.1	7.5	26.5	58	19	43	18	25.9	5.3
				W16/F33	39.5	21.1	18.4	46.6									
	R10	Residential	Bedroom	W17/F33	39.5	22.2	17.3	43.8	70.4	3.7	26.7						
	R11	Residential	LKD	W18/F33	39.5	24	15.5	39.2	97	0	0.1	97	28	88	28	9.3	0
				W19/F33	39.5	24.6	14.9	37.7									
				W20/F33	39.5	25.6	13.9	35.2									
				W21/F33	38.6	38.1	0.5	1.3									
F34	R1	Residential	LKD	W1/F34	39.6	39.6	0	0	94.9	1	2.4	60	19	38	11	36.7	42.1
				W2/F34	39.6	24.7	14.9	37.6									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W3/F34	39.6	24.4	15.2	38.4									
				W4/F34	39.6	23.2	16.4	41.4									
				W5/F34	39.6	22	17.6	44.4									
	R2	Residential	Bedroom	W6/F34	39.6	20.3	19.3	48.7	52.4	5.9	47.3						
	R3**	Residential	LKD	W7/F34	39.6	19.3	20.3	51.3	50.3	12.5	46.2	58	19	31	12	46.6	36.8
				W8/F34	39.6	18.9	20.7	52.3									
	R4	Residential	Bedroom	W9/F34	39.6	18.3	21.3	53.8	47.5	7	50.8						
	R5	Residential	Bedroom	W10/F34	39.6	17.8	21.8	55.1	36.7	8.4	62.2						
	R6	Residential	LKD	W11/F34	39.6	17.8	21.8	55.1	45.3	15.5	53.3	58	19	35	15	39.7	21.1
				W12/F34	39.6	18	21.6	54.5									
	R7	Residential	Bedroom	W13/F34	39.6	18.5	21.1	53.3	41.1	8.2	56.1						
	R8	Residential	Bedroom	W14/F34	39.6	19.4	20.2	51	43.9	8.3	54.7						
	R9	Residential	LKD	W15/F34	39.6	20.4	19.2	48.5	70.3	7.5	26.3	58	19	43	18	25.9	5.3
				W16/F34	39.6	21.2	18.4	46.5									
	R10	Residential	Bedroom	W17/F34	39.6	22.3	17.3	43.7	70.8	3.7	26.2						
	R11	Residential	LKD	W18/F34	39.6	24	15.6	39.4	97.1	0	0.1	98	29	89	29	9.2	0
				W19/F34	39.6	24.7	14.9	37.6									
				W20/F34	39.6	25.7	13.9	35.1									
				W21/F34	38.7	38.2	0.5	1.3									
F35	R1	Residential	LKD	W1/F35	39.6	39.6	0	0	94.9	1	2.4	60	19	38	11	36.7	42.1
				W2/F35	39.6	24.7	14.9	37.6									
				W3/F35	39.6	24.5	15.1	38.1									
				W4/F35	39.6	23.2	16.4	41.4									
				W5/F35	39.6	22	17.6	44.4									
	R2	Residential	Bedroom	W6/F35	39.6	20.3	19.3	48.7	53.2	5.8	46.5						
	R3**	Residential	LKD	W7/F35	39.6	19.3	20.3	51.3	50.4	12.4	46.1	58	19	31	12	46.6	36.8
				W8/F35	39.6	18.9	20.7	52.3									
	R4	Residential	Bedroom	W9/F35	39.6	18.3	21.3	53.8	48.5	6.9	49.7						
	R5	Residential	Bedroom	W10/F35	39.6	17.8	21.8	55.1	36.7	8.3	62.1						
	R6	Residential	LKD	W11/F35	39.6	17.9	21.7	54.8	45.3	15.5	53.3	58	19	35	15	39.7	21.1
				W12/F35	39.6	18	21.6	54.5									
	R7	Residential	Bedroom	W13/F35	39.6	18.5	21.1	53.3	41.2	8.2	56						
	R8	Residential	Bedroom	W14/F35	39.6	19.4	20.2	51	44.1	8.2	54.5						
	R9	Residential	LKD	W15/F35	39.6	20.5	19.1	48.2	70.3	7.4	26.2	58	19	43	18	25.9	5.3
				W16/F35	39.6	21.2	18.4	46.5									
	R10	Residential	Bedroom	W17/F35	39.6	22.3	17.3	43.7	71	3.7	26.1						
	R11	Residential	LKD	W18/F35	39.6	24	15.6	39.4	97	0	0.1	98	29	89	29	9.2	0
				W19/F35	39.6	24.7	14.9	37.6									
				W20/F35	39.6	25.7	13.9	35.1									
				W21/F35	38.8	38.3	0.5	1.3									
F36	R1	Residential	LKD	W1/F36	39.6	39.6	0	0	94.9	1	2.4	60	19	38	11	36.7	42.1
				W2/F36	39.6	24.8	14.8	37.4									
				W3/F36	39.6	24.5	15.1	38.1									
				W4/F36	39.6	23.3	16.3	41.2									
				W5/F36	39.6	22.1	17.5	44.2									
	R2	Residential	Bedroom	W6/F36	39.6	20.4	19.2	48.5	53.6	5.8	46.1						
	R3**	Residential	LKD	W7/F36	39.6	19.3	20.3	51.3	50.6	12.4	45.9	58	19	31	12	46.6	36.8
				W8/F36	39.6	19	20.6	52									
	R4	Residential	Bedroom	W9/F36	39.6	18.3	21.3	53.8	49.3	6.7	48.9						
	R5	Residential	Bedroom	W10/F36	39.6	17.9	21.7	54.8	36.7	8.3	62.1						
	R6	Residential	LKD	W11/F36	39.6	17.9	21.7	54.8	45.3	15.5	53.3	58	19	35	15	39.7	21.1
				W12/F36	39.6	18	21.6	54.5									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R7	Residential	Bedroom	W13/F36	39.6	18.5	21.1	53.3	41.2	8.2	56						
	R8	Residential	Bedroom	W14/F36	39.6	19.4	20.2	51	44.2	8.2	54.4						
	R9	Residential	LKD	W15/F36	39.6	20.5	19.1	48.2	70.5	7.4	26	58	19	42	18	27.6	5.3
				W16/F36	39.6	21.2	18.4	46.5									
	R10	Residential	Bedroom	W17/F36	39.6	22.4	17.2	43.4	71.1	3.6	26						
	R11	Residential	LKD	W18/F36	39.6	24.1	15.5	39.1	97	0	0.1	98	29	89	29	9.2	0
				W19/F36	39.6	24.7	14.9	37.6									
				W20/F36	39.6	25.7	13.9	35.1									
				W21/F36	38.8	38.4	0.4	1									
F37	R1	Residential	LKD	W1/F37	39.6	39.6	0	0	94.9	1	2.4	60	19	38	11	36.7	42.1
				W2/F37	39.6	24.8	14.8	37.4									
				W3/F37	39.6	24.5	15.1	38.1									
				W4/F37	39.6	23.3	16.3	41.2									
				W5/F37	39.6	22.1	17.5	44.2									
	R2	Residential	Bedroom	W6/F37	39.6	20.4	19.2	48.5	53.5	5.8	46.2						
	R3**	Residential	LKD	W7/F37	39.6	19.4	20.2	51	50.9	12.3	45.6	58	19	31	12	46.6	36.8
				W8/F37	39.6	19	20.6	52									
	R4	Residential	Bedroom	W9/F37	39.6	18.3	21.3	53.8	49.3	6.7	49						
	R5	Residential	Bedroom	W10/F37	39.6	17.9	21.7	54.8	36.8	8.3	62						
	R6	Residential	LKD	W11/F37	39.6	17.9	21.7	54.8	45.3	15.5	53.3	58	19	35	15	39.7	21.1
				W12/F37	39.6	18.1	21.5	54.3									
	R7	Residential	Bedroom	W13/F37	39.6	18.6	21	53	41.1	8.2	56.1						
	R8	Residential	Bedroom	W14/F37	39.6	19.5	20.1	50.8	44.3	8.2	54.3						
	R9	Residential	LKD	W15/F37	39.6	20.5	19.1	48.2	70.8	7.3	25.7	58	19	42	18	27.6	5.3
				W16/F37	39.6	21.3	18.3	46.2									
	R10	Residential	Bedroom	W17/F37	39.6	22.4	17.2	43.4	71.4	3.6	25.6						
	R11	Residential	LKD	W18/F37	39.6	24.1	15.5	39.1	97	0	0.1	98	29	89	29	9.2	0
				W19/F37	39.6	24.7	14.9	37.6									
				W20/F37	39.6	25.8	13.8	34.8									
				W21/F37	38.9	38.5	0.4	1									
F38	R1	Residential	LKD	W1/F38	39.6	39.6	0	0	95	0.9	2.3	60	19	38	11	36.7	42.1
				W2/F38	39.6	24.8	14.8	37.4									
				W3/F38	39.6	24.5	15.1	38.1									
				W4/F38	39.6	23.3	16.3	41.2									
				W5/F38	39.6	22.1	17.5	44.2									
	R2	Residential	Bedroom	W6/F38	39.6	20.4	19.2	48.5	53.8	5.7	45.9						
	R3**	Residential	LKD	W7/F38	39.6	19.4	20.2	51	51.2	12.2	45.2	58	19	31	12	46.6	36.8
				W8/F38	39.6	19	20.6	52									
	R4	Residential	Bedroom	W9/F38	39.6	18.4	21.2	53.5	49.3	6.7	48.9						
	R5	Residential	Bedroom	W10/F38	39.6	17.9	21.7	54.8	36.8	8.3	62.1						
	R6	Residential	LKD	W11/F38	39.6	17.9	21.7	54.8	45.3	15.5	53.3	58	19	35	15	39.7	21.1
				W12/F38	39.6	18.1	21.5	54.3									
	R7	Residential	Bedroom	W13/F38	39.6	18.6	21	53	41.2	8.2	56						
	R8	Residential	Bedroom	W14/F38	39.6	19.5	20.1	50.8	44.6	8.2	54						
	R9	Residential	LKD	W15/F38	39.6	20.5	19.1	48.2	71.3	7.2	25.2	58	19	43	18	25.9	5.3
				W16/F38	39.6	21.3	18.3	46.2									
	R10	Residential	Bedroom	W17/F38	39.6	22.4	17.2	43.4	71.8	3.5	25.2						
	R11	Residential	LKD	W18/F38	39.6	24.1	15.5	39.1	97.1	0	0.1	98	29	89	29	9.2	0
				W19/F38	39.6	24.8	14.8	37.4									
				W20/F38	39.6	25.8	13.8	34.8									
				W21/F38	39	38.6	0.4	1									
F39	R1	Residential	LKD	W1/F39	39.6	39.6	0	0	95.1	0.9	2.2	60	19	39	12	35	36.8

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W2/F39	39.6	24.8	14.8	37.4									
				W3/F39	39.6	24.5	15.1	38.1									
				W4/F39	39.6	23.4	16.2	40.9									
				W5/F39	39.6	22.1	17.5	44.2									
	R2	Residential	Bedroom	W6/F39	39.6	20.4	19.2	48.5	53.7	5.8	46						
	R3**	Residential	LKD	W7/F39	39.6	19.4	20.2	51	51.4	12.2	45	58	19	31	12	46.6	36.8
				W8/F39	39.6	19	20.6	52									
	R4	Residential	Bedroom	W9/F39	39.6	18.4	21.2	53.5	49.3	6.7	48.9						
	R5	Residential	Bedroom	W10/F39	39.6	17.9	21.7	54.8	36.8	8.3	62						
	R6	Residential	LKD	W11/F39	39.6	17.9	21.7	54.8	45.4	15.4	53.2	58	19	35	15	39.7	21.1
				W12/F39	39.6	18.1	21.5	54.3									
	R7	Residential	Bedroom	W13/F39	39.6	18.6	21	53	41	8.2	56.1						
	R8	Residential	Bedroom	W14/F39	39.6	19.5	20.1	50.8	44.8	8.1	53.8						
	R9	Residential	LKD	W15/F39	39.6	20.6	19	48	71.7	7.1	24.8	58	19	43	18	25.9	5.3
				W16/F39	39.6	21.3	18.3	46.2									
	R10	Residential	Bedroom	W17/F39	39.6	22.4	17.2	43.4	72.3	3.5	24.7						
	R11	Residential	LKD	W18/F39	39.6	24.1	15.5	39.1	97	0	0.1	98	29	89	29	9.2	0
				W19/F39	39.6	24.8	14.8	37.4									
				W20/F39	39.6	25.8	13.8	34.8									
				W21/F39	39	38.7	0.3	0.8									
FREE TRADE HALL PETER STREET																	
F02	R1	Hotel	Bedroom	W1/F02	22.6	22.4	0.2	0.9	100	0	0						
				W2/F02	25.5	24.5	1	3.9									
	R2	Hotel	Bedroom	W3/F02	23.7	22.9	0.8	3.4	45.5	0.2	1.9						
	R3	Hotel	Bedroom	W4/F02	22.6	21.8	0.8	3.5	90.9	0.2	1.5						
	R4	Hotel	Bedroom	W5/F02	21.8	21.2	0.6	2.8	50.9	0	0						
	R5	Hotel	Bedroom	W6/F02	21	20.4	0.6	2.9	93.2	0	0.3						
	R6	Hotel	Bedroom	W7/F02	20.2	19.5	0.7	3.5	48.4	0	0						
	R7	Hotel	Bedroom	W8/F02	19.6	18.9	0.7	3.6	93.1	0.1	0.8						
	R8	Hotel	Bedroom	W9/F02	18.8	18	0.8	4.3	43.9	0	0						
	R9	Hotel	Bedroom	W10/F02	18.3	17.5	0.8	4.4	95.9	0	0						
	R10	Hotel	Bedroom	W11/F02	17.1	16.3	0.8	4.7	39.9	0	0						
	R11	Hotel	Bedroom	W12/F02	16.7	15.9	0.8	4.8	94.7	0	0						
	R12	Hotel	Bedroom	W13/F02	15.6	14.8	0.8	5.1	46.2	0	0.1						
	R13	Hotel	Bedroom	W14/F02	14.9	14.1	0.8	5.4	87.6	0	0						
F03	R1	Hotel	Bedroom	W1/F03	24.3	24	0.3	1.2	100	0	0						
				W2/F03	26.3	25.3	1	3.8									
	R2	Hotel	Bedroom	W3/F03	24.8	23.8	1	4	52.7	0	0						
	R3	Hotel	Bedroom	W4/F03	23.7	22.7	1	4.2	96.9	0	0						
	R4	Hotel	Bedroom	W5/F03	23.2	22.4	0.8	3.4	55.6	0	0						
	R5	Hotel	Bedroom	W6/F03	22.4	21.6	0.8	3.6	96.9	0	0						
	R6	Hotel	Bedroom	W7/F03	21.7	20.8	0.9	4.1	49.8	0	0						
	R7	Hotel	Bedroom	W8/F03	21.1	20.2	0.9	4.3	96.9	0	0						
	R8	Hotel	Bedroom	W9/F03	20.1	19.2	0.9	4.5	44.8	0	0						
	R9	Hotel	Bedroom	W10/F03	19.5	18.6	0.9	4.6	96.2	0	0						
	R10	Hotel	Bedroom	W11/F03	18.3	17.4	0.9	4.9	40.7	0	0						
	R11	Hotel	Bedroom	W12/F03	17.8	16.8	1	5.6	95.4	0	0						
	R12	Hotel	Bedroom	W13/F03	16.5	15.7	0.8	4.8	47.4	0	0						
	R13	Hotel	Bedroom	W14/F03	15.8	14.9	0.9	5.7	89.2	0	0						
F04	R1	Hotel	Bedroom	W1/F04	26.2	25.9	0.3	1.1	100	0	0						
				W2/F04	26.9	25.8	1.1	4.1									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R2	Hotel	Bedroom	W3/F04	25.5	24.4	1.1	4.3	55.7	0	0						
	R3	Hotel	Bedroom	W4/F04	24.4	23.4	1	4.1	96.9	0	0						
	R4	Hotel	Bedroom	W5/F04	24.1	23.1	1	4.1	58	0	0						
	R5	Hotel	Bedroom	W6/F04	23.3	22.3	1	4.3	97	0	0						
	R6	Hotel	Bedroom	W7/F04	22.6	21.6	1	4.4	51.1	0	0						
	R7	Hotel	Bedroom	W8/F04	21.9	20.9	1	4.6	96.9	0	0						
	R8	Hotel	Bedroom	W9/F04	20.9	19.9	1	4.8	45.5	0	0						
	R9	Hotel	Bedroom	W10/F04	20.3	19.4	0.9	4.4	96.3	0	0						
	R10	Hotel	Bedroom	W11/F04	19	18	1	5.3	41.3	0	0						
	R11	Hotel	Bedroom	W12/F04	18.4	17.4	1	5.4	95.8	0	0						
	R12	Hotel	Bedroom	W13/F04	17.1	16.1	1	5.8	48.5	0	0						
	R13	Hotel	Bedroom	W14/F04	16.3	15.4	0.9	5.5	91.1	0	0						
F05	R1	Hotel	Bedroom	W1/F05	27.4	27.1	0.3	1.1	100	0	0						
				W2/F05	23.9	22.8	1.1	4.6									
	R2	Hotel	Bedroom	W3/F05	22.4	21.4	1	4.5	57.9	0	0						
	R3	Hotel	Bedroom	W4/F05	21.9	20.9	1	4.6	96.8	0	0						
	R4	Hotel	Bedroom	W5/F05	21.2	20.2	1	4.7	59.5	0	0						
	R5	Hotel	Bedroom	W6/F05	20.9	19.9	1	4.8	96.8	0	0						
	R6	Hotel	Bedroom	W7/F05	19.9	18.9	1	5	51.1	0	0						
	R7	Hotel	Bedroom	W8/F05	19.6	18.6	1	5.1	96.8	0	0						
	R8	Hotel	Bedroom	W9/F05	18.4	17.3	1.1	6	44.8	0	0						
	R9	Hotel	Bedroom	W10/F05	18	17	1	5.6	96.2	0	0						
	R10	Hotel	Bedroom	W11/F05	16.7	15.6	1.1	6.6	41	0	0						
	R11	Hotel	Bedroom	W12/F05	16.2	15.1	1.1	6.8	95.9	0	0						
	R12	Hotel	Bedroom	W13/F05	14.9	13.9	1	6.7	48.3	0	0						
	R13	Hotel	Bedroom	W14/F05	14.3	13.4	0.9	6.3	91.3	0	0						
F06	R1	Hotel	Bedroom	W1/F06	28.5	28.2	0.3	1.1	100	0	0						
				W2/F06	28.3	27.1	1.2	4.2									
	R2	Hotel	Bedroom	W3/F06	26.9	25.8	1.1	4.1	64	0	0						
	R3	Hotel	Bedroom	W4/F06	25.6	24.5	1.1	4.3	96.9	0	0						
	R4	Hotel	Bedroom	W5/F06	25.6	24.5	1.1	4.3	65.9	0	0						
	R5	Hotel	Bedroom	W6/F06	24.6	23.5	1.1	4.5	96.9	0	0						
	R6	Hotel	Bedroom	W7/F06	24	23	1	4.2	55.8	0	0						
	R7	Hotel	Bedroom	W8/F06	23.2	22.2	1	4.3	97	0	0						
	R8	Hotel	Bedroom	W9/F06	22.2	21.2	1	4.5	47.7	0	0						
	R9	Hotel	Bedroom	W10/F06	21.5	20.5	1	4.7	96.4	0	0						
	R10	Hotel	Bedroom	W11/F06	20.2	19.1	1.1	5.4	42.8	0	0						
	R11	Hotel	Bedroom	W12/F06	19.5	18.4	1.1	5.6	96.2	0	0						
	R12	Hotel	Bedroom	W13/F06	18.2	17.2	1	5.5	50.5	0	0						
	R13	Hotel	Bedroom	W14/F06	17.3	16.3	1	5.8	93	0	0						
F07	R1	Hotel	Bedroom	W1/F07	29.3	29	0.3	1	100	0	0						
				W2/F07	28.7	27.6	1.1	3.8									
	R2	Hotel	Bedroom	W3/F07	27.3	26.2	1.1	4	66.4	0	0						
	R3	Hotel	Bedroom	W4/F07	26	24.9	1.1	4.2	96.9	0	0						
	R4	Hotel	Bedroom	W5/F07	26	24.9	1.1	4.2	71	0	0						
	R5	Hotel	Bedroom	W6/F07	25	24	1	4	96.9	0	0						
	R6	Hotel	Bedroom	W7/F07	24.5	23.4	1.1	4.5	58.9	0	0						
	R7	Hotel	Bedroom	W8/F07	23.6	22.6	1	4.2	97	0	0						
	R8	Hotel	Bedroom	W9/F07	22.6	21.5	1.1	4.9	48.8	0	0						
	R9	Hotel	Bedroom	W10/F07	21.9	20.8	1.1	5	96.5	0	0						
	R10	Hotel	Bedroom	W11/F07	20.6	19.4	1.2	5.8	43.5	0	0						
	R11	Hotel	Bedroom	W12/F07	19.8	18.7	1.1	5.6	96.5	0	0						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R12	Hotel	Bedroom	W13/F07	18.5	17.5	1	5.4	51.6	0	0						
	R13	Hotel	Bedroom	W14/F07	17.6	16.6	1	5.7	93.9	0	0						
F08	R1	Hotel	Bedroom	W1/F08	29.9	29.6	0.3	1	100	0	0						
				W2/F08	25.7	24.5	1.2	4.7									
	R2	Hotel	Bedroom	W3/F08	24.1	23.1	1	4.1	66.8	0	0						
	R3	Hotel	Bedroom	W4/F08	23.5	22.5	1	4.3	96.8	0	0						
	R4	Hotel	Bedroom	W5/F08	22.9	21.9	1	4.4	71.4	0	0						
	R5	Hotel	Bedroom	W6/F08	22.6	21.5	1.1	4.9	96.8	0	0						
	R6	Hotel	Bedroom	W7/F08	21.6	20.5	1.1	5.1	61.1	0	0						
	R7	Hotel	Bedroom	W8/F08	21.2	20.1	1.1	5.2	96.8	0	0						
	R8	Hotel	Bedroom	W9/F08	19.9	18.7	1.2	6	48.4	0	0						
	R9	Hotel	Bedroom	W10/F08	19.5	18.3	1.2	6.2	96.4	0	0						
	R10	Hotel	Bedroom	W11/F08	18	16.8	1.2	6.7	43.4	0	0						
	R11	Hotel	Bedroom	W12/F08	17.5	16.3	1.2	6.9	96.5	0	0						
	R12	Hotel	Bedroom	W13/F08	16.1	15.1	1	6.2	50.7	0	0						
	R13	Hotel	Bedroom	W14/F08	15.5	14.4	1.1	7.1	94.3	0	0						
F09	R1	Hotel	Bedroom	W1/F09	30.5	30.2	0.3	1	100	0	0						
				W2/F09	30.1	28.9	1.2	4									
	R2	Hotel	Bedroom	W3/F09	28.7	27.6	1.1	3.8	71.5	0	0						
	R3	Hotel	Bedroom	W4/F09	27.1	26.1	1	3.7	96.9	0	0						
	R4	Hotel	Bedroom	W5/F09	27.4	26.4	1	3.6	76.1	0	0						
	R5	Hotel	Bedroom	W6/F09	26.2	25.1	1.1	4.2	96.9	0	0						
	R6	Hotel	Bedroom	W7/F09	25.9	24.8	1.1	4.2	67	0	0						
	R7	Hotel	Bedroom	W8/F09	24.8	23.7	1.1	4.4	97	0	0						
	R8	Hotel	Bedroom	W9/F09	23.9	22.8	1.1	4.6	52.4	0	0						
	R9	Hotel	Bedroom	W10/F09	23.1	21.9	1.2	5.2	96.6	0	0						
	R10	Hotel	Bedroom	W11/F09	21.7	20.6	1.1	5.1	45.8	0	0						
	R11	Hotel	Bedroom	W12/F09	20.9	19.7	1.2	5.7	96.7	0	0						
	R12	Hotel	Bedroom	W13/F09	19.7	18.6	1.1	5.6	53.9	0	0						
	R13	Hotel	Bedroom	W14/F09	18.5	17.5	1	5.4	95.5	0	0						
F10	R1	Hotel	Bedroom	W1/F10	31	30.7	0.3	1	100	0	0						
				W2/F10	30.5	29.3	1.2	3.9									
	R2	Hotel	Bedroom	W3/F10	29.1	28	1.1	3.8	74.2	0	0						
	R3	Hotel	Bedroom	W4/F10	27.5	26.4	1.1	4	96.9	0	0						
	R4	Hotel	Bedroom	W5/F10	27.8	26.7	1.1	4	78.9	0	0						
	R5	Hotel	Bedroom	W6/F10	26.6	25.5	1.1	4.1	96.9	0	0						
	R6	Hotel	Bedroom	W7/F10	26.3	25.2	1.1	4.2	69.7	0	0						
	R7	Hotel	Bedroom	W8/F10	25.2	24.1	1.1	4.4	97	0	0						
	R8	Hotel	Bedroom	W9/F10	24.3	23.1	1.2	4.9	55.4	0	0						
	R9	Hotel	Bedroom	W10/F10	23.4	22.3	1.1	4.7	96.6	0	0						
	R10	Hotel	Bedroom	W11/F10	22	20.9	1.1	5	47.1	0	0						
	R11	Hotel	Bedroom	W12/F10	21.2	20	1.2	5.7	97.1	0	0						
	R12	Hotel	Bedroom	W13/F10	19.9	18.8	1.1	5.5	55.2	0	0						
	R13	Hotel	Bedroom	W14/F10	18.8	17.7	1.1	5.9	96	0	0						
F11	R1	Hotel	Bedroom	W1/F11	31.5	31.1	0.4	1.3	100	0	0						
				W2/F11	26	24.8	1.2	4.6									
	R2	Hotel	Bedroom	W3/F11	24.6	23.4	1.2	4.9	71.9	0	0						
	R3	Hotel	Bedroom	W4/F11	23.9	22.8	1.1	4.6	96.7	0	0						
	R4	Hotel	Bedroom	W5/F11	23.4	22.3	1.1	4.7	76.8	0	0						
	R5	Hotel	Bedroom	W6/F11	23	21.9	1.1	4.8	96.8	0	0						
	R6	Hotel	Bedroom	W7/F11	22.1	21	1.1	5	67.5	0	0						
	R7	Hotel	Bedroom	W8/F11	21.7	20.6	1.1	5.1	96.8	0	0						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R8	Hotel	Bedroom	W9/F11	20.3	19.1	1.2	5.9	53	0	0						
	R9	Hotel	Bedroom	W10/F11	19.9	18.7	1.2	6	96.3	0	0						
	R10	Hotel	Bedroom	W11/F11	18.3	17.1	1.2	6.6	45.2	0	0						
	R11	Hotel	Bedroom	W12/F11	17.8	16.6	1.2	6.7	96.4	0	0						
	R12	Hotel	Bedroom	W13/F11	16.4	15.2	1.2	7.3	53.1	0	0						
	R13	Hotel	Bedroom	W14/F11	15.7	14.6	1.1	7	95	0	0						
F12	R1	Hotel	Bedroom	W1/F12	30.5	29.4	1.1	3.6	80.5	0	0						
	R2	Hotel	Bedroom	W2/F12	28.6	27.5	1.1	3.8	96.6	0	0						
	R3	Hotel	Bedroom	W3/F12	29.3	28.2	1.1	3.8	84.1	0	0						
	R4	Hotel	Bedroom	W4/F12	27.8	26.7	1.1	4	96.5	0	0						
	R5	Hotel	Bedroom	W5/F12	27.7	26.6	1.1	4	76.2	0	0						
	R6	Hotel	Bedroom	W6/F12	26.4	25.3	1.1	4.2	96.5	0	0						
	R7	Hotel	Bedroom	W7/F12	25.7	24.6	1.1	4.3	64.7	0	0						
	R8	Hotel	Bedroom	W8/F12	24.6	23.5	1.1	4.5	96.4	0	0						
	R9	Hotel	Bedroom	W9/F12	23.4	22.2	1.2	5.1	53.2	0	0						
	R10	Hotel	Bedroom	W10/F12	22.2	21	1.2	5.4	96.9	0	0						
	R11	Hotel	Bedroom	W11/F12	21.1	19.9	1.2	5.7	56.6	0	0						
	R12	Hotel	Bedroom	W12/F12	19.8	18.6	1.2	6.1	96.4	0	0						
F13	R1	Hotel	Bedroom	W1/F13	31	29.9	1.1	3.5	81.6	0	0						
	R2	Hotel	Bedroom	W2/F13	29	27.9	1.1	3.8	96.5	0	0						
	R3	Hotel	Bedroom	W3/F13	29.9	28.8	1.1	3.7	84.9	0	0						
	R4	Hotel	Bedroom	W4/F13	28.2	27.2	1	3.5	96.6	0	0						
	R5	Hotel	Bedroom	W5/F13	28.4	27.3	1.1	3.9	79.7	0	0						
	R6	Hotel	Bedroom	W6/F13	26.9	25.8	1.1	4.1	96.6	0	0						
	R7	Hotel	Bedroom	W7/F13	26.4	25.2	1.2	4.5	69.3	0	0						
	R8	Hotel	Bedroom	W8/F13	25.2	24	1.2	4.8	96.5	0	0						
	R9	Hotel	Bedroom	W9/F13	23.9	22.7	1.2	5	58.4	0	0						
	R10	Hotel	Bedroom	W10/F13	22.7	21.5	1.2	5.3	97.5	0	0						
	R11	Hotel	Bedroom	W11/F13	21.6	20.4	1.2	5.6	61.1	0	0						
	R12	Hotel	Bedroom	W12/F13	20.1	19	1.1	5.5	96.6	0	0						
GREAT NORTHERN TOWER																	
F01	R2	Residential	Unknown	W5/F01	0.2	0.1	0.1	50	7.1	0	0.8	10	1	7	0	30	100
				W6/F01	1.1	0.8	0.3	27.3									
	R3	Residential	Unknown	W7/F01	5.2	4.8	0.4	7.7	6	0	0	11	1	7	0	36.4	100
	R4	Residential	Unknown	W8/F01	5.5	5.2	0.3	5.5	4.9	0	0	11	1	6	0	45.5	100
	R5	Residential	Unknown	W9/F01	5.5	5.2	0.3	5.5	60.9	3.3	16.3	26	3	21	2	19.2	33.3
				W10/F01	5.4	5.1	0.3	5.6									
				W11/F01	6.8	5.8	1	14.7									
	R6	Residential	Unknown	W12/F01	8.6	7.4	1.2	14	45.8	0.1	1.2	20	2	17	2	15	0
	R7	Residential	Unknown	W13/F01	10.5	8.6	1.9	18.1	80.4	0.8	9.7	27	8	23	6	14.8	25
F02	R2	Residential	Unknown	W5/F02	0.8	0.6	0.2	25	15.1	0	0.2	17	4	13	2	23.5	50
				W6/F02	2.4	2.1	0.3	12.5									
	R3	Residential	Unknown	W7/F02	11.3	11	0.3	2.7	16.6	0	1.7	20	4	15	2	25	50
	R4	Residential	Unknown	W8/F02	11.8	11.4	0.4	3.4	17.4	0	1	20	4	13	1	35	75
	R5	Residential	Unknown	W9/F02	11.8	11.4	0.4	3.4	73.1	4.5	16.5	49	6	43	4	12.2	33.3
				W10/F02	11.5	11.1	0.4	3.5									
				W11/F02	9.6	9.2	0.4	4.2									
				W12/F02	19	17.2	1.8	9.5									
				W13/F02	5.7	5.7	0	0									
	R6	Residential	Unknown	W14/F02	10.6	8.8	1.8	17	68.3	0.1	0.9	24	9	20	7	16.7	22.2
	R7	Residential	Unknown	W15/F02	11.6	9.6	2	17.2	85.2	0.3	3.6	26	11	23	9	11.5	18.2

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
F03	R2	Residential	Unknown	W5/F03	14.6	14.4	0.2	1.4	98	0	0.1	39	10	35	8	10.3	20
				W6/F03	17.1	16.8	0.3	1.8									
	R3	Residential	Unknown	W7/F03	27	26.6	0.4	1.5	77	0	0.3	42	10	37	8	11.9	20
	R4	Residential	Unknown	W8/F03	27.6	27.2	0.4	1.4	77.6	0	0.2	42	10	34	6	19	40
	R5	Residential	Unknown	W9/F03	27.8	27.4	0.4	1.4	99.6	0.1	0.4	67	15	60	12	10.4	20
				W10/F03	27	26.5	0.5	1.9									
				W11/F03	18.4	18	0.4	2.2									
				W12/F03	23.6	21.2	2.4	10.2									
				W13/F03	6.3	6.2	0.1	1.6									
	R6	Residential	Unknown	W14/F03	12.1	10	2.1	17.4	80.3	0.1	0.6	26	10	22	8	15.4	20
	R7	Residential	Unknown	W15/F03	12.9	10.8	2.1	16.3	88.9	0.2	2	27	12	24	10	11.1	16.7
F04	R2	Residential	Unknown	W5/F04	21.8	21.6	0.2	0.9	98.1	0	0	51	15	47	13	7.8	13.3
				W6/F04	24.5	24.1	0.4	1.6									
	R3	Residential	Unknown	W7/F04	33.6	33.2	0.4	1.2	98.5	0	0.3	51	14	46	12	9.8	14.3
	R4	Residential	Unknown	W8/F04	34.2	33.8	0.4	1.2	98.5	0	0.2	52	14	44	10	15.4	28.6
	R5	Residential	Unknown	W9/F04	34.3	33.9	0.4	1.2	99.6	0.1	0.4	73	15	66	12	9.6	20
				W10/F04	34.4	33.9	0.5	1.5									
				W11/F04	21.5	21	0.5	2.3									
				W12/F04	24.6	22	2.6	10.6									
				W13/F04	6.8	6.7	0.1	1.5									
	R6	Residential	Unknown	W14/F04	12.7	10.4	2.3	18.1	81.2	0.1	0.6	27	11	22	8	18.5	27.3
	R7	Residential	Unknown	W15/F04	13.4	11.2	2.2	16.4	89.5	0.2	1.7	28	13	24	10	14.3	23.1
F05	R2	Residential	Unknown	W5/F05	22.7	22.4	0.3	1.3	98.1	0	0	51	15	47	13	7.8	13.3
				W6/F05	25.6	25.1	0.5	2									
	R3	Residential	Unknown	W7/F05	34.6	34.2	0.4	1.2	98.5	0	0.2	53	15	49	13	7.5	13.3
	R4	Residential	Unknown	W8/F05	35.2	34.7	0.5	1.4	98.5	0	0.2	53	15	45	11	15.1	26.7
	R5	Residential	Unknown	W9/F05	35.3	34.8	0.5	1.4	99.7	0.1	0.2	75	16	68	13	9.3	18.8
				W10/F05	35.3	34.8	0.5	1.4									
				W11/F05	22	21.5	0.5	2.3									
				W12/F05	25.2	22.5	2.7	10.7									
				W13/F05	7.1	7	0.1	1.4									
	R6	Residential	Unknown	W14/F05	13.1	10.8	2.3	17.6	81.9	0.1	0.5	27	11	22	8	18.5	27.3
	R7	Residential	Unknown	W15/F05	13.8	11.6	2.2	15.9	89.6	0.1	1.5	28	13	24	10	14.3	23.1
F06	R2	Residential	Unknown	W5/F06	23.4	23.1	0.3	1.3	98.1	0	0	53	16	49	14	7.5	12.5
				W6/F06	26.3	25.9	0.4	1.5									
	R3	Residential	Unknown	W7/F06	35.4	35	0.4	1.1	98.5	0	0.2	54	16	50	14	7.4	12.5
	R4	Residential	Unknown	W8/F06	35.9	35.5	0.4	1.1	98.5	0	0.2	53	15	45	11	15.1	26.7
	R5	Residential	Unknown	W9/F06	36	35.6	0.4	1.1	99.7	0.1	0.2	75	16	68	13	9.3	18.8
				W10/F06	36.1	35.6	0.5	1.4									
				W11/F06	22.5	21.9	0.6	2.7									
				W12/F06	25.7	23	2.7	10.5									
				W13/F06	7.3	7.3	0	0									
	R6	Residential	Unknown	W14/F06	13.4	11.1	2.3	17.2	82.5	0	0.3	28	12	22	8	21.4	33.3
	R7	Residential	Unknown	W15/F06	14.2	12	2.2	15.5	91	0.1	1.2	28	13	24	10	14.3	23.1
F07	R2	Residential	Unknown	W5/F07	23.9	23.6	0.3	1.3	98.1	0	0	53	17	49	15	7.5	11.8
				W6/F07	26.9	26.5	0.4	1.5									
	R3	Residential	Unknown	W7/F07	36	35.6	0.4	1.1	98.8	0	0.4	55	17	51	15	7.3	11.8
	R4	Residential	Unknown	W8/F07	36.6	36.1	0.5	1.4	98.8	0	0.2	55	17	48	13	12.7	23.5
	R5	Residential	Unknown	W9/F07	36.7	36.2	0.5	1.4	99.7	0.1	0.2	77	18	70	15	9.1	16.7
				W10/F07	36.7	36.2	0.5	1.4									
				W11/F07	22.6	22	0.6	2.7									
				W12/F07	26	23.3	2.7	10.4									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W13/F07	7.4	7.4	0	0									
	R6	Residential	Unknown	W14/F07	13.6	11.3	2.3	16.9	82.8	0	0.2	28	12	22	8	21.4	33.3
	R7	Residential	Unknown	W15/F07	14.3	12.1	2.2	15.4	91.8	0.1	1.3	28	14	24	11	14.3	21.4
F08	R2	Residential	Unknown	W5/F08	24.4	24.1	0.3	1.2	98	0	0.1	53	17	49	15	7.5	11.8
				W6/F08	27.5	27	0.5	1.8									
	R3	Residential	Unknown	W7/F08	36.6	36.1	0.5	1.4	98.8	0	0.3	55	17	51	15	7.3	11.8
	R4	Residential	Unknown	W8/F08	37.1	36.6	0.5	1.3	98.8	0	0.2	56	17	50	14	10.7	17.6
	R5	Residential	Unknown	W9/F08	37.1	36.6	0.5	1.3	99.8	0.1	0.2	77	18	70	15	9.1	16.7
				W10/F08	37	36.5	0.5	1.4									
				W11/F08	19.2	18.7	0.5	2.6									
				W12/F08	24.9	22.2	2.7	10.8									
				W13/F08	5.6	5.6	0	0									
	R6	Residential	Unknown	W14/F08	13.8	11.2	2.6	18.8	82.6	0	0.1	25	12	18	8	28	33.3
	R7	Residential	Unknown	W15/F08	13.9	11.4	2.5	18	91.3	0.1	1.3	25	16	19	12	24	25
F09	R1	Residential	Unknown	W1/F09	13.8	11.7	2.1	15.2	95.8	0	0.2	31	16	25	12	19.4	25
				W3/F09	3.1	2.4	0.7	22.6									
	R3	Residential	Unknown	W5/F09	32.5	32.1	0.4	1.2	98.1	0	0	56	17	52	15	7.1	11.8
				W6/F09	34.8	34.4	0.4	1.1									
	R4	Residential	Unknown	W7/F09	36.9	36.5	0.4	1.1	98.8	0	0.3	52	16	51	15	1.9	6.2
	R5	Residential	Unknown	W8/F09	36.4	36.1	0.3	0.8	98.8	0	0.1	49	16	47	14	4.1	12.5
F10	R1	Residential	Unknown	W1/F10	17.1	14.9	2.2	12.9	97.2	0	0	41	17	34	13	17.1	23.5
				W3/F10	2.9	2.3	0.6	20.7									
	R3	Residential	Unknown	W5/F10	32.5	32.3	0.2	0.6	98	0	0	50	17	46	15	8	11.8

MIDLAND HOTEL																	
F00	R3	Hotel	Unknown	W11/F00	29.1	27.5	1.6	5.5	98.3	0	0						
				W12/F00	28.3	26.9	1.4	4.9									
				W13/F00	28.6	27.2	1.4	4.9									
				W14/F00	28.9	27.5	1.4	4.8									
				W15/F00	29.2	27.7	1.5	5.1									
				W16/F00	28.3	26.9	1.4	4.9									
				W17/F00	28.5	27.1	1.4	4.9									
				W18/F00	28.7	27.3	1.4	4.9									
				W19/F00	29	27.5	1.5	5.2									
				W20/F00	30.2	28.7	1.5	5									
				W21/F00	29.7	28.2	1.5	5.1									
				W22/F00	29.4	28	1.4	4.8									
				W23/F00	29.8	28.3	1.5	5									
				W24/F00	29.5	28.1	1.4	4.7									
				W25/F00	29.8	28.3	1.5	5									
				W26/F00	29.5	28.1	1.4	4.7									
				W27/F00	29.8	28.3	1.5	5									
				W28/F00	29.5	28.1	1.4	4.7									
	R4	Hotel	Unknown	W29/F00	28.6	27.1	1.5	5.2	81.8	0	-0.1						
	R5	Hotel	Unknown	W30/F00	28.4	26.9	1.5	5.3	77.7	0	0						
				W31/F00	28	26.6	1.4	5									
				W32/F00	28.7	27.2	1.5	5.2									
				W33/F00	28.3	26.8	1.5	5.3									
	R6	Hotel	Unknown	W34/F00	29	27.5	1.5	5.2	95.6	0	0.1						
				W35/F00	28.6	27.1	1.5	5.2									
				W36/F00	29.1	27.6	1.5	5.2									
				W37/F00	28.7	27.2	1.5	5.2									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R7	Hotel	Unknown	W38/F00	18.1	17.6	0.5	2.8	74.2	0	0						
				W39/F00	10.1	10.1	0	0									
F01	R1	Hotel	Unknown	W1/F01	20.3	19.7	0.6	3	76.6	0	0						
				W2/F01	12.7	12.7	0	0									
	R2	Hotel	Bedroom	W3/F01	31.2	29.5	1.7	5.4	98.5	0	0.1						
				W4/F01	31.2	29.6	1.6	5.1									
				W5/F01	31.3	29.6	1.7	5.4									
	R3	Hotel	Bedroom	W6/F01	31.3	29.6	1.7	5.4	96.8	0.1	0.2						
				W7/F01	31.2	29.6	1.6	5.1									
				W8/F01	31.1	29.5	1.6	5.1									
	R4	Hotel	Unknown	W9/F01	30.2	28.5	1.7	5.6	76.8	0.4	3.4						
				W10/F01	29.1	27.5	1.6	5.5									
	R5	Hotel	Bedroom	W11/F01	24.2	22.7	1.5	6.2	98.1	0	0						
				W12/F01	29.7	28.2	1.5	5.1									
	R6	Hotel	Unknown	W13/F01	30.3	28.7	1.6	5.3	94.8	0	0						
	R7	Hotel	Unknown	W14/F01	19.1	19	0.1	0.5	92.5	0	0						
				W15/F01	29.9	28.4	1.5	5									
				W16/F01	25.9	25	0.9	3.5									
F02	R1	Hotel	Unknown	W1/F02	23.1	22.4	0.7	3	85.9	0	0						
				W2/F02	28.7	27.2	1.5	5.2									
				W30/F02	21.6	20.3	1.3	6									
	R2	Hotel	Unknown	W3/F02	11.7	11.7	0	0	53.1	0	0						
	R3	Hotel	Unknown	W4/F02	14.6	14.6	0	0	79.1	0	0						
				W5/F02	18.9	18.8	0.1	0.5									
				W6/F02	28.2	27.1	1.1	3.9									
				W7/F02	32.1	30.4	1.7	5.3									
				W8/F02	31	29.3	1.7	5.5									
	R4	Hotel	Unknown	W9/F02	31	29.3	1.7	5.5	75.3	0.1	0.6						
				W10/F02	16.8	16.8	0	0									
				W11/F02	32.1	30.4	1.7	5.3									
				W12/F02	29.1	28.1	1	3.4									
	R5	Hotel	Unknown	W13/F02	25	23.4	1.6	6.4	92	0	0						
				W14/F02	30.5	28.9	1.6	5.2									
	R6	Hotel	Unknown	W15/F02	31	29.4	1.6	5.2	96.4	0	0						
	R7	Hotel	Unknown	W16/F02	20.8	20.8	0	0	89.7	0	0						
				W17/F02	30.8	29.2	1.6	5.2									
				W18/F02	27.2	26.3	0.9	3.3									
F03	R1	Hotel	Bedroom	W1/F03	9.9	9.8	0.1	1	67.2	0.5	3.1						
	R2	Hotel	Unknown	W2/F03	26.4	25.7	0.7	2.7	88.6	0	0						
				W3/F03	30.4	28.8	1.6	5.3									
				W4/F03	22.6	21.1	1.5	6.6									
	R4	Hotel	Bedroom	W8/F03	16.2	16.2	0	0	95.9	0	0						
				W9/F03	20.9	20.8	0.1	0.5									
				W10/F03	29.8	28.5	1.3	4.4									
				W11/F03	32.9	31.1	1.8	5.5									
				W12/F03	31.7	29.9	1.8	5.7									
	R5	Hotel	Bedroom	W13/F03	32.9	31	1.9	5.8	96.5	0	0						
				W14/F03	32.9	31	1.9	5.8									
	R6	Hotel	Bedroom	W15/F03	32.9	31	1.9	5.8	97.2	0	0						
				W16/F03	32.7	30.9	1.8	5.5									
	R7	Hotel	Bedroom	W17/F03	31.8	30.1	1.7	5.3	97.9	0	0						
				W18/F03	17.7	17.6	0.1	0.6									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W19/F03	32.9	31.2	1.7	5.2									
				W20/F03	30.3	29.2	1.1	3.6									
	R8	Hotel	Unknown	W21/F03	25.6	23.9	1.7	6.6	86.5	0	0						
	R9	Hotel	Bedroom	W22/F03	31.2	29.6	1.6	5.1	90.2	0	0						
	R10	Hotel	Unknown	W23/F03	31.8	30.2	1.6	5	99	0	0						
	R11	Hotel	Unknown	W24/F03	22.9	22.8	0.1	0.4	89.3	0	0						
				W25/F03	31.6	29.9	1.7	5.4									
				W26/F03	28.7	27.8	0.9	3.1									
F04	R2	Hotel	Bedroom	W2/F04	13.6	13.2	0.4	2.9	74.2	0	0						
	R3	Hotel	Unknown	W3/F04	30.4	29.6	0.8	2.6	91	0	0						
				W4/F04	32.4	30.7	1.7	5.2									
				W5/F04	24.4	22.9	1.5	6.1									
	R5	Hotel	Bedroom	W9/F04	18	18	0	0	76.4	0	0						
				W10/F04	32.4	30.5	1.9	5.9									
	R6	Hotel	Bedroom	W11/F04	33.5	31.6	1.9	5.7	96.6	0	0						
				W12/F04	33.6	31.7	1.9	5.7									
	R7	Hotel	Bedroom	W13/F04	33.6	31.7	1.9	5.7	98.5	0	0						
				W14/F04	33.4	31.6	1.8	5.4									
	R8	Hotel	Bedroom	W15/F04	32.6	30.7	1.9	5.8	99.9	0	0						
				W16/F04	18.6	18.5	0.1	0.5									
				W18/F04	33.7	31.8	1.9	5.6									
				W19/F04	31.5	30.3	1.2	3.8									
	R9	Hotel	Unknown	W17/F04	27.1	25.3	1.8	6.6	91.7	0	0						
	R10	Hotel	Bedroom	W20/F04	32.6	30.8	1.8	5.5	72.7	0	0						
	R11	Hotel	Unknown	W21/F04	33.2	31.4	1.8	5.4	89.4	0	0						
	R12	Hotel	Unknown	W22/F04	26.8	26.8	0	0	97.4	0	0						
				W23/F04	32.9	31.1	1.8	5.5									
				W24/F04	31.3	30.3	1	3.2									
F05	R2	Hotel	Bedroom	W2/F05	15.8	15.2	0.6	3.8	76.8	0	0						
	R4	Hotel	Bedroom	W6/F05	20.6	20.6	0	0	77.3	0	0						
				W7/F05	33	31	2	6.1									
	R5	Hotel	Bedroom	W8/F05	34.3	32.3	2	5.8	97.4	0	0						
				W9/F05	34.3	32.2	2.1	6.1									
	R6	Hotel	Bedroom	W10/F05	34.3	32.4	1.9	5.5	98.6	0	0						
				W11/F05	34.2	32.2	2	5.8									
	R7	Hotel	Bedroom	W12/F05	33.4	31.4	2	6	79	0	0						
	R8	Hotel	Unknown	W13/F05	28	26.1	1.9	6.8	95.1	0	0						
	R9	Hotel	Bedroom	W14/F05	33.6	31.8	1.8	5.4	72.8	0	0						
	R10	Hotel	Unknown	W15/F05	34.1	32.3	1.8	5.3	93	0	0						
	R11	Hotel	Unknown	W16/F05	30.1	30	0.1	0.3	100	0	0						
				W17/F05	33.8	32	1.8	5.3									
				W18/F05	33.3	32.1	1.2	3.6									
F06	R2	Hotel	Bedroom	W2/F06	19	18.1	0.9	4.7	82.8	0	0						
	R4	Hotel	Bedroom	W6/F06	25	25	0	0	100	0	0						
				W7/F06	19.5	19.5	0	0									
				W8/F06	29.3	29.1	0.2	0.7									
				W9/F06	34.1	32.8	1.3	3.8									
				W10/F06	34.9	33	1.9	5.4									
				W11/F06	34.2	32.3	1.9	5.6									
	R5	Hotel	Bedroom	W12/F06	34.9	32.9	2	5.7	99.5	0	0						
				W13/F06	35	33	2	5.7									
	R6	Hotel	Bedroom	W14/F06	35	33	2	5.7	98.4	0	0						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W15/F06	35	33	2	5.7									
	R7	Hotel	Bedroom	W16/F06	34.5	32.5	2	5.8	99.1	0	0						
				W18/F06	25.9	25.7	0.2	0.8									
				W19/F06	35.1	33.1	2	5.7									
				W20/F06	34.4	33	1.4	4.1									
	R8	Hotel	Unknown	W17/F06	31.6	29.7	1.9	6	92.9	0	0						
	R9	Hotel	Bedroom	W11/F07	35.4	33.4	2	5.6	93.2	0	-0.1						
				W21/F06	34.7	32.8	1.9	5.5									
	R10	Hotel	Unknown	W22/F06	35	33.1	1.9	5.4	97.3	0	0						
	R11	Hotel	Unknown	W23/F06	33.7	33.5	0.2	0.6	99.1	0	0						
				W24/F06	35	33.1	1.9	5.4									
F07	R1	Hotel	Bedroom	W1/F07	32.8	31.9	0.9	2.7	99.2	0	0						
	R2	Hotel	Bedroom	W2/F07	25.3	24.4	0.9	3.6	92.1	0	0						
	R3	Hotel	Unknown	W3/F07	36	36	0	0	100	0	0						
				W4/F07	35.5	34.7	0.8	2.3									
				W5/F07	34.9	33.2	1.7	4.9									
				W6/F07	31.7	31	0.7	2.2									
				W7/F07	34.2	32.4	1.8	5.3									
	R4	Hotel	Bedroom	W8/F07	35.4	33.4	2	5.6	92.7	0	0						
	R5	Hotel	Bedroom	W9/F07	35.4	33.4	2	5.6	98.8	0	0						
	R7	Hotel	Unknown	W12/F07	36.1	35.9	0.2	0.6	100	0	0						
				W13/F07	35.5	33.6	1.9	5.4									
TRUMPET STREET ALBION ST																	
F02	R1	Hotel	Bedroom	W1/F02	20.8	20.6	0.2	1	99.5	0	0						
				W2/F02	19.4	17.4	2	10.3									
				W3/F02	22.9	18.7	4.2	18.3									
	R2	Hotel	Bedroom	W4/F02	24.6	20.4	4.2	17.1	67.2	2.6	21.2						
	R3	Hotel	LKD	W5/F02	24.8	20.7	4.1	16.5	95.3	0.5	2						
				W6/F02	25.2	21.3	3.9	15.5									
	R4	Hotel	Bedroom	W7/F02	26.5	23.2	3.3	12.5	85.1	0.3	2.7						
	R5	Hotel	LKD	W8/F02	26.7	23.5	3.2	12	72.8	0.5	2.1						
	R6	Hotel	Bedroom	W9/F02	27.4	24.5	2.9	10.6	93.7	0.2	1.9						
				W10/F02	27.5	24.6	2.9	10.5									
	R7	Hotel	Bedroom	W11/F02	28.4	26.1	2.3	8.1	99.5	0	0.1						
				W12/F02	33.2	33.2	0	0									
F03	R1	Hotel	Bedroom	W1/F03	24.5	23.7	0.8	3.3	99.6	0	0.1						
				W2/F03	21.4	19.1	2.3	10.7									
				W3/F03	23.5	19.2	4.3	18.3									
	R2	Hotel	Bedroom	W4/F03	25.1	20.9	4.2	16.7	68.6	2.5	19.9						
	R3	Hotel	LKD	W5/F03	25.4	21.2	4.2	16.5	95.3	0.6	2.1						
				W6/F03	25.8	21.8	4	15.5									
	R4	Hotel	Bedroom	W7/F03	27.1	23.8	3.3	12.2	85.8	0.3	2.7						
	R5	Hotel	LKD	W8/F03	27.3	24.1	3.2	11.7	73.5	0.5	2						
	R6	Hotel	Bedroom	W9/F03	28.1	25.1	3	10.7	93.7	0.2	1.9						
				W10/F03	28.2	25.3	2.9	10.3									
	R7	Hotel	Bedroom	W11/F03	29.2	26.8	2.4	8.2	99.1	0	0.3						
				W12/F03	34.1	34.1	0	0									
F04	R1	Hotel	Bedroom	W1/F04	26	25	1	3.8	99.6	0	0.1						
				W2/F04	22.2	19.8	2.4	10.8									
				W3/F04	24	19.6	4.4	18.3									
	R2	Hotel	Bedroom	W4/F04	25.7	21.4	4.3	16.7	69.1	2.4	19.3						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R3	Hotel	LKD	W5/F04	26	21.7	4.3	16.5	95.1	0.6	2.3						
				W6/F04	26.4	22.3	4.1	15.5									
	R4	Hotel	Bedroom	W7/F04	27.7	24.4	3.3	11.9	85.8	0.3	2.7						
	R5	Hotel	LKD	W8/F04	27.9	24.7	3.2	11.5	73.7	0.5	2						
	R6	Hotel	Bedroom	W9/F04	28.7	25.7	3	10.5	93.8	0.2	1.9						
				W10/F04	28.9	25.9	3	10.4									
	R7	Hotel	Bedroom	W11/F04	29.8	27.4	2.4	8.1	99.4	0	0						
				W12/F04	34.8	34.8	0	0									
F05	R1	Hotel	Bedroom	W1/F05	27	25.9	1.1	4.1	99.6	0	0.1						
				W2/F05	22.8	20.4	2.4	10.5									
				W3/F05	24.6	20.1	4.5	18.3									
	R2	Hotel	Bedroom	W4/F05	26.3	21.9	4.4	16.7	70.1	2.3	18.2						
	R3	Hotel	LKD	W5/F05	26.5	22.2	4.3	16.2	95.2	0.6	2.4						
				W6/F05	27	22.8	4.2	15.6									
	R4	Hotel	Bedroom	W7/F05	28.3	24.9	3.4	12	85.1	0.3	2.7						
	R5	Hotel	LKD	W8/F05	28.5	25.2	3.3	11.6	73.8	0.5	2.1						
	R6	Hotel	Bedroom	W9/F05	29.3	26.3	3	10.2	93.8	0.2	1.9						
				W10/F05	29.5	26.5	3	10.2									
	R7	Hotel	Bedroom	W11/F05	30.5	28	2.5	8.2	99.6	0	0.1						
				W12/F05	35.6	35.6	0	0									
F06	R1	Hotel	Bedroom	W1/F06	27.8	26.7	1.1	4	100	0	0						
				W2/F06	23.4	20.9	2.5	10.7									
				W3/F06	25.1	20.5	4.6	18.3									
	R2	Hotel	Bedroom	W4/F06	27	22.5	4.5	16.7	85.7	1	7.7						
	R3	Hotel	LKD	W5/F06	27.4	23.2	4.2	15.3	91.4	0.2	0.9						
	R4	Hotel	Bedroom	W6/F06	28.2	24.3	3.9	13.8	66.1	1.8	16.6						
	R5	Hotel	LKD	W7/F06	29.1	25.7	3.4	11.7	73.5	0.5	2.1						
	R6	Hotel	Bedroom	W8/F06	29.9	26.8	3.1	10.4	98.1	0	0.4						
				W9/F06	30	26.9	3.1	10.3									
	R7	Hotel	Bedroom	W10/F06	31.1	28.6	2.5	8	99.8	0	0						
				W11/F06	36.2	36.2	0	0									
F07	R1	Hotel	Bedroom	W1/F07	28.5	27.4	1.1	3.9	100	0	0						
				W2/F07	24	21.4	2.6	10.8									
				W3/F07	25.7	20.9	4.8	18.7									
	R2	Hotel	Bedroom	W4/F07	27.5	22.9	4.6	16.7	86.2	0.9	7						
	R3	Hotel	LKD	W5/F07	28	23.6	4.4	15.7	91.5	0.2	0.9						
	R4	Hotel	Bedroom	W6/F07	28.8	24.8	4	13.9	66.4	1.8	16.6						
	R5	Hotel	LKD	W7/F07	29.7	26.2	3.5	11.8	73.5	0.5	2.1						
	R6	Hotel	Bedroom	W8/F07	30.5	27.3	3.2	10.5	98.1	0	0.4						
				W9/F07	30.6	27.5	3.1	10.1									
	R7	Hotel	Bedroom	W10/F07	31.7	29.1	2.6	8.2	99.8	0	0						
				W11/F07	36.8	36.8	0	0									
F08	R1	Hotel	Bedroom	W1/F08	29.2	27.9	1.3	4.5	100	0	0						
				W2/F08	24.6	21.9	2.7	11									
				W3/F08	26.2	21.3	4.9	18.7									
	R2	Hotel	Bedroom	W4/F08	28.1	23.4	4.7	16.7	86.5	0.9	6.8						
	R3	Hotel	LKD	W5/F08	28.5	24.1	4.4	15.4	91.5	0.2	0.9						
	R4	Hotel	Bedroom	W6/F08	29.3	25.3	4	13.7	66.6	1.8	16.5						
	R5	Hotel	LKD	W7/F08	30.2	26.7	3.5	11.6	73.5	0.5	2.1						
	R6	Hotel	Bedroom	W8/F08	31.1	27.8	3.3	10.6	98.1	0	0.4						
				W9/F08	31.2	27.9	3.3	10.6									
	R7	Hotel	Bedroom	W10/F08	32.2	29.6	2.6	8.1	99.7	0	0						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W11/F08	37.3	37.3	0	0									
F09	R1	Hotel	Bedroom	W1/F09	29.8	28.5	1.3	4.4	100	0	0						
				W2/F09	25.2	22.4	2.8	11.1									
				W3/F09	26.7	21.7	5	18.7									
	R2	Hotel	Bedroom	W4/F09	28.6	23.8	4.8	16.8	86.9	0.9	6.4						
	R3	Hotel	LKD	W5/F09	29.1	24.5	4.6	15.8	91.6	0.2	0.8						
	R4	Hotel	Bedroom	W6/F09	29.8	25.7	4.1	13.8	67.3	1.7	16						
	R5	Hotel	LKD	W7/F09	30.7	27.1	3.6	11.7	73.5	0.5	2.1						
	R6	Hotel	Bedroom	W8/F09	31.6	28.3	3.3	10.4	98.1	0	0.4						
				W9/F09	31.7	28.4	3.3	10.4									
	R7	Hotel	Bedroom	W10/F09	32.8	30.1	2.7	8.2	99.7	0	0						
				W11/F09	37.7	37.7	0	0									
F10	R1	Hotel	Bedroom	W1/F10	30.3	29	1.3	4.3	99.6	0	0						
				W2/F10	25.8	22.9	2.9	11.2									
				W3/F10	27.3	22.1	5.2	19									
	R2	Hotel	Bedroom	W4/F10	28.9	23.9	5	17.3	77.4	1.4	11						
	R3	Hotel	LKD	W5/F10	29.2	24.4	4.8	16.4	95.2	0.7	2.5						
				W6/F10	29.6	25	4.6	15.5									
	R4	Hotel	Bedroom	W7/F10	31	27.1	3.9	12.6	85.8	0.3	2.7						
	R5	Hotel	LKD	W8/F10	31.2	27.5	3.7	11.9	73.8	0.5	2.2						
	R6	Hotel	Bedroom	W9/F10	32	28.6	3.4	10.6	93.8	0.2	1.9						
				W10/F10	32.2	28.8	3.4	10.6									
	R7	Hotel	Bedroom	W11/F10	33.2	30.5	2.7	8.1	99.1	0	0.2						
				W12/F10	38	38	0	0									
F11	R1	Hotel	Bedroom	W1/F11	30.7	29.4	1.3	4.2	99.7	0	0						
				W2/F11	26.3	23.4	2.9	11									
				W3/F11	27.7	22.4	5.3	19.1									
	R2	Hotel	Bedroom	W4/F11	29.4	24.2	5.2	17.7	78.5	1.3	10.1						
	R3	Hotel	LKD	W5/F11	29.7	24.7	5	16.8	95.3	0.7	2.5						
				W6/F11	30.1	25.3	4.8	15.9									
	R4	Hotel	Bedroom	W7/F11	31.4	27.4	4	12.7	85.8	0.3	2.7						
	R5	Hotel	LKD	W8/F11	31.6	27.8	3.8	12	73.8	0.5	2.2						
	R6	Hotel	Bedroom	W9/F11	32.4	28.9	3.5	10.8	93.8	0.2	1.9						
				W10/F11	32.5	29.1	3.4	10.5									
	R7	Hotel	Bedroom	W11/F11	33.5	30.7	2.8	8.4	99.2	0	0.1						
				W12/F11	38.2	38.2	0	0									
F12	R1	Hotel	Bedroom	W1/F12	31.1	29.9	1.2	3.9	99.7	0	0						
				W2/F12	26.8	23.8	3	11.2									
				W3/F12	28.2	22.7	5.5	19.5									
	R2	Hotel	Bedroom	W4/F12	29.8	24.5	5.3	17.8	79	1.2	9.9						
	R3	Hotel	LKD	W5/F12	30.1	25	5.1	16.9	95.2	0.7	2.5						
				W6/F12	30.5	25.6	4.9	16.1									
	R4	Hotel	Bedroom	W7/F12	31.8	27.7	4.1	12.9	85.5	0.3	2.7						
	R5	Hotel	LKD	W8/F12	31.9	28	3.9	12.2	73.8	0.5	2.2						
	R6	Hotel	Bedroom	W9/F12	32.7	29.2	3.5	10.7	93.9	0.2	1.9						
				W10/F12	32.9	29.4	3.5	10.6									
	R7	Hotel	Bedroom	W11/F12	33.8	31	2.8	8.3	99.5	0	0.2						
				W12/F12	38.4	38.4	0	0									
F13	R1	Hotel	Bedroom	W1/F13	31.5	30.3	1.2	3.8	99.7	0	0						
				W2/F13	27.4	24.3	3.1	11.3									
				W3/F13	28.7	23	5.7	19.9									
	R2	Hotel	Bedroom	W4/F13	30.2	24.8	5.4	17.9	79.6	1.2	9.7						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R3	Hotel	LKD	W5/F13	30.5	25.3	5.2	17	95.4	0.6	2.4						
				W6/F13	30.9	25.9	5	16.2									
	R4	Hotel	Bedroom	W7/F13	32.1	27.9	4.2	13.1	85.9	0.3	2.7						
	R5	Hotel	LKD	W8/F13	32.3	28.3	4	12.4	73.8	0.5	2.2						
	R6	Hotel	Bedroom	W9/F13	33	29.4	3.6	10.9	93.9	0.2	1.8						
				W10/F13	33.2	29.6	3.6	10.8									
	R7	Hotel	Bedroom	W11/F13	34.1	31.2	2.9	8.5	99.4	0	0						
				W12/F13	38.5	38.5	0	0									
F14	R1	Hotel	Bedroom	W1/F14	31.9	30.8	1.1	3.4	100	0	0						
				W2/F14	27.9	24.9	3	10.8									
				W3/F14	29.2	23.3	5.9	20.2									
	R2	Hotel	Bedroom	W4/F14	30.8	25.3	5.5	17.9	87.1	0.8	6.2						
	R3	Hotel	LKD	W5/F14	31.2	26	5.2	16.7	91.7	0.2	0.7						
	R4	Hotel	Bedroom	W6/F14	31.9	27.2	4.7	14.7	68.9	1.7	15.5						
	R5	Hotel	LKD	W7/F14	32.6	28.5	4.1	12.6	73.6	0.5	2.2						
	R6	Hotel	Bedroom	W8/F14	33.3	29.6	3.7	11.1	98.1	0	0.4						
				W9/F14	33.4	29.7	3.7	11.1									
	R7	Hotel	Bedroom	W10/F14	34.4	31.4	3	8.7	99.7	0	0						
				W11/F14	38.6	38.6	0	0									
F15	R1	Hotel	Bedroom	W1/F15	32.3	31.2	1.1	3.4	100	0	0						
				W2/F15	28.6	25.4	3.2	11.2									
				W3/F15	29.7	23.7	6	20.2									
	R2	Hotel	Bedroom	W4/F15	31.2	25.6	5.6	17.9	87	0.8	6.3						
	R3	Hotel	LKD	W5/F15	31.6	26.3	5.3	16.8	91.8	0.2	0.7						
	R4	Hotel	Bedroom	W6/F15	32.2	27.4	4.8	14.9	68.4	1.8	16.1						
	R5	Hotel	LKD	W7/F15	32.9	28.7	4.2	12.8	73.7	0.5	2.2						
	R6	Hotel	Bedroom	W8/F15	33.7	29.8	3.9	11.6	98.1	0.1	0.5						
				W9/F15	33.7	30	3.7	11									
	R7	Hotel	Bedroom	W10/F15	34.6	31.6	3	8.7	99.7	0	0						
				W11/F15	38.7	38.7	0	0									
F16	R1	Hotel	Bedroom	W1/F16	32.8	31.7	1.1	3.4	100	0	0						
				W2/F16	29.2	26	3.2	11									
				W3/F16	30.2	24	6.2	20.5									
	R2	Hotel	Bedroom	W4/F16	31.6	25.9	5.7	18	87	0.8	6.3						
	R3	Hotel	LKD	W5/F16	32	26.6	5.4	16.9	91.8	0.2	0.7						
	R4	Hotel	Bedroom	W6/F16	32.6	27.7	4.9	15	68.6	1.8	16.1						
	R5	Hotel	LKD	W7/F16	33.3	29	4.3	12.9	73.8	0.5	2.2						
	R6	Hotel	Bedroom	W8/F16	34	30	4	11.8	98.1	0	0.4						
				W9/F16	34	30.2	3.8	11.2									
	R7	Hotel	Bedroom	W10/F16	34.9	31.8	3.1	8.9	99.7	0	0						
				W11/F16	38.7	38.7	0	0									
F17	R1	Hotel	Bedroom	W1/F17	33.3	32.3	1	3	100	0	0						
				W2/F17	29.9	26.7	3.2	10.7									
				W3/F17	30.7	24.4	6.3	20.5									
	R2	Hotel	Bedroom	W4/F17	32.1	26.1	6	18.7	87	0.8	6.3						
	R3	Hotel	LKD	W5/F17	32.4	26.9	5.5	17	91.7	0.2	0.8						
	R4	Hotel	Bedroom	W6/F17	33	27.9	5.1	15.5	68.6	1.8	16.1						
	R5	Hotel	LKD	W7/F17	33.6	29.2	4.4	13.1	73.9	0.5	2.2						
	R6	Hotel	Bedroom	W8/F17	34.3	30.2	4.1	12	98.1	0.1	0.4						
				W9/F17	34.3	30.4	3.9	11.4									
	R7	Hotel	Bedroom	W10/F17	35.1	31.9	3.2	9.1	99.9	0	0						
				W11/F17	38.8	38.8	0	0									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
F18	R1	Hotel	Bedroom	W1/F18	33.8	32.8	1	3	99.7	0	0						
				W2/F18	30.6	27.3	3.3	10.8									
				W3/F18	31.3	24.7	6.6	21.1									
	R2	Hotel	Bedroom	W4/F18	32.4	26.2	6.2	19.1	80.7	1.3	9.8						
	R3	Hotel	LKD	W5/F18	32.6	26.7	5.9	18.1	95.6	0.6	2.4						
				W6/F18	32.9	27.2	5.7	17.3									
	R4	Hotel	Bedroom	W7/F18	33.8	29.1	4.7	13.9	85.9	0.4	3.6						
	R5	Hotel	LKD	W8/F18	33.9	29.4	4.5	13.3	74.2	0.5	2.2						
	R6	Hotel	Bedroom	W9/F18	34.5	30.4	4.1	11.9	95.2	0.1	0.8						
				W10/F18	34.7	30.7	4	11.5									
	R7	Hotel	Bedroom	W11/F18	35.4	32.1	3.3	9.3	99.4	0	0						
				W12/F18	38.9	38.9	0	0									
F19	R1	Hotel	Bedroom	W1/F19	34.3	33.3	1	2.9	99.7	0	0						
				W2/F19	31.3	28	3.3	10.5									
				W3/F19	31.8	25.1	6.7	21.1									
	R2	Hotel	Bedroom	W4/F19	32.9	26.5	6.4	19.5	80.7	1.3	9.9						
	R3	Hotel	LKD	W5/F19	33	27	6	18.2	95.4	0.6	2.4						
				W6/F19	33.3	27.5	5.8	17.4									
	R4	Hotel	Bedroom	W7/F19	34.2	29.3	4.9	14.3	85.9	0.5	4.1						
	R5	Hotel	LKD	W8/F19	34.3	29.6	4.7	13.7	74.3	0.5	2.2						
	R6	Hotel	Bedroom	W9/F19	34.8	30.6	4.2	12.1	95.3	0.1	0.8						
				W10/F19	35	30.9	4.1	11.7									
	R7	Hotel	Bedroom	W11/F19	35.6	32.3	3.3	9.3	99.2	0	0						
				W12/F19	38.9	38.9	0	0									
F20	R1	Hotel	Bedroom	W1/F20	34.8	33.8	1	2.9	99.7	0	0						
				W2/F20	32	28.6	3.4	10.6									
				W3/F20	32.4	25.5	6.9	21.3									
	R2	Hotel	Bedroom	W4/F20	33.3	26.8	6.5	19.5	80.7	1.3	10						
	R3	Hotel	LKD	W5/F20	33.5	27.2	6.3	18.8	95.3	0.7	2.5						
				W6/F20	33.7	27.7	6	17.8									
	R4	Hotel	Bedroom	W7/F20	34.5	29.5	5	14.5	85.9	0.5	4.3						
	R5	Hotel	LKD	W8/F20	34.6	29.8	4.8	13.9	74.3	0.5	2.2						
	R6	Hotel	Bedroom	W9/F20	35.1	30.8	4.3	12.3	95.3	0.1	0.8						
				W10/F20	35.3	31	4.3	12.2									
	R7	Hotel	Bedroom	W11/F20	35.9	32.4	3.5	9.7	99.1	0	0.2						
				W12/F20	39	39	0	0									
F21	R1	Hotel	Bedroom	W1/F21	35.3	34.4	0.9	2.5	99.7	0	0						
				W2/F21	32.7	29.3	3.4	10.4									
				W3/F21	32.9	25.8	7.1	21.6									
	R2	Hotel	Bedroom	W4/F21	33.7	27	6.7	19.9	80.7	1.4	10.4						
	R3	Hotel	LKD	W5/F21	33.9	27.5	6.4	18.9	95.4	0.6	2.4						
				W6/F21	34.1	28	6.1	17.9									
	R4	Hotel	Bedroom	W7/F21	34.9	29.7	5.2	14.9	85.9	0.6	4.8						
	R5	Hotel	LKD	W8/F21	34.9	30	4.9	14	74.4	0.5	2.2						
	R6	Hotel	Bedroom	W9/F21	35.4	31	4.4	12.4	95.3	0.1	0.8						
				W10/F21	35.5	31.2	4.3	12.1									
	R7	Hotel	Bedroom	W11/F21	36.1	32.6	3.5	9.7	99.4	0	0						
				W12/F21	39.1	39.1	0	0									
F22	R1	Hotel	Bedroom	W1/F22	35.7	34.8	0.9	2.5	100	0	0						
				W2/F22	33.4	29.8	3.6	10.8									
				W3/F22	33.4	26.1	7.3	21.9									
	R2	Hotel	Bedroom	W4/F22	34.2	27.5	6.7	19.6	87.3	1	7						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R3	Hotel	LKD	W5/F22	34.5	28.2	6.3	18.3	91.8	0.2	0.7						
	R4	Hotel	Bedroom	W6/F22	34.8	29.1	5.7	16.4	69.1	1.9	17						
	R5	Hotel	LKD	W7/F22	35.2	30.2	5	14.2	74.3	0.5	2.1						
	R6	Hotel	Bedroom	W8/F22	35.7	31.2	4.5	12.6	98.1	0	0.4						
				W9/F22	35.7	31.3	4.4	12.3									
	R7	Hotel	Bedroom	W10/F22	36.3	32.8	3.5	9.6	99.9	0	0						
				W11/F22	39.1	39.1	0	0									
F23	R1	Hotel	Bedroom	W1/F23	36.2	35.3	0.9	2.5	100	0	0						
				W2/F23	34	30.4	3.6	10.6									
				W3/F23	33.9	26.5	7.4	21.8									
	R2	Hotel	Bedroom	W4/F23	34.6	27.8	6.8	19.7	87.1	1	7.2						
	R3	Hotel	LKD	W5/F23	34.8	28.4	6.4	18.4	91.9	0.2	0.7						
	R4	Hotel	Bedroom	W6/F23	35.2	29.3	5.9	16.8	68.7	2	17.5						
	R5	Hotel	LKD	W7/F23	35.5	30.4	5.1	14.4	74.3	0.5	2.1						
	R6	Hotel	Bedroom	W8/F23	36	31.4	4.6	12.8	98.1	0	0.4						
				W9/F23	36	31.5	4.5	12.5									
	R7	Hotel	Bedroom	W10/F23	36.6	32.9	3.7	10.1	99.7	0	0						
				W11/F23	39.2	39.2	0	0									
F24	R1	Hotel	Bedroom	W1/F24	36.6	35.7	0.9	2.5	100	0	0						
				W2/F24	34.6	31	3.6	10.4									
				W3/F24	34.5	26.8	7.7	22.3									
	R2	Hotel	Bedroom	W4/F24	35	28	7	20	87.1	1	7.7						
	R3	Hotel	LKD	W5/F24	35.2	28.6	6.6	18.8	91.8	0.2	0.7						
	R4	Hotel	Bedroom	W6/F24	35.6	29.5	6.1	17.1	68.8	2	17.7						
	R5	Hotel	LKD	W7/F24	35.8	30.6	5.2	14.5	74.3	0.5	2.1						
	R6	Hotel	Bedroom	W8/F24	36.3	31.6	4.7	12.9	98.1	0	0.4						
				W9/F24	36.3	31.7	4.6	12.7									
	R7	Hotel	Bedroom	W10/F24	36.8	33.1	3.7	10.1	99.7	0	0.1						
				W11/F24	39.2	39.2	0	0									
F25	R1	Hotel	Bedroom	W1/F25	37	36.2	0.8	2.2	100	0	0						
				W2/F25	35.2	31.5	3.7	10.5									
				W3/F25	34.9	27.1	7.8	22.3									
	R2	Hotel	Bedroom	W4/F25	35.4	28.2	7.2	20.3	87.1	1.2	8.5						
	R3	Hotel	LKD	W5/F25	35.6	28.9	6.7	18.8	91.9	0.2	0.7						
	R4	Hotel	Bedroom	W6/F25	35.9	29.7	6.2	17.3	68.9	2.1	18.5						
	R5	Hotel	LKD	W7/F25	36.1	30.8	5.3	14.7	74.3	0.5	2.1						
	R6	Hotel	Bedroom	W8/F25	36.6	31.7	4.9	13.4	98.1	0.1	0.5						
				W9/F25	36.5	31.9	4.6	12.6									
	R7	Hotel	Bedroom	W10/F25	37.1	33.2	3.9	10.5	99.8	0	0.1						
				W11/F25	39.3	39.3	0	0									
10-12 WHITWORTH ST																	
F03	R1	Residential	LKD	W1/F03	7.1	7	0.1	1.4	56.1	0.5	4.4						
				W2/F03	2.6	2.4	0.2	7.7									
	R2	Residential	Bedroom	W3/F03	1.7	1.4	0.3	17.6	27.6	0.3	7.1						
	R3**	Residential	LKD	W4/F03	1.8	1.6	0.2	11.1	18.6	0.1	3.3						
	R4	Residential	Bedroom	W5/F03	2.1	1.7	0.4	19	31.5	0.4	8.8						
	R5	Residential	LKD	W6/F03	2	1.5	0.5	25	63.9	1.1	6.5						
				W7/F03	2.8	1.5	1.3	46.4									
	R6	Residential	LKD	W8/F03	3.4	1.5	1.9	55.9	62.3	8.3	34.5						
				W9/F03	3.9	1.6	2.3	59									
	R7	Residential	Bedroom	W10/F03	4.8	1.8	3	62.5	33.1	8.6	66.9						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R8**	Residential	LKD	W11/F03	5.1	1.9	3.2	62.7	69.9	2.8	19.6						
	R9	Residential	Bedroom	W12/F03	5	2	3	60	88.8	1.2	10.1						
	R10	Residential	LKD	W13/F03	6.3	3.4	2.9	46	91	0.3	1.6						
				W14/F03	12.8	10.4	2.4	18.8									
F04	R1	Residential	LKD	W1/F04	7.5	7.5	0	0	20.7	0.1	1.9						
				W2/F04	11	10.6	0.4	3.6									
	R2	Residential	Bedroom	W3/F04	12.6	12.2	0.4	3.2	30.7	0	0.4						
	R3	Residential	Bedroom	W4/F04	12.7	12.3	0.4	3.1	35.9	0	0.4						
	R4	Residential	LKD	W5/F04	13.2	12.4	0.8	6.1	32.1	0.6	8						
	R5	Residential	LKD	W6/F04	13.9	12.4	1.5	10.8	42.2	0.6	10.7						
	R6	Residential	Bedroom	W7/F04	15.1	12.4	2.7	17.9	86	0.5	6.5						
	R7	Residential	Bedroom	W8/F04	16.3	12.4	3.9	23.9	85.5	0.6	9						
	R8	Residential	LKD	W9/F04	17.2	12.4	4.8	27.9	39.8	5.5	52						
	R9	Residential	LKD	W10/F04	18.3	12.5	5.8	31.7	36.4	10.6	58.4						
	R10	Residential	Bedroom	W11/F04	18.9	12.7	6.2	32.8	70.7	2.3	22.7						
	R11	Residential	Bedroom	W12/F04	19.3	13.1	6.2	32.1	84.7	0.6	6						
	R12	Residential	LKD	W13/F04	18.1	12	6.1	33.7	85.6	0.3	1.7						
				W14/F04	11.6	10.7	0.9	7.8									
F05	R1	Residential	LKD	W1/F05	7.6	7.6	0	0	20.9	0.1	1.6						
				W2/F05	11.3	10.9	0.4	3.5									
	R2	Residential	Bedroom	W3/F05	13	12.6	0.4	3.1	31.3	0	0.3						
	R3	Residential	Bedroom	W4/F05	13.1	12.7	0.4	3.1	36.4	0	0.2						
	R4	Residential	LKD	W5/F05	13.6	12.7	0.9	6.6	33.1	0.5	7.3						
	R5	Residential	LKD	W6/F05	14.3	12.7	1.6	11.2	43.2	0.6	9.8						
	R6	Residential	Bedroom	W7/F05	15.5	12.8	2.7	17.4	86.3	0.4	6.2						
	R7	Residential	Bedroom	W8/F05	16.7	12.7	4	24	85.5	0.6	9						
	R8	Residential	LKD	W9/F05	17.6	12.7	4.9	27.8	40.1	5.4	51.8						
	R9	Residential	LKD	W10/F05	18.7	12.9	5.8	31	37.1	10.4	57.6						
	R10	Residential	Bedroom	W11/F05	19.3	13	6.3	32.6	70.6	2.3	23						
	R11	Residential	Bedroom	W12/F05	19.8	13.5	6.3	31.8	82.3	0.8	8.8						
	R12	Residential	LKD	W13/F05	18.5	12.4	6.1	33	85.7	0.3	1.7						
				W14/F05	11.6	10.7	0.9	7.8									
F06	R1	Residential	LKD	W1/F06	8.1	8	0.1	1.2	21.4	0.1	1.5						
				W2/F06	11.8	11.3	0.5	4.2									
	R2	Residential	Bedroom	W3/F06	13.4	12.9	0.5	3.7	31.8	0	0.2						
	R3	Residential	Bedroom	W4/F06	13.5	13	0.5	3.7	37	0	0.2						
	R4	Residential	LKD	W5/F06	13.9	13	0.9	6.5	33.9	0.6	7.5						
	R5	Residential	LKD	W6/F06	14.6	13	1.6	11	44.3	0.6	9.6						
	R6	Residential	Bedroom	W7/F06	15.8	13	2.8	17.7	86	0.4	6.2						
	R7	Residential	Bedroom	W8/F06	16.9	12.9	4	23.7	85.8	0.6	8.7						
	R8	Residential	LKD	W9/F06	18	13	5	27.8	40.2	5.4	51.6						
	R9	Residential	LKD	W10/F06	18.9	13.1	5.8	30.7	37.8	10.3	57						
	R10	Residential	Bedroom	W11/F06	19.6	13.4	6.2	31.6	70.6	2.3	23.1						
	R11	Residential	Bedroom	W12/F06	20.2	13.8	6.4	31.7	81.8	0.9	9.4						
	R12	Residential	LKD	W13/F06	18.8	12.6	6.2	33	85.8	0.3	1.7						
				W14/F06	12.1	11.2	0.9	7.4									
F07	R1	Residential	LKD	W1/F07	8.4	8.3	0.1	1.2	21.8	0.1	1.1						
				W2/F07	12.1	11.6	0.5	4.1									
	R2	Residential	Bedroom	W3/F07	13.8	13.3	0.5	3.6	32.2	0	0.2						
	R3	Residential	Bedroom	W4/F07	13.8	13.3	0.5	3.6	38.1	0	0.2						
	R4	Residential	LKD	W5/F07	14.3	13.3	1	7	34.4	0.6	8.1						
	R5	Residential	LKD	W6/F07	15	13.3	1.7	11.3	45	0.7	10.5						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R6	Residential	Bedroom	W7/F07	16.2	13.4	2.8	17.3	86.3	0.4	5.9						
	R7	Residential	Bedroom	W8/F07	17.3	13.3	4	23.1	85.8	0.6	8.7						
	R8	Residential	LKD	W9/F07	18.3	13.4	4.9	26.8	40.5	5.4	51.3						
	R9	Residential	LKD	W10/F07	19.3	13.4	5.9	30.6	39.4	10	55.2						
	R10	Residential	Bedroom	W11/F07	20	13.7	6.3	31.5	70.9	2.3	23						
	R11	Residential	Bedroom	W12/F07	20.6	14.1	6.5	31.6	82.1	0.9	9.5						
	R12	Residential	LKD	W13/F07	19.2	12.9	6.3	32.8	85.7	0.3	1.8						
				W14/F07	12.2	11.4	0.8	6.6									
F08	R1	Residential	LKD	W1/F08	8.7	8.6	0.1	1.1	22.1	0.1	1						
				W2/F08	12.5	11.9	0.6	4.8									
	R2	Residential	Bedroom	W3/F08	14.2	13.7	0.5	3.5	32.8	0	0.2						
	R3	Residential	Bedroom	W4/F08	14.2	13.7	0.5	3.5	38.8	0	0.1						
	R4	Residential	LKD	W5/F08	14.7	13.7	1	6.8	35.3	0.7	8.2						
	R5	Residential	LKD	W6/F08	15.4	13.7	1.7	11	45.8	0.7	10.6						
	R6	Residential	Bedroom	W7/F08	16.5	13.7	2.8	17	86.2	0.4	5.9						
	R7	Residential	Bedroom	W8/F08	17.7	13.6	4.1	23.2	85.9	0.6	8.6						
	R8	Residential	LKD	W9/F08	18.7	13.7	5	26.7	40.7	5.4	51						
	R9	Residential	LKD	W10/F08	19.7	13.8	5.9	29.9	40.3	9.8	54.1						
	R10	Residential	Bedroom	W11/F08	20.4	14.1	6.3	30.9	71.5	2.3	22.5						
	R11	Residential	Bedroom	W12/F08	21	14.5	6.5	31	82.5	0.9	9.2						
	R12	Residential	LKD	W13/F08	19.6	13.3	6.3	32.1	86	0.3	1.7						
				W14/F08	12.4	11.5	0.9	7.3									
F09	R1	Residential	LKD	W1/F09	9	8.9	0.1	1.1	22.6	0.1	1.2						
				W2/F09	12.8	12.2	0.6	4.7									
	R2	Residential	Bedroom	W3/F09	14.6	14	0.6	4.1	33.5	0	0.1						
	R3	Residential	Bedroom	W4/F09	14.7	14.1	0.6	4.1	39.2	0	0.1						
	R4	Residential	LKD	W5/F09	15.1	14	1.1	7.3	36	0.7	8.6						
	R5	Residential	LKD	W6/F09	15.8	14.1	1.7	10.8	47	0.7	10.5						
	R6	Residential	Bedroom	W7/F09	17	14.1	2.9	17.1	86.4	0.4	5.8						
	R7	Residential	Bedroom	W8/F09	18.1	14	4.1	22.7	85.9	0.6	8.6						
	R8	Residential	LKD	W9/F09	19.1	14.1	5	26.2	40.8	5.3	50.8						
	R9	Residential	LKD	W10/F09	20.2	14.1	6.1	30.2	41.8	9.6	52.6						
	R10	Residential	Bedroom	W11/F09	20.8	14.4	6.4	30.8	72.6	2.2	21.9						
	R11	Residential	Bedroom	W12/F09	21.4	14.9	6.5	30.4	83.6	0.8	8.2						
	R12	Residential	LKD	W13/F09	20	13.6	6.4	32	86.1	0.3	1.7						
				W14/F09	12.6	11.7	0.9	7.1									
F10	R1	Residential	LKD	W1/F10	9.4	9.2	0.2	2.1	23	0	0.7						
				W2/F10	13.2	12.6	0.6	4.5									
	R2	Residential	Bedroom	W3/F10	15.1	14.4	0.7	4.6	34.2	0	0.1						
	R3	Residential	Bedroom	W4/F10	15.1	14.5	0.6	4	40.1	0	0.1						
	R4	Residential	LKD	W5/F10	15.5	14.4	1.1	7.1	36.8	0.8	9.1						
	R5	Residential	LKD	W6/F10	16.3	14.4	1.9	11.7	48.2	0.7	10.2						
	R6	Residential	Bedroom	W7/F10	17.4	14.4	3	17.2	86.3	0.4	5.8						
	R7	Residential	Bedroom	W8/F10	18.5	14.4	4.1	22.2	85.9	0.6	8.6						
	R8	Residential	LKD	W9/F10	19.6	14.5	5.1	26	41	5.3	50.7						
	R9	Residential	LKD	W10/F10	20.6	14.5	6.1	29.6	43.2	9.3	51.1						
	R10	Residential	Bedroom	W11/F10	21.3	14.8	6.5	30.5	73.2	2.2	21.4						
	R11	Residential	Bedroom	W12/F10	21.8	15.2	6.6	30.3	84.6	0.7	7.5						
	R12	Residential	LKD	W13/F10	20.4	14	6.4	31.4	86.2	0.3	1.7						
				W14/F10	12.8	11.9	0.9	7									
F11	R1	Residential	LKD	W1/F11	9.7	9.5	0.2	2.1	23.6	0.1	1						
				W2/F11	13.7	12.9	0.8	5.8									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R2	Residential	Bedroom	W3/F11	15.6	14.8	0.8	5.1	34.8	0	0.1						
	R3	Residential	Bedroom	W4/F11	15.6	14.9	0.7	4.5	40.5	0	0.1						
	R4	Residential	LKD	W5/F11	16	14.8	1.2	7.5	37.6	0.8	9.2						
	R5	Residential	LKD	W6/F11	16.7	14.8	1.9	11.4	48.7	0.7	10.4						
	R6	Residential	Bedroom	W7/F11	17.8	14.8	3	16.9	86.3	0.4	5.8						
	R7	Residential	Bedroom	W8/F11	19	14.8	4.2	22.1	85.9	0.6	8.6						
	R8	Residential	LKD	W9/F11	20	14.9	5.1	25.5	41.2	5.3	50.5						
	R9	Residential	LKD	W10/F11	21	14.9	6.1	29	44	9.2	50.2						
	R10	Residential	Bedroom	W11/F11	21.7	15.2	6.5	30	73.6	2.2	21.2						
	R11	Residential	Bedroom	W12/F11	22.3	15.6	6.7	30	85.3	0.6	6.8						
	R12	Residential	LKD	W13/F11	20.8	14.3	6.5	31.3	86.3	0.3	1.7						
				W14/F11	13	12.1	0.9	6.9									
F12	R1	Residential	LKD	W1/F12	10.1	9.8	0.3	3	24.1	0	0.5						
				W2/F12	14.2	13.3	0.9	6.3									
	R2	Residential	Bedroom	W3/F12	16.1	15.3	0.8	5	35.6	0	0.1						
	R3	Residential	Bedroom	W4/F12	16.1	15.3	0.8	5	42	0	0						
	R4	Residential	LKD	W5/F12	16.5	15.2	1.3	7.9	38.4	0.9	9.9						
	R5	Residential	LKD	W6/F12	17.2	15.2	2	11.6	50.1	0.8	11.1						
	R6	Residential	Bedroom	W7/F12	18.3	15.2	3.1	16.9	86.5	0.4	5.7						
	R7	Residential	Bedroom	W8/F12	19.4	15.2	4.2	21.6	85.9	0.6	8.6						
	R8	Residential	LKD	W9/F12	20.4	15.3	5.1	25	41.3	5.3	50.3						
	R9	Residential	LKD	W10/F12	21.4	15.3	6.1	28.5	45.8	8.8	48.3						
	R10	Residential	Bedroom	W11/F12	22.1	15.6	6.5	29.4	74	2.2	21.1						
	R11	Residential	Bedroom	W12/F12	22.7	16	6.7	29.5	86	0.6	6.4						
	R12	Residential	LKD	W13/F12	21.2	14.7	6.5	30.7	86.4	0.3	1.7						
				W14/F12	13.2	12.3	0.9	6.8									
F13	R1	Residential	LKD	W1/F13	10.4	10.1	0.3	2.9	25.1	0.1	1.1						
				W2/F13	14.7	13.8	0.9	6.1									
	R2	Residential	Bedroom	W3/F13	16.6	15.7	0.9	5.4	36.8	0	0						
	R3	Residential	Bedroom	W4/F13	16.6	15.7	0.9	5.4	42.8	0	0						
	R4	Residential	LKD	W5/F13	17	15.6	1.4	8.2	39.3	1	10.6						
	R5	Residential	LKD	W6/F13	17.7	15.7	2	11.3	51.2	0.8	11.1						
	R6	Residential	Bedroom	W7/F13	18.8	15.7	3.1	16.5	86.3	0.4	5.8						
	R7	Residential	Bedroom	W8/F13	19.9	15.6	4.3	21.6	85.9	0.6	8.6						
	R8	Residential	LKD	W9/F13	20.9	15.7	5.2	24.9	41.5	5.3	50						
	R9	Residential	LKD	W10/F13	21.9	15.8	6.1	27.9	47.2	8.6	46.9						
	R10	Residential	Bedroom	W11/F13	22.6	16.1	6.5	28.8	74.3	2.2	21						
	R11	Residential	Bedroom	W12/F13	23.1	16.5	6.6	28.6	86.2	0.6	6.3						
	R12	Residential	LKD	W13/F13	21.6	15.1	6.5	30.1	86.5	0.3	1.7						
				W14/F13	13.4	12.5	0.9	6.7									
F14	R1	Residential	LKD	W1/F14	10.7	10.4	0.3	2.8	26	0.1	1.2						
				W2/F14	15.3	14.2	1.1	7.2									
	R2	Residential	Bedroom	W3/F14	17.2	16.2	1	5.8	37.7	0	0						
	R3	Residential	Bedroom	W4/F14	17.2	16.2	1	5.8	44.1	0	0						
	R4	Residential	LKD	W5/F14	17.6	16.1	1.5	8.5	40.2	1.1	11.3						
	R5	Residential	LKD	W6/F14	18.3	16.1	2.2	12	52.4	0.9	11.6						
	R6	Residential	Bedroom	W7/F14	19.3	16.1	3.2	16.6	86.6	0.4	5.7						
	R7	Residential	Bedroom	W8/F14	20.4	16.1	4.3	21.1	85.9	0.6	8.6						
	R8	Residential	LKD	W9/F14	21.4	16.2	5.2	24.3	41.6	5.3	49.9						
	R9	Residential	LKD	W10/F14	22.4	16.2	6.2	27.7	48.8	8.3	45.3						
	R10	Residential	Bedroom	W11/F14	23	16.5	6.5	28.3	74.4	2.2	20.9						
	R11	Residential	Bedroom	W12/F14	23.6	17	6.6	28	86.3	0.6	6.4						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R12	Residential	LKD	W13/F14	22.1	15.6	6.5	29.4	86.7	0.3	1.7						
				W14/F14	13.6	12.7	0.9	6.6									
F15	R1	Residential	LKD	W1/F15	11.1	10.8	0.3	2.7	28.3	0.1	1.6						
				W2/F15	15.9	14.7	1.2	7.5									
	R2	Residential	Bedroom	W3/F15	17.9	16.7	1.2	6.7	39.7	0	0						
	R3**	Residential	Bedroom	W4/F15	17.8	16.6	1.2	6.7	31	0	0						
	R4	Residential	Bedroom	W5/F15	18.2	16.6	1.6	8.8	53.5	0.9	10.2						
	R5	Residential	LKD	W6/F15	18.9	16.6	2.3	12.2	82.6	0.6	2.6						
				W7/F15	19.9	16.6	3.3	16.6									
	R6	Residential	Bedroom	W8/F15	21	16.6	4.4	21	88	1	6.3						
				W9/F15	22	16.7	5.3	24.1									
	R7	Residential	Bedroom	W10/F15	22.9	16.7	6.2	27.1	75.4	2.6	20.7						
	R8	Residential	LKD	W11/F15	23.6	17	6.6	28	53.1	2.9	20.6						
	R9	Residential	Bedroom	W12/F15	24.1	17.5	6.6	27.4	81.8	0.7	8						
	R10	Residential	LKD	W13/F15	22.6	16	6.6	29.2	91.9	0.3	1.4						
				W14/F15	13.8	12.9	0.9	6.5									
F16	R1	Residential	LKD	W1/F16	11.5	11.1	0.4	3.5	29.2	0.1	2						
				W2/F16	16.7	15.3	1.4	8.4									
	R2	Residential	Bedroom	W3/F16	18.6	17.2	1.4	7.5	40.8	0	0						
	R3**	Residential	Bedroom	W4/F16	18.5	17.2	1.3	7	31.8	0	0						
	R4	Residential	Bedroom	W5/F16	18.9	17.1	1.8	9.5	54.5	0.8	9.2						
	R5	Residential	LKD	W6/F16	19.6	17.1	2.5	12.8	82.9	0.6	2.8						
				W7/F16	20.5	17.1	3.4	16.6									
	R6	Residential	Bedroom	W8/F16	21.6	17.1	4.5	20.8	88.1	1	6.2						
				W9/F16	22.5	17.2	5.3	23.6									
	R7	Residential	Bedroom	W10/F16	23.5	17.3	6.2	26.4	76.8	2.5	19.7						
	R8	Residential	LKD	W11/F16	24.1	17.6	6.5	27	53.3	2.9	20.6						
	R9	Residential	Bedroom	W12/F16	24.6	18	6.6	26.8	81.9	0.7	8						
	R10	Residential	LKD	W13/F16	23	16.5	6.5	28.3	92	0.3	1.5						
				W14/F16	14	13.1	0.9	6.4									
F17	R1	Residential	LKD	W1/F17	12	11.5	0.5	4.2	30.3	0.1	2						
				W2/F17	17.5	15.9	1.6	9.1									
	R2	Residential	Bedroom	W3/F17	19.4	17.8	1.6	8.2	42.2	0	0						
	R3**	Residential	Bedroom	W4/F17	19.3	17.7	1.6	8.3	32.7	0	0						
	R4	Residential	Bedroom	W5/F17	19.7	17.7	2	10.2	55.9	0.7	8.1						
	R5	Residential	LKD	W6/F17	20.3	17.7	2.6	12.8	83.4	0.7	3.2						
				W7/F17	21.2	17.7	3.5	16.5									
	R6	Residential	Bedroom	W8/F17	22.3	17.7	4.6	20.6	88.1	1	6.2						
				W9/F17	23.2	17.8	5.4	23.3									
	R7	Residential	Bedroom	W10/F17	24.1	17.9	6.2	25.7	78.5	2.4	18.6						
	R8	Residential	LKD	W11/F17	24.7	18.2	6.5	26.3	54.1	2.8	20.2						
	R9	Residential	Bedroom	W12/F17	25.2	18.6	6.6	26.2	82.1	0.7	7.7						
	R10	Residential	LKD	W13/F17	23.6	17.1	6.5	27.5	92.3	0.3	1.5						
				W14/F17	14.2	13.3	0.9	6.3									
F18	R1	Residential	LKD	W1/F18	12.6	12	0.6	4.8	32.2	0.1	1.9						
				W2/F18	18.4	16.5	1.9	10.3									
	R2	Residential	Bedroom	W3/F18	20.3	18.4	1.9	9.4	43.6	0	0						
	R3**	Residential	Bedroom	W4/F18	20.2	18.4	1.8	8.9	33.6	0	0						
	R4	Residential	Bedroom	W5/F18	20.5	18.3	2.2	10.7	56.7	0.7	7.5						
	R5	Residential	LKD	W6/F18	21.2	18.4	2.8	13.2	83.7	0.8	3.8						
				W7/F18	22	18.4	3.6	16.4									
	R6	Residential	Bedroom	W8/F18	23	18.4	4.6	20	88.4	1	6.1						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W9/F18	23.9	18.5	5.4	22.6									
	R7	Residential	Bedroom	W10/F18	24.7	18.5	6.2	25.1	80.5	2.2	17.1						
	R8	Residential	LKD	W11/F18	25.3	18.8	6.5	25.7	54.9	2.8	19.8						
	R9	Residential	Bedroom	W12/F18	25.8	19.2	6.6	25.6	82.5	0.6	7.3						
	R10	Residential	LKD	W13/F18	24.1	17.6	6.5	27	92.4	0.3	1.5						
				W14/F18	14.4	13.5	0.9	6.3									
F19	R1	Residential	LKD	W1/F19	13.2	12.5	0.7	5.3	33.3	0.2	2						
				W2/F19	19.4	17.3	2.1	10.8									
	R2	Residential	Bedroom	W3/F19	21.3	19.2	2.1	9.9	45.1	0	0.1						
	R3**	Residential	Bedroom	W4/F19	21.2	19.1	2.1	9.9	34.5	0	0						
	R4	Residential	Bedroom	W5/F19	21.5	19	2.5	11.6	57.6	0.6	6.7						
	R5	Residential	LKD	W6/F19	22.1	19.1	3	13.6	84	1	4.5						
				W7/F19	22.9	19.1	3.8	16.6									
	R6	Residential	Bedroom	W8/F19	23.8	19.1	4.7	19.7	88.3	1	6.1						
				W9/F19	24.7	19.2	5.5	22.3									
	R7	Residential	Bedroom	W10/F19	25.5	19.2	6.3	24.7	83.1	1.9	14.7						
	R8	Residential	LKD	W11/F19	26	19.5	6.5	25	55.7	2.8	19.6						
	R9	Residential	Bedroom	W12/F19	26.5	19.9	6.6	24.9	83.7	0.5	6						
	R10	Residential	LKD	W13/F19	24.7	18.2	6.5	26.3	92.7	0.3	1.4						
				W14/F19	14.6	13.7	0.9	6.2									
F20	R1	Residential	LKD	W1/F20	13.9	13.1	0.8	5.8	37.8	0.3	3.1						
				W2/F20	20.6	18.1	2.5	12.1									
	R2	Residential	Bedroom	W3/F20	22.5	20	2.5	11.1	51.1	0	0.1						
	R3**	Residential	Bedroom	W4/F20	22.4	19.9	2.5	11.2	39.4	0	0						
	R4	Residential	Bedroom	W5/F20	22.6	19.8	2.8	12.4	58.9	0.7	7.1						
	R5	Residential	LKD	W6/F20	23.2	19.9	3.3	14.2	86.6	1.1	4.9						
				W7/F20	23.9	19.9	4	16.7									
	R6	Residential	Bedroom	W8/F20	24.8	19.9	4.9	19.8	88.6	1	6						
				W9/F20	25.5	20	5.5	21.6									
	R7	Residential	Bedroom	W10/F20	26.3	20	6.3	24	86.6	1.5	11.6						
	R8	Residential	LKD	W11/F20	26.8	20.2	6.6	24.6	59.9	2.4	16.1						
	R9	Residential	Bedroom	W12/F20	27.2	20.6	6.6	24.3	86	0.3	3.5						
	R10	Residential	LKD	W13/F20	25.4	18.9	6.5	25.6	94.4	0.3	1.4						
				W14/F20	14.9	14	0.9	6									
F21	R1	Residential	LKD	W1/F21	14.6	13.7	0.9	6.2	41.5	0.4	4.2						
				W2/F21	21.9	19	2.9	13.2									
	R2	Residential	Bedroom	W3/F21	23.7	20.9	2.8	11.8	54.7	0	0.3						
	R3**	Residential	Bedroom	W4/F21	23.6	20.7	2.9	12.3	42	0	0						
	R4	Residential	Bedroom	W5/F21	23.8	20.7	3.1	13	60	0.7	6.8						
	R5	Residential	LKD	W6/F21	24.3	20.7	3.6	14.8	87.4	1	4.3						
				W7/F21	25	20.7	4.3	17.2									
	R6	Residential	Bedroom	W8/F21	25.7	20.7	5	19.5	88.6	1	5.9						
				W9/F21	26.4	20.8	5.6	21.2									
	R7	Residential	Bedroom	W10/F21	27.1	20.8	6.3	23.2	87.9	1.3	10.3						
	R8	Residential	LKD	W11/F21	27.6	21	6.6	23.9	61.1	2.2	14.7						
	R9	Residential	Bedroom	W12/F21	28	21.4	6.6	23.6	87.7	0.2	1.8						
	R10	Residential	LKD	W13/F21	26.1	19.6	6.5	24.9	94.7	0.3	1.4						
				W14/F21	15.1	14.2	0.9	6									
F22	R1	Residential	LKD	W1/F22	15.4	14.4	1	6.5	47.2	0.5	4.9						
				W2/F22	23.4	20	3.4	14.5									
	R2	Residential	Bedroom	W3/F22	25.1	21.8	3.3	13.1	60.9	0.1	1						
	R3**	Residential	Bedroom	W4/F22	24.9	21.6	3.3	13.3	45.5	0	0.4						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R4	Residential	Bedroom	W5/F22	25.1	21.6	3.5	13.9	62.5	0.7	6.4						
	R5	Residential	LKD	W6/F22	25.5	21.6	3.9	15.3	88.3	0.8	3.3						
				W7/F22	26.1	21.6	4.5	17.2									
	R6	Residential	Bedroom	W8/F22	26.8	21.6	5.2	19.4	89.3	1	6						
				W9/F22	27.4	21.7	5.7	20.8									
	R7	Residential	Bedroom	W10/F22	28	21.7	6.3	22.5	89.4	1.1	8.8						
	R8	Residential	LKD	W11/F22	28.4	21.9	6.5	22.9	62.8	1.9	12.9						
	R9	Residential	Bedroom	W12/F22	28.7	22.1	6.6	23	88.7	0.1	0.8						
	R10	Residential	LKD	W13/F22	26.8	20.3	6.5	24.3	95	0.3	1.4						
				W14/F22	15.4	14.5	0.9	5.8									
F23	R1	Residential	LKD	W1/F23	16.3	15.1	1.2	7.4	55.8	0.8	6.2						
				W2/F23	24.8	21	3.8	15.3									
	R2	Residential	Bedroom	W3/F23	26.6	22.8	3.8	14.3	71.2	0.2	3						
	R3**	Residential	Bedroom	W4/F23	26.4	22.6	3.8	14.4	50.4	0.2	1.8						
	R4	Residential	Bedroom	W5/F23	26.5	22.5	4	15.1	66.2	0.6	5.6						
	R5	Residential	LKD	W6/F23	26.8	22.5	4.3	16	89.6	0.6	2.6						
				W7/F23	27.3	22.5	4.8	17.6									
	R6	Residential	Bedroom	W8/F23	27.9	22.5	5.4	19.4	90.6	0.9	5.6						
				W9/F23	28.4	22.6	5.8	20.4									
	R7	Residential	Bedroom	W10/F23	28.9	22.6	6.3	21.8	91.4	0.9	6.7						
	R8	Residential	LKD	W11/F23	29.3	22.7	6.6	22.5	64.8	1.5	10.3						
	R9	Residential	Bedroom	W12/F23	29.6	23	6.6	22.3	89.5	0	0.3						
	R10	Residential	LKD	W13/F23	27.6	21.1	6.5	23.6	95.2	0.3	1.4						
				W14/F23	15.6	14.7	0.9	5.8									
F24	R1	Residential	LKD	W1/F24	17.2	15.8	1.4	8.1	68.2	0.9	6						
				W2/F24	26.4	22	4.4	16.7									
	R2	Residential	Bedroom	W3/F24	28.2	23.8	4.4	15.6	85.6	0.6	6.3						
	R3**	Residential	Bedroom	W4/F24	27.9	23.6	4.3	15.4	57.5	0.5	5.1						
	R4	Residential	Bedroom	W5/F24	28	23.5	4.5	16.1	72.6	0.5	4.5						
	R5	Residential	LKD	W6/F24	28.2	23.5	4.7	16.7	90.7	0.6	2.5						
				W7/F24	28.6	23.5	5.1	17.8									
	R6	Residential	Bedroom	W8/F24	29.1	23.5	5.6	19.2	93.4	0.7	4.4						
				W9/F24	29.5	23.5	6	20.3									
	R7	Residential	Bedroom	W10/F24	29.9	23.5	6.4	21.4	94.7	0.5	3.5						
	R8	Residential	LKD	W11/F24	30.2	23.6	6.6	21.9	67.6	1.1	7						
	R9	Residential	Bedroom	W12/F24	30.4	23.8	6.6	21.7	90.3	0	0.2						
	R10	Residential	LKD	W13/F24	28.3	21.9	6.4	22.6	95.7	0.2	1.1						
				W14/F24	15.8	14.9	0.9	5.7									
F25	R1	Residential	LKD	W1/F25	18.2	16.6	1.6	8.8	81.9	0.9	4.7						
				W2/F25	28	23	5	17.9									
	R2	Residential	Bedroom	W3/F25	29.8	24.8	5	16.8	93	0.6	5.9						
	R3**	Residential	Bedroom	W4/F25	29.5	24.6	4.9	16.6	68.1	1.1	8.6						
	R4	Residential	Bedroom	W5/F25	29.5	24.5	5	16.9	83	0.4	3						
	R5	Residential	LKD	W6/F25	29.7	24.5	5.2	17.5	92.5	0.4	1.7						
				W7/F25	29.9	24.5	5.4	18.1									
	R6	Residential	Bedroom	W8/F25	30.3	24.4	5.9	19.5	96.6	0.4	2.2						
				W9/F25	30.6	24.5	6.1	19.9									
	R7	Residential	Bedroom	W10/F25	30.8	24.4	6.4	20.8	97.8	0.1	0.4						
	R8	Residential	LKD	W11/F25	31.1	24.5	6.6	21.2	70.3	0.5	3.5						
	R9	Residential	Bedroom	W12/F25	31.2	24.7	6.5	20.8	90.5	0	0.1						
	R10	Residential	LKD	W13/F25	29.1	22.6	6.5	22.3	96.9	0	0.2						
				W14/F25	16.1	15.2	0.9	5.6									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
F26	R1	Residential	LKD	W1/F26	19.2	17.4	1.8	9.4	91	0.8	4						
				W2/F26	29.6	24	5.6	18.9									
	R2	Residential	Bedroom	W3/F26	31.4	25.8	5.6	17.8	94.2	0.4	4.7						
	R3**	Residential	Bedroom	W4/F26	31.2	25.7	5.5	17.6	84.3	1.7	10.6						
	R4	Residential	Bedroom	W5/F26	31.1	25.5	5.6	18	98.3	0.2	1.2						
	R5	Residential	LKD	W6/F26	31.1	25.5	5.6	18	92.5	0.6	2.3						
				W7/F26	31.3	25.5	5.8	18.5									
	R6	Residential	Bedroom	W8/F26	31.5	25.4	6.1	19.4	96.8	0.3	2.1						
				W9/F26	31.7	25.4	6.3	19.9									
	R7	Residential	Bedroom	W10/F26	31.8	25.4	6.4	20.1	98	0.1	0.4						
	R8	Residential	LKD	W11/F26	32	25.4	6.6	20.6	72	0.2	1.4						
	R9	Residential	Bedroom	W12/F26	32	25.5	6.5	20.3	91	0	0.1						
	R10	Residential	LKD	W13/F26	29.8	23.4	6.4	21.5	97	0	0.2						
				W14/F26	16.3	15.4	0.9	5.5									
F27	R1	Residential	LKD	W1/F27	20.1	18.2	1.9	9.5	93.3	0.8	3.8						
				W2/F27	31.2	25	6.2	19.9									
	R2	Residential	Bedroom	W3/F27	33	26.9	6.1	18.5	95.3	0.3	3.5						
	R3**	Residential	Bedroom	W4/F27	32.8	26.7	6.1	18.6	87.1	1.2	7.9						
	R4	Residential	Bedroom	W5/F27	32.6	26.5	6.1	18.7	98.9	0.1	0.6						
	R5	Residential	LKD	W6/F27	32.6	26.5	6.1	18.7	92.7	0.7	3						
				W7/F27	32.6	26.5	6.1	18.7									
	R6	Residential	Bedroom	W8/F27	32.7	26.4	6.3	19.3	96.7	0.3	2						
				W9/F27	32.8	26.4	6.4	19.5									
	R7	Residential	Bedroom	W10/F27	32.8	26.3	6.5	19.8	98.3	0.1	0.4						
	R8	Residential	LKD	W11/F27	32.8	26.3	6.5	19.8	72.5	0.2	1.3						
	R9	Residential	Bedroom	W12/F27	32.8	26.3	6.5	19.8	91.5	0	0.1						
	R10	Residential	LKD	W13/F27	30.6	24.2	6.4	20.9	97.2	0	0.2						
				W14/F27	16.5	15.6	0.9	5.5									
F28	R1	Residential	LKD	W1/F28	21	18.9	2.1	10	93.4	0.8	3.7						
				W2/F28	32.6	26	6.6	20.2									
	R2	Residential	Bedroom	W3/F28	34.5	27.8	6.7	19.4	96.4	0.2	2.4						
	R3**	Residential	Bedroom	W4/F28	34.3	27.7	6.6	19.2	87.9	1.1	7.1						
	R4	Residential	Bedroom	W5/F28	34.1	27.5	6.6	19.4	99	0.1	0.5						
	R5	Residential	LKD	W6/F28	33.9	27.5	6.4	18.9	92.6	0.7	3.1						
				W7/F28	33.8	27.4	6.4	18.9									
	R6	Residential	Bedroom	W8/F28	33.8	27.3	6.5	19.2	96.7	0.3	2						
				W9/F28	33.8	27.3	6.5	19.2									
	R7	Residential	Bedroom	W10/F28	33.7	27.2	6.5	19.3	98.7	0	0.4						
	R8	Residential	LKD	W11/F28	33.7	27.2	6.5	19.3	72.9	0.2	1.3						
	R9	Residential	Bedroom	W12/F28	33.6	27.1	6.5	19.3	91.9	0	0.1						
	R10	Residential	LKD	W13/F28	31.3	24.9	6.4	20.4	97.5	0	0.2						
				W14/F28	16.8	15.9	0.9	5.4									
F29	R1	Residential	LKD	W1/F29	21.8	19.5	2.3	10.6	93.5	0.8	3.7						
				W2/F29	33.8	26.8	7	20.7									
	R2	Residential	Bedroom	W3/F29	35.7	28.7	7	19.6	98	0.1	0.7						
	R3**	Residential	Bedroom	W4/F29	35.5	28.5	7	19.7	88.4	1	6.6						
	R4	Residential	Bedroom	W5/F29	35.3	28.4	6.9	19.5	99	0.1	0.5						
	R5	Residential	LKD	W6/F29	35.2	28.3	6.9	19.6	92.6	0.7	3						
				W7/F29	35	28.3	6.7	19.1									
	R6	Residential	Bedroom	W8/F29	34.8	28.2	6.6	19	96.6	0.3	2						
				W9/F29	34.7	28.2	6.5	18.7									
	R7	Residential	Bedroom	W10/F29	34.5	28	6.5	18.8	98.9	0	0.4						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R8	Residential	LKD	W11/F29	34.5	27.9	6.6	19.1	73	0.2	1.3						
	R9	Residential	Bedroom	W12/F29	34.3	27.9	6.4	18.7	93	0	0.1						
	R10	Residential	LKD	W13/F29	31.9	25.6	6.3	19.7	97.7	0	0.2						
				W14/F29	17	16.1	0.9	5.3									
F30	R1	Residential	LKD	W1/F30	21.9	19.6	2.3	10.5	93.4	0.8	3.7						
				W2/F30	34.1	27.1	7	20.5									
	R2	Residential	Bedroom	W3/F30	36	29	7	19.4	98.7	0	0						
	R3**	Residential	Bedroom	W4/F30	35.8	28.8	7	19.6	88.6	1	6.4						
	R4	Residential	Bedroom	W5/F30	35.6	28.7	6.9	19.4	99	0.1	0.5						
	R5	Residential	LKD	W6/F30	35.5	28.7	6.8	19.2	92.6	0.7	3						
				W7/F30	35.3	28.6	6.7	19									
	R6	Residential	Bedroom	W8/F30	35.2	28.5	6.7	19	96.8	0.3	2						
				W9/F30	35.1	28.5	6.6	18.8									
	R7	Residential	Bedroom	W10/F30	34.9	28.3	6.6	18.9	99	0	0.4						
	R8	Residential	LKD	W11/F30	34.8	28.3	6.5	18.7	73.4	0.2	1.3						
	R9	Residential	Bedroom	W12/F30	34.6	28.2	6.4	18.5	94.3	0	0.1						
	R10	Residential	LKD	W13/F30	32.2	25.9	6.3	19.6	97.9	0	0.2						
				W14/F30	17.3	16.4	0.9	5.2									
F31	R1	Residential	LKD	W1/F31	21.9	19.7	2.2	10	93.4	0.8	3.7						
				W2/F31	34.3	27.3	7	20.4									
	R2	Residential	Bedroom	W3/F31	36.2	29.2	7	19.3	98.8	0	0						
	R3**	Residential	Bedroom	W4/F31	36	29	7	19.4	88.9	1	6.1						
	R4	Residential	Bedroom	W5/F31	35.8	28.9	6.9	19.3	99	0.1	0.5						
	R5	Residential	LKD	W6/F31	35.7	28.9	6.8	19	92.8	0.7	3						
				W7/F31	35.6	28.8	6.8	19.1									
	R6	Residential	Bedroom	W8/F31	35.4	28.7	6.7	18.9	96.8	0.3	1.8						
				W9/F31	35.3	28.7	6.6	18.7									
	R7	Residential	Bedroom	W10/F31	35.1	28.6	6.5	18.5	99.1	0	0.4						
	R8	Residential	LKD	W11/F31	35	28.5	6.5	18.6	73.9	0.2	1.3						
	R9	Residential	Bedroom	W12/F31	34.9	28.4	6.5	18.6	95.5	0	0.1						
	R10	Residential	LKD	W13/F31	32.5	26.2	6.3	19.4	98.1	0	0.1						
				W14/F31	17.5	16.7	0.8	4.6									
F32	R1	Residential	LKD	W1/F32	21.9	19.7	2.2	10	93.6	0.7	3.5						
				W2/F32	34.5	27.5	7	20.3									
	R2	Residential	Bedroom	W3/F32	36.4	29.3	7.1	19.5	98.8	0	0						
	R3**	Residential	Bedroom	W4/F32	36.2	29.2	7	19.3	89.3	0.9	5.6						
	R4	Residential	Bedroom	W5/F32	36	29.1	6.9	19.2	99	0.1	0.5						
	R5	Residential	LKD	W6/F32	35.9	29.1	6.8	18.9	92.9	0.7	3						
				W7/F32	35.7	29	6.7	18.8									
	R6	Residential	Bedroom	W8/F32	35.6	29	6.6	18.5	97	0.3	1.9						
				W9/F32	35.5	29	6.5	18.3									
	R7	Residential	Bedroom	W10/F32	35.3	28.8	6.5	18.4	99.1	0	0.4						
	R8	Residential	LKD	W11/F32	35.2	28.8	6.4	18.2	74	0.2	1.4						
	R9	Residential	Bedroom	W12/F32	35.1	28.7	6.4	18.2	96.5	0	0.1						
	R10	Residential	LKD	W13/F32	32.7	26.4	6.3	19.3	98.3	0	0.1						
				W14/F32	17.8	16.9	0.9	5.1									
F33	R1	Residential	LKD	W1/F33	21.9	19.7	2.2	10	93.9	0.7	3.2						
				W2/F33	34.6	27.6	7	20.2									
	R2	Residential	Bedroom	W3/F33	36.5	29.5	7	19.2	98.8	0	0						
	R3**	Residential	Bedroom	W4/F33	36.5	29.5	7	19.2	90	0.8	5						
	R4	Residential	Bedroom	W5/F33	36.3	29.4	6.9	19	99	0.1	0.5						
	R5	Residential	LKD	W6/F33	36.3	29.4	6.9	19	92.9	0.7	3						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W7/F33	36.1	29.3	6.8	18.8									
	R6	Residential	Bedroom	W8/F33	35.9	29.3	6.6	18.4	97.3	0.3	1.6						
				W9/F33	35.9	29.4	6.5	18.1									
	R7	Residential	Bedroom	W10/F33	35.7	29.2	6.5	18.2	99.1	0	0.4						
	R8	Residential	LKD	W11/F33	35.6	29.2	6.4	18	74.3	0.2	1.4						
	R9	Residential	Bedroom	W12/F33	35.4	29	6.4	18.1	97.3	0	0.1						
	R10	Residential	LKD	W13/F33	33.2	27	6.2	18.7	98.4	0	0.1						
				W14/F33	18.1	17.2	0.9	5									
F34	R1	Residential	LKD	W1/F34	22	19.7	2.3	10.5	94.7	0.5	2.5						
				W2/F34	34.7	27.7	7	20.2									
	R2	Residential	Bedroom	W3/F34	36.5	29.5	7	19.2	98.8	0	0						
	R3**	Residential	Bedroom	W4/F34	36.5	29.6	6.9	18.9	90.3	0.7	4.7						
	R4	Residential	Bedroom	W5/F34	36.4	29.4	7	19.2	99	0.1	0.5						
	R5	Residential	LKD	W6/F34	36.3	29.5	6.8	18.7	93.1	0.7	3						
				W7/F34	36.1	29.4	6.7	18.6									
	R6	Residential	Bedroom	W8/F34	36	29.4	6.6	18.3	98.1	0.1	0.8						
				W9/F34	35.9	29.4	6.5	18.1									
	R7	Residential	Bedroom	W10/F34	35.7	29.3	6.4	17.9	99.1	0	0.4						
	R8	Residential	LKD	W11/F34	35.7	29.3	6.4	17.9	75.1	0.2	1.4						
	R9	Residential	Bedroom	W12/F34	35.5	29.1	6.4	18	97.6	0	0.1						
	R10	Residential	LKD	W13/F34	33.4	27.1	6.3	18.9	98.5	0	0.1						
				W14/F34	18.4	17.5	0.9	4.9									
F35	R1	Residential	LKD	W1/F35	22.1	19.9	2.2	10	99.2	0	0						
				W2/F35	33.6	26.6	7	20.8									
				W3/F35	35.1	28.1	7	19.9									
	R2	Residential	Bedroom	W4/F35	35	28	7	20	99.5	0	0						
				W5/F35	34.9	28	6.9	19.8									
	R3	Residential	LKD	W6/F35	34.8	28	6.8	19.5	94	0.6	2.5						
				W7/F35	34.7	28	6.7	19.3									
	R4	Residential	Bedroom	W8/F35	34.5	28	6.5	18.8	98.6	0	0.2						
				W9/F35	34.4	28	6.4	18.6									
	R5	Residential	Bedroom	W10/F35	34.3	27.9	6.4	18.7	99.2	0	0.1						
				W11/F35	34.2	27.8	6.4	18.7									
	R6	Residential	LKD	W12/F35	34.1	27.7	6.4	18.8	98.8	0.2	0.5						
				W13/F35	32.3	26.1	6.2	19.2									
				W14/F35	18.8	18	0.8	4.3									
F36	R1	Residential	LKD	W1/F36	31.9	25.4	6.5	20.4	80.5	0	0						
				W2/F36	33.4	26.9	6.5	19.5									
				W3/F36	32.8	26.3	6.5	19.8									
				W4/F36	33.7	27.2	6.5	19.3									
				W5/F36	34	27.6	6.4	18.8									
				W6/F36	34.2	27.8	6.4	18.7									
	R2	Residential	LKD	W7/F36	33.5	27.6	5.9	17.6	81.9	0	0						
				W8/F36	33.2	27.3	5.9	17.8									
				W9/F36	32.8	26.9	5.9	18									
				W10/F36	32.4	26.5	5.9	18.2									
				W11/F36	31.7	25.9	5.8	18.3									
				W12/F36	30.7	24.9	5.8	18.9									
F37	R1	Residential	Bedroom	W1/F37	24.4	20	4.4	18	100	0	0						
				W2/F37	25	20.6	4.4	17.6									
				W3/F37	24.8	20.4	4.4	17.7									
				W4/F37	25.2	20.7	4.5	17.9									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W5/F37	25.5	20.9	4.6	18									
				W6/F37	25.5	20.8	4.7	18.4									
	R2	Residential	Bedroom	W7/F37	24.3	20.2	4.1	16.9	99.9	0	0						
				W8/F37	24.2	20.2	4	16.5									
				W9/F37	23.8	19.9	3.9	16.4									
				W10/F37	23.6	19.7	3.9	16.5									
				W11/F37	23.4	19.6	3.8	16.2									
				W12/F37	22.9	19.1	3.8	16.6									
AXIS TOWER																	
F02	R1	Residential	LKD	W1/F02	1.9	1.6	0.3	15.8	11.4	3.4	59	8	4	7	3	12.5	25
				W2/F02	0.8	0.6	0.2	25									
F03	R1	Residential	LKD	W1/F03	17.7	7.8	9.9	55.9	65.8	6	23.7						
				W2/F03	21.8	17.7	4.1	18.8									
	R2	Residential	Bedroom	W3/F03	20.2	17.1	3.1	15.3	59.5	0.4	5.4						
	R3	Residential	LKD	W4/F03	25.5	22.6	2.9	11.4	94	0.1	0.3	52	11	50	9	3.8	18.2
				W5/F03	16.6	16.1	0.5	3									
	R4	Residential	LKD	W6/F03	24	23.9	0.1	0.4	91.6	0.1	0.4	37	8	35	7	5.4	12.5
				W7/F03	26.7	22.4	4.3	16.1									
	R5	Residential	Bedroom	W8/F03	26.8	21.8	5	18.7	70.3	0.9	13.3						
	R6	Residential	Bedroom	W9/F03	26.8	21.2	5.6	20.9	64	2.8	19.9						
				W10/F03	26.8	20.7	6.1	22.8									
	R7	Residential	Bedroom	W11/F03	26.7	19.2	7.5	28.1	37.8	2.2	32.6						
	R8**	Residential	LKD	W12/F03	26.5	18.1	8.4	31.7	70.3	6.4	23.3						
	R9	Residential	Bedroom	W13/F03	26.3	16.9	9.4	35.7	53.2	2.5	23.1						
				W14/F03	16	11.8	4.2	26.3									
F04	R1	Residential	LKD	W1/F04	18.1	7.9	10.2	56.4	65.7	6.2	24.3						
				W2/F04	25.4	21.2	4.2	16.5									
	R2	Residential	Bedroom	W3/F04	26.3	22.2	4.1	15.6	60.2	0.3	4.8						
	R3	Residential	LKD	W4/F04	26.5	23.2	3.3	12.5	94.4	0.1	0.4	52	11	50	9	3.8	18.2
				W5/F04	17.1	16.5	0.6	3.5									
	R4	Residential	LKD	W4/F04 (dup)	26.5	23.2	3.3	12.5	94.4	0.1	0.4	52	11	50	9	3.8	18.2
				W5/F04 (dup)	17.1	16.5	0.6	3.5									
	R5	Residential	LKD	W6/F04	25.7	25.7	0	0	92.3	0	0	39	8	38	8	2.6	0
				W7/F04	27.4	23.1	4.3	15.7									
	R6	Residential	Bedroom	W8/F04	27.5	22.4	5.1	18.5	71.9	0.4	6.7						
	R7	Residential	Bedroom	W9/F04	27.5	21.8	5.7	20.7	66.5	2.6	18.2						
				W10/F04	27.5	21.3	6.2	22.5									
	R8	Residential	Bedroom	W11/F04	27.3	19.6	7.7	28.2	42.5	2.2	29.7						
	R9**	Residential	LKD	W12/F04	27.1	18.6	8.5	31.4	79.3	4.8	16.7						
	R10	Residential	Bedroom	W13/F04	26.9	17.3	9.6	35.7	56.2	2.9	24.7						
				W14/F04	16.4	12.1	4.3	26.2									
F05	R1	Residential	LKD	W1/F05	18.5	8	10.5	56.8	65.7	6.4	25						
				W2/F05	25.7	21.4	4.3	16.7									
	R2	Residential	Bedroom	W3/F05	26.6	22.5	4.1	15.4	61.2	0.3	3.7						
	R3	Residential	LKD	W4/F05	26.8	23.5	3.3	12.3	95.1	0.1	0.4	52	11	50	9	3.8	18.2
				W5/F05	17.3	16.8	0.5	2.9									
	R4	Residential	LKD	W4/F05 (dup)	26.8	23.5	3.3	12.3	95.1	0.1	0.4	52	11	50	9	3.8	18.2
				W5/F05 (dup)	17.3	16.8	0.5	2.9									
	R5	Residential	LKD	W6/F05	27.1	27	0.1	0.4	91.6	0.1	0.5	40	8	39	8	2.5	0
				W7/F05	28.1	23.6	4.5	16									
	R6	Residential	Bedroom	W8/F05	28.1	22.8	5.3	18.9	70.2	0.9	13.4						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R7	Residential	Bedroom	W9/F05	28.1	22.2	5.9	21	64.4	2.2	16.6						
				W10/F05	28	21.7	6.3	22.5									
	R8	Residential	Bedroom	W11/F05	27.9	20.1	7.8	28	45.5	2.2	28.4						
	R9**	Residential	LKD	W12/F05	27.8	19.1	8.7	31.3	85.7	3	10.5						
	R10	Residential	Bedroom	W13/F05	16.6	12.2	4.4	26.5	42.9	1.8	21.2						
F06	R1	Residential	LKD	W1/F06	18.9	8.2	10.7	56.6	65.7	6.6	25.3						
				W2/F06	26	21.7	4.3	16.5									
	R2	Residential	Bedroom	W3/F06	26.9	22.8	4.1	15.2	61.9	0.2	2.8						
	R3	Residential	LKD	W4/F06	27.1	23.8	3.3	12.2	96.3	0.1	0.3	52	11	50	9	3.8	18.2
				W5/F06	17.7	17.2	0.5	2.8									
	R4	Residential	LKD	W4/F06 (dup)	27.1	23.8	3.3	12.2	96.3	0.1	0.3	52	11	50	9	3.8	18.2
				W5/F06 (dup)	17.7	17.2	0.5	2.8									
	R5	Residential	LKD	W6/F06	28.1	28	0.1	0.4	92.3	0	0	43	9	42	9	2.3	0
				W7/F06	28.7	24.1	4.6	16									
	R6	Residential	Bedroom	W8/F06	28.6	23.3	5.3	18.5	72	0.4	6.7						
	R7	Residential	Bedroom	W9/F06	28.6	22.6	6	21	65.1	2.2	16.2						
				W10/F06	28.6	22.3	6.3	22									
	R8	Residential	Bedroom	W11/F06	28.4	20.5	7.9	27.8	47.5	2.1	26.6						
	R9**	Residential	LKD	W12/F06	28.2	19.5	8.7	30.9	90.8	1.3	4.5						
	R10	Residential	Bedroom	W13/F06	16.9	12.4	4.5	26.6	43	1.8	21.3						
F07	R1	Residential	LKD	W1/F07	19.2	8.2	11	57.3	65.9	6.7	25.6						
				W2/F07	26.3	21.9	4.4	16.7									
	R2	Residential	Bedroom	W3/F07	27.2	23.1	4.1	15.1	62.5	0.1	1.8						
	R3	Residential	LKD	W4/F07	27.4	24.1	3.3	12	94.2	0.1	0.4	51	10	50	9	2	10
				W5/F07	17.7	17.1	0.6	3.4									
	R4	Residential	LKD	W6/F07	29.1	28.9	0.2	0.7	90.4	0.3	1.5	43	9	42	9	2.3	0
				W7/F07	29.2	24.4	4.8	16.4									
	R5	Residential	Bedroom	W8/F07	29.3	23.6	5.7	19.5	55.4	1.8	27.3						
	R6	Residential	Bedroom	W9/F07	29.2	23	6.2	21.2	44.9	2.1	24.5						
	R7	Residential	Bedroom	W10/F07	28.9	20.8	8.1	28	50.3	2.1	27.9						
	R8**	Residential	LKD	W11/F07	28.8	19.6	9.2	31.9	72.3	6.4	22.8						
	R9	Residential	Bedroom	W12/F07	28.6	18.4	10.2	35.7	59.9	2.6	22.1						
				W13/F07	17.1	12.6	4.5	26.3									
F08	R1	Residential	LKD	W1/F08	19.5	8.4	11.1	56.9	66.1	6.7	25.5						
				W2/F08	26.5	22.2	4.3	16.2									
	R2	Residential	Bedroom	W3/F08	27.4	23.3	4.1	15	63	0.1	1						
	R3	Residential	LKD	W4/F08	27.6	24.4	3.2	11.6	94.2	0.1	0.3	51	10	50	9	2	10
				W5/F08	18	17.4	0.6	3.3									
	R4	Residential	LKD	W6/F08	29.9	29.6	0.3	1	90.2	0.3	1.5	45	11	43	10	4.4	9.1
				W7/F08	29.7	24.8	4.9	16.5									
	R5	Residential	Bedroom	W8/F08	29.8	24.1	5.7	19.1	64.3	1.4	20.6						
	R6	Residential	Bedroom	W9/F08	29.7	23.4	6.3	21.2	45.6	2	23.2						
	R7	Residential	Bedroom	W10/F08	29.5	21.2	8.3	28.1	52.5	1.7	23.1						
	R8**	Residential	LKD	W11/F08	29.3	20	9.3	31.7	79.2	4.9	17						
	R9	Residential	Bedroom	W12/F08	29.1	18.7	10.4	35.7	62.6	3.5	26.5						
				W13/F08	17.3	12.7	4.6	26.6									
F09	R1	Residential	LKD	W1/F09	19.9	8.5	11.4	57.3	66.4	6.6	25.3						
				W2/F09	26.8	22.4	4.4	16.4									
	R2	Residential	Bedroom	W3/F09	27.7	23.6	4.1	14.8	63.3	0	0.7						
	R3	Residential	LKD	W4/F09	27.8	24.6	3.2	11.5	94.3	0.1	0.3	51	10	50	9	2	10
				W5/F09	18.3	17.8	0.5	2.7									
	R4	Residential	LKD	W6/F09	30.6	30.2	0.4	1.3	91.6	0.1	0.5	45	11	43	10	4.4	9.1

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W7/F09	30.3	25.4	4.9	16.2									
	R5	Residential	Bedroom	W8/F09	30.3	24.5	5.8	19.1	70.4	0.9	13.1						
	R6	Residential	Bedroom	W9/F09	30.3	23.9	6.4	21.1	46	1.5	17.9						
	R7	Residential	Bedroom	W10/F09	30	21.5	8.5	28.3	50.5	2.2	28.3						
	R8**	Residential	LKD	W11/F09	29.8	20.4	9.4	31.5	85.8	3	10.5						
	R9	Residential	Bedroom	W12/F09	29.5	19.1	10.4	35.3	64.4	4.3	30.2						
				W13/F09	17.5	12.9	4.6	26.3									
F10	R1	Residential	LKD	W1/F10	20.1	8.6	11.5	57.2	66.9	6.5	24.7						
				W2/F10	27	22.7	4.3	15.9									
	R2	Residential	Bedroom	W3/F10	27.9	23.9	4	14.3	63.9	0.1	0.8						
	R3	Residential	LKD	W4/F10	28.1	24.9	3.2	11.4	94.3	0.1	0.3	52	11	50	9	3.8	18.2
				W5/F10	18.6	18	0.6	3.2									
	R4	Residential	LKD	W6/F10	31.3	30.8	0.5	1.6	92.3	0	0	46	12	44	11	4.3	8.3
				W7/F10	30.8	25.7	5.1	16.6									
	R5	Residential	Bedroom	W8/F10	30.8	24.9	5.9	19.2	72.2	0.4	6.7						
	R6	Residential	Bedroom	W9/F10	30.7	24	6.7	21.8	39.8	2.4	29.3						
	R7	Residential	Bedroom	W10/F10	30.5	21.9	8.6	28.2	52.9	1.7	23.1						
	R8**	Residential	LKD	W11/F10	30.3	20.8	9.5	31.4	91.1	1.3	4.5						
	R9	Residential	Bedroom	W12/F10	30	19.5	10.5	35	65.5	4.8	32.3						
				W13/F10	17.7	13.1	4.6	26									
F11	R1	Residential	Bedroom	W1/F11	20.4	8.7	11.7	57.4	92.1	1.3	7.8						
				W2/F11	27.3	22.9	4.4	16.1									
	R2	Residential	Bedroom	W3/F11	27.7	23.6	4.1	14.8	71.5	0.1	1.4						
	R3	Residential	Bedroom	W4/F11	28.2	24.2	4	14.2	64	0	0.7						
	R4	Residential	LKD	W5/F11	28.3	25.2	3.1	11	92.5	0.1	0.6	53	12	50	9	5.7	25
				W6/F11	18.9	18.4	0.5	2.6									
	R5	Residential	LKD	W7/F11	31.8	31.3	0.5	1.6	94.3	0.3	1.9	47	13	45	12	4.3	7.7
				W8/F11	31.1	25.8	5.3	17									
	R6	Residential	Bedroom	W9/F11	31.2	25.1	6.1	19.6	37.3	2.3	35.5						
	R7	Residential	Bedroom	W10/F11	31.2	24.4	6.8	21.8	42.9	2.4	26.6						
	R8	Residential	Bedroom	W11/F11	30.9	22	8.9	28.8	42.9	2.7	36.1						
	R9**	Residential	LKD	W12/F11	30.6	20.8	9.8	32	72.4	6.4	22.9						
	R10	Residential	Bedroom	W13/F11	30.3	19.4	10.9	36	62.6	2.5	20.4						
				W14/F11	17.9	13.3	4.6	25.7									
F12	R1	Residential	Bedroom	W1/F12	20.6	8.8	11.8	57.3	93.1	1.2	6.9						
				W2/F12	27.5	23.2	4.3	15.6									
	R2	Residential	Bedroom	W3/F12	28	23.9	4.1	14.6	71.9	0.1	0.9						
	R3	Residential	Bedroom	W4/F12	28.4	24.4	4	14.1	64	0	0.6						
	R4	Residential	LKD	W5/F12	28.2	25.5	2.7	9.6	93.7	0.1	0.6	53	12	50	9	5.7	25
				W6/F12	19.2	18.7	0.5	2.6									
	R5	Residential	LKD	W7/F12	32.2	31.7	0.5	1.6	96.8	0.3	1.5	47	13	45	12	4.3	7.7
				W8/F12	31.5	26.2	5.3	16.8									
	R6	Residential	Bedroom	W9/F12	31.6	25.4	6.2	19.6	45.6	2.3	31.1						
	R7	Residential	Bedroom	W10/F12	31.5	24.6	6.9	21.9	37.4	2.6	30.3						
	R8	Residential	Bedroom	W11/F12	31.2	22.3	8.9	28.5	47.8	2.5	32.5						
	R9**	Residential	LKD	W12/F12	31	21.1	9.9	31.9	79.9	4.7	16.4						
	R10	Residential	Bedroom	W13/F12	30.7	19.7	11	35.8	65.9	3.3	24.6						
				W14/F12	18.1	13.5	4.6	25.4									
F13	R1	Residential	Bedroom	W1/F13	20.8	8.9	11.9	57.2	94.8	0.9	5.2						
				W2/F13	27.8	23.5	4.3	15.5									
	R2	Residential	Bedroom	W3/F13	28.2	24.1	4.1	14.5	72.1	0.1	0.8						
	R3	Residential	Bedroom	W4/F13	28.7	24.7	4	13.9	64.1	0	0.7						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R4	Residential	LKD	W5/F13	28.4	25.7	2.7	9.5	95.1	0.1	0.5	55	12	52	9	5.5	25
				W6/F13	19.4	19	0.4	2.1									
	R5	Residential	LKD	W7/F13	32.5	32	0.5	1.5	99.1	0.2	0.9	47	13	46	13	2.1	0
				W8/F13	31.8	26.5	5.3	16.7									
	R6	Residential	Bedroom	W9/F13	31.9	25.7	6.2	19.4	52	2.4	29						
	R7	Residential	Bedroom	W10/F13	31.8	24.8	7	22	42.7	2.5	27.4						
	R8	Residential	Bedroom	W11/F13	31.5	22.4	9.1	28.9	43.6	2.7	36.4						
	R9**	Residential	LKD	W12/F13	31.3	21.4	9.9	31.6	86	3	10.4						
	R10	Residential	Bedroom	W13/F13	31	20	11	35.5	67.7	4.1	28.2						
				W14/F13	18.3	13.7	4.6	25.1									
F14	R1	Residential	Bedroom	W1/F14	21	9	12	57.1	96.5	0.6	3.5						
				W2/F14	28	23.7	4.3	15.4									
	R2	Residential	Bedroom	W3/F14	28.5	24.4	4.1	14.4	72.2	0.1	0.7						
	R3	Residential	Bedroom	W4/F14	28.9	25	3.9	13.5	64.2	0	0.6						
	R4	Residential	LKD	W5/F14	28.7	26	2.7	9.4	97.3	0.1	0.4	57	13	54	10	5.3	23.1
				W6/F14	19.8	19.3	0.5	2.5									
	R5	Residential	LKD	W7/F14	32.7	32.2	0.5	1.5	100	0	0	47	13	47	13	0	0
				W8/F14	32.2	26.7	5.5	17.1									
	R6	Residential	Bedroom	W9/F14	32.2	25.9	6.3	19.6	55.7	2.2	25.8						
	R7	Residential	Bedroom	W10/F14	32.2	25.2	7	21.7	43.2	2.3	25.5						
	R8	Residential	Bedroom	W11/F14	31.8	22.7	9.1	28.6	48.5	2.5	32.3						
	R9**	Residential	LKD	W12/F14	31.7	21.7	10	31.5	91.3	1.2	4.3						
	R10	Residential	Bedroom	W13/F14	31.3	20.3	11	35.1	68.5	4.5	29.8						
				W14/F14	18.6	13.9	4.7	25.3									
F15	R1	Residential	Bedroom	W1/F15	21.1	9.1	12	56.9	97.6	0.4	2.4						
				W2/F15	28.3	24	4.3	15.2									
	R2	Residential	Bedroom	W3/F15	28.8	24.7	4.1	14.2	72.2	0.1	0.6						
	R3	Residential	Bedroom	W4/F15	29.2	25.3	3.9	13.4	64.3	0	0.3						
	R4	Residential	LKD	W5/F15	28.9	26.3	2.6	9	92.2	0.1	0.6	54	11	52	9	3.7	18.2
				W6/F15	19.6	19.1	0.5	2.6									
	R5	Residential	LKD	W7/F15	32.9	32.4	0.5	1.5	94.3	0.5	2.6	47	13	47	13	0	0
				W8/F15	32.5	26.8	5.7	17.5									
	R6	Residential	Bedroom	W9/F15	32.5	26.1	6.4	19.7	52.1	2.4	29						
	R7	Residential	Bedroom	W10/F15	32.4	25.3	7.1	21.9	42.8	2.6	27.7						
	R8	Residential	Bedroom	W11/F15	32.1	22.7	9.4	29.3	44.4	2.8	36.1						
	R9**	Residential	LKD	W12/F15	31.9	21.5	10.4	32.6	72.7	6.4	22.7						
	R10	Residential	Bedroom	W13/F15	31.5	20.2	11.3	35.9	64.5	2.7	21.1						
				W14/F15	18.8	14.1	4.7	25									
F16	R1	Residential	Bedroom	W1/F16	21.3	9.1	12.2	57.3	97.6	0.4	2.4						
				W2/F16	28.6	24.3	4.3	15									
	R2	Residential	Bedroom	W3/F16	29	25	4	13.8	72.3	0.1	0.6						
	R3	Residential	Bedroom	W4/F16	29.4	25.6	3.8	12.9	64.4	0	0.5						
	R4	Residential	LKD	W5/F16	29.2	26.6	2.6	8.9	92.2	0.1	0.6	54	11	52	9	3.7	18.2
				W6/F16	19.9	19.4	0.5	2.5									
	R5	Residential	LKD	W7/F16	33.1	32.7	0.4	1.2	96.8	0.5	2.7	48	14	48	14	0	0
				W8/F16	32.8	27.1	5.7	17.4									
	R6	Residential	Bedroom	W9/F16	32.9	26.4	6.5	19.8	56.2	2.2	25.6						
	R7	Residential	Bedroom	W10/F16	32.8	25.5	7.3	22.3	44	2.3	25						
	R8	Residential	Bedroom	W11/F16	32.5	23	9.5	29.2	49.5	2.5	31.8						
	R9**	Residential	LKD	W12/F16	32.2	21.8	10.4	32.3	80	4.7	16.4						
	R10	Residential	Bedroom	W13/F16	31.8	20.4	11.4	35.8	67.1	3.6	25.7						
				W14/F16	19	14.3	4.7	24.7									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
F17	R1	Residential	Bedroom	W1/F17	21.4	9.2	12.2	57	99.1	0.1	0.9						
				W2/F17	28.9	24.6	4.3	14.9									
	R2	Residential	Bedroom	W3/F17	29.3	25.3	4	13.7	67.1	0	0.6						
	R3	Residential	Bedroom	W4/F17	29.7	25.9	3.8	12.8	60	0	0.7						
	R4	Residential	LKD	W5/F17	29.5	26.9	2.6	8.8	92.2	0.1	0.7	56	12	53	9	5.4	25
				W6/F17	20.2	19.7	0.5	2.5									
	R5	Residential	LKD	W5/F17 (dup)	29.5	26.9	2.6	8.8	92.2	0.1	0.6	56	12	53	9	5.4	25
				W6/F17 (dup)	20.2	19.7	0.5	2.5									
	R6	Residential	LKD	W7/F17	33.3	32.9	0.4	1.2	99.1	0.2	0.9	48	14	48	14	0	0
				W8/F17	33.2	27.4	5.8	17.5									
	R7	Residential	Bedroom	W9/F17	33.2	26.4	6.8	20.5	37.2	2.6	37.9						
	R8	Residential	Bedroom	W10/F17	33.1	25.7	7.4	22.4	40.6	2.6	27.8						
	R9	Residential	Bedroom	W11/F17	32.8	23.3	9.5	29	54.5	2.2	27.1						
	R10**	Residential	LKD	W12/F17	32.5	22.1	10.4	32	76.4	3	9.5						
	R11	Residential	Bedroom	W13/F17	32.1	20.7	11.4	35.5	69.1	4.2	28.3						
				W14/F17	19.3	14.5	4.8	24.9									
F18	R1	Residential	Bedroom	W1/F18	21.6	9.3	12.3	56.9	99.1	0.1	0.9						
				W2/F18	29.1	24.9	4.2	14.4									
	R2	Residential	Bedroom	W3/F18	29.6	25.6	4	13.5	67.1	0.1	0.6						
	R3	Residential	Bedroom	W4/F18	30	26.2	3.8	12.7	60.5	0	0.6						
	R4	Residential	LKD	W5/F18	29.8	27.3	2.5	8.4	92.3	0.1	0.6	59	12	56	9	5.1	25
				W6/F18	20.6	20.1	0.5	2.4									
	R5	Residential	LKD	W5/F18 (dup)	29.8	27.3	2.5	8.4	92.4	0.1	0.5	59	12	56	9	5.1	25
				W6/F18 (dup)	20.6	20.1	0.5	2.4									
	R6	Residential	LKD	W7/F18	33.5	33.2	0.3	0.9	100	0	0	48	14	48	14	0	0
				W8/F18	33.5	27.7	5.8	17.3									
	R7	Residential	Bedroom	W9/F18	33.5	26.7	6.8	20.3	45.6	2.6	33.4						
	R8	Residential	Bedroom	W10/F18	33.5	26	7.5	22.4	42.5	2.3	24.3						
	R9	Residential	Bedroom	W11/F18	33.1	23.6	9.5	28.7	58	1.7	21.5						
	R10**	Residential	LKD	W12/F18	32.8	22.4	10.4	31.7	81.4	1.3	4						
	R11	Residential	Bedroom	W13/F18	32.5	21	11.5	35.4	70.8	4.2	27.8						
				W14/F18	19.5	14.7	4.8	24.6									
F19	R1	Residential	Bedroom	W1/F19	21.8	9.4	12.4	56.9	99.1	0.1	0.9						
				W2/F19	29.4	25.2	4.2	14.3									
	R2	Residential	Bedroom	W3/F19	29.9	25.9	4	13.4	67.2	0	0.6						
	R3	Residential	Bedroom	W4/F19	30.3	26.5	3.8	12.5	60.6	0	0.6						
	R4	Residential	LKD	W5/F19	30	27.6	2.4	8	92.8	0.1	0.6	59	12	56	9	5.1	25
				W6/F19	21	20.5	0.5	2.4									
	R5	Residential	LKD	W5/F19 (dup)	30	27.6	2.4	8	92.8	0.1	0.5	59	12	56	9	5.1	25
				W6/F19 (dup)	21	20.5	0.5	2.4									
	R6	Residential	LKD	W7/F19	33.8	33.4	0.4	1.2	94.3	0.8	4.7	48	14	48	14	0	0
				W8/F19	33.9	27.8	6.1	18									
	R7	Residential	Bedroom	W9/F19	33.9	27.1	6.8	20.1	52.6	2.4	29						
	R8	Residential	Bedroom	W10/F19	33.8	26.2	7.6	22.5	64.6	2.8	20.3						
				W11/F19	33.7	25.7	8	23.7									
	R9	Residential	Bedroom	W12/F19	33.4	23.5	9.9	29.6	46	2.8	35.5						
	R10**	Residential	LKD	W13/F19	33	22.1	10.9	33	49.4	9.2	33.4						
	R11	Residential	Bedroom	W14/F19	32.7	20.8	11.9	36.4	64.7	3.2	24.1						
				W15/F19	19.8	14.9	4.9	24.7									
F20	R1	Residential	Bedroom	W1/F20	21.9	9.4	12.5	57.1	99.1	0.1	0.9						
				W2/F20	29.7	25.5	4.2	14.1									
	R2	Residential	Bedroom	W3/F20	30.2	26.2	4	13.2	67.3	0.1	0.7						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R3	Residential	Bedroom	W4/F20	30.6	26.9	3.7	12.1	60.9	0	0.6						
	R4	Residential	LKD	W5/F20	30.3	27.9	2.4	7.9	93.9	0.1	0.6	61	12	58	9	4.9	25
				W6/F20	21.4	21	0.4	1.9									
	R5	Residential	LKD	W5/F20 (dup)	30.3	27.9	2.4	7.9	94	0.1	0.5	61	12	58	9	4.9	25
				W6/F20 (dup)	21.4	21	0.4	1.9									
	R6	Residential	LKD	W7/F20	34	33.7	0.3	0.9	96.5	0.6	3.5	48	14	48	14	0	0
				W8/F20	34.3	28.1	6.2	18.1									
	R7	Residential	Bedroom	W9/F20	34.3	27.4	6.9	20.1	58.5	2.2	24.8						
	R8	Residential	Bedroom	W10/F20	34.2	26.6	7.6	22.2	69	2.5	17.5						
				W11/F20	34.2	26.1	8.1	23.7									
	R9	Residential	Bedroom	W12/F20	33.7	23.8	9.9	29.4	51	2.5	31						
	R10**	Residential	LKD	W13/F20	33.3	22.4	10.9	32.7	56.7	7.8	27						
	R11	Residential	Bedroom	W14/F20	33	21.1	11.9	36.1	67.6	4	27.4						
				W15/F20	20.1	15.2	4.9	24.4									
F21	R1	Residential	Bedroom	W1/F21	22.1	9.5	12.6	57	99.1	0.1	0.9						
				W2/F21	30	25.8	4.2	14									
	R2	Residential	Bedroom	W3/F21	30.5	26.5	4	13.1	68.1	0.1	0.8						
	R3	Residential	Bedroom	W4/F21	30.9	27.2	3.7	12	61.4	0	0.6						
	R4	Residential	LKD	W5/F21	30.6	28.2	2.4	7.8	95.2	0.1	0.4	63	12	60	9	4.8	25
				W6/F21	21.9	21.5	0.4	1.8									
	R5	Residential	LKD	W5/F21 (dup)	30.6	28.2	2.4	7.8	95.4	0.1	0.4	63	12	60	9	4.8	25
				W6/F21 (dup)	21.9	21.5	0.4	1.8									
	R6	Residential	LKD	W7/F21	34.3	34	0.3	0.9	99.1	0.2	0.9	48	14	48	14	0	0
				W8/F21	34.7	28.5	6.2	17.9									
	R7	Residential	Bedroom	W9/F21	34.7	27.5	7.2	20.7	37.5	2.7	38.6						
	R8	Residential	Bedroom	W10/F21	34.5	26.7	7.8	22.6	64.9	2.8	20.1						
				W11/F21	34.5	26.3	8.2	23.8									
	R9	Residential	Bedroom	W12/F21	34.1	24.1	10	29.3	55.4	2.2	26.9						
	R10**	Residential	LKD	W13/F21	33.7	22.6	11.1	32.9	63.2	6.5	21.6						
	R11	Residential	Bedroom	W14/F21	33.3	21.4	11.9	35.7	69.8	4.2	27.8						
				W15/F21	20.4	15.4	5	24.5									
F22	R1	Residential	Bedroom	W1/F22	22.3	9.6	12.7	57	99.1	0.1	0.9						
				W2/F22	30.4	26.1	4.3	14.1									
	R2	Residential	Bedroom	W3/F22	30.8	26.9	3.9	12.7	68.2	0.1	1.1						
	R3	Residential	Bedroom	W4/F22	31.2	27.5	3.7	11.9	61.7	0.1	1						
	R4	Residential	LKD	W5/F22	30.9	28.6	2.3	7.4	97.6	0.1	0.4	65	13	62	10	4.6	23.1
				W6/F22	22.4	22	0.4	1.8									
	R5	Residential	LKD	W5/F22 (dup)	30.9	28.6	2.3	7.4	97.5	0.1	0.3	65	13	62	10	4.6	23.1
				W6/F22 (dup)	22.4	22	0.4	1.8									
	R6	Residential	LKD	W7/F22	34.6	34.3	0.3	0.9	100	0	0	48	14	48	14	0	0
				W8/F22	35.2	28.9	6.3	17.9									
	R7	Residential	Bedroom	W9/F22	35.1	27.9	7.2	20.5	45.6	2.6	33.6						
	R8	Residential	Bedroom	W10/F22	35	27.1	7.9	22.6	69	2.5	17.4						
				W11/F22	34.8	26.6	8.2	23.6									
	R9	Residential	Bedroom	W12/F22	34.5	24.5	10	29	59.9	1.7	21						
	R10**	Residential	LKD	W13/F22	34.1	23	11.1	32.6	70.1	4.8	15.5						
	R11	Residential	Bedroom	W14/F22	33.7	21.8	11.9	35.3	72.1	4.2	27.2						
				W15/F22	20.6	15.7	4.9	23.8									
F23	R1	Residential	Bedroom	W1/F23	22.5	9.7	12.8	56.9	99.1	0.1	0.9						
				W2/F23	30.7	26.4	4.3	14									
	R2	Residential	Bedroom	W3/F23	31.1	27.2	3.9	12.5	68.5	0.1	1.1						
	R3	Residential	Bedroom	W4/F23	31.5	27.8	3.7	11.7	62.1	0.1	1.2						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R4	Residential	LKD	W5/F23	31.2	28.9	2.3	7.4	92.5	0.1	0.4	65	11	63	9	3.1	18.2
				W6/F23	22.7	22.2	0.5	2.2									
	R5	Residential	LKD	W5/F23 (dup)	31.2	28.9	2.3	7.4	92.5	0.1	0.4	65	11	63	9	3.1	18.2
				W6/F23 (dup)	22.7	22.2	0.5	2.2									
	R6	Residential	LKD	W7/F23	34.8	34.6	0.2	0.6	94.3	1	5.6	48	14	48	14	0	0
				W8/F23	35.6	29.1	6.5	18.3									
	R7	Residential	Bedroom	W9/F23	35.4	28	7.4	20.9	37.5	2.7	38.6						
	R8	Residential	Bedroom	W10/F23	35.3	27.3	8	22.7	64.9	2.8	20.2						
				W11/F23	35.3	26.8	8.5	24.1									
	R9	Residential	Bedroom	W12/F23	34.7	24.4	10.3	29.7	46.2	2.8	35.6						
	R10**	Residential	LKD	W13/F23	34.3	22.9	11.4	33.2	49.9	9.1	33						
	R11	Residential	Bedroom	W14/F23	33.9	21.4	12.5	36.9	59.4	2.7	22.4						
				W15/F23	21	15.9	5.1	24.3									
F24	R1	Residential	Bedroom	W1/F24	22.7	9.8	12.9	56.8	99.1	0.1	0.9						
				W2/F24	31	26.7	4.3	13.9									
	R2	Residential	Bedroom	W3/F24	31.4	27.4	4	12.7	68.8	0.1	1.2						
	R3	Residential	Bedroom	W4/F24	31.8	28.1	3.7	11.6	62.5	0.1	1.2						
	R4	Residential	LKD	W5/F24	31.5	29.1	2.4	7.6	92.6	0.1	0.4	66	11	64	9	3	18.2
				W6/F24	23.4	22.9	0.5	2.1									
	R5	Residential	LKD	W5/F24 (dup)	31.5	29.1	2.4	7.6	92.6	0.1	0.4	66	11	64	9	3	18.2
				W6/F24 (dup)	23.4	22.9	0.5	2.1									
	R6	Residential	LKD	W7/F24	35.1	34.8	0.3	0.9	96.9	0.6	3.1	48	14	48	14	0	0
				W8/F24	36	29.4	6.6	18.3									
	R7	Residential	Bedroom	W9/F24	35.9	28.4	7.5	20.9	45.7	2.6	33.5						
	R8	Residential	Bedroom	W10/F24	35.7	27.6	8.1	22.7	69.2	2.4	17.3						
				W11/F24	35.7	27.1	8.6	24.1									
	R9	Residential	Bedroom	W12/F24	35.1	24.7	10.4	29.6	51.1	2.6	31.7						
	R10**	Residential	LKD	W13/F24	34.7	23.2	11.5	33.1	57.2	7.7	26.6						
	R11	Residential	Bedroom	W14/F24	34.2	21.7	12.5	36.5	62.2	3.2	24.9						
				W15/F24	21.2	16.1	5.1	24.1									
F25	R1	Residential	Bedroom	W1/F25	23	9.9	13.1	57	99.1	0.1	0.9						
				W2/F25	31.3	26.9	4.4	14.1									
	R2	Residential	Bedroom	W3/F25	31.7	27.7	4	12.6	69.1	0.1	1.2						
	R3	Residential	Bedroom	W4/F25	32.1	28.3	3.8	11.8	63.1	0.1	1.3						
	R4	Residential	LKD	W5/F25	31.8	29.4	2.4	7.5	92.6	0.1	0.3	67	12	64	9	4.5	25
				W6/F25	24	23.6	0.4	1.7									
	R5	Residential	LKD	W5/F25 (dup)	31.8	29.4	2.4	7.5	92.6	0.1	0.3	67	12	64	9	4.5	25
				W6/F25 (dup)	24	23.6	0.4	1.7									
	R6	Residential	LKD	W7/F25	35.4	35.1	0.3	0.8	99.1	0.2	0.9	48	14	48	14	0	0
				W8/F25	36.5	29.9	6.6	18.1									
	R7	Residential	Bedroom	W9/F25	36.3	28.8	7.5	20.7	52.7	2.4	29.1						
	R8	Residential	Bedroom	W10/F25	36.1	27.8	8.3	23	65	2.8	20.1						
				W11/F25	36.1	27.3	8.8	24.4									
	R9	Residential	Bedroom	W12/F25	35.5	25	10.5	29.6	55.5	2.3	27.1						
	R10**	Residential	LKD	W13/F25	35.1	23.5	11.6	33	64	6.3	21						
	R11	Residential	Bedroom	W14/F25	34.6	22.1	12.5	36.1	64.8	3.7	26.8						
				W15/F25	21.6	16.4	5.2	24.1									
F26	R1	Residential	Bedroom	W1/F26	23.3	10.2	13.1	56.2	99.2	0.1	0.8						
				W2/F26	31.6	27.2	4.4	13.9									
	R2	Residential	Bedroom	W3/F26	32	28	4	12.5	70.4	0.1	1.6						
	R3	Residential	Bedroom	W4/F26	32.4	28.6	3.8	11.7	64	0.1	1.6						
	R4	Residential	LKD	W5/F26	32.1	29.7	2.4	7.5	92.8	0.1	0.3	71	12	69	10	2.8	16.7

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W6/F26	24.9	24.5	0.4	1.6									
	R5	Residential	LKD	W5/F26 (dup)	32.1	29.7	2.4	7.5	92.8	0.1	0.3	71	12	69	10	2.8	16.7
				W6/F26 (dup)	24.9	24.5	0.4	1.6									
	R6	Residential	LKD	W7/F26	35.7	35.4	0.3	0.8	100	0	0	50	14	50	14	0	0
				W8/F26	36.9	30.2	6.7	18.2									
	R7	Residential	Bedroom	W9/F26	36.7	29.2	7.5	20.4	58.6	2.2	24.8						
	R8	Residential	Bedroom	W10/F26	36.5	28.2	8.3	22.7	69.1	2.4	17.4						
				W11/F26	36.4	27.7	8.7	23.9									
	R9	Residential	Bedroom	W12/F26	35.9	25.4	10.5	29.2	60.1	1.8	21						
	R10**	Residential	LKD	W13/F26	35.4	23.8	11.6	32.8	71.1	4.6	14.8						
	R11	Residential	Bedroom	W14/F26	35	22.4	12.6	36	67.3	4	27.8						
				W15/F26	22.1	16.8	5.3	24									
F27	R1	Residential	Bedroom	W1/F27	24.1	10.9	13.2	54.8	99.2	0.1	0.8						
				W2/F27	31.9	27.5	4.4	13.8									
	R2	Residential	Bedroom	W3/F27	32.3	28.2	4.1	12.7	71.1	0.1	1.5						
	R3	Residential	Bedroom	W4/F27	32.7	28.9	3.8	11.6	64.9	0.1	1.8						
	R4	Residential	LKD	W5/F27	32.4	30	2.4	7.4	93.3	0.1	0.2	72	12	70	10	2.8	16.7
				W6/F27	25.8	25.4	0.4	1.6									
	R5	Residential	LKD	W7/F27	35.9	35.7	0.2	0.6	99.1	0.2	0.9	52	14	52	14	0	0
				W8/F27	37.3	30.5	6.8	18.2									
	R6	Residential	Bedroom	W9/F27	37.1	29.5	7.6	20.5	64.4	1.8	19.5						
	R7	Residential	Bedroom	W10/F27	36.9	28.4	8.5	23	65	2.8	20.2						
				W11/F27	36.8	27.8	9	24.5									
	R8	Residential	Bedroom	W12/F27	36.3	25.7	10.6	29.2	64.4	1	12.2						
	R9**	Residential	LKD	W13/F27	35.8	24.2	11.6	32.4	77.4	2.9	9						
	R10	Residential	Bedroom	W14/F27	35.4	22.7	12.7	35.9	69.7	4.2	28						
				W15/F27	23.5	18.1	5.4	23									
NORTHERN WAREHOUSE - LEISURE BOX																	
F04	R1**	Residential	Bedroom	W1/F04	31.7	29	2.7	8.5	88.6	0	0						
	R2	Residential	Bedroom	W2/F04	31.6	28.7	2.9	9.2	99.2	0	0						
	R3	Residential	LKD	W3/F04	31.4	28.4	3	9.6	88.2	0.2	0.6	43	9	35	6	18.6	33.3
				W4/F04	31.3	28.2	3.1	9.9									
				W5/F04	31.1	27.8	3.3	10.6									
				W6/F04	11.8	7.8	4	33.9									
				W7/F04	10.8	7	3.8	35.2									
	R4	Residential	Bedroom	W8/F04	8.7	4.9	3.8	43.7	45.6	0.8	12.2						
	R5	Residential	Bedroom	W9/F04	29	24.2	4.8	16.6	78.9	0	0.3						
	R6	Residential	LKD	W10/F04	28.8	23.8	5	17.4	74.2	0.2	1	31	5	22	2	29	60
	R7	Residential	Bedroom	W11/F04	28.5	23.4	5.1	17.9	86.7	0	0.3						
	R8	Residential	Bedroom	W12/F04	28.1	22.9	5.2	18.5	95.2	0	0.3						
	R9	Residential	Bedroom	W13/F04	27.7	22.5	5.2	18.8	98.5	0.1	0.7						
	R10	Residential	Bedroom	W14/F04	27.2	22.1	5.1	18.8	92.7	0.1	0.6						
				W15/F04	12.4	5.3	7.1	57.3									
	R11	Residential	LKD	W16/F04	13.1	8.7	4.4	33.6	43.1	5.5	24.9	41	9	24	3	41.5	66.7
				W17/F04	14.3	5.7	8.6	60.1									
	R12	Residential	Bedroom	W18/F04	8.3	8.3	0	0	59.5	0	0.1						
	R13**	Residential	LKD	W19/F04	8.7	8.7	0	0	25.5	0	0	8	0	8	0	0	0
				W20/F04	9	8.9	0.1	1.1									
F05	R1	Residential	Bedroom	W1/F05	32.6	29.8	2.8	8.6	92.4	0	0						
	R2	Residential	Bedroom	W2/F05	32.4	29.5	2.9	9	99.6	0	0						
				W3/F05	32.3	29.2	3.1	9.6									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R3	Residential	LKD	W4/F05	32.1	29	3.1	9.7	81.9	0.3	1	45	9	37	6	17.8	33.3
				W5/F05	32	28.6	3.4	10.6									
				W6/F05	12.1	8	4.1	33.9									
				W7/F05	11.3	7.4	3.9	34.5									
	R4	Residential	Bedroom	W8/F05	29.8	24.9	4.9	16.4	84.4	0.5	3.5						
	R5	Residential	LKD	W9/F05	29.6	24.5	5.1	17.2	80.6	0.3	1.1	31	5	22	2	29	60
	R6	Residential	Bedroom	W10/F05	29.2	24	5.2	17.8	91	0.5	3.6						
	R7	Residential	LKD	W11/F05	28.9	23.6	5.3	18.3	92.5	1.5	4.1	35	9	21	2	40	77.8
				W12/F05	28.5	23.2	5.3	18.6									
				W13/F05	2.2	0.9	1.3	59.1									
	R8	Residential	Bedroom	W14/F05	14.8	6.5	8.3	56.1	77.6	1.8	15.3						
	R9**	Residential	LKD	W15/F05	9.2	9.2	0	0	65.7	0	0	8	0	8	0	0	0
				W16/F05	5.8	5.8	0	0									
	R10	Residential	Bedroom	W17/F05	9.6	9.6	0	0	35.1	0	0						
	R11	Residential	Bedroom	W18/F05	9.9	9.8	0.1	1	33.9	0	0						
F06	R1	Residential	Bedroom	W1/F06	33.4	30.6	2.8	8.4	93	0	0						
	R2	Residential	Bedroom	W2/F06	33.2	30.3	2.9	8.7	99.6	0	0						
				W3/F06	33.1	30	3.1	9.4									
	R3	Residential	LKD	W4/F06	33	29.7	3.3	10	87.7	0.1	0.3	47	9	39	6	17	33.3
				W5/F06	32.8	29.4	3.4	10.4									
				W6/F06	12.4	8.2	4.2	33.9									
				W7/F06	11.6	7.6	4	34.5									
	R4	Residential	Bedroom	W8/F06	30.6	25.7	4.9	16	92.8	0	0.2						
	R5	Residential	LKD	W9/F06	30.3	25.2	5.1	16.8	89	0.2	0.8	32	5	23	2	28.1	60
	R6	Residential	Bedroom	W10/F06	30	24.7	5.3	17.7	99	0	0.3						
	R7	Residential	LKD	W11/F06	29.6	24.2	5.4	18.2	93	1.5	4.1	36	9	22	2	38.9	77.8
				W12/F06	29.2	23.9	5.3	18.2									
				W13/F06	2.2	0.9	1.3	59.1									
	R8	Residential	Bedroom	W14/F06	14.9	6.6	8.3	55.7	77.7	1.7	15.1						
	R9**	Residential	LKD	W15/F06	10.6	10.6	0	0	69.2	0	0	8	0	8	0	0	0
				W16/F06	10	10	0	0									
	R10	Residential	Bedroom	W17/F06	10.6	10.6	0	0	52.4	0	0						
	R11	Residential	Bedroom	W18/F06	10.9	10.9	0	0	37.9	0	0						
F07	R1	Residential	Bedroom	W1/F07	34.1	31.3	2.8	8.2	92.6	0	0						
	R2	Residential	Bedroom	W2/F07	34	31	3	8.8	99.6	0	0						
				W3/F07	33.9	30.7	3.2	9.4									
	R3	Residential	LKD	W4/F07	33.7	30.5	3.2	9.5	89.3	0.1	0.2	49	10	40	6	18.4	40
				W5/F07	33.6	30.1	3.5	10.4									
				W6/F07	12.7	8.5	4.2	33.1									
				W7/F07	11.9	7.8	4.1	34.5									
	R4	Residential	Bedroom	W8/F07	31.3	26.2	5.1	16.3	90	0.6	3.4						
	R5	Residential	LKD	W9/F07	31.1	25.8	5.3	17	98.3	0.2	0.7	32	5	23	2	28.1	60
	R6	Residential	Bedroom	W10/F07	30.7	25.3	5.4	17.6	94.1	0.5	3.5						
	R7	Residential	LKD	W11/F07	30.3	24.9	5.4	17.8	93.1	1.5	4.1	36	9	22	2	38.9	77.8
				W12/F07	29.8	24.5	5.3	17.8									
				W13/F07	2.2	0.9	1.3	59.1									
	R8	Residential	Bedroom	W14/F07	15.1	6.9	8.2	54.3	78.4	1.7	14.8						
	R9**	Residential	LKD	W15/F07	11.4	11.4	0	0	73.1	0	0	12	1	12	1	0	0
				W16/F07	7.5	7.5	0	0									
	R10	Residential	Bedroom	W17/F07	11.8	11.8	0	0	45.6	0	0						
	R11	Residential	Bedroom	W18/F07	11.9	11.9	0	0	43.5	0	0						
F08	R1	Residential	Bedroom	W1/F08	34.8	32	2.8	8	93	0	0						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R2	Residential	Bedroom	W2/F08	34.7	31.7	3	8.6	99.6	0	0						
				W3/F08	34.6	31.4	3.2	9.2									
	R3	Residential	LKD	W4/F08	34.5	31.2	3.3	9.6	89.3	0.1	0.2	50	10	42	7	16	30
				W5/F08	34.3	30.8	3.5	10.2									
				W6/F08	13	8.7	4.3	33.1									
				W7/F08	12.2	8	4.2	34.4									
	R4	Residential	Bedroom	W8/F08	32.1	27	5.1	15.9	95	0	0.2						
	R5	Residential	LKD	W9/F08	31.7	26.4	5.3	16.7	98.5	0.2	0.7	34	6	25	3	26.5	50
	R6	Residential	Bedroom	W10/F08	31.4	26	5.4	17.2	99	0	0.3						
	R7	Residential	LKD	W11/F08	30.9	25.5	5.4	17.5	93.1	1.5	4.1	37	9	23	2	37.8	77.8
				W12/F08	30.4	25	5.4	17.8									
				W13/F08	2.3	1	1.3	56.5									
	R8	Residential	Bedroom	W14/F08	15.2	7.1	8.1	53.3	78.2	1.7	14.7						
	R9**	Residential	LKD	W15/F08	13.1	13.1	0	0	78.6	0	0	15	3	15	3	0	0
				W16/F08	13	13	0	0									
	R10	Residential	Bedroom	W17/F08	12.9	12.8	0.1	0.8	68	0	0.1						
	R11	Residential	Bedroom	W18/F08	13	12.9	0.1	0.8	53	0	0						
F09	R1	Residential	Bedroom	W1/F09	35.5	32.6	2.9	8.2	92.7	0	0						
	R2	Residential	Bedroom	W2/F09	35.4	32.4	3	8.5	99.6	0	0						
				W3/F09	35.3	32.1	3.2	9.1									
	R3	Residential	LKD	W4/F09	35.2	31.9	3.3	9.4	89.3	0.1	0.2	52	12	44	9	15.4	25
				W5/F09	35.1	31.5	3.6	10.3									
				W6/F09	13.4	9	4.4	32.8									
				W7/F09	12.5	8.3	4.2	33.6									
	R4	Residential	Bedroom	W8/F09	32.7	27.5	5.2	15.9	90.2	0.6	3.4						
	R5	Residential	LKD	W9/F09	32.4	27	5.4	16.7	98.5	0.2	0.8	34	6	25	3	26.5	50
	R6	Residential	Bedroom	W10/F09	31.9	26.4	5.5	17.2	94.1	0.5	3.5						
	R7	Residential	LKD	W11/F09	31.5	26	5.5	17.5	93.2	1.5	4.2	37	9	23	2	37.8	77.8
				W12/F09	31	25.6	5.4	17.4									
				W13/F09	2.3	1	1.3	56.5									
	R8	Residential	Bedroom	W14/F09	15.3	7.4	7.9	51.6	79.1	1.7	14.3						
	R9**	Residential	LKD	W15/F09	14.2	14.2	0	0	85.7	0	0	16	3	16	3	0	0
				W16/F09	14.1	14.1	0	0									
	R10	Residential	Bedroom	W17/F09	14	13.9	0.1	0.7	67.5	0	0						
	R11	Residential	Bedroom	W18/F09	14.1	14	0.1	0.7	67	0	0						
F10	R1	Residential	Bedroom	W1/F10	36.1	33.2	2.9	8	93.2	0	0						
	R2	Residential	Bedroom	W2/F10	36	32.9	3.1	8.6	99.6	0	0						
				W3/F10	35.9	32.7	3.2	8.9									
	R3	Residential	LKD	W4/F10	35.8	32.4	3.4	9.5	89.4	0.1	0.3	53	12	45	9	15.1	25
				W5/F10	35.7	32.1	3.6	10.1									
				W6/F10	13.7	9.3	4.4	32.1									
				W7/F10	12.8	8.5	4.3	33.6									
	R4	Residential	Bedroom	W8/F10	33.4	28.1	5.3	15.9	94.4	0	0.2						
	R5	Residential	LKD	W9/F10	33	27.6	5.4	16.4	98.5	0.2	0.7	34	6	25	3	26.5	50
	R6	Residential	Bedroom	W10/F10	32.6	27.1	5.5	16.9	99	0	0.3						
	R7	Residential	LKD	W11/F10	32.1	26.5	5.6	17.4	93.2	1.5	4.2	37	9	23	2	37.8	77.8
				W12/F10	31.5	26	5.5	17.5									
				W13/F10	2.4	1	1.4	58.3									
	R8	Residential	Bedroom	W14/F10	15.5	7.7	7.8	50.3	78.9	1.6	14.1						
	R9**	Residential	LKD	W15/F10	15.4	15.4	0	0	94.7	0	0	16	3	16	3	0	0
				W16/F10	15.3	15.2	0.1	0.7									
	R10	Residential	Bedroom	W17/F10	15.2	15.1	0.1	0.7	93.9	0	0						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
F11	R1	Residential	Bedroom	W1/F11	36.6	33.6	3	8.2	93.2	0	0						
	R2	Residential	Bedroom	W2/F11	36.5	33.4	3.1	8.5	99.6	0	0						
				W3/F11	36.4	33.1	3.3	9.1									
	R3	Residential	LKD	W4/F11	36.3	32.9	3.4	9.4	90	0.1	0.2	55	14	45	9	18.2	35.7
				W5/F11	36.2	32.5	3.7	10.2									
				W6/F11	14	9.5	4.5	32.1									
				W7/F11	13.1	8.8	4.3	32.8									
	R4	Residential	Bedroom	W8/F11	33.8	28.4	5.4	16	89.7	0.5	3.3						
	R5	Residential	LKD	W9/F11	33.4	27.9	5.5	16.5	98.5	0.2	0.7	34	6	25	3	26.5	50
	R6	Residential	Bedroom	W10/F11	32.9	27.3	5.6	17	94.1	0.5	3.5						
	R7	Residential	LKD	W11/F11	32.4	26.8	5.6	17.3	93.2	1.5	4.2	37	9	23	2	37.8	77.8
				W12/F11	31.9	26.3	5.6	17.6									
				W13/F11	2.4	1	1.4	58.3									
	R8	Residential	Bedroom	W14/F11	15.6	8.1	7.5	48.1	80	1.6	13.5						
	R9**	Residential	LKD	W15/F11	16.5	16.5	0	0	99.5	0	0	16	3	16	3	0	0
				W16/F11	16.4	16.3	0.1	0.6									
	R10	Residential	Bedroom	W17/F11	16.3	16.2	0.1	0.6	83.8	0	0						
F12	R1	Residential	Bedroom	W1/F12	34.1	28.7	5.4	15.8	94.4	0	0.2						
	R2	Residential	LKD	W2/F12	33.6	28.1	5.5	16.4	98.5	0.2	0.7	34	6	25	3	26.5	50
	R3	Residential	Bedroom	W3/F12	33.2	27.6	5.6	16.9	99	0	0.3						
	R4	Residential	LKD	W4/F12	32.6	27	5.6	17.2	93.2	1.5	4.2	38	10	24	3	36.8	70
				W5/F12	32.1	26.5	5.6	17.4									
				W6/F12	2.4	1.1	1.3	54.2									
	R5	Residential	Bedroom	W7/F12	15.7	8.5	7.2	45.9	79.8	1.5	13.2						
	R6**	Residential	LKD	W8/F12	17.5	17.4	0.1	0.6	99.6	0	0	18	4	18	4	0	0
				W9/F12	17.5	17.4	0.1	0.6									
	R7	Residential	Bedroom	W10/F12	17.5	17.3	0.2	1.1	94.5	0	0.1						
F13	R1	Residential	Bedroom	W1/F13	34.2	28.7	5.5	16.1	89.7	0.5	3.3						
	R2	Residential	LKD	W2/F13	33.8	28.2	5.6	16.6	98.5	0.2	0.7	35	7	26	4	25.7	42.9
	R3	Residential	Bedroom	W3/F13	33.3	27.6	5.7	17.1	94.1	0.5	3.5						
	R4	Residential	LKD	W4/F13	32.8	27.1	5.7	17.4	93.2	1.5	4.2	39	11	25	4	35.9	63.6
				W5/F13	32.2	26.6	5.6	17.4									
				W6/F13	2.5	1.1	1.4	56									
	R5	Residential	Bedroom	W7/F13	15.8	9	6.8	43	80.9	1.4	12.5						
	R6**	Residential	LKD	W8/F13	18.3	18.2	0.1	0.5	99.6	0	0	20	4	19	4	5	0
				W9/F13	18.4	18.2	0.2	1.1									
	R7	Residential	Bedroom	W10/F13	18.3	18	0.3	1.6	84.3	0	0						
F14	R1	Residential	Bedroom	W1/F14	34.4	28.9	5.5	16	94.4	0	0.2						
	R2	Residential	LKD	W2/F14	33.9	28.3	5.6	16.5	98.5	0.2	0.7	35	7	26	4	25.7	42.9
	R3	Residential	Bedroom	W3/F14	33.5	27.8	5.7	17	99	0	0.3						
	R4	Residential	LKD	W4/F14	32.9	27.2	5.7	17.3	93.2	1.5	4.2	40	12	25	4	37.5	66.7
				W5/F14	32.3	26.7	5.6	17.3									
				W6/F14	2.5	1.1	1.4	56									
	R5	Residential	Bedroom	W7/F14	16	9.6	6.4	40	80.7	1.4	12.2						
	R6**	Residential	LKD	W8/F14	18.7	18.6	0.1	0.5	99.6	0	0	21	4	20	4	4.8	0
				W9/F14	18.7	18.5	0.2	1.1									
	R7	Residential	Bedroom	W10/F14	18.7	18.4	0.3	1.6	94.7	0	0.3						
F15	R1	Residential	Bedroom	W1/F15	34.5	28.9	5.6	16.2	89.7	0.5	3.3						
	R2	Residential	LKD	W2/F15	34.1	28.4	5.7	16.7	98.5	0.2	0.7	35	7	26	4	25.7	42.9
	R3	Residential	Bedroom	W3/F15	33.5	27.8	5.7	17	94.1	0.5	3.5						
	R4	Residential	LKD	W4/F15	33	27.3	5.7	17.3	93.2	1.5	4.2	40	12	25	4	37.5	66.7
				W5/F15	32.5	26.8	5.7	17.5									

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W6/F15	2.6	1.1	1.5	57.7									
	R5	Residential	Bedroom	W7/F15	16.1	10.2	5.9	36.6	82.2	1.3	11.1						
	R6**	Residential	LKD	W8/F15	19.1	18.9	0.2	1	99.8	0	0	22	4	21	4	4.5	0
				W9/F15	19.1	18.8	0.3	1.6									
	R7	Residential	Bedroom	W10/F15	19.1	18.6	0.5	2.6	84.5	0	0						
F16	R1	Residential	Bedroom	W1/F16	34.7	29.2	5.5	15.9	94.5	0	0.2						
	R2	Residential	LKD	W2/F16	34.2	28.5	5.7	16.7	98.5	0.2	0.7	35	7	26	4	25.7	42.9
	R3	Residential	Bedroom	W3/F16	33.8	28	5.8	17.2	99	0	0.3						
	R4	Residential	LKD	W4/F16	33.2	27.4	5.8	17.5	93.2	1.5	4.2	40	12	25	4	37.5	66.7
				W5/F16	32.6	26.9	5.7	17.5									
				W6/F16	2.6	1.2	1.4	53.8									
	R5	Residential	Bedroom	W7/F16	16.3	11	5.3	32.5	82.3	1.2	10.4						
	R6**	Residential	LKD	W8/F16	19.5	19.3	0.2	1	99.8	0	0	25	4	22	4	12	0
				W9/F16	19.6	19.2	0.4	2									
	R7	Residential	Bedroom	W10/F16	19.6	19	0.6	3.1	95.2	0.1	0.7						
F17	R1	Residential	Bedroom	W1/F17	34.8	29.1	5.7	16.4	90.3	0.6	3.4						
	R2	Residential	LKD	W2/F17	34.4	28.6	5.8	16.9	98.5	0.2	0.7	36	7	27	4	25	42.9
	R3	Residential	Bedroom	W3/F17	33.8	28	5.8	17.2	94.1	0.5	3.5						
	R4	Residential	LKD	W4/F17	33.3	27.5	5.8	17.4	93.2	1.5	4.2	41	12	27	5	34.1	58.3
				W5/F17	32.7	27	5.7	17.4									
				W6/F17	2.6	1.4	1.2	46.2									
	R5	Residential	Bedroom	W7/F17	16.4	11.8	4.6	28	84.6	1	8.3						
F18	R1	Residential	Bedroom	W1/F18	35	29.4	5.6	16	95.2	0	0.2						
	R2	Residential	LKD	W2/F18	34.5	28.8	5.7	16.5	98.5	0.2	0.7	37	7	28	4	24.3	42.9
	R3	Residential	Bedroom	W3/F18	34.1	28.2	5.9	17.3	99	0	0.2						
	R4	Residential	LKD	W4/F18	33.4	27.6	5.8	17.4	93.3	1.5	4.1	42	12	29	6	31	50
				W5/F18	32.8	27.1	5.7	17.4									
				W6/F18	2.7	1.7	1	37									
	R5	Residential	Bedroom	W7/F18	16.6	12.7	3.9	23.5	86	0.7	6.3						
F19	R1	Residential	Bedroom	W1/F19	35.1	29.4	5.7	16.2	90.4	0.6	3.4						
	R2	Residential	LKD	W2/F19	34.7	28.9	5.8	16.7	98.6	0.2	0.7	37	7	28	4	24.3	42.9
	R3	Residential	Bedroom	W3/F19	34.1	28.2	5.9	17.3	94.2	0.5	3.4						
	R4	Residential	LKD	W4/F19	33.6	27.7	5.9	17.6	93.5	1.4	3.8	42	12	30	7	28.6	41.7
				W5/F19	33	27.2	5.8	17.6									
				W6/F19	2.7	2.1	0.6	22.2									
	R5	Residential	Bedroom	W7/F19	16.8	13.6	3.2	19	89.6	0.3	2.7						
F20	R1	Residential	Bedroom	W1/F20	35.3	29.6	5.7	16.1	95.3	0	0.1						
	R2	Residential	LKD	W2/F20	34.8	29	5.8	16.7	98.6	0.2	0.7	38	7	28	4	26.3	42.9
	R3	Residential	Bedroom	W3/F20	34.3	28.5	5.8	16.9	99.1	0	0.2						
	R4	Residential	LKD	W4/F20	33.7	27.8	5.9	17.5	93.9	1.3	3.5	42	12	31	8	26.2	33.3
				W5/F20	33.1	27.3	5.8	17.5									
				W6/F20	2.7	2.3	0.4	14.8									
	R5	Residential	Bedroom	W7/F20	16.9	14.2	2.7	16	90.8	0.1	0.5						
F21	R1	Residential	Bedroom	W1/F21	35.4	29.6	5.8	16.4	90.7	0.5	3.1						
	R2	Residential	LKD	W2/F21	35	29.1	5.9	16.9	98.6	0.2	0.7	38	7	28	4	26.3	42.9
	R3	Residential	Bedroom	W3/F21	34.4	28.5	5.9	17.2	94.2	0.5	3.4						
	R4	Residential	LKD	W4/F21	33.8	28	5.8	17.2	94.3	1.1	3.1	42	12	32	9	23.8	25
				W5/F21	33.2	27.5	5.7	17.2									
				W6/F21	2.8	2.4	0.4	14.3									
	R5	Residential	Bedroom	W7/F21	17.2	14.5	2.7	15.7	91.1	0.1	0.6						
F22	R1	Residential	Bedroom	W1/F22	35.6	29.8	5.8	16.3	95.4	0	0.1						
	R2	Residential	LKD	W2/F22	35.1	29.2	5.9	16.8	98.7	0.2	0.6	38	7	28	4	26.3	42.9

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC(WINDOW)		NSL					APSH (ROOM)					
												EX.		PR.		LOSS %	
					EX. %	PR. %	LOSS	LOSS %	PR. %	LOSS SQM	LOSS %	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R3	Residential	Bedroom	W3/F22	34.7	28.7	6	17.3	99.1	0	0.2						
	R4	Residential	LKD	W4/F22	34	28.1	5.9	17.4	94.6	1	2.7	42	12	32	9	23.8	25
				W5/F22	33.4	27.6	5.8	17.4									
				W6/F22	2.8	2.5	0.3	10.7									
	R5	Residential	Bedroom	W7/F22	17.4	14.7	2.7	15.5	90.7	0	0.4						
F23	R1	Residential	Bedroom	W1/F23	35.7	29.8	5.9	16.5	90.8	0.5	3						
	R2	Residential	LKD	W2/F23	35.3	29.3	6	17	98.7	0.2	0.6	40	8	30	5	25	37.5
	R3	Residential	Bedroom	W3/F23	34.7	28.7	6	17.3	94.2	0.5	3.4						
	R4	Residential	LKD	W4/F23	34.2	28.2	6	17.5	94.8	0.9	2.6	43	13	33	10	23.3	23.1
				W5/F23	33.5	27.7	5.8	17.3									
				W6/F23	2.9	2.5	0.4	13.8									
	R5	Residential	Bedroom	W7/F23	17.6	15	2.6	14.8	91.2	0	0.4						
F24	R1	Residential	Bedroom	W1/F24	35.9	30.1	5.8	16.2	95.4	0	0.1						
	R2	Residential	LKD	W2/F24	35.4	29.5	5.9	16.7	98.7	0.2	0.6	41	8	31	5	24.4	37.5
	R3	Residential	Bedroom	W3/F24	35	29	6	17.1	99.3	0	0						
	R4	Residential	LKD	W4/F24	34.3	28.3	6	17.5	94.9	0.9	2.4	45	13	35	10	22.2	23.1
				W5/F24	33.7	27.8	5.9	17.5									
				W6/F24	2.9	2.6	0.3	10.3									
	R5	Residential	Bedroom	W7/F24	17.9	15.2	2.7	15.1	90.6	0	0.4						
F25	R1	Residential	Bedroom	W1/F25	36	30.1	5.9	16.4	90.9	0.5	3						
	R2	Residential	LKD	W2/F25	35.6	29.6	6	16.9	98.7	0.2	0.6	42	8	32	5	23.8	37.5
	R3	Residential	Bedroom	W3/F25	35	29	6	17.1	94.5	0.5	3.2						
	R4	Residential	LKD	W4/F25	34.5	28.5	6	17.4	95	0.9	2.4	45	13	35	10	22.2	23.1
				W5/F25	33.8	28	5.8	17.2									
				W6/F25	2.9	2.6	0.3	10.3									
	R5	Residential	Bedroom	W7/F25	18.2	15.5	2.7	14.8	91.2	0	0.3						
F26	R1	Residential	Bedroom	W1/F26	36.2	30.3	5.9	16.3	95.4	0	0.1						
	R2	Residential	LKD	W2/F26	35.8	29.7	6.1	17	98.8	0.2	0.6	42	8	32	5	23.8	37.5
	R3	Residential	Bedroom	W3/F26	35.3	29.2	6.1	17.3	99.3	0	0						
	R4	Residential	LKD	W4/F26	34.6	28.6	6	17.3	95	0.9	2.3	45	13	35	10	22.2	23.1
				W5/F26	34	28.1	5.9	17.4									
				W6/F26	3	2.7	0.3	10									
	R5	Residential	Bedroom	W7/F26	18.5	15.8	2.7	14.6	90.8	0	0.2						
F27	R1	Residential	Bedroom	W1/F27	36.3	30.4	5.9	16.3	91.1	0.5	2.9						
	R2	Residential	LKD	W2/F27	35.9	29.9	6	16.7	98.9	0.2	0.5	42	8	32	5	23.8	37.5
	R3	Residential	Bedroom	W3/F27	35.4	29.3	6.1	17.2	94.7	0.5	3.1						
	R4	Residential	LKD	W4/F27	34.8	28.8	6	17.2	95	0.9	2.4	46	13	36	10	21.7	23.1
				W5/F27	34.2	28.2	6	17.5									
				W6/F27	3	2.7	0.3	10									
	R5	Residential	Bedroom	W7/F27	18.9	16.2	2.7	14.3	91.3	0	0.2						