



Basement Plan (1 to 100)



Ground Floor Plan (1 to 100)

Key:-

- Xcite LED Lighting (ref XCBH12CTM3) round bulkhead fitting * identifies new fitting to replace existing fitting
- Xcite LED Lighting (ref XCEMBM3ST) bulkhead fitting * identifies new fitting to replace existing fitting
- Aico Optical Smoke Alarm - Ei3016
- Aico Heat Alarm - Ei164e
- Aico Multi-Sensor Fire & CO Alarm - Ei3030

Electrical/Fire Alarm Notes:-
Where proposed new installation replaces existing sensors/detectors the new fitting are to utilise of the existing concealed cables/conduit or containment to provide supply to new units.

Where proposed sensors/detectors are in addition to those currently provided, cables/conduit are to be located within the floor voids and fed down to supply ceiling mounted units. Existing carpets and floorboards are to be carefully taken up to provide access and are to be refixed on completion.

Where concealed routes are not available cables are to be discretely clipped to minimise visual impact but to maximise ease of reversibility if required at a future date.

Any decorative damage as a result of the removal/replacement of the existing fittings is to be made good on completion to match existing finishes.

Revisions:-

Rev	Date	Int	Description

Fire Safety Works

btp ARCHITECTS — RIBA Chartered Practice

Client:
Our Lady & St John, High Lane, Chorlton-cum-Hardy

Project:
Presbytery: Fabric upgrade, fire alarm & emergency lighting.

Description:
Scope of Works 1st & 2nd Floor

Purpose of Issue:
General Arrangement Drawings

Drawn By:	Checked By:	Date:	Scale @ A1:
AP		30/09/24	As noted

Job No:	Status Code:	Drawing No:	Rev:
4118	S3	FSW/02	

File Identifier:
SJ-BTP-00-E/P-DR-A-4118_FSW/02

Elizabeth House, 486 Didsbury Road, Heaton Mersey, Stockport, SK4 3BS
t 0161 443 1221 e info@bernardtaylor.co.uk w www.btparchitects.co.uk