



ARCHITECTURE IS BASED ON ANOMALY DESIGN
ARCHITECTS DRAWING NO. SLH-ANO-PO-DR-4-05107
(C01) LEVEL 07 PLAN
RECEIVED 03.06.2024

DRAMAINE NOTES
1. DRAWING TO BE READ IN CONJUNCTION WITH SPECIFICATIONS.
2. REFERENCE TO SPECIFICATIONS TO THE DRAWING OR OTHER IMMEDIATELY.
3. ALL DIMS ARE IN MILLIMETERS STATE OTHERWISE.
4. SLOPE FOR DRAINAGE SHALL BE 1:100 FOR BUILDING ROOFINGS PART H.
5. SLOPE FOR DRAINAGE SHALL COMPLY WITH SANS 10256 (SYSTEM II).
6. ALL HORIZONTAL WATERPIPS SHALL HAVE 1:40 GRADE.
7. ALL VERTICAL WATERPIPS SHALL BE 100MM DIA.
8. PREWORK MUST BE SUPPORTED IN LINE WITH SPECIFICATIONS AND RECOMMENDATIONS.
9. ALL PREWORK TO BE SUBJECTED UNDER PUSH/FUT TO FINAL TEST FOR 100% OF THE WORK.
10. INSTALLATION TO ALLOW FOR EXPANSION WITH S.P JOINTS TO SUIT.
11. ALL CONNECTIONS POINTS SHALL BE FITTED AT EACH FLOOR LEVEL, AT THE END OF HORIZONTAL BRANCHES, ALL POINTS OF TURN AND AT EVERY 12M IN STRAIGHT SECTIONS.
12. NEW MANIFOLDS SHALL HAVE VENTED UPSTAND ROOFING POINTS TO SUIT.
13. ALL NEW PIPE TERMINATIONS TO BE MADE WITH THE ARCHITECT.
14. ALL PENETRATIONS SHALL BE WEATHERED IN ACCORDANCE WITH THE ROOF SPECIALISTS REQUIREMENTS.
15. ALL PENETRATIONS CONNECTING TO A RUN WHICH DOES NOT CONNECT TO A VENT PIPE MUST USE ANTSYNON TAP.
16. PLASTIC PIPES STRATEGICALLY A FIRE COMPARTMENT.
17. REFER TO THE DRAWING FOR DIMS, SMM AND ABOVE.
18. ALL PIPES SHALL BE INSTALLED WITH A SUFFICIENT SLOPE TO DRAIN.
19. ALL PIPES SHALL BE TO FORM DRAIN SWEEP BENDS.
20. USE 150'S DRAIN TO LONG RAN USE OF 90'S BELOW AS ALLOWED.
21. ALL DRAINAGE PIPES PASSING THROUGH HOUSE.
22. SENSITIVE SPACES SHALL BE ACCIDENTALLY LAGGED.
23. ALL DRAINAGE PIPES TO BE WHITE IN COLOUR.
24. HEAVY WEIGHTED TRAPS SHALL BE INSTALLED ON ALL CONNECTIONS.
25. ALL FLOOR GULLIES SHALL BE PROVIDED AS PART OF THE DRAINAGE PACKAGE.
26. LOCATIONS SHOWN FOR INFORMATION ONLY.
27. KITCHENETTE AREA TERMINATION POINTS TO BE AGREED WITH ARCHITECT.

**FOR COMMENT
& APPROVAL**

Commercial Services Design Ltd
Unit 5
Woodside Court
Clayton Wood Rise
Leeds
LS18 6RF
Tel: 0113 3223190
Web: www.csdesign.uk.com



CLIENT	
G&H BUILDING SERVICES	
PROJECT	
SUNLIGHT HOUSE	
LITTLE QUAY STREET	
MANCHESTER M3 3HP	
TITLE	
MECHANICAL SERVICES ABOVE GROUND	
DRAWING LAYOUT LEVEL 07	
SCALE 1/4" = 1'-0"	CSD REF CSD 1298
DRAWN MMW	ENGINEER DB
STARTED JUNE 24	ISSUED AUGUST 24
CHECKED DB	APPROVED BW
DRAWING NO.	REV.
1298-CSD-XX-07-DR-M-5208	P03
Treated Originals Validated and True Copying © Specialist User	