

Important – Planning permission & notices of consent

Compliance with conditions

- Your planning approval or consent is attached. It will contain conditions that you must comply with.
- Please read the conditions and understand their requirements and restrictions, for example submission and approval of details or measures to protect trees.
- Some conditions will require action before you start development and it is imperative that you seek to have these discharged before any work commences.
- Whilst every effort has been made to group conditions logically, it is your responsibility to ensure that you are aware of the requirements and/or restrictions of all conditions.
- If you fail to comply with the conditions this may result in a breach of planning control and this may lead to enforcement action.
- Failure to comply with conditions may also result in the development not being lawful.
- It is in your interests to demonstrate that conditions have been complied with. Failure to do so may cause difficulties if the property is sold or transferred.
- A fee is payable for each request to discharge conditions.
- For advice on any of these matters, please contact Planning, Manchester City Council, PO Box 532, Town Hall, Manchester M60 2LA or email planning@manchester.gov.uk

Town & Country Planning Act 1990 (as amended)

Planning Permission

Applicant

Mr Stuart Malcolm
Manchester Foundation Trust
Trust Headquarters
Cobbett House
Oxford Road
Manchester
M13 9WL

Agent (if used)

Mr Azhar Kapadi
DAY Architectural Ltd
Studio 1
Lancaster Buildings
77 Deansgate
Manchester
M3 2BW

Part 1 – Particulars of the application/development

Proposal: Installation of plant compound and associated boundary treatment including landscaping following demolition of on site structures.

Location: Manchester Royal Infirmary , Wellcome Trust Car Park, Manchester University NHS Foundation Trust, Oxford Road, Manchester, M13 9WL

Date of application: 9 November 2022

Application number: 135426/FO/2022

Part 2 – Particulars of decision

Manchester City Council gives notice that the development referred to in Part 1 has been **Approved** in accordance with the application and plans submitted subject to the condition(s) listed below (if any).

Article 35 Declaration

Officers have worked with the applicant/agent in a positive and proactive manner in determining this application by assessing the proposal against relevant planning policies and all material considerations, identifying matters of concern with the proposal and discussing those with the applicant/agent. In this instance negotiation has been able to successfully resolve the identified concerns and issues.

Condition(s) attached to this decision

1) The development must be begun not later than the expiration of three years beginning with the date of this permission.

Reason - Required to be imposed pursuant to Section 91 of the Town and Country Planning Act 1990.

2) The development hereby approved shall be carried out in accordance with the following drawings and documents:

- o 070101 - Site Location Plan
- o 070201 Revision P1 - Proposed Site Plan
- o 070202 - Hard Landscaping and Road Amendments
- o 070203 Revision P1 - Proposed Site Compound (Received 26/05/2022)
- o 070205 - Proposed Roof Plan
- o 070206 Revision P2 - Proposed Elevations (Received 30/10/2024)
- o 070207 Revision P1 - Proposed Sections (Received 26/05/2022)
- o 070209 Revision P1- Proposed 3D Views (Received 30/10/2024)
- o 90-0204 Revision P1: Fencing Panel Perforation Layout (Received 12/11/2024)
- o Project RED - Electrical Infrastructure Manchester Royal Infirmary (Prepared by DAY-Architectural; Dated October 2024)
- o Electrical Infrastructure Feasibility Study (Prepared by Hoare Lea; Dated 07/05/2021)
- o Feasibility Study (Prepared by DAY-Architectural; Dated May 2021)
- o Product Data Sheet - Interpon D2525 Sable - Y4304I Tanami Sable
- o Generating Set Specification (Prepared by Ingram; Dated 07/02/2022)
- o MEP Specification (Prepared by Hoare Lea; Dated 29/04/2022)
- o Plant Noise Assessment (Prepared by Acoustic & Engineering Consultants Limited; Dated 07/09/2021)
- o Site photographs (Received 12/11/2024)
- o Email correspondence RE materials (Prepared by Matt O'Hara; Dated and received 12/11/2024)

All stamped as received by the City Council as Local Planning Authority on 09/11/2022, unless specified otherwise.

Reason - To ensure that the development is carried out in accordance with the approved plans. Pursuant to policies SP1 and DM1 of the Core Strategy.

3) Within three months of the date of this decision notice, a detailed demolition and construction/fit-out management plan outlining working practices during the construction phase of the development shall be submitted to and approved in writing by the City Council as Local Planning Authority. For the avoidance of doubt the plan shall include detail on the following matters;

- o Communication strategy with residents and businesses
- o Display of an emergency contact number;
- o Details of wheel washing;
- o Dust suppression measures, including a section on air quality and the mitigation measures proposed to control fugitive dust emissions;
- o Compound locations where relevant;
- o Details regarding location, removal and recycling of waste (Site waste management plan);
- o Phasing and quantification/classification of vehicular activity;
- o Types and frequency of vehicular demands - Routing strategy and swept path analysis;
- o Measures to mitigate risks such as objects falling from height and impacting highway users;
- o Parking for construction vehicles and staff;
- o Sheeting over of construction vehicles;
- o A commentary/consideration of ongoing construction works in the locality;

- o Construction and demolition methods to be used;
- o The erection and maintenance of security hoardings where relevant;
- o Details of how access to adjacent premises would be managed to ensure clear and safe routes into buildings are maintained at all times;
- o Community consultation strategy, including details of stakeholder and neighbour consultation prior to and during the development along with the complaints procedure;
- o Pedestrian management proposals;
- o Loading and unloading of plant and materials;

Manchester City Council encourages all contractors to be 'considerate contractors' when working in the city by being aware of the needs of neighbours and the environment. Membership of the Considerate Constructors Scheme is highly recommended.

The demolition and construction of the development shall then be carried out in accordance with the approved plan.

Reason - To safeguard the amenities of nearby residents and in the interest of highway safety, pursuant to policies SP1, EN19 and DM1 of the Manchester Core Strategy.

4) The material finish of the development hereby approved shall be completed in accordance with the following documents:

- o Site photographs
- o Drawing No.90-0204 Revision P1: Fencing Panel Perforation Layout
- o Email correspondence RE materials (Prepared by Matt O'Hara; Dated 12/11/2024)

All stamped as received by the City Council as Local Planning Authority on 12/11/2024.

Reason - To ensure that the appearance of the development is acceptable to the City Council as local planning authority in the interests of the visual amenity of the area within which the site is located, as specified in policies SP1 and DM1 of the Core Strategy.

5) Within three months of the date of this decision notice, a surface water drainage scheme for the site, based on sustainable drainage principles has been submitted to and approved in writing by the local planning authority.

The scheme shall include:

- o Results of ground investigation carried out under Building Research Establishment Digest 365. Site investigations should be undertaken in locations and at proposed depths of the proposed infiltration devices. Proposal of the attenuation that is achieving half emptying time within 24 hours. If no ground investigations are possible or infiltration is not feasible on site, evidence of alternative surface water disposal routes is required.
- o Infiltration would need evidence of agreement in principle from the EA as the site crosses into EA source protection zone (SPZ)
- o Surface water drainage layout including all components, levels, connectivity and proposed overland flow routes for extreme events.
- o Where surface water is connected to the public sewer, agreement in principle from United Utilities is required that there is adequate spare capacity in the existing

system taking future development requirements into account. An email of acceptance of proposed flows and/or new connection will suffice.

- o Evidence that the drainage system has been designed (unless an area is designated to hold and/or convey water as part of the design) so that flooding does not occur during a 1 in 100 year rainfall event with allowance for 45% climate change in any part of a building;
- o Details of surface water attenuation that offers a reduction in surface water runoff rate in line with the Manchester Trafford and Salford Strategic Flood Risk Assessment. Provide at least a 50% reduction in runoff rate compared to the existing rates, as the site is located within Conurbation Core Critical Drainage Area.
- o Hydraulic calculations to support the drainage proposal.
- o Details of how the scheme shall be maintained and managed after completion.

The development shall be constructed and completed in accordance with the approved details and be in place prior to the first use of the development.

Reason - To prevent the increased risk of flooding, to improve and protect water quality and ensure future maintenance of the surface water drainage system pursuant to policy EN17 of the Core Strategy

6) a) Externally mounted ancillary plant, equipment and servicing shall be selected and/or acoustically treated in accordance with a scheme designed so as to achieve a rating level of 5dB (LAeq) below the typical background (LA90) level at the nearest noise sensitive location. Prior to commencement of the use hereby approved the scheme shall be submitted to and approved in writing by the City Council as local planning authority in order to secure a reduction in the level of noise emanating from the site. The scheme shall be implemented in full before the use commences or as otherwise agreed in writing by the City Council as local planning authority.

b) Prior to the operation of the scheme a verification report shall be submitted to and approved in writing by the City Council as local planning authority to validate that the work undertaken throughout the development conforms to the recommendations and requirements in the approved acoustic report. The report shall also undertake post completion testing to confirm that the noise criteria have been met. Any instances of non-conformity with the recommendations in the report shall be detailed along with any measures required to ensure compliance with the agreed noise criteria. A verification report and measures shall be agreed until such a time as the development complies with part (a) of this planning condition.

Reason - To minimise the impact of the development and to prevent a general increase in pre-existing background noise levels around the site in accordance with Core Strategy Policy DM1 and Saved Unitary Development Plan Policy DC26.

7) a) The development shall proceed in accordance with the measures contained within the submitted Air Quality Report (Prepared by Hoare Lea; Dated 22/02/2022; Received 09/11/2022).

b) Prior to occupation of the development any agreed mitigation measures shall be implemented and verified as such in writing by the City Council as local planning authority and shall remain in situ whilst the use or development is in operation.

Reason - To secure a reduction in air pollution from traffic or other sources in order to protect existing and future residents from air pollution, pursuant to policies EN16, SP1 and DM1 of the Core Strategy.

8) The extract flue hereby approved shall have a maximum height of 14m which shall not be exceeded for the lifetime of the development.

Reason - To ensure that the appearance of the development is acceptable to the City Council as local planning authority in the interests of the visual amenity of the area within which the site is located, as specified in policies SP1 and DM1 of the Core Strategy.

9) All external doors of the development hereby approved, that face onto the public highway/footway, shall open away from the public highway, with the exception of fire escape doors.

Reason - In the interest of highway safety in accordance with Core Strategy Policies CC5 and DM1, and the National Planning Policy Framework.

Informatives

Building Regulations 2010

This permission does not grant approval under Building Regulations.

Street Naming & Numbering Requirements

Manchester City Council is responsible for allocating street naming and numbering within Manchester for new developments or property conversions. Individuals or businesses are not permitted to allocate their own property numbers, building or street names.

If your development includes the creation of new dwellings (either new build or conversion of existing buildings), creation of new commercial properties or the subdivision of existing properties you must ensure that you request new or changes to addresses through us so they can be officially allocated and registered in accordance with the Public Health Act 1925 Sections 17-19 & Greater Manchester Act 1981 Section 22.

Failure to do this may result in difficulties for the developer/occupier when requiring services such as connections to utilities, phone lines and postal services and may delay your development.

You can apply online at the following address:

http://www.manchester.gov.uk/info/100011/roads_parking_and_transport/1988/naming_and_numbering_of_houses_buildings_streets_and_roads/2

Mining Information

The proposed development lies within an area which could be subject to current coal mining or hazards resulting from past coal mining. Please read the Standing Advice from the Coal Authority in Appendix A.

Date: 15 November 2024

Signed: 

Julie Roscoe
Director of Planning, Building Control & Licensing

Manchester City Council, P O Box 532, Town Hall, Manchester M60 2LA

Notes

1. This permission refers only to that required under the Town and Country Planning Act 1990 does not include any consent or approval under any other enactment, byelaw, order or regulation.

2 If the applicant is aggrieved by the decision of the local planning authority to refuse permission or approval for the proposed development, or to grant permission or approval subject to conditions, they may appeal to the Secretary of State in accordance with Section 78(1) of the Town and Country Planning Act 1990 within six months of the date of the notice of the decision.

The Planning Inspectorate have introduced an online appeals service that can be used to make appeals online. This service is available through the gov.uk website – www.gov.uk/appeal-planning-decision The Inspectorate will publish details of your appeal on the internet. Alternatively If you are unable to access the online appeal form, please contact the Planning Inspectorate to obtain a paper copy of the appeal form on tel: 0303 444 5000.

The Secretary of State has power to allow a longer period for the giving of a notice of appeal but they will not normally be prepared to exercise this power unless there are special circumstances that excuse the delay in giving notice of appeal.

If you intend to submit an appeal that you would like examined by inquiry then you must notify the City Council (planning@manchester.gov.uk) and the Planning Inspectorate (inquiryappeals@planninginspectorate.gov.uk) at least 10 days before submitting the appeal. Further details are on GOV.UK.

3. The statutory requirements are those set out in Section 79(6) of the Town and Country Planning Act 1990, namely Sections 70(1) and 72(1) of the Act.

4. If either the local planning authority or the Secretary of State refuses permission to develop land or grants it subject to conditions, the owner may claim that they can neither put the land to a reasonably beneficial use in its existing state nor render the land capable of a reasonably beneficial use by the carrying out of any development which has been or would be permitted.

In these circumstances, the owner may serve a purchase notice on the Council in whose area the land is situated. This notice will require the Council to purchase his interest in the land in accordance with the provisions of Part VI of the Town and Country Planning Act 1990

5. In certain circumstances, a claim may be made against the local planning authority for compensation, where permission is refused or granted subject to conditions by the Secretary of State on appeal or on a reference of the application to them. The circumstances in which such compensation is payable are set out in Section 114 of the Town and Country Planning Act 1990.

Appendix A



The Coal Authority

STANDING ADVICE - DEVELOPMENT LOW RISK AREA

The proposed development lies within a coal mining area which may contain unrecorded coal mining related hazards. If any coal mining feature is encountered during development, this should be reported immediately to the Coal Authority on 0345 762 6848.

Further information is also available on the Coal Authority website at:

www.gov.uk/government/organisations/the-coal-authority

Standing Advice valid from 1st January 2023 until 31st December 2024