

Important – Planning permission & notices of consent

Compliance with conditions

- Your planning approval or consent is attached. It will contain conditions that you must comply with.
- Please read the conditions and understand their requirements and restrictions, for example submission and approval of details or measures to protect trees.
- Some conditions will require action before you start development and it is imperative that you seek to have these discharged before any work commences.
- Whilst every effort has been made to group conditions logically, it is your responsibility to ensure that you are aware of the requirements and/or restrictions of all conditions.
- If you fail to comply with the conditions this may result in a breach of planning control and this may lead to enforcement action.
- Failure to comply with conditions may also result in the development not being lawful.
- It is in your interests to demonstrate that conditions have been complied with. Failure to do so may cause difficulties if the property is sold or transferred.
- A fee is payable for each request to discharge conditions.
- For advice on any of these matters, please contact Planning, Manchester City Council, PO Box 532, Town Hall, Manchester M60 2LA or email planning@manchester.gov.uk

Town & Country Planning Act 1990 (as amended)

Planning Permission

Applicant

Mr Seb Evason
Zidane Projects
The Sharp Project
Thorp Road
Manchester
M40 5BJ

Agent (if used)

Material Studio Architects
Jactin House
24 Hood Street
Manchester
M4 6WX

Part 1 – Particulars of the application/development

Proposal: Erection of six storey building above basement level to comprise five x 2 bed apartments (Use Class C3) and ground floor and basement office space (Class E (g))

Location: 47 Spear Street, Manchester, M1 1DF

Date of application: 1 May 2024

Application number: 136117/FO/2023

Part 2 – Particulars of decision

Manchester City Council gives notice that the development referred to in Part 1 has been **Approved** in accordance with the application and plans submitted subject to the condition(s) listed below (if any).

Article 35 Declaration

Officers have worked with the applicant in a positive and pro-active manner to seek solutions to problems arising in relation to dealing with the planning application. This has included on going discussions about the form and design of the developments and pre application advice about the information required to be submitted to support the application.

Condition(s) attached to this decision

1) The development must be begun not later than the expiration of three years beginning with the date of this permission.

Reason - Required to be imposed pursuant to Section 91 of the Town and Country Planning Act 1990.

2) The development hereby approved shall be carried out in accordance with the following drawings and documents:

- (a) Site plans LP2110-3-001, LP2110 3 003 and LP2110 3 002;
- (b) Dwgs LP2110 3 199 Rev B, LP2110 3 200 Rev C LP2110 3 201 Rev A, LP2110 3 202 Rev A, LP2110 3 203 Rev A, LP2110 3 204 Rev A, LP2110 3 205 Rev A and LP2110 3 206 Rev A;
- (c) Dwgs LP2110 3 300 Rev B, LP2110 3 301 Rev B, LP2110 3 302 Rev B, LP2110 3 303 Rev B, LP2110 3 400 Rev A, LP2110 3, 401 Rev B, LP2110 3 505 Rev A, LP2110 3 506, LP2110 3 504, LP2110 3 503, LP2110 3 502, LP2110 3 501, LP2110 3 500 and 122-VDG-XX-XX-DR-S-9002 and 122-VDG-XX-XX-DR-S-9003.
- (d) 47 Spear Street, Manchester Environmental Noise Survey and Noise Impact Assessment Report 31807/NIA 29 August 2024 by Hann Tucker Associates;
- (e) AIR QUALITY ASSESSMENT by Miller Goodall 21 MARCH 2023;
- (f) 47 Spear Street, Manchester: Archaeology Statement by GMAAS dated 13/03/24;
- (g) Preliminary Ecological Appraisal, 47 Spear Street, Manchester by Verity Webster;
- (h) 47 Spear Street, Manchester, Phase II Ground Investigation, Report March 2023 by Ground Projects;
- (i) FLOOD RISK ASSESSMENT & DRAINAGE STRATEGY, 122-VDG-XX-XX-RP-C-5000 RevP1, 47 SPEAR STREET, MANCHESTER, M1 1DF by Vision Design Group; and
- (j) 47 Spear Street, Television and Radio Reception, Impact Assessment by G Tech 12-04-23

To ensure that the development is carried out in accordance with the approved plans. Pursuant to Core Strategy SP1, CC3, H1, H8, CC5, CC6, CC7, CC9, CC10, T1, T2, EN1, EN2, EN3, EN6, EN8, EN9, EN11, EN14, EN15, EN16, EN17, EN18, EN19, DM1 and PA1 saved Unitary Development Plan polices DC18.1 DC20 and DC26.1.

3) a) Notwithstanding the details submitted with the application, prior to the commencement of development the following shall be submitted for approval in writing by the City Council, as Local Planning Authority:

- *hand sized samples and specifications of all materials to be used on all external elevations;
- *drawings to illustrate details of full sized sample panels that will be produced in line with an agreed programme: and
- *a programme for the production of the full sized sample panels and a strategy for quality control management; and

The panels to be produced shall include jointing and fixing details between all component materials and any component panels , details of external ventilation requirements, details of the drips to be used to prevent staining and details of the glazing and frames

and

(b) Prior to above ground development submission of a Construction Environmental Management Plan (CEMP)- Circular Economy Statement (Materials) to include details of the strategy for securing more efficient use of non-renewable material resources and to reducing the lifecycle impact of materials used in construction and how this would be achieved through the selection of materials with low environmental impact throughout their lifecycle;

(c) The sample panels and quality control management strategy shall then be submitted and approved in writing by the City Council as local planning authority in accordance with the programme and dwgs as agreed above.

Reason - To ensure that the appearance of the development is acceptable to the City Council as local planning authority in the interests of the visual amenity of the area within which the site is located, as specified in policies SP1 and DM1 of the Core Strategy.

4) Prior to the commencement of the development a detailed construction management plan outlining working practices during development shall be submitted to and approved in writing by the local planning authority. This shall include:

- *Display of an emergency contact number;
- *Details of measures to control dust and mud including on the surrounding public highway including: details of how the wheels of contractor's vehicles are to be cleaned during the construction period;
- *Dust suppression measures;
- *Compound locations where relevant;
- *Location, removal and recycling of waste;
- *Routing strategy and swept path analysis;
- *Parking of construction vehicles and staff;
- *Sheeting over of construction vehicles;
- *Communication strategy with residents which shall include details of how there will be engagement, consult and notify residents during the works;
- * Details of the loading and unloading of plant and materials;
- * Details of the storage of plant and materials used in constructing the development;

Manchester City Council encourages all contractors to be 'considerate contractors' when working in the city by being aware of the needs of neighbours and the environment. Membership of the Considerate Constructors Scheme is highly recommended.

Development shall be carried out in accordance with the approved construction management plan.

Reason - To safeguard the amenities of nearby residents and highway safety, pursuant to policies SP1, EN9, EN19 and DM1 of the Manchester Core Strategy (July 2012).

5) No infiltration of surface water drainage into the ground on land affected by contamination is permitted other than with the express written consent of the local planning authority, which may be given for those parts of the site where it has been demonstrated that there is no resultant unacceptable risk to controlled waters. The development shall be carried out in accordance with the approval details.

Reason - To prevent pollution of controlled waters from potential contamination on site. Infiltration methods on contaminated land carries groundwater pollution risks and may not work in areas with a high water table. Where the intention is to dispose to soakaway, these should be shown to work through an appropriate assessment carried out under Building Research Establishment (BRE) Digest 365.

6) a) Prior to the commencement of the development, details of a Local Benefit Proposal, in order to demonstrate commitment to recruit local labour for the duration of the construction of the development, shall be submitted for approval in writing by the City Council, as Local Planning Authority. The approved document shall be implemented as part of the construction of the development.

In this condition a Local Benefit Proposal means a document which includes:

- i) the measures proposed to recruit local people including apprenticeships
 - ii) mechanisms for the implementation and delivery of the Local Benefit Proposal
 - iii) measures to monitor and review the effectiveness of the Local Benefit Proposal in achieving the objective of recruiting and supporting local labour objectives
- (b) Within one month prior to construction work being completed, a detailed report which takes into account the information and outcomes about local labour recruitment pursuant to items (i) and (ii) above shall be submitted for approval in writing by the City Council as Local Planning Authority.

Reason - The applicant has demonstrated a commitment to recruiting local labour pursuant to policies SP1, EC1 and DM1 of the Manchester Core Strategy (2012).

7) (a) The development shall be implemented in accordance with the 47 Spear Street, Manchester, Phase II Ground Investigation, Report March 2023 by Ground Projects

b) A Completion/Verification Report shall be submitted to and approved in writing by the City Council as local planning authority prior to the first occupation of the residential element of the scheme.

(c) In the event that ground contamination, groundwater contamination and/or ground gas, not previously identified, are found to be present on the site at any time before the development is occupied, then development shall cease and/or the development shall not be occupied until, a report outlining what measures, if any, are required to remediate the land (the Revised Remediation Strategy) is submitted to and approved in writing by the City Council as local planning authority and the development shall be carried out in accordance with the Revised Remediation Strategy, which shall take precedence over any Remediation Strategy or earlier Revised Remediation Strategy.

Reason - To ensure that the presence of or the potential for any contaminated land and/or groundwater is detected and appropriate remedial action is taken in the interests of public safety, pursuant to policies DM1 and EN18 of the Core Strategy.

8) Prior to occupation of (a) the residential accommodation and (b) the ground floor and basement offices a scheme for the acoustic insulation of any plant and externally mounted ancillary equipment to ensure that it achieves a background noise level of 5dB below the existing background (La90) in each octave band at the nearest noise

sensitive location shall be submitted to and approved in writing by the City Council as local planning authority in order to secure a reduction in the level of noise emanating from the equipment. The approved scheme shall be implemented prior to occupancy and shall remain operational thereafter.

Reason - To safeguard the amenities of the occupiers of nearby residential accommodation, pursuant to policies SP1 and DM1 of the Core Strategy

9) Notwithstanding the provisions of the Town and Country Planning (General Permitted Development) (England) Order 2015 (as amended) (or any order revoking and re-enacting that Order with or without modification) no part of the development above ground (other than the hereby permitted ground floor Class E (excluding E (b)) commercial units shall be used for any purpose other than the purpose(s) of Class C3(a) of the Schedule to the Town and Country Planning (Use Classes) Order 1987 (as amended) (or in any provision equivalent to that Class in any statutory instrument revoking and re-enacting that Order with or without modification). For the avoidance of doubt, this does not preclude two unrelated people sharing a property.

Reason - In the interests of residential amenity, to safeguard the character of the area and to maintain the sustainability of the local community through provision of accommodation that is suitable for people living as families pursuant to policies DM1 and H11 of the Core Strategy for Manchester and the guidance contained within the National Planning Policy Framework.

10) The residential use hereby approved shall be used only as private dwellings (which description shall not include serviced properties or similar uses where sleeping accommodation (with or without other services) is provided by way of trade for money or money's worth and occupied by the same person for less than ninety consecutive nights) and for no other purpose (including any other purpose in Class C3 of the Schedule to the Town and Country Planning (Use Classes) Order 1987 (as amended), or any provision equivalent to that Class in any statutory instrument revoking and re-enacting that Order with or without modification).

Reason - To safeguard the amenities of the neighbourhood by ensuring that other uses which could cause a loss of amenity such as serviced apartments/apart hotels do not commence without prior approval; to safeguard the character of the area, and to maintain the sustainability of the local community through provision of accommodation that is suitable for people living as families pursuant to policies DM1 and H11 of the Core Strategy for Manchester and the guidance contained within the National Planning Policy Framework

11) No part of the development shall be occupied unless and until details of a parking management strategy for residents has been submitted to and approved in writing by the City Council as Local Planning Authority. All works approved in discharge of this condition shall be fully completed before the development hereby approved is first occupied.

Reason - The development does not provide sufficient car parking facilities and in order to provide alternative arrangements (e.g. parking leases with car parking companies; car sharing; or car pool arrangement) for the needs of future residents whom may need to use a motorcar and Policies DM1 and T1.

12) Deliveries, servicing and collections, including waste collections shall not take place outside the following hours:

07:30 to 20:00 Monday to Saturday
10:00 to 18:00 Sundays and Bank Holidays

Reason - In interests of residential amenity in order to reduce noise and general disturbance in accordance with saved policy DC26 of the Unitary Development Plan for the City of Manchester and policies SP1 and DM1 of the Core Strategy.

13) The development hereby approved shall be carried out in accordance with the 47 Spear Street. BREEAM Report November 2023. A post construction review certificate/statement shall be submitted for approval, within a timeframe that has been previously agreed in writing by the City Council as local planning authority.

Reason - In order to minimise the environmental impact of the development, pursuant to policies SP1, DM1, EN4 and EN8 of Manchester's Core Strategy, and the principles contained within The Guide to Development in Manchester SPD (2007) and the National Planning Policy Framework.

14) Notwithstanding the 47 Spear Street, Television and Radio Reception Impact Assessment by G Tech 12/04/2023, within one month of the practical completion of the development or before the residential element of the development is first occupied, whichever is the sooner, and at any other time during the construction of the development if requested in writing by the City Council as local planning authority in response to identified television signal reception problems within the potential impact area a study shall identify such measures necessary to maintain at least the pre-existing level and quality of signal reception identified in the survey carried out above. The measures identified must be carried out either before the building is first occupied or within one month of the study being submitted to the City Council as local planning authority, whichever is the earlier.

Reason - To provide an indication of the area of television signal reception likely to be affected by the development to provide a basis on which to assess the extent to which the development during construction and once built, will affect television reception and to ensure that the development at least maintains the existing level and quality of television signal reception - In the interest of residential amenity, as specified in policy DM1 of Core Strategy

15) Notwithstanding the recommendation within the 47 Spear Street, Manchester Environmental Noise Survey and Noise Impact Assessment Report 31807/NIA 29 August 2024 by Hann Tucker Associates; before development commences details of the following shall be submitted:

(a) a scheme for acoustically insulating and mechanically ventilating the residential accommodation against local road traffic network, any local commercial/industrial premises and the insulation requirements and specification for service risers /lift shafts; and

The approved noise insulation scheme and vibration mitigation measures shall be completed before any of the dwelling units are occupied.

shall be submitted to and approved in writing by the City Council as local planning authority.

The following noise criteria shall apply

Bedrooms (night time - 23.00 - 07.00) 30 dB LAeq (individual noise events shall not exceed 45 dB

L_{Amax,F} by more than 10 times)

Living Rooms (daytime - 07.00 - 23.00) 35 dB LAeq

Additionally, where entertainment noise is a factor in the noise climate the sound insulation scheme shall be designed to achieve internal noise levels in the 63Hz and 125Hz octave centre frequency bands so as not to exceed (in habitable rooms) 47dB and 41dB (L_{eq,5min}), respectively.

(b) Prior to occupation a post completion report to verify that all of the recommended mitigation measures have been installed and effectively mitigate any potential adverse noise impacts in the residential accommodation (within at least 10% of the apartments) shall be submitted and agreed in writing by the City Council as local planning authority. Prior to occupation any non compliance shall be suitably mitigated in accordance with an agreed scheme.

Reason - To secure a reduction in noise in order to protect future residents from noise nuisance, pursuant to policies SP1, H1 and DM1 of the Core Strategy.

16) No externally mounted telecommunications equipment shall be mounted on any part of the building hereby approved, including the roofs other than with express written consent of the Local Planning Authority.

Reason - In the interest of visual amenity pursuant to Core Strategy Policies DM1 and SP1

17) Prior to the first use of the development hereby approved, a detailed Residential Management Strategy including:

*Details of how 24 hour management of the site in particular in relation to servicing and refuse (storage and removal) and noise management of communal areas shall be submitted to and agreed in writing by the City Council as Local Planning Authority.

shall be submitted to an approved in writing by the City Council as Local Planning Authority.

The approved management plan shall be implemented from the first occupation of the residential element and be retained in place for as long as the development remains in use.

Reason - In the interests of residential amenity, to safeguard the character of the area and to maintain the sustainability of the local community through provision of accommodation that is suitable for people living as families pursuant to policies DM1 and H11 of the Core Strategy for Manchester and the guidance contained within the National Planning Policy Framework.

18) The development hereby approved shall include for full disabled access to be provided to all publicly accessible areas and via the main entrances.

Reason - To ensure that satisfactory disabled access is provided by reference to the provisions Core Strategy policy DM1

19) The window(s) at ground level, fronting onto Spear Street shall be retained as a clear glazed window opening at all times and views into the premises shall not be screened or obscured in any way.

Reason - The clear glazed window(s) is an integral and important element in design of the ground level elevations and are important in maintaining a visually interesting street-scene consistent with the use of such areas by members of the public, and so as to be consistent with saved policy DC14 of the Unitary Development Plan for the City of Manchester and policies SP1 and DM1 of the Core Strategy.

20) Notwithstanding the General Permitted Development Order 2015 as amended by the Town and Country Planning (Permitted Development and Miscellaneous Amendments) (England) (Coronavirus) Regulations 2020 or any legislation amending or replacing the same, no further development in the form of upward extensions to the building shall be undertaken other than that expressly authorised by the granting of planning permission.

Reason - In the interests of protecting residential amenity and visual amenity of the area in which the development is located pursuant to policies DM1 and SP1 of the Manchester Core Strategy.

21) The cycle parking shall be fully implemented in accordance with dwg Dwgs LP2110 3 199 Rev A The development shall not be occupied unless and until the above cycle parking spaces are in place

Reason - To ensure there is sufficient cycles stand provision at the development and the residents in order to support modal shift measures pursuant to policies SP1, T1, T2 and DM1 of the Manchester Core Strategy (2012)

23) The ground floor and basement hereby approved shall be used only as offices to carry out any operational or administrative functions as set out under part (g)(i) of Use Class E and for no other purpose (including any other purpose in Class E of the Schedule to the Town and Country Planning (Use Classes) Order 1995 as amended, or any provision equivalent to that Class in any statutory instrument revoking and re-enacting that Order with or without modification).

Reason - To safeguard the amenities of the neighbourhood by ensuring that other uses which could cause a loss of amenity do not commence without prior approval pursuant to Core Strategy policies SP1 and DM1 and to ensure the permanent retention of the accommodation for office purposes.

23) Prior to the commencement of development a programme for submission of final details of the public realm works and highway works shall be submitted and approved in writing by the City Council as Local Planning Authority. The programme shall include an implementation timeframe and details of when the following details will be submitted:

(a) Details of the materials, including natural stone or other high quality materials to be used for the footpaths and for the areas between the back of pavement and the line of the proposed building on all site boundaries.

(b) Details of measures to create potential opportunities to enhance and create new biodiversity at roof level within the development to include bat boxes and brick, bird boxes;

The details shall then be submitted and / or carried out in accordance with the approved programme and approved details.

Reason - To ensure a satisfactory development delivered in accordance with the above plans and in the interest of pedestrian and highway safety pursuant to Section 170 of the NPPF 2019, to ensure that a satisfactory landscaping scheme for the development is carried out that respects the character and visual amenities of the area, in accordance with policies R1.1, I3.1, T3.1, S1.1, E2.5, E3.7 and RC4 of the Unitary Development Plan for the City of Manchester and policies SP1, DM1, EN1, EN9 EN14 and EN15 of the Core Strategy.

24) Waste Storage and Management shall be implemented in accordance with the following:

DELIVERY, SERVICING AND WASTE MANAGEMENT STRATEGY by SCP-
Proposed Commercial and Residential Development
Spear Street, Manchester WB/230130/DSWMP - 02 August 2024

The above approved scheme shall be implemented prior to the first occupation of each of: (a) the residential element; (b) the ground floor and basement office space shall remain in situ whilst the development is in operation.

The approved details shall be implemented and remain in place for as long as the unit is in use (and any subsequent permitted changes of use under Class E)

Reason - To ensure adequate refuse arrangement are put in place for the residential element of the scheme pursuant to policies EN19 and DM1 of the Manchester Core Strategy.

25) No doors (other than those designated as fire exits) shall open outwards onto adjacent pedestrian routes.

Reason - In the interest of pedestrian safety pursuant to policy DM1 of the Manchester Core Strategy (2012).

26) The development shall be carried out in accordance with the Crime Impact Statement Version A.

The development shall only be carried out in accordance with these approved details. The development hereby approved shall not be occupied or used until the Council as local planning authority has acknowledged in writing that it has received written confirmation of a secured by design accreditation.

Reason - To reduce the risk of crime pursuant to policies SP1 and DM1 of the Core Strategy and to reflect the guidance contained in the National Planning Policy Framework

27) Prior to occupation of the development details of a Travel Pack for residents / commercial occupiers which should include useful information of the nearest public transport services, journey planning and local amenities shall be submitted to and approved in writing by the City Council as local planning authority. The approved plan shall be shared with residents/ commercial occupiers prior to occupation of each unit.

Reason - To assist promoting the use of sustainable forms of travel and to secure a reduction in air pollution from traffic or other sources in order to protect existing and future residents from air pollution. , pursuant to policies SP1, T2 and DM1 of the Core Strategy, the Guide to Development in Manchester SPD (2007) and Greater Manchester Air Quality action plan 2016.

28) Before any use of the ground floor/ basement Class E (g) use hereby approved commences details of the proposed opening hours shall be submitted to and approved in writing by the City Council as local planning authority. The unit shall be not be operated outside the hours approved in discharge of this condition.

The approved details shall be implemented and remain in place for as long as the unit is in use (and any subsequent permitted changes of use under Class E).

Reason - In interests of residential amenity in order to reduce noise and general disturbance in accordance with saved policy DC26 of the Unitary Development Plan for the City of Manchester and policies SP1 and DM1 of the Core Strategy.

29) Prior to the first use of the development hereby approved, details of the siting, scale and appearance of the solar panels to the roof of the buildings (including cross sections). The approved details shall then be implemented prior to the first use of the development and thereafter retained and maintained in situ.

Reason - In the interest of ensuring the solar panels are installed and to ensure that they are appropriate in terms of visual amenity and solar glare pursuant to policies SP1, EN1, EN6 and DM1 of the Manchester Core Strategy (2012).

30) Prior to commencement of development a scheme for the Biodiversity Enhancement Measures, as set out in section 9.3 of the Preliminary Ecological Appraisal by Verity Webster Ltd dated June 2023 rev B, shall be submitted to and approved in writing by the Local Planning Authority.

The approved scheme shall be implemented prior to first occupation of the development (or in accordance with a phasing plan which shall first be agreed in writing with the local planning authority) and shall be retained thereafter.

Reason To ensure a satisfactory development delivered in accordance with the above plans pursuant to Section 180 of the NPPF 2023, to ensure and policies SP1, DM1 and EN15 of the Core Strategy.

Informatives

Building Regulations 2010

This permission does not grant approval under Building Regulations.

Street Naming & Numbering Requirements

Manchester City Council is responsible for allocating street naming and numbering within Manchester for new developments or property conversions. Individuals or businesses are not permitted to allocate their own property numbers, building or street names.

If your development includes the creation of new dwellings (either new build or conversion of existing buildings), creation of new commercial properties or the subdivision of existing properties you must ensure that you request new or changes to addresses through us so they can be officially allocated and registered in accordance with the Public Health Act 1925 Sections 17-19 & Greater Manchester Act 1981 Section 22.

Failure to do this may result in difficulties for the developer/occupier when requiring services such as connections to utilities, phone lines and postal services and may delay your development.

You can apply online at the following address:

http://www.manchester.gov.uk/info/100011/roads_parking_and_transport/1988/naming_and_numbering_of_houses_buildings_streets_and_roads/2

Mining Information

The proposed development lies within an area which could be subject to current coal mining or hazards resulting from past coal mining. Please read the Standing Advice from the Coal Authority in Appendix A.

Cadent Gas Ltd own and operate the gas infrastructure within the area of your development. Prior to carrying out works, please register on www.linesearchbeforeudig.co.uk to submit details of the planned works for review, ensuring requirements are adhered to.

Construction/demolition works shall be confined to the following hours unless otherwise agreed in writing by the City Council as local planning authority:

Monday - Friday: 7.30am - 6pm
Saturday: 8.30am - 2pm
Sunday / Bank holidays: No work

Workforce may arrive on site 30 minutes prior but no working outside these times, unless changed by prior agreement. Noise to be kept to a minimum in the first hour.

Reason - To safeguard the amenities of the occupiers of nearby residential accommodation during the construction phase.

Any materials approved for planning purposes should be discussed in full with Building Control. This is to ensure they meet the guidance contained in the Building Regulations for fire safety. Should it be necessary to change the external facade treatment due to conflicts with the Building Regulations you should discuss these with the Planning Service as soon as possible as this could materially effect your permission.

As the proposal involves development over 11m in height (or alterations to increase the height of a building above 11m), developers are required to notify the Greater Manchester Fire & Rescue Service of the commencement of development via email to construction-started@manchesterfire.gov.uk

As the proposal involves development over 11m in height (or alterations to increase the height of a building above 11m), developers are required to notify the Greater Manchester Fire & Rescue Service of the commencement of development via email to construction-started@manchesterfire.gov.uk

All of the works required to achieve the new accesses / egresses and associated TROs should be included as part of a S278 agreement to be funded by the applicant

For this development proposals for good practice principles for both the design and operational phases are recommended. Reference should be made to IAQM/EPUK guidance: <http://iaqm.co.uk/guidance>

Generator: The routine maintenance and servicing of any emergency generator shall be confined to Monday to Friday 08:00 to 18:00 hours.

Details of how the construction process will control of noise and vibration shall be agreed with MCC Environmental Protection Officers as a minimum, they will require details of machinery and equipment to be used and their expected noise levels, the identification of the noisiest activities and who these activities / work may impact, duration of these activities, site wide noise and vibration mitigation measures with reference to BPM to be adopted on site specifically for the noisier or more intrusive activities, the maximum site noise level and vibration levels at the site boundary particularly during the noisier activities, details of monitoring including how monitored (continual noise and vibration loggers) location of monitoring in relation to receptors, how the site supervisor is alerted if the noise /vibration limit is approached or exceeded and details of what action is taken where the maximum site noise and / or vibration levels (once agreed) are approached or exceeded (such as work shall cease until the cause of the exceedance has been identified and where necessary, an alternative method of work established).

Detail should be sought from the applicant in relation to any proposed construction or fit out arrangements, where there is an impact on the highway. The applicant is advised that any requirements for licensing, hoarding / scaffolding and any associated temporary traffic management arrangements will need discussion and agreement with the council's Highways Applications and Network Resilience teams via Contact Manchester (Tel. 0161 234 5004).

Date: 19 September 2024

Signed: 

Julie Roscoe
Director of Planning, Building Control & Licensing

Manchester City Council, P O Box 532, Town Hall, Manchester M60 2LA

Notes

1. This permission refers only to that required under the Town and Country Planning Act 1990 does not include any consent or approval under any other enactment, byelaw, order or regulation.

2 If the applicant is aggrieved by the decision of the local planning authority to refuse permission or approval for the proposed development, or to grant permission or approval subject to conditions, they may appeal to the Secretary of State in accordance with Section 78(1) of the Town and Country Planning Act 1990 within six months of the date of the notice of the decision.

The Planning Inspectorate have introduced an online appeals service that can be used to make appeals online. This service is available through the gov.uk website – www.gov.uk/appeal-planning-decision The Inspectorate will publish details of your appeal on the internet. Alternatively If you are unable to access the online appeal form, please contact the Planning Inspectorate to obtain a paper copy of the appeal form on tel: 0303 444 5000.

The Secretary of State has power to allow a longer period for the giving of a notice of appeal but they will not normally be prepared to exercise this power unless there are special circumstances that excuse the delay in giving notice of appeal.

If you intend to submit an appeal that you would like examined by inquiry then you must notify the City Council (planning@manchester.gov.uk) and the Planning Inspectorate (inquiryappeals@planninginspectorate.gov.uk) at least 10 days before submitting the appeal. Further details are on GOV.UK.

3. The statutory requirements are those set out in Section 79(6) of the Town and Country Planning Act 1990, namely Sections 70(1) and 72(1) of the Act.

4. If either the local planning authority or the Secretary of State refuses permission to develop land or grants it subject to conditions, the owner may claim that they can neither put the land to a reasonably beneficial use in its existing state nor render the land capable of a reasonably beneficial use by the carrying out of any development which has been or would be permitted.

In these circumstances, the owner may serve a purchase notice on the Council in whose area the land is situated. This notice will require the Council to purchase his interest in the land in accordance with the provisions of Part VI of the Town and Country Planning Act 1990

5. In certain circumstances, a claim may be made against the local planning authority for compensation, where permission is refused or granted subject to conditions by the Secretary of State on appeal or on a reference of the application to them. The circumstances in which such compensation is payable are set out in Section 114 of the Town and Country Planning Act 1990.

Appendix A



The Coal Authority

STANDING ADVICE - DEVELOPMENT LOW RISK AREA

The proposed development lies within a coal mining area which may contain unrecorded coal mining related hazards. If any coal mining feature is encountered during development, this should be reported immediately to the Coal Authority on 0345 762 6848.

Further information is also available on the Coal Authority website at:

www.gov.uk/government/organisations/the-coal-authority

Standing Advice valid from 1st January 2023 until 31st December 2024