




General Notes

1. This drawing is to be read in conjunction with all relevant architects & engineers drawings & specifications.
2. The contractor is to be responsible for all dimensions & for the correct setting out of the works on site.
3. Do not scale from this drawing.



01 Typical Base Plate Detail
1:10




Detail shows design intent only, subject to detailed design

Bolt Spacing:				
Bolt Size	Hole Dia (mm)	Vertical Pitch PV (mm)	Horizontal Pitch HV (mm)	Edge Distance E (mm)
M20	22	70	50	40
M24	26	80	60	50
M30	33	100	75	60

Clearance, C1: 10mm UB<610
20mm UB >610


02 Typical Steel Connection Detail (Flexible End-Plate)
1:10



Bolt Spacing:				
Bolt Size	Hole Dia (mm)	Vertical Pitch PV (mm)	Horizontal Pitch HV (mm)	Edge Distance E (mm)
M20	22	70	50	40
M24	26	80	60	50
M30	33	100	75	60

Clearance, C1: 10mm UB<610
20mm UB >610


03 Typical Section (Fin Plate Single Line)
1:10




Bolt Spacing:				
Bolt Size	Hole Dia (mm)	Vertical Pitch PV (mm)	Horizontal Pitch HV (mm)	Edge Distance E (mm)
M20	22	70	50	40
M24	26	80	60	50
M30	33	100	75	60

Clearance, C1: 10mm UB<610
20mm UB >610


04 Typical Section (Fin Plate Double Line)
1:10



05 Typical Trimmer Connection Detail (For new riser steelwork)
1:10



06 Typical Stringer Bearing Detail
1:10



06a Section
1:10

C01	24/07/24	ASM	JS	Issued for Construction
P02	15/09/23	ASM	JS	Stage 04 issue
P01	08/09/23	ASM	JS	For Information
Rev	Date	By	Chkd	Description

Eckersley
O'Callaghan

London Office 9th Floor, 236 Gray's Inn Rd, London WC1X 9HB
+44 (0) 20 7354 5402 eocengineers.com

Project Title
Sunlight House

Drawing Title
Typical Details

Project Number	Scale
22222	1:10 [A1]

Drawn By	Date
TJ	Nov 2022

Drawing Suitability	Version
A1 - For Construction	

Drawing Number	Revision
SUN-EOC-V1-ZZ-DR-S- 4101	C01