

SCHEDULES OF EQUIPMENT AND MANUFACTURERS



Project	1394			Equipment	Pipework Standards	Rev.	SC-0020
Prepared by	L. Holland			Revision	1	Date	09/05/2024
Supplier/Manufacturer							
Service	Specification Reference	Location	Pipe Material Specification				
Domestic Hot & Cold Water		Internal distribution pipework	Viega Copper to EN 1057 (15-67) Xpress & Compression / Aquatecnic				
AGD		Internal distribution pipework	Terrain HDPE, MuPVC pipework				

Service	Specification Reference	Location	Joint <50	Joint 65>
Domestic Hot & Cold Water		Internal distribution pipework	Compression, Crimped	Welded
AGD		Internal distribution pipework	Solvent Welded	Solvent Welded

Notes:	
1	Pressure Equipment Directive (P.E.D. 97/23/EC) standards for Metric Bore stainless steel as below: EN 10217-7 (Welded stainless steel pipes and tubes for pressure purposes) EN 10253-3 (Stainless steel butt weld fittings without specific testing requirements) or EN 10253-4 (Stainless steel Butt Weld fittings with NDT) EN 1092-1 (Standard for stainless steel pressure rated pressed collars)
2	Pressed fittings only from Peglar Xpress or approved equivalent
3	Soldered fittings either YPS/YP range from Peglar Yorkshire or approved equivalent
4	BS 5255:1989 Specification for Thermoplastics Waste Pipe and Fittings
5	BS 4514:2001 PVC Soil and Ventilation Pipes, Fittings and Accessories
6	BS EN 1329:2000 Plastic Piping Systems for Soil and Waste Discharge