







Key:

- Swift Nest Box x6
- 2F Schwegler Bat Box x3
- 2FE Schwegler Wall-Mounted Bat Box x2
- Hedgehog Access Holes x3
- Swift Nest Box Attachment Positions x6
- 2FE Schwegler Wall-Mounted Bat Box Attachment Positions x 2

Notes:

Bat boxes should be installed onto the proposed building or tree at least 4m above ground level, positioned facing south to southeast to allow the box to be warmed by the sun.

Swift bird boxes should be placed between 3 and 5m above ground. These should be installed onto the proposed building under the building eaves, and positioned between north and east to avoid strong sunlight and high winds.

The location of boxes is indicative and attachment to the building should be supervised by an ecologist. Boxes of similar specification but different brand may be used. Boxes will be installed prior to occupation.

Hedgehog access holes should measure 130x130mm, and be placed at the base of the fence to allow access for hedgehogs and small mammals.

Base Map Reference: NW-2697-05-LA-101
North and East Elevation Reference:
NO-2697-3-AC-2001-REV-E
South Elevation Reference:
NO-2697-3-AC-2002-REV-E

Issue:	Revision:	Date:	Drawn:	Authorised:
1	1	12/04/2024	HB	CK

Client: McCarthy and Stone	Job No. 81-002	Date: 12/04/2024
	Drawing No. 81-002-03	Scale: NTS
Job title: Spath Road, Didsbury	Drawing title: Bat Box, Bird Box and Hedgehog Access Plan	

Environmental Engineering Partnership Ltd
Manchester Office
Taylor Road, Urmston M41 7JQ
Tel: 0161 707 9612
Email: info@e3p.co.uk
Website: www.e3p.co.uk

The client must not amend any drawing, design or other intellectual property produced by E3P Ltd without permission in writing from E3P Ltd in advance of any amendments being made. In the event that such written permission is not obtained in advance of the amendments being made, E3P Ltd shall not be liable for any damage and/or losses occurring as a result of the amended drawing, design or intellectual property.