


Outdoor | Wall- and ceiling-mounted luminaires | Yori IP66 Wall



Narrow 17°



Risk 1

850°



Code X.DR02B.HN8D

Light source features

Number of light sources direct light: 1

Source type: LED

Watt: 7W

Lm: 966lm

Lm/W: 138lm/W

Kelvin/CRI: 4000K / >90

SDCM/L80 B10: < 3 / 50000

Number of light sources indirect light: 1

Source type: LED

Watt: 7W

Lm: 966lm

Lm/W: 138lm/W

Kelvin/CRI: 4000K / >90

SDCM/L80 B10: < 3 / 50000

Fixture total output: 1222 lm

Fixture efficacy: 76 lm/W

Imax: 5249 cd

Electrical features

Driver included: NO

Driver type: no driver included

Total power consumption (LED + DRIVER): 8 + 8 W

Isolation class: Class III

Optical features

Beam angle: 17°

Interchangeable optic (IOS): NO

Physical features

Material: As per below

Finishing: Black anodized aluminium

IP: product IP66, accessories can modify product IP

Notes:

Weight 740g (8F: 1440g) *Special finishes: 9D, 9F, 9M, 9N, 9P, 9Q

Working temperature: -20°C +50°C

Cable lenght: 30cm



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Reggiani Lighting Srl

Viale Monza, 16 20845 Sovico (MB) Italy
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net
contact@reggiani.net

Driver





Code 0.30525.0000 - Driver (IP67)

Type: On-Off

Watt: 70W - AC Input: 220-240Vac - mA:mA

Description: For more details, see the driver datasheet.





Code 0.30526.0000 - Driver (IP67)

Type: On-Off

Watt: 150W - AC Input: 220-240Vac - mA:mA

Description: For more details, see the driver datasheet.





Code D.30524.0000 - Driver (IP67)

Type: DALI

Watt: 30W - AC Input: 220-240Vac - mA:mA

Description: For more details, see the driver datasheet.





Code D.30525.0000 - Driver (IP67)

Type: DALI

Watt: 60W - AC Input: 220-240Vac - mA:mA

Description: For more details, see the driver datasheet.





Code D.30526.0000 - Driver (IP67)

Type: DALI

Watt: 160W - AC Input: 220-240Vac - mA:mA

Description: For more details, see the driver datasheet.





Code D.30529.0000 - Dimmer RGBW

Type: Dimmer DMX

Watt: 150W - AC Input: 220-240Vac - mA:mA

Description: For more details, see the driver datasheet.

Driver





Code DX.30528.0000 - Dimmer RGBW

Type: Dimmer DMX

Watt: 150W - AC Input: 220-240Vac - mA:mA

Description: For more details, see the driver datasheet.





Code DX.30851.0000 - Dimmer - 1 channel (IP20)

Type: Dimmer DMX

Watt: 150W - AC Input: 24Vcc - mA:mA

Description: For more details, see the driver datasheet.




Code Y.30826.0000 - Dimmer -1 channel (IP20)

Type: DALI / PUSH

Watt: 150W - AC Input: 24-48Vcc - mA:mA


Description: For more details, see the driver datasheet.

Accessories




Code 0.27430.0000 - Cable Connector 2,5mmq_2 way

Type: Electrical
IP (product with accessory): IP66
Length: 100mm Width: 29mm Height: 29mm




Code 0.27431.0000 - Cable Connector 2,5mmq_3 way_T

Type: Electrical
IP (product with accessory): IP66
Length: 68.5mm Width: 83mm Height: 19.5mm




Code 0.27432.0000 - Cable Connector 2,5mmq_3 way_Y

Type: Electrical
IP (product with accessory): IP66
Length: 90mm Width: 43mm Height: 20mm





Code 0.27433.0000 - Cable Connector 2,5mmq_4 way

Type: Electrical
IP (product with accessory): IP66
Length: 105mm Width: 44mm Height: 24mm



Code 0.27440.0000 - Cable Connector 0,5mmq_2 way

Type: Electrical
IP (product with accessory): IP66
Length: 44mm Width: 27mm Height: 17.5mm




Code 0.27441.0000 - Cable Connector 0,5mmq_3 way_T

Type: Electrical
IP (product with accessory): IP66
Length: 45mm Width: 30mm Height: 44mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories




Code 0.27447.0000 - Cable connector 4mmq_2way

Type: Electrical
IP (product with accessory): IP66
Length: 120mm Width: 41mm Height: 40mm




Code 0.27448.0000 - Cable connector 4mmq_3way T

Type: Electrical
IP (product with accessory): IP66
Length: 116mm Width: 41mm Height: 35mm




Code 0.27449.0000 - Cable connector 4mmq_4 way

Type: Electrical
IP (product with accessory): IP66
Length: 138mm Width: 78mm Height: 35mm




Code 0.27450.0000 - Cable 0,5mmq_5m

Type: Electrical
IP (product with accessory): IP66
Length: 5000mm



Code 0.27451.0000 - Cable 0,5mmq_10m


Type: Electrical
IP (product with accessory): IP66
Length: 10000mm



Code 0.27452.0000 - Cable 0,5mmq_15m


Type: Electrical
IP (product with accessory): IP66
Length: 15000mm

Accessories



Code 0.27453.0000 - Cable 0,5mmq_20m

Type: Electrical
IP (product with accessory): IP66
Length: 20000mm



Code 0.27454.0000 - Cable 0,5mmq_25m

Type: Electrical
IP (product with accessory): IP66
Length: 25000mm

Internal accessories



Code .A - Antiglare

Type: Filters

IP (product with accessory): IP66

Description: Add the accessory code to the end of the product code to order it and receive the product with accessory included. (ie.X.BR00A.HN8C.4A)

See the product brochure for further explanations.



Code .H - Honeycomb


Type: Filters

IP (product with accessory): IP66

Finishing: Black

Description: Add the accessory code to the end of the product code to order it and receive the product with accessory included. (ie.X.BR00A.HN8C.4A)

See the product brochure for further explanations.




Code .S - Spread lens

Type: Filters

IP (product with accessory): IP66

Description: Add the accessory code to the end of the product code to order it and receive the product with accessory included. (ie.X.BR00A.HN8C.4A)

See the product brochure for further explanations.




Code .4A - Colored glass filter_red

Type: Filters

IP (product with accessory): IP66

Description: Add the accessory code to the end of the product code to order it and receive the product with accessory included. (ie.X.BR00A.HN8C.4A)

See the product brochure for further explanations.




Code .5A - Colored glass filter_green

Type: Filters

IP (product with accessory): IP66

Description: Add the accessory code to the end of the product code to order it and receive the product with accessory included. (ie.X.BR00A.HN8C.4A)

See the product brochure for further explanations.



Code .6A - Colored glass filter_blue


Type: Filters

IP (product with accessory): IP66

Description: Add the accessory code to the end of the product code to order it and receive the product with accessory included. (ie.X.BR00A.HN8C.4A)

See the product brochure for further explanations.

Internal accessories




Code .7A - Colored glass filter_pink

Type: Filters

IP (product with accessory): IP66

Description: Add the accessory code to the end of the product code to order it and receive the product with accessory included. (ie.X.BR00A.HN8C.4A)

See the product brochure for further explanations.




Code .8A - Colored glass filter_yellow

Type: Filters

IP (product with accessory): IP66

Description: Add the accessory code to the end of the product code to order it and receive the product with accessory included. (ie.X.BR00A.HN8C.4A)

See the product brochure for further explanations.




Code .9A - Colored glass filter_orange

Type: Filters

IP (product with accessory): IP66

Description: Add the accessory code to the end of the product code to order it and receive the product with accessory included. (ie.X.BR00A.HN8C.4A)

See the product brochure for further explanations.




Code .20K - Selective filter_2700-2000K

Type: Filters

IP (product with accessory): IP66

Description: Add the accessory code to the end of the product code to order it and receive the product with accessory included. (ie.X.BR00A.HN8C.4A)

See the product brochure for further explanations.




Code .22K - Selective filter_2700-2200K

Type: Filters

IP (product with accessory): IP66

Description: Add the accessory code to the end of the product code to order it and receive the product with accessory included. (ie.X.BR00A.HN8C.4A)

See the product brochure for further explanations.



Code .25K - Selective filter_2700-2500K


Type: Filters

IP (product with accessory): IP66

Description: Add the accessory code to the end of the product code to order it and receive the product with accessory included. (ie.X.BR00A.HN8C.4A)

See the product brochure for further explanations.

Internal accessories



Code .35K - Selective filter_3000-3500K

Type: Filters

IP (product with accessory): IP66

Description: Add the accessory code to the end of the product code to order it and receive the product with accessory included. (ie.X.BR00A.HN8C.4A)

See the product brochure for further explanations.
