



TECHNICAL SUBMITTAL

Project: Fourways House, Manchester

Project No: F3-24-007

Galv PC Skirting Trunking

Document Ref: TS-008

Issue Date: 28.3.24

Revision: 1

TECHNICAL SUBMITTAL

Doc Ref;	Equipment;	Revision No:	Date of Issue;	Response Req'd By;
TS-008	Galv PC Skirting Trunking	1	28.3.24	29.3.24

Attached Documents;

- Flytec Perimeter Systems

Distribution;

Client

Principal Contractor

Consultant

Comments;

As highlighted within the data sheet.

Status / Approval;

A	☐	B	☐	C	☐
Approved		Approved Subject to Comments		Rejected	

Signature *B Lester*

Print B Lester

Date: 28.3.24

Company: Cubic Works

IF THIS DOCUMENT IS NOT RETURNED WITHIN THE REQUIRED PERIOD SET IN THE CONTRACT DOCUMENTS, THEN THIS SUBMITTAL SHALL BE DEEMED TO BE ACCEPTED AS STATUS 'A'

Perimeter Systems

Skirting, Dado & Bench Trunking


PERIMETER SYSTEMS CONTENTS

Contents	Page Number
Perimeter Systems Range	146
How to order guide	147
Skirting Trunking	148
Skirting & Dado Accessories	150
Dado Trunking	151
Bench Trunking	154


Perimeter Systems

Typical Profiles - Skirting & Dado


Top Chamfer Skirting - **TC**




Top Flat Skirting - **TF**




Chamfered Dado - **CD**



Square Dado - **SD**



Double Chamfer Dado - **DCD**



Perimeter Systems

How to order Skirting & Dado Trunking

How to order Perimeter Trunking guide:

- To order Skirting/Dado Trunking, select the trunking family (see page 146), the size (see table below), and the compartment 2C or 3C

For example:

- Square Dado Trunking in size 6x2 in 2 Compartments
- Take trunking reference **SD** + size **62** + 2 compartment **2C** to give **SD62/2C**

Perimeter Systems Size Guide	
62 (6x2)	2C
82 (8x2)	3C*

*Not available in all parts

How to order Perimeter Trunking Accessories guide:

- To order Skirting/Dado Trunking Accessories, simply select the trunking family, the size, the compartment and the accessory

For example:

- Top Chamfer Skirting Trunking 90° Internal Bend in size 6x2 in 2 Compartments
- Take trunking reference **TC** + size **62** + 2 compartment **2C** + 90° Internal Bend **ISB** to give **TC62/2C/ISB**


Skirting Trunking

Skirting Trunking

Skirting Trunking is supplied in 2 metre lengths, comprising a Galvanised sheet steel body with powder coated overlapping lid, in the colour white as standard. A cover strap is provided with each length of lid. This reduces the necessity for special on-site cutting requirements, as the strap covers any cut edges.

Features:


- 20mm knockouts in the partition at the 250mm centres, allowing easy positioning of outlet plates, which require screening via the steel back box that fixes to the partition
- Chamfered or flat top options as standard
- Other powder coated finishes are available even when only a short run of trunking is required
- 2 or 3 compartments are most commonly used. However, systems to suit client's individual requirements can be manufactured with the same short lead time



150mm x 50mm

TF62/2C


2 Comp, top 50mm - bottom 100mm



200mm x 50mm

TF82/3C


3 Comp, top 50mm, centre 100mm, bottom 50mm



150mm x 50mm

TC62/2C

2 Comp, top 50mm - bottom 100mm



200mm x 50mm


TC82/3C

3 Comp, top 50mm, centre 100mm & bottom 50mm


Please note: The accessories on Page 149 show images for **TC** Skirting Trunking as an example. To order **TF** Skirting Trunking, add '**TF**' to the start of the part code. For example, **TF** + size **62** + 2 compartment **2C** + 90° Internal Bend **ISB** to give **TF62/2C/ISB**

Trunking Accessories


Skirting Accessories - TC Range




90° Internal Bend **ISB**
45° Internal Bend **IB**




90° External Bend **ESB**
45° External Bend **EB**




Flat Bend (downward) **FSB/D**




Flat Bend (Upward) **FSB/U**




Flat Tee (Up) Left **FST/LH-U**
Flat Tee (Up) Right **FST/RH-U**




Flat Tee (Down) Left **FST/LH-D**
Flat Tee (Down) Right **FST/RH-D**




Single Socket Lid 2C Bottom
2C/SSOBTM




Single Socket Lid 2C Top
2C/SSOTOP




Single Socket Lid 3C
3C/SSO



Twin Socket Lid 2C Bottom
2C/TSOBTM



Twin Socket Lid 2C Top
2C/TSOTOP




Twin Socket Lid 3C
3C/TSO


Trunking Accessories

Skirting Accessories


TF Range Socket Plates




Single Socket Lid 2C Bottom
2C/SSOBTM




Single Socket Lid 2C Top
2C/SSOTOP




Single Socket Lid 3C
3C/SSO



Twin Socket Lid 2C Bottom
2C/TSOBTM



Twin Socket Lid 2C Top
2C/TSOTOP



Twin Socket Lid 3C
3C/TSO

How to order guide:

Accessory part numbers are the same for all styles of skirting and dado. It is the trunking part number pre-fixed before the accessory that ensures you get the correct item

For example: A twin socket outlet lid for 200mm x 50mm, 3 compartment flat top skirting. Take trunking reference **TF82/3C** + accessory part number **TSO** to give **TF82/3C/TSO** or **TF82** + accessory part number **EC/LH** to give **TF82/EC/LH**

Factory Manufactured Sets

- Pier sets and off sets can be pre-made, therefore minimising labour costs.



End cap left hand **EC/LH**



End cap righthand **EC/RH**



Back Box (Single) **SS/SB**
Back Box (Twin) **TS/SB**

Dado Trunking

Dado Trunking

Dado Trunking is supplied in 2 metre lengths. Manufactured to the same high quality as our skirting trunking, Dado trunking is designed to be installed around the perimeter above floor level, allowing for optimum use of floor space.

Features:

- Chamfer Top, Flat Top or Double Chamfer Dado options are available as standard
- 20mm knockouts in the partition at the 250mm centres, allowing easy positioning of outlet plates, which require screening via the steel back box that fixes to the partition
- Other powder coated finishes are available
- 2 or 3 compartments are most commonly used. However, systems to suit client's individual requirements can be manufactured



150mm x 50mm

SD62/2C

2 Compartment, top 50mm - bottom 100mm



200mm x 50mm

SD82/3C

3 Compartment, top 50mm, centre 100mm bottom 50mm



150mm x 50mm

CD62/2C

2 Compartment, top 50mm - bottom 100mm




200mm x 50mm

CD82/3C

3 Comp, top 50mm, centre 100mm & bottom 50mm

Dado Trunking


Dado Trunking - DCD Range



100mm x 100 mm

DCD/82/2C

2 Compartment, top 100mm, bottom 100mm



200mm x 50 mm

DCD/82/3C


3 Compartment, top 50mm, centre 100mm, bottom 50mm

How to order guide:


Accessory part numbers are the same for all styles of skirting and dado. It is the trunking part number pre-fixed before the accessory that ensures you get the correct item.

For example:


- An external bend for 200mm x 50mm, 2 compartment double chamfer dado
- Take trunking reference **DCD82/2C** + accessory part number **ESB** to give **DCD82/2C/ESB**




Single Socket Lid 2C
2C/SSO



Single Socket Lid 3C
3C/SSO



Twin Socket Lid 2C
2C/TSO




Twin Socket Lid 3C
3C/TSO

Please note: The socket lids above show images for **DCD** Dado Trunking as an example.


Dado Trunking

Dado Accessories - 2 Compartment




45° Flat Bend

FB




45° External Bend

EB




45° Internal Bend

IB




External Tee

EST




Flat tee

FST




Internal Tee

IST




90° External Bend Square

ESB




90° Flat Bend Square

FSB




90° Internal Bend Square

ISB



Cover Strap

LC



End Cap

EC

Please note: The accessories above show images for **DCD** Dado Trunking as an example.

To order **SD** or **CD** Dado Trunking, add '**SD**' or '**CD**' to the start of the part code.

For example, **SD** + size **62** + 2 compartment **2C** + 90° Internal Bend **ISB** to give **SD62/2C/ISB**