

Appendix 9.7 Baseline vs Cumulative Tabulated VSC Results

Project Name: 33 Cheetham Hill Road
 Project No.: 2029
 Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
Britton House								
Ground	R1	Residential	Unknown	W1	33.33	33.33	0.00	1.00
				W2	26.49	11.09	15.40	0.42
				W3	26.16	7.71	18.45	0.29
	R2	Residential	Unknown	W4	31.42	6.71	24.71	0.21
	R3	Residential	Unknown	W5	29.37	5.69	23.68	0.19
	R4	Residential	Unknown	W6	35.35	5.20	30.15	0.15
				W7	9.12	3.26	5.86	0.36
	R5	Residential	Unknown	W8	8.71	6.85	1.86	0.79
	R6	Residential	Unknown	W9	18.96	12.08	6.88	0.64
	R7	Residential	Unknown	W10	18.47	12.18	6.29	0.66
	R8	Residential	Unknown	W11	17.97	12.48	5.49	0.69
	R9	Residential	Unknown	W12	5.60	3.85	1.75	0.69
	R10	Residential	Unknown	W13	17.11	13.16	3.95	0.77
				W14	16.95	13.33	3.62	0.79
	R11	Residential	Unknown	W15	3.48	3.48	0.00	1.00
	R12	Residential	Unknown	W16	13.10	12.51	0.59	0.95
	R13	Residential	Unknown	W17	14.81	12.16	2.65	0.82
First	R1	Residential	Unknown	W1	35.59	35.54	0.05	1.00
				W2	27.99	12.18	15.81	0.44
				W3	27.59	8.64	18.95	0.31
	R2	Residential	Unknown	W4	33.11	7.85	25.26	0.24
	R3	Residential	Unknown	W5	31.18	6.31	24.87	0.20
	R4	Residential	Unknown	W6	16.21	11.20	5.01	0.69
				W7	36.57	5.51	31.06	0.15
				W8	12.20	4.93	7.27	0.40
	R5	Residential	Unknown	W9	9.13	7.24	1.89	0.79

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R6	Residential	Unknown	W10	19.79	12.93	6.86	0.65
	R7	Residential	Unknown	W11	19.11	13.18	5.93	0.69
	R8	Residential	Unknown	W12	18.81	13.36	5.45	0.71
	R9	Residential	Unknown	W13	8.60	6.57	2.03	0.76
	R10	Residential	Unknown	W14	17.99	14.11	3.88	0.78
				W15	17.85	14.30	3.55	0.80
	R11	Residential	Unknown	W16	5.17	5.17	0.00	1.00
	R12	Residential	Unknown	W17	13.97	13.39	0.58	0.96
	R13	Residential	Unknown	W18	15.55	12.97	2.58	0.83
Second	R1	Residential	Unknown	W1	37.07	37.02	0.05	1.00
				W2	29.83	13.44	16.39	0.45
				W3	29.36	9.75	19.61	0.33
	R2	Residential	Unknown	W4	34.41	8.72	25.69	0.25
	R3	Residential	Unknown	W5	32.22	6.77	25.45	0.21
	R4	Residential	Unknown	W6	17.05	11.84	5.21	0.69
				W7	37.59	5.89	31.70	0.16
				W8	12.96	5.52	7.44	0.43
	R5	Residential	Unknown	W9	9.61	7.72	1.89	0.80
	R6	Residential	Unknown	W10	20.60	13.83	6.77	0.67
	R7	Residential	Unknown	W11	19.93	14.09	5.84	0.71
	R8	Residential	Unknown	W12	19.64	14.31	5.33	0.73
	R9	Residential	Unknown	W13	9.37	7.38	1.99	0.79
	R10	Residential	Unknown	W14	18.89	15.11	3.78	0.80
				W15	18.78	15.32	3.46	0.82
	R11	Residential	Unknown	W16	5.65	5.65	0.00	1.00
	R12	Residential	Unknown	W17	14.88	14.31	0.57	0.96

Project Name: 33 Cheetham Hill Road
 Project No.: 2029
 Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R13	Residential	Unknown	W18	16.32	13.81	2.51	0.85
Third	R1	Residential	Unknown	W1	38.18	38.13	0.05	1.00
				W2	30.95	14.26	16.69	0.46
				W3	30.43	10.46	19.97	0.34
	R2	Residential	Unknown	W4	35.38	9.39	25.99	0.27
	R3	Residential	Unknown	W5	33.08	7.19	25.89	0.22
	R4	Residential	Unknown	W6	17.79	12.40	5.39	0.70
				W7	38.44	6.29	32.15	0.16
				W8	13.46	6.04	7.42	0.45
	R5	Residential	Unknown	W9	10.11	8.26	1.85	0.82
	R6	Residential	Unknown	W10	21.43	14.83	6.60	0.69
	R7	Residential	Unknown	W11	20.79	15.11	5.68	0.73
	R8	Residential	Unknown	W12	20.52	15.36	5.16	0.75
	R9	Residential	Unknown	W13	9.97	8.03	1.94	0.81
	R10	Residential	Unknown	W14	19.85	16.21	3.64	0.82
				W15	19.77	16.44	3.33	0.83
	R11	Residential	Unknown	W16	6.03	6.03	0.00	1.00
	R12	Residential	Unknown	W17	15.89	15.33	0.56	0.96
	R13	Residential	Unknown	W18	17.15	14.73	2.42	0.86
Fourth	R1	Residential	Unknown	W1	38.69	38.64	0.05	1.00
				W2	31.54	14.73	16.81	0.47
				W3	30.99	10.86	20.13	0.35
	R2	Residential	Unknown	W4	35.86	9.80	26.06	0.27
	R3	Residential	Unknown	W5	33.47	7.44	26.03	0.22
	R4	Residential	Unknown	W6	18.27	12.80	5.47	0.70
				W7	38.92	6.71	32.21	0.17
				W8	13.98	6.66	7.32	0.48

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R5	Residential	Unknown	W9	10.68	8.89	1.79	0.83
	R6	Residential	Unknown	W10	22.33	15.96	6.37	0.71
	R7	Residential	Unknown	W11	21.71	16.25	5.46	0.75
	R8	Residential	Unknown	W12	21.46	16.50	4.96	0.77
	R9	Residential	Unknown	W13	10.60	8.73	1.87	0.82
	R10	Residential	Unknown	W14	20.87	17.39	3.48	0.83
				W15	20.82	17.63	3.19	0.85
	R11	Residential	Unknown	W16	6.42	6.42	0.00	1.00
	R12	Residential	Unknown	W17	16.96	16.42	0.54	0.97
	R13	Residential	Unknown	W18	18.03	15.71	2.32	0.87
Fifth	R1	Residential	Unknown	W1	39.01	38.96	0.05	1.00
				W2	31.71	14.89	16.82	0.47
				W3	31.16	11.02	20.14	0.35
	R2	Residential	Unknown	W4	35.99	10.13	25.86	0.28
	R3	Residential	Unknown	W5	33.57	7.68	25.89	0.23
	R4	Residential	Unknown	W6	18.54	13.09	5.45	0.71
				W7	39.07	7.18	31.89	0.18
				W8	14.51	7.37	7.14	0.51
	R5	Residential	Unknown	W9	11.31	9.59	1.72	0.85
	R6	Residential	Unknown	W10	23.26	17.21	6.05	0.74
	R7	Residential	Unknown	W11	22.65	17.48	5.17	0.77
	R8	Residential	Unknown	W12	22.42	17.74	4.68	0.79
	R9	Residential	Unknown	W13	11.24	9.47	1.77	0.84
	R10	Residential	Unknown	W14	21.93	18.62	3.31	0.85
				W15	21.91	18.88	3.03	0.86

Project Name: 33 Cheetham Hill Road
 Project No.: 2029
 Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R11	Residential	Unknown	W16	6.85	6.85	0.00	1.00
	R12	Residential	Unknown	W17	18.10	17.58	0.52	0.97
	R13	Residential	Unknown	W18	18.96	16.77	2.19	0.88
Sixth	R1	Residential	Unknown	W1	39.27	39.22	0.05	1.00
				W2	31.81	15.01	16.80	0.47
				W3	31.25	11.16	20.09	0.36
	R2	Residential	Unknown	W4	36.00	10.46	25.54	0.29
	R3	Residential	Unknown	W5	33.63	7.98	25.65	0.24
	R4	Residential	Unknown	W6	18.77	13.38	5.39	0.71
				W7	39.15	7.74	31.41	0.20
				W8	15.08	8.22	6.86	0.55
	R5	Residential	Unknown	W9	12.00	10.38	1.62	0.87
	R6	Residential	Unknown	W10	24.26	18.59	5.67	0.77
	R7	Residential	Unknown	W11	23.66	18.87	4.79	0.80
	R8	Residential	Unknown	W12	23.44	19.10	4.34	0.81
	R9	Residential	Unknown	W13	11.90	10.22	1.68	0.86
	R10	Residential	Unknown	W14	23.03	19.92	3.11	0.86
				W15	23.04	20.20	2.84	0.88
	R11	Residential	Unknown	W16	7.29	7.29	0.00	1.00
	R12	Residential	Unknown	W17	19.30	18.80	0.50	0.97
	R13	Residential	Unknown	W18	19.96	17.90	2.06	0.90
Seventh	R1	Residential	Unknown	W1	39.42	39.38	0.04	1.00
				W2	31.90	15.13	16.77	0.47
				W3	31.34	11.28	20.06	0.36
	R2	Residential	Unknown	W4	36.14	11.02	25.12	0.30
	R3	Residential	Unknown	W5	33.69	8.36	25.33	0.25

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R4	Residential	Unknown	W6	18.96	13.64	5.32	0.72
				W7	39.23	8.41	30.82	0.21
				W8	15.77	9.25	6.52	0.59
	R5	Residential	Unknown	W9	12.79	11.28	1.51	0.88
	R6	Residential	Unknown	W10	25.33	20.08	5.25	0.79
	R7	Residential	Unknown	W11	24.74	20.26	4.48	0.82
	R8	Residential	Unknown	W12	24.52	20.46	4.06	0.83
	R9	Residential	Unknown	W13	12.67	11.09	1.58	0.88
	R10	Residential	Unknown	W14	24.15	21.26	2.89	0.88
				W15	24.19	21.53	2.66	0.89
	R11	Residential	Unknown	W16	7.80	7.80	0.00	1.00
	R12	Residential	Unknown	W17	20.47	20.01	0.46	0.98
	R13	Residential	Unknown	W18	20.94	19.01	1.93	0.91
Eighth	R1	Residential	Unknown	W1	39.47	39.43	0.04	1.00
				W2	31.95	15.21	16.74	0.48
				W3	31.38	11.38	20.00	0.36
	R2	Residential	Unknown	W4	36.19	11.65	24.54	0.32
	R3	Residential	Unknown	W5	33.72	8.86	24.86	0.26
	R4	Residential	Unknown	W6	19.06	13.85	5.21	0.73
				W7	39.28	9.24	30.04	0.24
				W8	16.60	10.49	6.11	0.63
	R5	Residential	Unknown	W9	13.69	12.28	1.41	0.90
	R6	Residential	Unknown	W10	26.51	21.66	4.85	0.82
	R7	Residential	Unknown	W11	25.92	21.74	4.18	0.84
	R8	Residential	Unknown	W12	25.70	21.91	3.79	0.85
	R9	Residential	Unknown	W13	13.66	12.17	1.49	0.89

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R10	Residential	Unknown	W14	25.36	22.68	2.68	0.89
				W15	25.41	22.94	2.47	0.90
	R11	Residential	Unknown	W16	8.53	8.53	0.00	1.00
	R12	Residential	Unknown	W17	21.72	21.29	0.43	0.98
	R13	Residential	Unknown	W18	22.00	20.20	1.80	0.92
Ninth	R1	Residential	Unknown	W1	39.52	39.48	0.04	1.00
				W2	31.99	15.29	16.70	0.48
				W3	31.42	11.47	19.95	0.37
	R2	Residential	Unknown	W4	36.23	12.52	23.71	0.35
	R3	Residential	Unknown	W5	33.75	9.62	24.13	0.29
	R4	Residential	Unknown	W6	19.21	14.17	5.04	0.74
				W7	39.33	10.31	29.02	0.26
				W8	17.48	11.86	5.62	0.68
	R5	Residential	Unknown	W9	14.68	13.39	1.29	0.91
	R6	Residential	Unknown	W10	27.76	23.29	4.47	0.84
	R7	Residential	Unknown	W11	27.19	23.32	3.87	0.86
	R8	Residential	Unknown	W12	26.98	23.45	3.53	0.87
	R9	Residential	Unknown	W13	14.75	13.28	1.47	0.90
	R10	Residential	Unknown	W14	26.64	24.07	2.57	0.90
				W15	26.70	24.33	2.37	0.91
	R11	Residential	Unknown	W16	9.35	9.25	0.10	0.99
	R12	Residential	Unknown	W17	23.01	22.57	0.44	0.98
	R13	Residential	Unknown	W18	23.10	21.43	1.67	0.93
Tenth	R1	Residential	Unknown	W1	39.57	39.53	0.04	1.00
				W2	32.04	15.39	16.65	0.48
				W3	31.46	11.65	19.81	0.37
	R2	Residential	Unknown	W4	36.27	13.78	22.49	0.38

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R3	Residential	Unknown	W5	33.80	10.76	23.04	0.32
	R4	Residential	Unknown	W6	19.49	14.69	4.80	0.75
				W7	39.38	11.70	27.68	0.30
				W8	18.44	13.24	5.20	0.72
	R5	Residential	Unknown	W9	15.75	14.57	1.18	0.93
	R6	Residential	Unknown	W10	29.06	24.99	4.07	0.86
	R7	Residential	Unknown	W11	28.49	24.93	3.56	0.88
	R8	Residential	Unknown	W12	28.26	24.94	3.32	0.88
	R9	Residential	Unknown	W13	15.88	14.35	1.53	0.90
	R10	Residential	Unknown	W14	27.91	25.35	2.56	0.91
				W15	27.99	25.63	2.36	0.92
	R11	Residential	Unknown	W16	10.23	10.00	0.23	0.98
	R12	Residential	Unknown	W17	24.32	23.86	0.46	0.98
	R13	Residential	Unknown	W18	24.23	22.69	1.54	0.94
Eleventh	R1	Residential	Unknown	W1	39.60	39.57	0.03	1.00
				W2	32.07	16.55	15.52	0.52
				W3	31.50	13.04	18.46	0.41
	R2	Residential	Unknown	W4	36.34	15.66	20.68	0.43
	R3	Residential	Unknown	W5	33.88	12.56	21.32	0.37
	R4	Residential	Unknown	W6	20.09	15.66	4.43	0.78
				W7	39.43	13.53	25.90	0.34
				W8	19.39	14.66	4.73	0.76
	R5	Residential	Unknown	W9	16.85	15.78	1.07	0.94
	R6	Residential	Unknown	W10	30.33	26.64	3.69	0.88
	R7	Residential	Unknown	W11	29.63	26.40	3.23	0.89
	R8	Residential	Unknown	W12	29.32	26.30	3.02	0.90

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R9	Residential	Unknown	W13	16.82	15.32	1.50	0.91
	R10	Residential	Unknown	W14	29.00	26.55	2.45	0.92
				W15	29.13	26.88	2.25	0.92
	R11	Residential	Unknown	W16	11.14	10.83	0.31	0.97
	R12	Residential	Unknown	W17	25.51	25.00	0.51	0.98
	R13	Residential	Unknown	W18	25.31	23.87	1.44	0.94
Twelfth	R1	Residential	Unknown	W1	39.61	39.59	0.02	1.00
				W2	32.09	18.62	13.47	0.58
				W3	31.53	15.43	16.10	0.49
	R2	Residential	Unknown	W4	36.73	18.81	17.92	0.51
	R3	Residential	Unknown	W5	34.03	15.40	18.63	0.45
	R4	Residential	Unknown	W6	21.11	17.25	3.86	0.82
				W7	39.47	16.28	23.19	0.41
				W8	20.29	16.02	4.27	0.79
	R5	Residential	Unknown	W9	17.93	16.98	0.95	0.95
	R6	Residential	Unknown	W10	31.47	28.20	3.27	0.90
	R7	Residential	Unknown	W11	30.67	27.78	2.89	0.91
	R8	Residential	Unknown	W12	30.33	27.61	2.72	0.91
	R9	Residential	Unknown	W13	17.80	16.35	1.45	0.92
	R10	Residential	Unknown	W14	30.08	27.75	2.33	0.92
				W15	30.24	28.06	2.18	0.93
	R11	Residential	Unknown	W16	12.15	11.70	0.45	0.96
	R12	Residential	Unknown	W17	26.55	25.88	0.67	0.97
	R13	Residential	Unknown	W18	26.29	24.83	1.46	0.94
Thirteenth	R1	Residential	Unknown	W1	39.62	39.60	0.02	1.00
				W2	39.53	28.99	10.54	0.73

Project Name: 33 Cheetham Hill Road
 Project No.: 2029
 Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
				W3	39.49	26.84	12.65	0.68
	R2	Residential	Unknown	W4	39.35	25.43	13.92	0.65
	R3	Residential	Unknown	W5	34.21	19.67	14.54	0.57
	R4	Residential	Unknown	W6	22.22	19.19	3.03	0.86
				W7	39.50	20.52	18.98	0.52
				W8	27.36	23.45	3.91	0.86
	R5	Residential	Unknown	W9	18.08	17.25	0.83	0.95
	R6	Residential	Unknown	W10	32.53	29.67	2.86	0.91
	R7	Residential	Unknown	W11	31.79	29.23	2.56	0.92
	R8	Residential	Unknown	W12	31.44	29.02	2.42	0.92
	R9	Residential	Unknown	W13	16.00	14.66	1.34	0.92
	R10	Residential	Unknown	W14	31.15	29.05	2.10	0.93
				W15	31.27	29.31	1.96	0.94
	R11	Residential	Unknown	W16	10.64	10.18	0.46	0.96
	R12	Residential	Unknown	W17	25.66	25.03	0.63	0.98
	R13	Residential	Unknown	W18	25.40	24.07	1.33	0.95
Fourteenth	R1	Residential	Unknown	W1	39.54	39.53	0.01	1.00
				W2	39.57	35.30	4.27	0.89
	R2	Residential	Unknown	W3	39.55	34.65	4.90	0.88
				W4	35.06	33.11	1.95	0.94
	R3	Residential	Unknown	W5	34.66	32.86	1.80	0.95
	R4	Residential	Unknown	W6	34.42	32.75	1.67	0.95
	R5	Residential	Unknown	W7	34.36	32.76	1.60	0.95
	R6	Residential	Unknown	W8	34.03	32.56	1.47	0.96
	R7	Residential	Unknown	W9	33.75	32.50	1.25	0.96

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R8	Residential	Unknown	W10	25.63	24.56	1.07	0.96
Fifteenth	R1	Residential	Unknown	W1	26.98	26.08	0.90	0.97
Sixteenth	R1	Residential	Unknown	W1	28.50	27.74	0.76	0.97
Jefferson Place								
Lower Ground	R1	Residential	Unknown	W1	13.29	7.79	5.50	0.59
				W2	12.51	7.57	4.94	0.61
				W3	11.25	7.33	3.92	0.65
Ground	R1	Residential	Unknown	W1	24.39	5.65	18.74	0.23
				W2	19.54	3.47	16.07	0.18
				W3	22.46	4.85	17.61	0.22
				W4	21.95	4.81	17.14	0.22
				W5	22.92	5.89	17.03	0.26
				W6	12.03	10.25	1.78	0.85
				W7	10.61	9.01	1.60	0.85
First	R1	Residential	Unknown	W1	3.86	0.04	3.82	0.01
				W2	4.54	1.55	2.99	0.34
				W3	16.31	5.49	10.82	0.34
	R2	Residential	Unknown	W4	19.10	5.36	13.74	0.28
				W5	13.69	6.05	7.64	0.44
				W6	14.79	6.87	7.92	0.46
	R3	Residential	Unknown	W7	16.36	7.81	8.55	0.48
				W8	16.38	7.96	8.42	0.49
	R4	Residential	Unknown	W9	16.46	9.86	6.60	0.60
	R5	Residential	Unknown	W10	21.97	12.17	9.80	0.55
	R6	Residential	Unknown	W11	19.52	7.88	11.64	0.40
				W12	21.09	9.07	12.02	0.43
	R7	Residential	Unknown	W13	26.21	13.76	12.45	0.52
	R8	Residential	Unknown	W14	22.88	10.32	12.56	0.45
				W15	19.78	7.49	12.29	0.38
	R9	Residential	Unknown	W16	15.62	9.28	6.34	0.59
				W17	21.11	10.52	10.59	0.50

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R10	Residential	Unknown	W18	25.61	15.52	10.09	0.61
	R11	Residential	Unknown	W19	25.96	15.66	10.30	0.60
	R12	Residential	Unknown	W20	20.69	10.83	9.86	0.52
				W21	19.44	9.67	9.77	0.50
	R13	Residential	Unknown	W22	12.52	6.66	5.86	0.53
				W23	17.28	9.46	7.82	0.55
	R14	Residential	Unknown	W24	22.46	13.91	8.55	0.62
	R15	Residential	Unknown	W25	22.64	13.82	8.82	0.61
	R16	Residential	Unknown	W26	21.46	12.88	8.58	0.60
	R17	Residential	Unknown	W27	14.24	5.98	8.26	0.42
	R18	Residential	Unknown	W28	10.65	5.83	4.82	0.55
				W29	18.03	10.19	7.84	0.57
	R19	Residential	Unknown	W30	11.68	8.73	2.95	0.75
	R20	Residential	Unknown	W31	10.07	8.39	1.68	0.83
	R21	Residential	Unknown	W32	4.78	3.55	1.23	0.74
				W33	3.71	2.50	1.21	0.67
				W34	3.63	2.46	1.17	0.68
				W35	13.62	13.62	0.00	1.00
				W36	20.54	20.54	0.00	1.00
Second	R1	Residential	Unknown	W1	4.00	0.08	3.92	0.02
				W2	4.77	1.77	3.00	0.37
				W3	17.01	6.20	10.81	0.36
	R2	Residential	Unknown	W4	19.82	6.06	13.76	0.31
				W5	14.57	6.86	7.71	0.47
				W6	15.45	7.49	7.96	0.48
	R3	Residential	Unknown	W7	17.33	8.70	8.63	0.50
				W8	13.72	5.06	8.66	0.37
				W9	13.52	4.32	9.20	0.32
				W10	14.13	4.17	9.96	0.30
				W11	29.15	4.42	24.73	0.15

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R4	Residential	Unknown	W12	35.37	11.23	24.14	0.32
	R5	Residential	Unknown	W13	35.10	12.86	22.24	0.37
				W14	28.84	8.50	20.34	0.29
				W15	27.60	8.00	19.60	0.29
				W16	27.67	8.60	19.07	0.31
				W17	10.69	8.32	2.37	0.78
	R6	Residential	Unknown	W18	13.49	11.59	1.90	0.86
	R7	Residential	Unknown	W19	12.15	10.08	2.07	0.83
	R8	Residential	Unknown	W20	17.30	10.41	6.89	0.60
	R9	Residential	Unknown	W21	23.09	12.86	10.23	0.56
	R10	Residential	Unknown	W22	20.75	8.65	12.10	0.42
				W23	22.43	9.93	12.50	0.44
	R11	Residential	Unknown	W24	27.49	14.61	12.88	0.53
	R12	Residential	Unknown	W25	24.49	11.22	13.27	0.46
				W26	21.14	8.30	12.84	0.39
	R13	Residential	Unknown	W27	17.14	10.01	7.13	0.58
				W28	22.94	11.59	11.35	0.51
	R14	Residential	Unknown	W29	27.12	16.38	10.74	0.60
	R15	Residential	Unknown	W30	27.42	16.55	10.87	0.60
	R16	Residential	Unknown	W31	22.16	11.76	10.40	0.53
				W32	20.84	10.56	10.28	0.51
	R17	Residential	Unknown	W33	13.43	7.04	6.39	0.52
				W34	18.62	10.28	8.34	0.55
	R18	Residential	Unknown	W35	23.69	14.84	8.85	0.63
	R19	Residential	Unknown	W36	23.79	14.73	9.06	0.62
	R20	Residential	Unknown	W37	22.43	13.67	8.76	0.61
	R21	Residential	Unknown	W38	14.94	6.56	8.38	0.44

Project Name: 33 Cheetham Hill Road
 Project No.: 2029
 Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R22	Residential	Unknown	W39	11.18	6.31	4.87	0.56
				W40	18.84	10.92	7.92	0.58
	R23	Residential	Unknown	W41	12.42	9.40	3.02	0.76
	R24	Residential	Unknown	W42	10.75	9.05	1.70	0.84
	R25	Residential	Unknown	W43	5.38	4.13	1.25	0.77
				W44	4.32	3.10	1.22	0.72
				W45	4.27	3.07	1.20	0.72
				W46	14.92	14.92	0.00	1.00
				W47	21.96	21.96	0.00	1.00
	Third	Residential	Unknown	W1	4.15	0.17	3.98	0.04
				W2	5.01	2.03	2.98	0.41
				W3	17.74	7.02	10.72	0.40
	R2	Residential	Unknown	W4	20.57	6.88	13.69	0.33
				W5	15.34	7.64	7.70	0.50
				W6	16.26	8.29	7.97	0.51
	R3	Residential	Unknown	W7	18.20	9.53	8.67	0.52
				W8	14.48	5.56	8.92	0.38
				W9	14.21	4.74	9.47	0.33
				W10	14.83	4.58	10.25	0.31
				W11	29.97	4.72	25.25	0.16
	R4	Residential	Unknown	W12	36.18	11.95	24.23	0.33
	R5	Residential	Unknown	W13	35.95	13.61	22.34	0.38
				W14	29.75	9.06	20.69	0.30
				W15	28.58	8.46	20.12	0.30
				W16	28.70	9.11	19.59	0.32
				W17	11.55	8.96	2.59	0.78
	R6	Residential	Unknown	W18	14.23	12.24	1.99	0.86
	R7	Residential	Unknown	W19	12.73	10.61	2.12	0.83
	R8	Residential	Unknown	W20	17.85	10.84	7.01	0.61
	R9	Residential	Unknown	W21	23.77	13.47	10.30	0.57
	R10	Residential	Unknown	W22	21.53	9.30	12.23	0.43
				W23	23.29	10.66	12.63	0.46

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R11	Residential	Unknown	W24	28.31	15.34	12.97	0.54
	R12	Residential	Unknown	W25	25.54	12.04	13.50	0.47
				W26	22.06	9.00	13.06	0.41
	R13	Residential	Unknown	W27	18.08	10.55	7.53	0.58
				W28	24.17	12.47	11.70	0.52
	R14	Residential	Unknown	W29	28.27	17.22	11.05	0.61
	R15	Residential	Unknown	W30	28.52	17.40	11.12	0.61
	R16	Residential	Unknown	W31	23.25	12.54	10.71	0.54
				W32	21.87	11.29	10.58	0.52
	R17	Residential	Unknown	W33	14.18	7.42	6.76	0.52
				W34	19.60	10.95	8.65	0.56
	R18	Residential	Unknown	W35	24.65	15.68	8.97	0.64
	R19	Residential	Unknown	W36	24.69	15.57	9.12	0.63
	R20	Residential	Unknown	W37	23.28	14.47	8.81	0.62
	R21	Residential	Unknown	W38	15.42	7.06	8.36	0.46
	R22	Residential	Unknown	W39	11.54	6.77	4.77	0.59
				W40	19.49	11.62	7.87	0.60
	R23	Residential	Unknown	W41	13.03	10.06	2.97	0.77
	R24	Residential	Unknown	W42	11.36	9.71	1.65	0.85
	R25	Residential	Unknown	W43	6.02	4.81	1.21	0.80
				W44	5.00	3.82	1.18	0.76
				W45	4.99	3.83	1.16	0.77
				W46	16.29	16.29	0.00	1.00
				W47	23.46	23.42	0.04	1.00
Fourth	R1	Residential	Unknown	W1	4.38	0.39	3.99	0.09
				W2	5.31	2.37	2.94	0.45
				W3	18.52	7.98	10.54	0.43
	R2	Residential	Unknown	W4	21.32	7.83	13.49	0.37

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
				W5	16.19	8.56	7.63	0.53
				W6	17.15	9.24	7.91	0.54
	R3	Residential	Unknown	W7	19.12	10.47	8.65	0.55
				W8	15.39	6.26	9.13	0.41
				W9	15.02	5.32	9.70	0.35
				W10	15.64	5.16	10.48	0.33
				W11	30.62	5.12	25.50	0.17
	R4	Residential	Unknown	W12	36.81	12.74	24.07	0.35
	R5	Residential	Unknown	W13	36.58	14.43	22.15	0.39
				W14	30.33	9.69	20.64	0.32
				W15	29.20	8.98	20.22	0.31
				W16	29.36	9.63	19.73	0.33
				W17	12.27	9.65	2.62	0.79
	R6	Residential	Unknown	W18	14.94	12.95	1.99	0.87
	R7	Residential	Unknown	W19	13.30	11.18	2.12	0.84
	R8	Residential	Unknown	W20	18.22	11.28	6.94	0.62
	R9	Residential	Unknown	W21	24.24	14.05	10.19	0.58
	R10	Residential	Unknown	W22	22.01	9.93	12.08	0.45
				W23	23.83	11.35	12.48	0.48
	R11	Residential	Unknown	W24	28.78	16.03	12.75	0.56
	R12	Residential	Unknown	W25	26.08	12.82	13.26	0.49
				W26	22.41	9.62	12.79	0.43
	R13	Residential	Unknown	W27	18.44	10.98	7.46	0.60
				W28	24.80	13.28	11.52	0.54
	R14	Residential	Unknown	W29	28.86	18.06	10.80	0.63
	R15	Residential	Unknown	W30	29.06	18.20	10.86	0.63
	R16	Residential	Unknown	W31	23.70	13.21	10.49	0.56
				W32	22.29	11.93	10.36	0.54
	R17	Residential	Unknown	W33	14.46	7.77	6.69	0.54
				W34	20.09	11.59	8.50	0.58

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R18	Residential	Unknown	W35	25.24	16.49	8.75	0.65
	R19	Residential	Unknown	W36	25.27	16.38	8.89	0.65
	R20	Residential	Unknown	W37	23.86	15.25	8.61	0.64
	R21	Residential	Unknown	W38	15.65	7.49	8.16	0.48
	R22	Residential	Unknown	W39	11.77	7.20	4.57	0.61
				W40	19.98	12.31	7.67	0.62
	R23	Residential	Unknown	W41	13.60	10.73	2.87	0.79
	R24	Residential	Unknown	W42	11.99	10.42	1.57	0.87
	R25	Residential	Unknown	W43	6.69	5.55	1.14	0.83
				W44	5.73	4.61	1.12	0.80
				W45	5.76	4.66	1.10	0.81
				W46	17.73	17.73	0.00	1.00
				W47	25.02	24.90	0.12	1.00
Fifth	R1	Residential	Unknown	W1	4.73	0.81	3.92	0.17
				W2	5.75	2.89	2.86	0.50
				W3	19.25	9.09	10.16	0.47
	R2	Residential	Unknown	W4	21.98	8.94	13.04	0.41
				W5	16.99	9.55	7.44	0.56
				W6	17.97	10.26	7.71	0.57
	R3	Residential	Unknown	W7	20.00	11.55	8.45	0.58
				W8	16.27	7.10	9.17	0.44
				W9	15.80	6.04	9.76	0.38
				W10	16.42	5.87	10.55	0.36
				W11	31.08	5.86	25.22	0.19
	R4	Residential	Unknown	W12	37.24	13.63	23.61	0.37
	R5	Residential	Unknown	W13	37.02	15.34	21.68	0.41
				W14	30.76	10.52	20.24	0.34
				W15	29.68	9.81	19.87	0.33
				W16	13.02	10.40	2.62	0.80
	R6	Residential	Unknown	W17	15.69	13.70	1.99	0.87

Project Name: 33 Cheetham Hill Road
 Project No.: 2029
 Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R7	Residential	Unknown	W18	13.90	11.80	2.10	0.85
	R8	Residential	Unknown	W19	18.55	11.74	6.81	0.63
	R9	Residential	Unknown	W20	24.59	14.65	9.94	0.60
	R10	Residential	Unknown	W21	22.39	10.62	11.77	0.47
				W22	24.23	12.09	12.14	0.50
	R11	Residential	Unknown	W23	29.12	16.75	12.37	0.58
	R12	Residential	Unknown	W24	26.50	13.63	12.87	0.51
				W25	22.60	10.22	12.38	0.45
	R13	Residential	Unknown	W26	18.78	11.50	7.28	0.61
				W27	25.30	14.12	11.18	0.56
	R14	Residential	Unknown	W28	29.36	18.94	10.42	0.65
	R15	Residential	Unknown	W29	29.48	19.04	10.44	0.65
	R16	Residential	Unknown	W30	24.05	13.95	10.10	0.58
				W31	22.55	12.57	9.98	0.56
	R17	Residential	Unknown	W32	14.68	8.19	6.49	0.56
				W33	20.56	12.34	8.22	0.60
	R18	Residential	Unknown	W34	25.76	17.35	8.41	0.67
	R19	Residential	Unknown	W35	25.80	17.26	8.54	0.67
	R20	Residential	Unknown	W36	24.37	16.08	8.29	0.66
	R21	Residential	Unknown	W37	15.75	7.91	7.84	0.50
	R22	Residential	Unknown	W38	11.97	7.63	4.34	0.64
				W39	20.45	13.08	7.37	0.64
	R23	Residential	Unknown	W40	14.22	11.47	2.75	0.81
	R24	Residential	Unknown	W41	12.70	11.21	1.49	0.88
	R25	Residential	Unknown	W42	7.43	6.34	1.09	0.85
				W43	6.52	5.45	1.07	0.84
				W44	6.62	5.57	1.05	0.84

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
				W45	19.24	19.23	0.01	1.00
				W46	26.64	26.43	0.21	0.99
Sixth	R1	Residential	Unknown	W1	5.20	1.46	3.74	0.28
				W2	6.31	3.61	2.70	0.57
				W3	19.98	10.40	9.58	0.52
	R2	Residential	Unknown	W4	22.55	10.23	12.32	0.45
				W5	17.78	10.72	7.06	0.60
				W6	18.80	11.47	7.33	0.61
	R3	Residential	Unknown	W7	20.85	12.80	8.05	0.61
				W8	17.12	8.19	8.93	0.48
				W9	16.60	7.07	9.53	0.43
				W10	17.21	6.90	10.31	0.40
				W11	31.31	6.76	24.55	0.22
	R4	Residential	Unknown	W12	37.47	14.65	22.82	0.39
	R5	Residential	Unknown	W13	37.26	16.35	20.91	0.44
				W14	31.04	11.52	19.52	0.37
				W15	29.97	10.82	19.15	0.36
				W16	30.14	11.32	18.82	0.38
				W17	13.79	11.21	2.58	0.81
	R6	Residential	Unknown	W18	16.48	14.54	1.94	0.88
	R7	Residential	Unknown	W19	14.53	12.49	2.04	0.86
	R8	Residential	Unknown	W20	18.85	12.23	6.62	0.65
	R9	Residential	Unknown	W21	24.89	15.35	9.54	0.62
	R10	Residential	Unknown	W22	22.66	11.40	11.26	0.50
				W23	24.51	12.90	11.61	0.53
	R11	Residential	Unknown	W24	29.36	17.58	11.78	0.60
	R12	Residential	Unknown	W25	26.80	14.52	12.28	0.54
				W26	22.64	10.85	11.79	0.48
	R13	Residential	Unknown	W27	19.14	12.09	7.05	0.63
				W28	25.69	15.00	10.69	0.58
	R14	Residential	Unknown	W29	29.76	19.85	9.91	0.67

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R15	Residential	Unknown	W30	29.81	19.88	9.93	0.67
	R16	Residential	Unknown	W31	24.45	14.82	9.63	0.61
				W32	22.69	13.19	9.50	0.58
	R17	Residential	Unknown	W33	14.98	8.71	6.27	0.58
				W34	21.02	13.16	7.86	0.63
	R18	Residential	Unknown	W35	26.27	18.25	8.02	0.69
	R19	Residential	Unknown	W36	26.32	18.19	8.13	0.69
	R20	Residential	Unknown	W37	24.88	16.98	7.90	0.68
	R21	Residential	Unknown	W38	15.79	8.32	7.47	0.53
	R22	Residential	Unknown	W39	12.10	8.05	4.05	0.67
				W40	20.94	13.92	7.02	0.66
	R23	Residential	Unknown	W41	14.91	12.32	2.59	0.83
	R24	Residential	Unknown	W42	13.51	12.10	1.41	0.90
	R25	Residential	Unknown	W43	8.24	7.08	1.16	0.86
				W44	7.38	6.24	1.14	0.85
				W45	7.55	6.42	1.13	0.85
				W46	20.80	20.74	0.06	1.00
				W47	28.29	27.98	0.31	0.99
Seventh	R1	Residential	Unknown	W1	5.79	2.32	3.47	0.40
				W2	7.01	4.50	2.51	0.64
				W3	20.82	11.92	8.90	0.57
	R2	Residential	Unknown	W4	23.25	11.75	11.50	0.51
				W5	18.69	12.09	6.60	0.65
				W6	19.74	12.87	6.87	0.65
	R3	Residential	Unknown	W7	21.82	14.24	7.58	0.65
				W8	18.05	9.47	8.58	0.52
				W9	17.51	8.33	9.18	0.48
				W10	18.12	8.20	9.92	0.45
				W11	31.44	7.81	23.63	0.25
	R4	Residential	Unknown	W12	37.63	15.81	21.82	0.42

Project Name: 33 Cheetham Hill Road
 Project No.: 2029
 Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R5	Residential	Unknown	W13	37.44	17.49	19.95	0.47
				W14	31.24	12.63	18.61	0.40
				W15	30.17	11.92	18.25	0.40
				W16	30.35	12.36	17.99	0.41
				W17	14.57	12.07	2.50	0.83
	R6	Residential	Unknown	W18	17.31	15.47	1.84	0.89
	R7	Residential	Unknown	W19	15.21	13.26	1.95	0.87
	R8	Residential	Unknown	W20	19.14	12.79	6.35	0.67
	R9	Residential	Unknown	W21	25.21	16.14	9.07	0.64
	R10	Residential	Unknown	W22	22.89	12.21	10.68	0.53
				W23	24.76	13.75	11.01	0.56
	R11	Residential	Unknown	W24	29.59	18.50	11.09	0.63
	R12	Residential	Unknown	W25	27.07	15.48	11.59	0.57
				W26	22.69	11.57	11.12	0.51
	R13	Residential	Unknown	W27	19.48	12.71	6.77	0.65
				W28	26.03	15.92	10.11	0.61
	R14	Residential	Unknown	W29	30.15	20.81	9.34	0.69
	R15	Residential	Unknown	W30	30.13	20.78	9.35	0.69
	R16	Residential	Unknown	W31	24.73	15.63	9.10	0.63
				W32	22.78	13.80	8.98	0.61
	R17	Residential	Unknown	W33	15.34	9.31	6.03	0.61
				W34	21.54	14.05	7.49	0.65
	R18	Residential	Unknown	W35	26.85	19.26	7.59	0.72
	R19	Residential	Unknown	W36	26.94	19.26	7.68	0.71
	R20	Residential	Unknown	W37	25.48	18.00	7.48	0.71
	R21	Residential	Unknown	W38	15.82	8.75	7.07	0.55
	R22	Residential	Unknown	W39	12.21	8.48	3.73	0.69

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
Eighth	R23	Residential	Unknown	W40	21.57	14.91	6.66	0.69
				W41	15.77	13.35	2.42	0.85
				W42	14.50	13.18	1.32	0.91
				W43	9.13	7.83	1.30	0.86
				W44	8.30	6.99	1.31	0.84
				W45	8.56	7.26	1.30	0.85
				W46	22.41	22.26	0.15	0.99
				W47	29.97	29.53	0.44	0.99
	R1	Residential	Unknown	W1	6.60	3.43	3.17	0.52
				W2	7.98	5.67	2.31	0.71
				W3	21.85	13.69	8.16	0.63
	R2	Residential	Unknown	W4	24.13	13.55	10.58	0.56
				W5	19.75	13.66	6.09	0.69
				W6	20.83	14.48	6.35	0.70
	R3	Residential	Unknown	W7	22.93	15.90	7.03	0.69
				W8	19.11	10.97	8.14	0.57
				W9	18.54	9.81	8.73	0.53
				W10	19.13	9.81	9.32	0.51
				W11	31.57	9.06	22.51	0.29
	R4	Residential	Unknown	W12	37.80	17.14	20.66	0.45
	R5	Residential	Unknown	W13	37.60	18.75	18.85	0.50
				W14	31.44	13.87	17.57	0.44
				W15	30.38	13.15	17.23	0.43
				W16	30.55	13.57	16.98	0.44
				W17	15.41	12.98	2.43	0.84
	R6	Residential	Unknown	W18	18.20	16.45	1.75	0.90
	R7	Residential	Unknown	W19	16.01	14.14	1.87	0.88
	R8	Residential	Unknown	W20	19.50	13.42	6.08	0.69
	R9	Residential	Unknown	W21	25.67	17.06	8.61	0.66
	R10	Residential	Unknown	W22	23.20	13.11	10.09	0.57
				W23	25.08	14.70	10.38	0.59

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R11	Residential	Unknown	W24	29.86	19.47	10.39	0.65
	R12	Residential	Unknown	W25	27.38	16.53	10.85	0.60
				W26	22.71	12.30	10.41	0.54
	R13	Residential	Unknown	W27	19.85	13.38	6.47	0.67
				W28	26.41	16.92	9.49	0.64
	R14	Residential	Unknown	W29	30.59	21.83	8.76	0.71
	R15	Residential	Unknown	W30	30.48	21.72	8.76	0.71
	R16	Residential	Unknown	W31	25.11	16.57	8.54	0.66
				W32	22.89	14.45	8.44	0.63
	R17	Residential	Unknown	W33	15.81	10.03	5.78	0.63
				W34	22.14	15.05	7.09	0.68
	R18	Residential	Unknown	W35	27.56	20.41	7.15	0.74
	R19	Residential	Unknown	W36	27.71	20.49	7.22	0.74
	R20	Residential	Unknown	W37	26.24	19.20	7.04	0.73
	R21	Residential	Unknown	W38	15.96	9.31	6.65	0.58
	R22	Residential	Unknown	W39	12.31	8.90	3.41	0.72
				W40	22.37	16.10	6.27	0.72
	R23	Residential	Unknown	W41	16.89	14.64	2.25	0.87
	R24	Residential	Unknown	W42	15.77	14.52	1.25	0.92
	R25	Residential	Unknown	W43	10.15	8.65	1.50	0.85
				W44	9.31	7.75	1.56	0.83
				W45	9.67	8.11	1.56	0.84
				W46	24.02	23.75	0.27	0.99
				W47	31.66	31.06	0.60	0.98
Ninth	R1	Residential	Unknown	W1	7.58	4.73	2.85	0.62
				W2	9.15	7.08	2.07	0.77
				W3	23.05	15.73	7.32	0.68
	R2	Residential	Unknown	W4	25.24	15.69	9.55	0.62
				W5	20.96	15.44	5.52	0.74

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
				W6	22.04	16.28	5.76	0.74
	R3	Residential	Unknown	W7	24.12	17.72	6.40	0.73
				W8	20.21	12.63	7.58	0.62
				W9	19.61	11.44	8.17	0.58
				W10	20.18	11.57	8.61	0.57
				W11	31.70	10.55	21.15	0.33
	R4	Residential	Unknown	W12	37.98	18.66	19.32	0.49
	R5	Residential	Unknown	W13	37.78	20.18	17.60	0.53
				W14	31.65	15.23	16.42	0.48
				W15	30.59	14.50	16.09	0.47
				W16	30.77	14.90	15.87	0.48
				W17	16.33	13.97	2.36	0.86
	R6	Residential	Unknown	W18	19.16	17.49	1.67	0.91
	R7	Residential	Unknown	W19	17.05	15.25	1.80	0.89
	R8	Residential	Unknown	W20	20.06	14.24	5.82	0.71
	R9	Residential	Unknown	W21	26.39	18.30	8.09	0.69
	R10	Residential	Unknown	W22	23.96	14.59	9.37	0.61
				W23	25.50	15.88	9.62	0.62
	R11	Residential	Unknown	W24	30.22	20.59	9.63	0.68
	R12	Residential	Unknown	W25	27.74	17.67	10.07	0.64
				W26	22.90	13.23	9.67	0.58
	R13	Residential	Unknown	W27	20.25	14.10	6.15	0.70
				W28	26.83	17.98	8.85	0.67
	R14	Residential	Unknown	W29	31.11	22.97	8.14	0.74
	R15	Residential	Unknown	W30	30.89	22.75	8.14	0.74
	R16	Residential	Unknown	W31	25.54	17.58	7.96	0.69
				W32	23.00	15.13	7.87	0.66
	R17	Residential	Unknown	W33	16.45	10.93	5.52	0.66
				W34	22.83	16.17	6.66	0.71

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R18	Residential	Unknown	W35	28.42	21.70	6.72	0.76
	R19	Residential	Unknown	W36	28.67	21.92	6.75	0.76
	R20	Residential	Unknown	W37	27.20	20.61	6.59	0.76
	R21	Residential	Unknown	W38	16.27	10.05	6.22	0.62
	R22	Residential	Unknown	W39	12.51	9.43	3.08	0.75
				W40	23.42	17.55	5.87	0.75
	R23	Residential	Unknown	W41	18.39	16.30	2.09	0.89
	R24	Residential	Unknown	W42	17.46	16.26	1.20	0.93
	R25	Residential	Unknown	W43	11.79	10.00	1.79	0.85
				W44	10.96	9.06	1.90	0.83
				W45	11.41	9.49	1.92	0.83
				W46	25.64	25.11	0.53	0.98
				W47	33.22	32.42	0.80	0.98
Tenth	R1	Residential	Unknown	W1	8.76	6.25	2.51	0.71
				W2	10.50	8.68	1.82	0.83
				W3	24.47	18.02	6.45	0.74
	R2	Residential	Unknown	W4	26.61	18.17	8.44	0.68
				W5	22.33	17.44	4.89	0.78
				W6	23.43	18.30	5.13	0.78
	R3	Residential	Unknown	W7	25.50	19.83	5.67	0.78
				W8	21.42	14.49	6.93	0.68
				W9	20.79	13.30	7.49	0.64
				W10	21.33	13.56	7.77	0.64
				W11	31.83	12.31	19.52	0.39
	R4	Residential	Unknown	W12	38.21	20.43	17.78	0.53
	R5	Residential	Unknown	W13	38.03	21.84	16.19	0.57
				W14	31.86	16.72	15.14	0.52
				W15	30.81	15.97	14.84	0.52
				W16	30.99	16.36	14.63	0.53
				W17	17.29	15.01	2.28	0.87
	R6	Residential	Unknown	W18	20.23	18.64	1.59	0.92

Project Name: 33 Cheetham Hill Road
 Project No.: 2029
 Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R7	Residential	Unknown	W19	18.15	16.40	1.75	0.90
	R8	Residential	Unknown	W20	20.99	15.46	5.53	0.74
	R9	Residential	Unknown	W21	27.52	20.02	7.50	0.73
	R10	Residential	Unknown	W22	25.03	16.40	8.63	0.66
				W23	26.12	17.27	8.85	0.66
	R11	Residential	Unknown	W24	30.60	21.79	8.81	0.71
	R12	Residential	Unknown	W25	28.16	18.92	9.24	0.67
				W26	23.12	14.24	8.88	0.62
	R13	Residential	Unknown	W27	20.67	14.85	5.82	0.72
				W28	27.26	19.10	8.16	0.70
	R14	Residential	Unknown	W29	31.54	24.05	7.49	0.76
	R15	Residential	Unknown	W30	31.20	23.70	7.50	0.76
	R16	Residential	Unknown	W31	26.01	18.64	7.37	0.72
				W32	23.12	15.83	7.29	0.68
	R17	Residential	Unknown	W33	17.21	11.97	5.24	0.70
				W34	23.62	17.40	6.22	0.74
	R18	Residential	Unknown	W35	29.48	23.23	6.25	0.79
	R19	Residential	Unknown	W36	29.86	23.60	6.26	0.79
	R20	Residential	Unknown	W37	28.42	22.30	6.12	0.78
	R21	Residential	Unknown	W38	16.84	11.05	5.79	0.66
	R22	Residential	Unknown	W39	12.83	10.07	2.76	0.78
				W40	24.82	19.35	5.47	0.78
	R23	Residential	Unknown	W41	20.42	18.51	1.91	0.91
	R24	Residential	Unknown	W42	19.73	18.62	1.11	0.94
	R25	Residential	Unknown	W43	14.12	12.04	2.08	0.85
				W44	13.35	11.08	2.27	0.83
				W45	13.86	11.56	2.30	0.83

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
				W46	26.71	25.94	0.77	0.97
				W47	34.39	33.44	0.95	0.97
Eleventh	R1	Residential	Unknown	W1	10.16	8.00	2.16	0.79
				W2	12.11	10.56	1.55	0.87
				W3	26.15	20.63	5.52	0.79
	R2	Residential	Unknown	W4	28.26	20.95	7.31	0.74
				W5	23.92	19.69	4.23	0.82
				W6	25.02	20.59	4.43	0.82
	R3	Residential	Unknown	W7	27.30	22.33	4.97	0.82
				W8	22.81	16.65	6.16	0.73
				W9	22.14	15.57	6.57	0.70
				W10	22.64	15.81	6.83	0.70
				W11	31.96	14.37	17.59	0.45
	R4	Residential	Unknown	W12	38.54	22.50	16.04	0.58
	R5	Residential	Unknown	W13	38.37	23.74	14.63	0.62
				W14	32.08	18.35	13.73	0.57
				W15	31.03	17.57	13.46	0.57
				W16	31.22	17.93	13.29	0.57
				W17	18.48	16.20	2.28	0.88
	R6	Residential	Unknown	W18	21.69	20.16	1.53	0.93
	R7	Residential	Unknown	W19	19.36	17.64	1.72	0.91
	R8	Residential	Unknown	W20	21.93	16.69	5.24	0.76
	R9	Residential	Unknown	W21	28.08	20.96	7.12	0.75
	R10	Residential	Unknown	W22	26.41	18.44	7.97	0.70
				W23	27.08	18.94	8.14	0.70
	R11	Residential	Unknown	W24	27.48	19.35	8.13	0.70
	R12	Residential	Unknown	W25	34.26	25.85	8.41	0.75
				W26	28.52	20.45	8.07	0.72
	R13	Residential	Unknown	W27	26.29	20.82	5.47	0.79
				W28	33.36	25.91	7.45	0.78
	R14	Residential	Unknown	W29	27.13	20.30	6.83	0.75

Project Name: 33 Cheetham Hill Road
 Project No.: 2029
 Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R15	Residential	Unknown	W30	26.90	19.96	6.94	0.74
	R16	Residential	Unknown	W31	32.16	25.39	6.77	0.79
				W32	28.45	21.76	6.69	0.76
	R17	Residential	Unknown	W33	23.25	18.28	4.97	0.79
				W34	30.15	24.36	5.79	0.81
	R18	Residential	Unknown	W35	30.76	24.93	5.83	0.81
	R19	Residential	Unknown	W36	31.19	25.36	5.83	0.81
	R20	Residential	Unknown	W37	30.01	24.36	5.65	0.81
	R21	Residential	Unknown	W38	18.21	12.87	5.34	0.71
	R22	Residential	Unknown	W39	13.14	10.72	2.42	0.82
				W40	26.76	21.70	5.06	0.81
	R23	Residential	Unknown	W41	23.39	21.64	1.75	0.93
	R24	Residential	Unknown	W42	22.98	21.92	1.06	0.95
	R25	Residential	Unknown	W43	23.44	21.04	2.40	0.90
				W44	23.93	21.25	2.68	0.89
				W45	24.38	21.66	2.72	0.89
				W46	35.14	34.03	1.11	0.97
				W47	35.42	34.33	1.09	0.97
Twelfth	R1	Residential	Unknown	W1	12.43	10.62	1.81	0.85
				W2	14.67	13.37	1.30	0.91
				W3	28.07	23.43	4.64	0.83
	R2	Residential	Unknown	W4	30.44	24.35	6.09	0.80
				W5	25.79	22.25	3.54	0.86
				W6	26.90	23.18	3.72	0.86
	R3	Residential	Unknown	W7	29.40	25.00	4.40	0.85
				W8	30.39	25.12	5.27	0.83
				W9	30.75	25.20	5.55	0.82
				W10	31.03	25.26	5.77	0.81
				W11	38.96	23.50	15.46	0.60
	R4	Residential	Unknown	W12	38.82	24.67	14.15	0.64

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R5	Residential	Unknown	W13	38.67	25.76	12.91	0.67
				W14	38.48	26.27	12.21	0.68
				W15	38.43	26.44	11.99	0.69
				W16	38.40	26.56	11.84	0.69
				W17	26.30	24.10	2.20	0.92
	R6	Residential	Unknown	W18	23.52	21.62	1.90	0.92
	R7	Residential	Unknown	W19	20.42	18.70	1.72	0.92
	R8	Residential	Unknown	W20	23.69	18.69	5.00	0.79
	R9	Residential	Unknown	W21	33.58	26.95	6.63	0.80
	R10	Residential	Unknown	W22	35.54	28.14	7.40	0.79
				W23	35.96	28.46	7.50	0.79
	R11	Residential	Unknown	W24	36.85	29.31	7.54	0.80
	R12	Residential	Unknown	W25	25.95	24.53	1.42	0.95
				W26	25.85	24.41	1.44	0.94
	R13	Residential	Unknown	W27	25.99	24.53	1.46	0.94
				W28	26.24	24.74	1.50	0.94
	R14	Residential	Unknown	W29	36.24	29.54	6.70	0.82
	R15	Residential	Unknown	W30	35.83	29.39	6.44	0.82
	R16	Residential	Unknown	W31	25.65	24.07	1.58	0.94
				W32	25.43	23.81	1.62	0.94
	R17	Residential	Unknown	W33	25.39	23.72	1.67	0.93
				W34	25.54	23.85	1.69	0.93
	R18	Residential	Unknown	W35	33.55	27.88	5.67	0.83
	R19	Residential	Unknown	W36	32.91	27.41	5.50	0.83
	R20	Residential	Unknown	W37	32.08	26.79	5.29	0.84
	R21	Residential	Unknown	W38	29.10	23.92	5.18	0.82
	R22	Residential	Unknown	W39	19.51	17.41	2.10	0.89

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R23	Residential	Unknown	W40	29.38	24.48	4.90	0.83
				W41	27.81	25.59	2.22	0.92
				W42	32.02	29.62	2.40	0.93
				W43	34.55	32.64	1.91	0.94
				W44	34.65	32.72	1.93	0.94
	R1	Residential	Unknown	W1	13.75	12.27	1.48	0.89
				W2	16.26	15.20	1.06	0.93
	R2	Residential	Unknown	W3	30.29	26.55	3.74	0.88
				W4	32.10	27.24	4.86	0.85
	R3	Residential	Unknown	W5	34.26	27.70	6.56	0.81
Thirteenth	R4	Residential	Unknown	W6	33.79	26.92	6.87	0.80
	R5	Residential	Unknown	W7	29.74	22.55	7.19	0.76
				W8	28.91	21.77	7.14	0.75
	R6	Residential	Unknown	W9	37.59	30.60	6.99	0.81
	R7	Residential	Unknown	W10	36.37	29.64	6.73	0.81
				W11	36.18	29.52	6.66	0.82
	R8	Residential	Unknown	W12	36.14	29.60	6.54	0.82
				W13	36.23	29.74	6.49	0.82
	R9	Residential	Unknown	W14	36.87	30.79	6.08	0.84
	R10	Residential	Unknown	W15	36.57	30.69	5.88	0.84
	R11	Residential	Unknown	W16	34.94	29.28	5.66	0.84
				W17	34.67	29.04	5.63	0.84
	R12	Residential	Unknown	W18	34.46	28.91	5.55	0.84
				W19	34.46	28.92	5.54	0.84
	R13	Residential	Unknown	W20	34.90	29.55	5.35	0.85
	R14	Residential	Unknown	W21	34.51	29.24	5.27	0.85
	R15	Residential	Unknown	W22	30.20	25.50	4.70	0.84
	R16	Residential	Unknown	W23	31.91	26.78	5.13	0.84

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R17	Residential	Unknown	W24	24.66	19.51	5.15	0.79
				W25	22.54	17.39	5.15	0.77
	R18	Residential	Unknown	W26	30.62	27.34	3.28	0.89
				W27	34.06	30.93	3.13	0.91
				W28	28.96	26.74	2.22	0.92
Fourteenth	R1	Residential	Unknown	W1	19.75	18.57	1.18	0.94
				W2	22.79	21.94	0.85	0.96
	R2	Residential	Unknown	W3	32.47	29.65	2.82	0.91
				W4	33.94	30.27	3.67	0.89
	R3	Residential	Unknown	W5	37.67	31.45	6.22	0.83
				W6	38.83	31.42	7.41	0.81
	R4	Residential	Unknown	W7	23.53	16.77	6.76	0.71
				W8	35.98	29.05	6.93	0.81
	R5	Residential	Unknown	W9	34.41	28.18	6.23	0.82
	R6	Residential	Unknown	W10	31.75	25.37	6.38	0.80
				W11	32.01	25.68	6.33	0.80
	R7	Residential	Unknown	W12	37.48	31.40	6.08	0.84
	R8	Residential	Unknown	W13	31.29	25.37	5.92	0.81
				W14	30.20	24.33	5.87	0.81
	R9	Residential	Unknown	W15	30.19	24.40	5.79	0.81
				W16	31.13	25.38	5.75	0.82
	R10	Residential	Unknown	W17	37.53	32.13	5.40	0.86
	R11	Residential	Unknown	W18	37.27	31.99	5.28	0.86
	R12	Residential	Unknown	W19	30.14	24.95	5.19	0.83
				W20	29.06	23.88	5.18	0.82
	R13	Residential	Unknown	W21	28.91	23.75	5.16	0.82
				W22	29.80	24.66	5.14	0.83
	R14	Residential	Unknown	W23	36.09	31.08	5.01	0.86

Project Name: 33 Cheetham Hill Road
 Project No.: 2029
 Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R15	Residential	Unknown	W24	35.90	30.92	4.98	0.86
	R16	Residential	Unknown	W25	35.36	30.34	5.02	0.86
	R17	Residential	Unknown	W26	34.55	29.48	5.07	0.85
				W27	33.24	28.14	5.10	0.85
				W28	31.65	26.52	5.13	0.84
	R18	Residential	Unknown	W29	32.82	28.78	4.04	0.88
				W30	35.83	32.24	3.59	0.90
				W31	37.51	35.14	2.37	0.94
				W32	37.56	35.23	2.33	0.94
Fifteenth	R1	Residential	Unknown	W1	26.50	26.38	0.12	1.00
				W2	26.65	26.65	0.00	1.00
				W3	27.98	27.89	0.09	1.00
				W4	28.52	28.02	0.50	0.98
	R2	Residential	Unknown	W5	28.99	28.20	0.79	0.97
	R3	Residential	Unknown	W6	28.79	27.86	0.93	0.97
	R4	Residential	Unknown	W7	23.67	18.01	5.66	0.76
				W8	36.15	30.45	5.70	0.84
	R5	Residential	Unknown	W9	34.86	29.60	5.26	0.85
	R6	Residential	Unknown	W10	32.09	26.63	5.46	0.83
				W11	32.35	26.91	5.44	0.83
	R7	Residential	Unknown	W12	38.20	32.89	5.31	0.86
	R8	Residential	Unknown	W13	38.36	33.16	5.20	0.86
				W14	38.34	33.17	5.17	0.87
	R9	Residential	Unknown	W15	38.31	33.20	5.11	0.87
				W16	38.28	33.18	5.10	0.87
	R10	Residential	Unknown	W17	38.10	33.18	4.92	0.87
	R11	Residential	Unknown	W18	37.96	33.11	4.85	0.87
	R12	Residential	Unknown	W19	37.64	32.86	4.78	0.87
				W20	37.58	32.79	4.79	0.87

Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R13	Residential	Unknown	W21	37.48	32.69	4.79	0.87
				W22	37.39	32.61	4.78	0.87
	R14	Residential	Unknown	W23	37.09	32.35	4.74	0.87
	R15	Residential	Unknown	W24	36.88	32.14	4.74	0.87
	R16	Residential	Unknown	W25	36.58	31.78	4.80	0.87
	R17	Residential	Unknown	W26	36.09	31.26	4.83	0.87
Sixteenth	R1	Residential	Unknown	W1	25.24	24.60	0.64	0.97
				W2	26.44	25.76	0.68	0.97
				W3	35.35	34.04	1.31	0.96
				W4	37.28	35.06	2.22	0.94
	R2	Residential	Unknown	W5	38.35	35.22	3.13	0.92
	R3	Residential	Unknown	W6	38.72	34.71	4.01	0.90
	R4	Residential	Unknown	W7	24.04	19.44	4.60	0.81
				W8	36.60	32.02	4.58	0.87
	R5	Residential	Unknown	W9	35.50	31.11	4.39	0.88
	R6	Residential	Unknown	W10	38.38	33.80	4.58	0.88
				W11	38.48	33.90	4.58	0.88
	R7	Residential	Unknown	W12	38.68	34.15	4.53	0.88
	R8	Residential	Unknown	W13	38.72	34.21	4.51	0.88
	R9	Residential	Unknown	W14	38.51	34.32	4.19	0.89
				W15	38.14	34.92	3.22	0.92
				W16	38.07	36.39	1.68	0.96
				W17	38.07	36.42	1.65	0.96
Seventeenth	R1	Residential	Unknown	W1	27.86	27.48	0.38	0.99
				W2	28.73	28.34	0.39	0.99
				W3	36.56	35.82	0.74	0.98
				W4	37.91	36.52	1.39	0.96
	R2	Residential	Unknown	W5	38.51	36.42	2.09	0.95
	R3	Residential	Unknown	W6	37.97	35.14	2.83	0.93

Project Name: 33 Cheetham Hill Road
 Project No.: 2029
 Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R4	Residential	Unknown	W7	32.88	31.36	1.52	0.95
				W8	32.03	30.68	1.35	0.96
Eighteenth	R1	Residential	Unknown	W1	35.59	35.36	0.23	0.99
				W2	35.46	35.22	0.24	0.99
				W3	36.62	36.15	0.47	0.99
				W4	37.26	36.26	1.00	0.97
	R2	Residential	Unknown	W5	37.47	35.88	1.59	0.96
	R3	Residential	Unknown	W6	37.51	35.25	2.26	0.94
				W7	35.45	32.66	2.79	0.92
	R4	Residential	Unknown	W8	37.81	34.42	3.39	0.91
	R5	Residential	Unknown	W9	37.47	33.95	3.52	0.91
	R6	Residential	Unknown	W10	37.33	33.99	3.34	0.91
	R7	Residential	Unknown	W11	35.08	33.76	1.32	0.96
				W12	35.76	34.29	1.47	0.96
The Hallmark								
Ground	R1	Residential	Unknown	W1	28.93	17.39	11.54	0.60
				W2	1.44	0.52	0.92	0.36
				W3	11.15	6.91	4.24	0.62
				W4	9.96	4.73	5.23	0.47
				W5	16.95	8.23	8.72	0.49
				W6	6.21	2.71	3.50	0.44
	R2	Residential	Unknown	W7	8.58	4.75	3.83	0.55
	R3	Residential	Unknown	W8	7.47	2.89	4.58	0.39
				W9	7.45	4.40	3.05	0.59
				W10	0.62	0.32	0.30	0.52
				W11	9.85	5.82	4.03	0.59
				W12	9.91	6.08	3.83	0.61
				W13	7.77	3.70	4.07	0.48
				W14	10.28	5.85	4.43	0.57
	R4	Residential	Unknown	W15	9.06	4.59	4.47	0.51
				W16	8.84	4.02	4.82	0.45
First	R1	Residential	Unknown	W1	29.92	18.46	11.46	0.62

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R2	Residential	Unknown	W2	9.73	8.63	1.10	0.89
				W3	10.03	3.99	6.04	0.40
	R3	Residential	Unknown	W4	3.57	0.23	3.34	0.06
				W5	37.35	20.98	16.37	0.56
	R4	Residential	Unknown	W6	37.30	21.14	16.16	0.57
	R5	Residential	Unknown	W7	37.28	21.32	15.96	0.57
	R6	Residential	Unknown	W8	37.25	21.38	15.87	0.57
	R7	Residential	Unknown	W9	37.26	21.43	15.83	0.58
	R8	Residential	Unknown	W10	37.21	21.30	15.91	0.57
	R9	Residential	Unknown	W11	32.71	17.84	14.87	0.55
	R10	Residential	Unknown	W12	37.11	20.84	16.27	0.56
	R11	Residential	Unknown	W13	37.05	20.59	16.46	0.56
	R12	Residential	Unknown	W14	36.97	20.27	16.70	0.55
	R13	Residential	Unknown	W15	36.88	19.28	17.60	0.52
				W16	2.96	2.21	0.75	0.75
Second	R14	Residential	Unknown	W17	9.38	4.23	5.15	0.45
				W18	10.19	2.28	7.91	0.22
	R1	Residential	Unknown	W1	31.39	19.78	11.61	0.63
	R2	Residential	Unknown	W2	9.76	8.58	1.18	0.88
				W3	10.00	3.98	6.02	0.40
	R3	Residential	Unknown	W4	3.50	0.23	3.27	0.07
				W5	38.44	21.85	16.59	0.57
	R4	Residential	Unknown	W6	38.42	22.04	16.38	0.57
	R5	Residential	Unknown	W7	38.39	22.20	16.19	0.58
	R6	Residential	Unknown	W8	38.37	22.25	16.12	0.58

Project Name: 33 Cheetham Hill Road
 Project No.: 2029
 Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R7	Residential	Unknown	W9	38.36	22.27	16.09	0.58
	R8	Residential	Unknown	W10	38.34	22.13	16.21	0.58
	R9	Residential	Unknown	W11	33.76	18.56	15.20	0.55
	R10	Residential	Unknown	W12	38.25	21.58	16.67	0.56
	R11	Residential	Unknown	W13	38.20	21.30	16.90	0.56
	R12	Residential	Unknown	W14	38.14	20.96	17.18	0.55
	R13	Residential	Unknown	W15	38.07	19.97	18.10	0.52
				W16	3.07	2.25	0.82	0.73
	R14	Residential	Unknown	W17	9.46	4.31	5.15	0.46
				W18	10.06	2.27	7.79	0.23
Third	R1	Residential	Unknown	W1	32.15	20.84	11.31	0.65
	R2	Residential	Unknown	W2	9.86	8.64	1.22	0.88
				W3	10.01	4.05	5.96	0.40
	R3	Residential	Unknown	W4	3.45	0.23	3.22	0.07
				W5	39.17	22.61	16.56	0.58
	R4	Residential	Unknown	W6	39.17	22.78	16.39	0.58
	R5	Residential	Unknown	W7	39.16	22.93	16.23	0.59
	R6	Residential	Unknown	W8	39.14	22.98	16.16	0.59
	R7	Residential	Unknown	W9	39.14	22.97	16.17	0.59
	R8	Residential	Unknown	W10	39.13	22.80	16.33	0.58
	R9	Residential	Unknown	W11	34.50	19.13	15.37	0.55
	R10	Residential	Unknown	W12	39.08	22.05	17.03	0.56
	R11	Residential	Unknown	W13	39.05	21.81	17.24	0.56
	R12	Residential	Unknown	W14	39.03	21.53	17.50	0.55
	R13	Residential	Unknown	W15	39.01	20.62	18.39	0.53

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R14	Residential	Unknown	W16	4.98	2.13	2.85	0.43
				W17	10.54	5.28	5.26	0.50
				W18	8.30	2.30	6.00	0.28
Fourth	R1	Residential	Unknown	W1	32.85	21.88	10.97	0.67
	R2	Residential	Unknown	W2	7.56	6.20	1.36	0.82
				W3	10.63	4.37	6.26	0.41
	R3	Residential	Unknown	W4	5.75	0.23	5.52	0.04
				W5	39.55	23.24	16.31	0.59
	R4	Residential	Unknown	W6	39.55	23.34	16.21	0.59
	R5	Residential	Unknown	W7	39.55	23.46	16.09	0.59
	R6	Residential	Unknown	W8	39.54	23.53	16.01	0.60
	R7	Residential	Unknown	W9	39.54	23.45	16.09	0.59
	R8	Residential	Unknown	W10	39.53	23.32	16.21	0.59
	R9	Residential	Unknown	W11	34.89	19.56	15.33	0.56
	R10	Residential	Unknown	W12	39.52	22.48	17.04	0.57
	R11	Residential	Unknown	W13	39.51	22.22	17.29	0.56
	R12	Residential	Unknown	W14	39.51	21.91	17.60	0.55
				W15	39.50	21.00	18.50	0.53
Fifth	R13	Residential	Unknown	W16	5.18	2.21	2.97	0.43
				W17	11.07	5.57	5.50	0.50
	R14	Residential	Unknown	W18	8.66	2.42	6.24	0.28
				W1	33.43	22.91	10.52	0.69
	R2	Residential	Unknown	W2	7.67	6.32	1.35	0.82
				W3	10.78	4.55	6.23	0.42
	R3	Residential	Unknown	W4	5.79	0.28	5.51	0.05
				W5	39.61	23.67	15.94	0.60

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R4	Residential	Unknown	W6	39.61	23.79	15.82	0.60
	R5	Residential	Unknown	W7	39.61	23.87	15.74	0.60
	R6	Residential	Unknown	W8	39.61	23.91	15.70	0.60
	R7	Residential	Unknown	W9	39.61	23.82	15.79	0.60
	R8	Residential	Unknown	W10	39.61	23.67	15.94	0.60
	R9	Residential	Unknown	W11	34.96	19.85	15.11	0.57
	R10	Residential	Unknown	W12	39.60	22.77	16.83	0.58
	R11	Residential	Unknown	W13	39.60	22.49	17.11	0.57
	R12	Residential	Unknown	W14	39.60	22.16	17.44	0.56
	R13	Residential	Unknown	W15	39.59	21.25	18.34	0.54
	R14	Residential	Unknown	W16	5.22	2.27	2.95	0.43
				W17	11.19	5.64	5.55	0.50
				W18	8.79	2.45	6.34	0.28
Sixth	R1	Residential	Unknown	W1	34.01	24.01	10.00	0.71
	R2	Residential	Unknown	W2	7.62	6.32	1.30	0.83
				W3	10.70	4.63	6.07	0.43
	R3	Residential	Unknown	W4	5.75	0.33	5.42	0.06
				W5	39.61	24.14	15.47	0.61
	R4	Residential	Unknown	W6	39.61	24.23	15.38	0.61
	R5	Residential	Unknown	W7	39.61	24.32	15.29	0.61
	R6	Residential	Unknown	W8	39.61	24.33	15.28	0.61
	R7	Residential	Unknown	W9	39.61	24.21	15.40	0.61
	R8	Residential	Unknown	W10	39.61	24.05	15.56	0.61
	R9	Residential	Unknown	W11	34.96	20.16	14.80	0.58
	R10	Residential	Unknown	W12	39.61	23.21	16.40	0.59

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R11	Residential	Unknown	W13	39.61	22.86	16.75	0.58
	R12	Residential	Unknown	W14	39.61	22.40	17.21	0.57
	R13	Residential	Unknown	W15	39.60	21.40	18.20	0.54
				W16	3.38	2.44	0.94	0.72
	R14	Residential	Unknown	W17	10.25	4.75	5.50	0.46
				W18	10.66	2.46	8.20	0.23
Seventh	R1	Residential	Unknown	W1	34.55	25.16	9.39	0.73
	R2	Residential	Unknown	W2	10.34	9.21	1.13	0.89
				W3	10.48	4.72	5.76	0.45
	R3	Residential	Unknown	W4	3.53	0.24	3.29	0.07
				W5	39.62	24.62	15.00	0.62
	R4	Residential	Unknown	W6	39.62	24.73	14.89	0.62
	R5	Residential	Unknown	W7	39.62	24.82	14.80	0.63
	R6	Residential	Unknown	W8	39.62	24.78	14.84	0.63
	R7	Residential	Unknown	W9	39.62	24.68	14.94	0.62
	R8	Residential	Unknown	W10	39.62	24.39	15.23	0.62
	R9	Residential	Unknown	W11	34.96	20.50	14.46	0.59
	R10	Residential	Unknown	W12	39.62	23.56	16.06	0.59
	R11	Residential	Unknown	W13	39.62	23.18	16.44	0.59
	R12	Residential	Unknown	W14	39.62	22.69	16.93	0.57
	R13	Residential	Unknown	W15	39.62	21.67	17.95	0.55
				W16	3.38	2.47	0.91	0.73
	R14	Residential	Unknown	W17	10.24	4.76	5.48	0.46
				W18	10.65	2.50	8.15	0.23
Eighth	R1	Residential	Unknown	W1	35.15	26.36	8.79	0.75

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R2	Residential	Unknown	W2	10.37	9.29	1.08	0.90
				W3	10.50	4.89	5.61	0.47
	R3	Residential	Unknown	W4	3.54	0.24	3.30	0.07
				W5	39.62	25.17	14.45	0.64
	R4	Residential	Unknown	W6	39.62	25.28	14.34	0.64
	R5	Residential	Unknown	W7	39.62	25.35	14.27	0.64
	R6	Residential	Unknown	W8	39.62	25.29	14.33	0.64
	R7	Residential	Unknown	W9	39.62	25.16	14.46	0.64
	R8	Residential	Unknown	W10	39.62	24.83	14.79	0.63
	R9	Residential	Unknown	W11	34.95	20.87	14.08	0.60
	R10	Residential	Unknown	W12	39.62	23.93	15.69	0.60
	R11	Residential	Unknown	W13	39.62	23.52	16.10	0.59
	R12	Residential	Unknown	W14	39.62	22.99	16.63	0.58
	R13	Residential	Unknown	W15	39.62	21.96	17.66	0.55
				W16	3.39	2.48	0.91	0.73
Ninth	R14	Residential	Unknown	W17	10.27	4.77	5.50	0.46
				W18	10.67	2.56	8.11	0.24
	R1	Residential	Unknown	W1	35.77	27.60	8.17	0.77
	R2	Residential	Unknown	W2	10.40	9.37	1.03	0.90
				W3	10.55	5.11	5.44	0.48
	R3	Residential	Unknown	W4	3.55	0.25	3.30	0.07
				W5	39.62	25.77	13.85	0.65
	R4	Residential	Unknown	W6	39.62	25.88	13.74	0.65
	R5	Residential	Unknown	W7	39.62	25.93	13.69	0.65
	R6	Residential	Unknown	W8	39.62	25.83	13.79	0.65
	R7	Residential	Unknown	W9	39.62	25.68	13.94	0.65

Project Name: 33 Cheetham Hill Road
 Project No.: 2029
 Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R8	Residential	Unknown	W10	39.62	25.31	14.31	0.64
	R9	Residential	Unknown	W11	34.93	21.26	13.67	0.61
	R10	Residential	Unknown	W12	39.62	24.21	15.41	0.61
	R11	Residential	Unknown	W13	39.62	23.80	15.82	0.60
	R12	Residential	Unknown	W14	39.62	23.34	16.28	0.59
	R13	Residential	Unknown	W15	39.62	22.38	17.24	0.56
				W16	5.22	2.34	2.88	0.45
	R14	Residential	Unknown	W17	11.18	5.66	5.52	0.51
				W18	8.78	2.62	6.16	0.30
Tenth	R1	Residential	Unknown	W1	36.43	28.86	7.57	0.79
	R2	Residential	Unknown	W2	8.54	7.30	1.24	0.85
				W3	12.05	6.24	5.81	0.52
	R3	Residential	Unknown	W4	6.30	0.94	5.36	0.15
				W5	39.62	26.46	13.16	0.67
	R4	Residential	Unknown	W6	39.62	26.53	13.09	0.67
	R5	Residential	Unknown	W7	39.62	26.54	13.08	0.67
	R6	Residential	Unknown	W8	39.62	26.42	13.20	0.67
	R7	Residential	Unknown	W9	39.62	26.19	13.43	0.66
	R8	Residential	Unknown	W10	39.62	25.92	13.70	0.65
	R9	Residential	Unknown	W11	34.89	21.68	13.21	0.62
	R10	Residential	Unknown	W12	39.62	24.65	14.97	0.62
	R11	Residential	Unknown	W13	39.62	24.20	15.42	0.61
	R12	Residential	Unknown	W14	39.62	23.70	15.92	0.60
	R13	Residential	Unknown	W15	39.62	22.72	16.90	0.57
				W16	5.03	2.25	2.78	0.45

Project Name: 33 Cheetham Hill Road
 Project No.: 2029
 Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
	R14	Residential	Unknown	W17 W18	10.72 8.42	5.42 2.54	5.30 5.88	0.51 0.30
Eleventh	R1	Residential	Unknown	W1	37.09	30.23	6.86	0.82
	R2	Residential	Unknown	W2	8.60	7.40	1.20	0.86
				W3	12.14	6.61	5.53	0.54
	R3	Residential	Unknown	W4	6.34	1.15	5.19	0.18
				W5	39.62	27.23	12.39	0.69
	R4	Residential	Unknown	W6	39.62	27.29	12.33	0.69
	R5	Residential	Unknown	W7	39.62	27.28	12.34	0.69
	R6	Residential	Unknown	W8	39.62	27.11	12.51	0.68
	R7	Residential	Unknown	W9	39.62	26.85	12.77	0.68
	R8	Residential	Unknown	W10	39.62	26.55	13.07	0.67
	R9	Residential	Unknown	W11	33.47	20.79	12.68	0.62
	R10	Residential	Unknown	W12	39.62	25.18	14.44	0.64
Twelfth	R1	Residential	Unknown	W13	39.62	24.68	14.94	0.62
				W14	26.29	26.29	0.00	1.00
				W15	33.13	29.54	3.59	0.89
	R2	Residential	Unknown	W1	37.79	31.43	6.36	0.83
				W2	7.57	6.56	1.01	0.87
				W3	10.63	5.84	4.79	0.55
	R3	Residential	Unknown	W4	5.72	1.02	4.70	0.18
				W5	39.62	28.07	11.55	0.71
	R4	Residential	Unknown	W6	39.62	28.11	11.51	0.71
	R5	Residential	Unknown	W7	39.62	28.07	11.55	0.71
	R6	Residential	Unknown	W8	39.62	27.87	11.75	0.70
	R7	Residential	Unknown	W9	39.62	27.56	12.06	0.70
				W10	39.62	27.23	12.39	0.69

Project Name: 33 Cheetham Hill Road
Project No.: 2029
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
				W11	34.15	28.51	5.64	0.83
Thirteenth	R1	Residential	Unknown	W1	38.34	32.60	5.74	0.85
				W2	10.40	9.57	0.83	0.92
				W3	10.54	6.15	4.39	0.58
	R2	Residential	Unknown	W4	3.55	0.36	3.19	0.10
				W5	39.62	28.88	10.74	0.73
	R3	Residential	Unknown	W6	39.62	28.93	10.69	0.73
	R4	Residential	Unknown	W7	39.62	28.88	10.74	0.73
	R5	Residential	Unknown	W8	39.62	28.65	10.97	0.72
	R6	Residential	Unknown	W9	39.62	28.36	11.26	0.72
	R7	Residential	Unknown	W10	39.62	27.79	11.83	0.70
				W11	38.86	32.74	6.12	0.84
Fourteenth	R1	Residential	Unknown	W1	38.80	33.71	5.09	0.87
				W2	11.67	10.78	0.89	0.92
				W3	11.94	7.62	4.32	0.64
	R2	Residential	Unknown	W4	3.97	0.86	3.11	0.22
				W5	39.62	29.77	9.85	0.75
	R3	Residential	Unknown	W6	39.62	29.81	9.81	0.75
	R4	Residential	Unknown	W7	39.62	29.73	9.89	0.75
	R5	Residential	Unknown	W8	39.62	29.46	10.16	0.74
	R6	Residential	Unknown	W9	39.62	29.14	10.48	0.74
	R7	Residential	Unknown	W10	39.62	28.53	11.09	0.72
				W11	39.08	33.24	5.84	0.85
Fifteenth	R1	Residential	Unknown	W1	12.00	11.12	0.88	0.93
				W2	12.30	8.36	3.94	0.68
	R2	Residential	Unknown	W3	5.33	3.54	1.79	0.66
				W4	39.62	30.73	8.89	0.78
	R3	Residential	Unknown	W5	39.62	30.74	8.88	0.78

Project Name: 33 Cheetham Hill Road
 Project No.: 2029
 Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC Existing	VSC Cumulative	VSC Lost	Pr/Ex
				W6	32.24	29.20	3.04	0.91
				W7	29.54	26.00	3.54	0.88
4 Park Place								
Ground	R1	Residential	Unknown	W1	16.29	16.29	0.00	1.00
	R2	Residential	Unknown	W2	14.73	11.14	3.59	0.76
First	R1	Residential	Unknown	W1	35.46	21.22	14.24	0.60
	R2	Residential	Unknown	W2	9.54	9.54	0.00	1.00
	R3	Residential	Unknown	W3	16.96	12.63	4.33	0.74
Second	R1	Residential	Unknown	W1	36.00	21.65	14.35	0.60
	R2	Residential	Unknown	W2	16.02	16.02	0.00	1.00
	R3	Residential	Unknown	W3	20.58	14.50	6.08	0.70
Third	R1	Residential	Unknown	W1	35.13	21.35	13.78	0.61
	R2	Residential	Unknown	W2	31.47	20.51	10.96	0.65