

Proposed Aluminium Cladding and Tinted Window and Door

For **139909/FH/2024 - 10 Meridian Place**





COMAR 5P.i ECO ALUMINIUM WINDOW SERIES

From Comar Architectural Aluminium Systems

ECO-nomic and ECO-friendly, the Comar 5P.i ECO system provides an economic solution using 100% recycled aluminium

- Slim 55mm Profile Depths
- Casement Open-out Windows, Side Hung & Top Hung
- Fixed-lights
- Fixed-lights
- Side Projecting & Top Projecting for ease of cleaning
- Lifetime Homes compliant
- Ovolo feature option to the internal
- External Ovolo flat vent option
- Flat vent option
- Cockspur, Shoot-bolt or Espagnolette locking
- Reverse adaptors and couplers to create multi-light configurations
- Bay-pole options
- Range of aluminium sills
- Secured By Design Product License
- Kitemark for Enhanced Security
- Exceeds BS6375 Parts 1, 2 & 3
- Tested to 10,000 open and closing cycles
- Accepts Trickle Ventilators to meet Building Regulations
- Exceeds the latest Requirements of Documents L
- WER A++ rating
- Can be restricted for safety
- Glazing to 24mm thickness safety glass
- Internally or Externally Beaded | Lifetime Homes Compliant

Profile of the Window



Example of the Window Profile



COMAR 5P.i ECO ALUMINIUM DOOR SERIES


From Comar Architectural Aluminium Systems

Thermally efficient Polyamide Insulation (P.i) door system

- Slim 55mm Profile Depths
- Comar 7P.i. ECO Door 55mm, Open-out
- Lifetime Homes compliant
- Range of aluminium sills
- Secured By Design Product License
- Kitemark for Enhanced Security
- Exceeds BS6375 Parts 1, 2 & 3
- Tested to 10,000 open and closing cycles
- Accepts Trickle Ventilators to meet Building Regulations
- Exceeds the latest Requirements of Documents L
- WER A++ rating
- Can be restricted for safety
- Glazing to 24mm thickness safety glass (Tinted Glazing)
- Internally or Externally Beaded | Lifetime Homes Compliant


Profile of the Door

Comar 7P.i. ECO Door 55mm, Open-out



General arrangement showing Comar 7P.i. ECO open-out head detail

Comar 7P.i. ECO 55mm Door Open-out



General arrangement showing Comar 7P.i. ECO open-out threshold detail

Example of the Door Profile

