







03 3F Meeting Room 03  
scale 1 : 50




32-31 Glazed Partition Head - Existing  
scale 1 : 10



32-32 Glazed Partition Head - Proposed  
scale 1 : 10



32-33 Glazed Partition Base - Existing  
scale 1 : 10



32-34 Glazed Partition Base - Proposed  
scale 1 : 10

- Legend (existing elements)**
- a. Existing historic timber beam.
  - b. Existing steel plate.
  - c. Assumed non-original plasterboard ceiling - build up of existing ceilings not known.
  - d. Existing original brick pier viewed in elevation.
  - e. Existing non-original pine trunking / skirting.
  - f. Assumed original pine floor boards, existing floor build-up unknown.

- Legend (proposed elements)**
- 1. Proposed glazed partition system shown indicatively - exact profile, specification and dimensions to be confirmed.
  - 2. Head of frame fixed using shot fired fixings into existing steel plate @ nom. 300mm centres, tbc glazed partition supplier.
  - 3. Base of glazing system screwed into single pine floor board which runs along the line of proposed partition @ nom. 300mm centres, tbc glazed partition supplier.



Scale 1:10



Scale 1:50

# John Wood Architect

m. 07749 518209 | e. studio@johnwoodarchitect.co.uk | w. johnwoodarchitect.co.uk

project 1679 project title Fourways House  
drawing 3321 - issue 01 Meeting Room 03 Partition- Sheet 01  
issue date 15/12/2023 scales shown @ A3

Notes.  
All dimensions & levels show design intent. Survey has been carried out for drafting purposes only.  
Critical dimensions should be site measured;  
Dimensions are shown to finished face of walls or edges of structural opening unless otherwise noted;  
S.O. denotes structural opening size - to be site measured prior to order of any windows & doors;  
(e) denotes existing dimension to be confirmed on site;  
dimensions shown in grey are nominal - to be confirmed on site and must not be used for setting out.