







ELEVATION E13



ELEVATION E14



ELEVATION E15



ELEVATION E16

FOR LARGER SCALE ELEVATION AND SETTING
OUT OF PANELLING AROUND LIFT / STAIR
ENTRANCE REFER TO DRG 353 CD 4208



- 18mm VALCHROMAT WALL PANELLING TREATED TO ACHIEVE FIRE CLASSIFICATION OF **C-s3-d2**
- 18mm VALCHROMAT WALL PANELLING WITH NO REQUIRED FIRE RETARDANT
- VALCHROMAT SHELVING/STORAGE/MEDIA WALL UNITS INTEGRATED WITH PANELLING

- 12mm VALCHROMAT SHADOW GAP BETWEEN PANELS
- 30mm VALCHROMAT STRIP TO FORM FRAME ELEMENT AROUND OPENINGS. REFER TO DETAIL DRAWINGS FOR DEPTHS

PANELLING TO COMPRISE 4 No. ROWS OF PANELS AT 788mm HIGH WITH 12mm HORIZONTAL SHADOW GAP BETWEEN PANELS AND FLUSH VERTICAL JOINTS.

Jonathan Davidson Architects

Architecture & Industrial Design
47 Hilton Street
MANCHESTER
M1 2EF
t: 0161 711 0835
e: inbox@jddavidsonarchitects.com
w: www.jddavidsonarchitects.com

Client Capital & Centric
Project **Neptune Mill**
Chapelton St, Manchester
Scale 1:50 @ A3
Date May 2024

Document **Wall Finishes**
Wall Panelling Elevations 13-16
Status For information

Doc Ref	353	CD	4204	C1
---------	-----	----	------	----