

Acoustic wall panels (Wallsorrba)
please allow 30m2 for each office

New cornice to corner of room
following demolition of partitions

Acoustic wall panels (Wallsorrba)
please allow 30m2 for each office

Please allow for local repair of
existing ceiling within staircore.

1 Reflected Ceiling Plan_Proposed - Level 01
1 : 100



Ecophon Solo Acoustic Baffle Ceiling - 300mm deep x 40mm wide linear
acoustic baffles suspended from soffit on Ecophon catenary wire
hangers - NBS N10/125



Existing expanded metal lath + lime plaster to be repaired as required -
NBS K10/245



Rockfon System T15E semi concealed grid ceiling system to wcs, and cleaners areas.
Chicago Metallic T15 Click 2790 grid with Rockfon Blanka dB43 - 1200 x 300mm tiles -
NBS K40/105



Rockfon System T24, A24 semi concealed corrosion resistant grid - NBS K40/110




Knauf Perforated Plasterboard panel system - NBS K10/221
Allow for access hatches where required to MEP consultant's recommendations



Knauf MF Ceiling System - acoustic requirements TBC - NBS K10/222

- Notes:**
- This drawing is copyright.
 - Do not scale dimensions from this drawing.
 - This drawing is to be read in conjunction with all other relevant drawings.
 - All discrepancies on this drawing are to be reported to the architect.
 - Do not modify any element of this drawing.
 - Use drawing only for purpose(s) issued.
 - This drawing may contain colour.

Scale Bar
0 1m 3m 5m
Scale: 1:100



Key Plan

The following external model files are included within this drawing:

P8	2024/03/22	Amendments following conservation officer comments.	AB	RM
P7	2024/02/16	Drawings revised following conservation officer comments	AB	RM
P6	2023/12/01	Listed Building Consent Submission.	AB	RM
P5	2023/10/06	Stage 4 Issue for Costing	AB	RM
P4	2023/07/21	Preliminary Issue to Heritage Consultant	AB	RM
P3	2023/06/20	Ceiling Plan updated	AJ	RM
P2	2023/06/02	Stage 3 Preliminary Issue for costing	AB	RM
P1	2023/01/24	Layouts revised generally following comments	MTW	RM
Rev	Date	Revision Notes	Drawn	Review

MANCHESTER
1824
The University of Manchester

ARCADIS

Project
Rutherford Building

Drawing Title
Proposed Ceiling Plan - Level 01

Job Number 141532	Date FEB'23	Security Classification	Drawn By MTW
Scale@A2 1 : 100	Purpose LISTED BUILDING CONSENT		Reviewed By RM
Drawing Number 3321-RBUM-ARC-XX-01-DR-A-3321			Revision P8