



SECONDARY WINDOW ELEVATION



WINDOW TYPE SA


SW.100.01	SW.100.28	SW.200.20	SW.300.17	SW.400.13	SW.LG00.11
SW.100.02	SW.100.29	SW.200.21	SW.300.18	SW.400.14	SW.LG00.12
SW.100.03	SW.100.30	SW.200.22	SW.300.19	SW.400.15	SW.LG00.13
SW.100.04	SW.200.01	SW.200.23	SW.300.20	SW.400.17	SW.LG00.16
SW.100.06	SW.200.02	SW.200.29	SW.300.21	SW.400.18	SW.LG00.17
SW.100.07	SW.200.03	SW.200.30	SW.300.26	SW.400.19	SW.LG00.18
SW.100.08	SW.200.04	SW.300.01	SW.300.28	SW.400.20	SW.LG00.19
SW.100.09	SW.200.06	SW.300.02	SW.300.29	SW.400.21	SW.LG00.20
SW.100.10	SW.200.07	SW.300.03	SW.400.26	SW.400.28	SW.LG00.22
SW.100.11	SW.200.08	SW.300.04	SW.400.01	SW.400.28	SW.LG00.23
SW.100.12	SW.200.09	SW.300.06	SW.400.02	SW.400.29	SW.LG00.24
SW.100.13	SW.200.10	SW.300.07	SW.400.03	SW.400.30	SW.LG00.25
SW.100.14	SW.200.11	SW.300.08	SW.400.04	SW.LG00.01	SW.UG00.16
SW.100.15	SW.200.12	SW.300.09	SW.400.06	SW.LG00.02	SW.UG00.17
SW.100.17	SW.200.13	SW.300.10	SW.400.07	SW.LG00.03	SW.UG00.18
SW.100.18	SW.200.14	SW.300.11	SW.400.08	SW.LG00.04	SW.UG00.19
SW.100.19	SW.200.15	SW.300.12	SW.400.09	SW.LG00.07	SW.UG00.20
SW.100.20	SW.200.17	SW.300.13	SW.400.10	SW.LG00.08	SW.UG00.23
SW.100.21	SW.200.18	SW.300.14	SW.400.11	SW.LG00.09	SW.UG00.24
SW.100.26	SW.200.19	SW.300.15	SW.400.12	SW.LG00.10	SW.UG00.25



WINDOW TYPE SB


SW.UG00.01
SW.UG00.02
SW.UG00.03
SW.UG00.04
SW.UG00.07
SW.UG00.08
SW.UG00.09
SW.UG00.10
SW.UG00.11
SW.UG00.12
SW.UG00.13
SW.UG00.14
TOTAL: 12

NEW WINDOW ELEVATION




WINDOW TYPE NA

NW.200.04	NW.LG00.11
NW.LG00.01	NW.LG00.12
NW.LG00.02	NW.LG00.13
NW.LG00.03	NW.LG00.16
NW.LG00.04	NW.LG00.17
NW.LG00.06	NW.LG00.18
NW.LG00.07	NW.LG00.19
NW.LG00.08	NW.LG00.20
NW.LG00.09	TOTAL: 18
NW.LG00.10	




WINDOW TYPE NB

NW.200.25	NW.400.29
NW.200.26	NW.LG00.23
NW.400.24	NW.LG00.25
NW.400.25	TOTAL: 9
NW.400.26	
NW.400.28	




WINDOW TYPE NC

NW.300.04
NW.UG00.16
TOTAL: 2




WINDOW TYPE ND

NW.100.28	NW.UG00.23
NW.100.29	NW.UG00.24
NW.300.24	NW.UG00.25
NW.300.25	TOTAL: 9
NW.300.26	
NW.LG00.24	




WINDOW TYPE NE

NW.400.06
NW.400.08
NW.400.17
NW.400.18
NW.400.21
NW.400.22
TOTAL: 6



WINDOW TYPE NF

NW.LG00.22
TOTAL: 1



WINDOW TYPE NG

NW.400.30
TOTAL: 1

General Notes:

This drawing is the property of Fletcher-Rae (UK) Limited and copyright is reserved by them. The drawing is not to be copied, reproduced or re-distributed either in whole or in part without the prior written consent of Fletcher-Rae (UK) Limited.

The originator shall have no responsibility for any liability, loss, cost, damage or expense arising from or relating to any use of this document other than for its intended purpose on this project.

This drawing shall be read in conjunction with all other relevant drawings, specifications and associated documentation. Any discrepancies, errors or omissions are to be reported to the originator before proceeding with work.

All dimensions are to be checked on site by the contractor prior to proceeding with any work. This drawing shall not be scaled to ascertain any dimensions. Work to figured dimensions only.

DISCLAIMER
When this drawing is issued in CAD, it is an uncontrolled version issued for information only, to enable the recipient to prepare their own documents/ drawings for which they are solely responsible.

SOFTWARE INTEROPERABILITY
Fletcher-Rae (UK) Limited prepared this drawing using Autodesk [REVIT](#).

Fletcher-Rae (UK) Limited does not accept liability for any loss or degradation of any information held in the drawing resulting from the translation from the original file format to any other file format or from the recipients reading of it in any other programme.

Notes:

SPECIALIST MANUFACTURER TO CONFIRM ALL OPENING SIZES ON SITE.

UNITS TO BE INSTALLED IN ACCORDANCE WITH REVEAL DEPTH DETAILS.

TO BE READ IN CONJUNCTION WITH BUILDING REMEDIA. WORKS - 24006 - HFR - MH - ZZ - CR - A - 27002710

TO BE READ IN CONJUNCTION WITH WINDOW ELEVATIONS

TO BE READ IN CONJUNCTION WITH WINDOW SCHEDULE

THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE BEECH DESIGN & BUILD QA AND PLANNING INFORMATION, ACUSTIC REPORT, FIRE STRATEGY AND STRUCTURAL INFORMATION.


THE DRAWING FORMS THE DESIGN INTENT WHICH IS TO BE DEVELOPED BY THE FACADE SPECIALIST SUB-CONTRACTOR WHO WILL BE RESPONSIBLE FOR ALL DETAIL DESIGN AND CO-ORDINATION.

ANY GLAZING BELOW 800MM FROM FFL TO BE IN ACCORDANCE WITH BS 6206 OR ON EXISTING GLAZING A SAFETY FILM IS TO BE APPLIED AS PER THE ABOVE DOCUMENTATION AND SPECIFICATIONS.

ALL WINDOW REPLICAS SILL LEVEL SETTING OUT BASED FROM EXISTING LEVEL.

ALL SECONDARY ELEMENTS DIMENSIONS TO BE CONFIRMED, SUBJECT TO LINING THICKNESS AND SPECIFICATIONS REQUIRED.

Windows Naming Code Principle



GLAZING SOUND (dB)	CONFIGURATION
27 dB	New: 6 mm glass /16 mm cavity/6 mm glass (OR) Existing: 4 mm glazing/50 mm cavity/6 mm glass
28-29 dB	New: 8 mm glass/16 mm cavity/6 mm glass (OR) Existing: 4 mm glazing/100 mm cavity/6 mm secondary glazing
30-31 dB	New: 8 mm glass/16 mm cavity/6 mm glass (OR) Existing: 4 mm glazing/150 mm cavity/6 mm secondary glazing
32 dB	New: 6.8 mm acoustic laminate glass/16 mm cavity/6 mm glass (OR) Existing: 4 mm glazing/150 mm cavity/6 mm secondary glazing
34 dB	New: 8.8 mm acoustic laminate glass/16 mm cavity/6 mm glass (OR) Existing: 4 mm glazing/200 mm cavity/6 mm secondary glazing
36 dB	New: 8.8 mm acoustic laminate glass/16 mm cavity/10 mm glass

P01 Planning Issue	MM	21.06.24
Rev	Revision Details	Drawn Date Chkd

Project No.	24006
Suitability	S2 SUITABLE FOR INFORMATION
Status	PLANNING

Client:

Beech Holdings

Project:

PICCADILLY WAREHOUSE
Mindel House

Sheet Name:	Secondary and New Windows Elevations_Planning
Drawing No.	24006-HFR-MH-XX-DR-A-9171
Drawn By	SR
Created	07.05.24
Rev.	P01
Scale	As indicated @ A1