MANCHESTER CITY COUNCIL

Important – Planning permission & notices of consent

Compliance with conditions

- Your planning approval or consent is attached. It will contain conditions that you must comply with.
- Please read the conditions and understand their requirements and restrictions, for example submission and approval of details or measures to protect trees.
- Some conditions will require action before you start development and it is imperative that you seek to have these discharged before any work commences.
- Whilst every effort has been made to group conditions logically, it is your responsibility to ensure that you are aware of the requirements and/or restrictions of all conditions.
- If you fail to comply with the conditions this may result in a breach of planning control and this may lead to enforcement action.
- Failure to comply with conditions may also result in the development not being lawful.
- It is in your interests to demonstrate that conditions have been complied with. Failure to do so may cause difficulties if the property is sold or transferred.
- A fee is payable for each request to discharge conditions.
- For advice on any of these matters, please contact Planning, Manchester City Council, PO Box 532, Town Hall, Manchester M60 2LA or email planning@manchester.gov.uk

MANCHESTER CITY COUNCIL

Town & Country Planning Act 1990 (as amended)

Planning Permission

Applicant	Agent (if used)
Plymouth Grove Property Development Ltd C/o Agent	Mr Ed Harvey Avison Young 11 York Street Manchester M2 2AW

Part 1 – Particulars of the application/development

Proposal: Erection of a part six storey, part eight storey building for use as purpose built student accommodation (PBSA) (Sui Generis) comprising 263 bed spaces, with associated amenity space, cycle parking, external landscaping, access and other associated works.

Location: Land At Plymouth Grove, Manchester

Date of application: 10 October 2023

Application number: 138294/FO/2023

Part 2 – Particulars of decision

Manchester City Council gives notice that the development referred to in Part 1 has been **Approved** in accordance with the application and plans submitted subject to the condition(s) listed below (if any).

Article 35 Declaration

Officers have worked with the applicant in a positive and proactive manner based on seeking solutions to problems arising in relation to dealing with the planning application. Pre application advice has been sought in respect of this matter where early discussions took place regarding the siting/layout, scale, design and appearance of the development along with other matters. The proposal is considered to be acceptable and therefore determined within a timely manner.

Condition(s) attached to this decision

1) The development must be begun not later than the expiration of three years beginning with the date of this permission.

Reason - Required to be imposed pursuant to Section 91 of the Town and Country Planning Act 1990.

2) The development hereby approved shall be carried out in accordance with the following drawings and documents:

Drawings

DAY-XX-00-DR-A-04-0001 Rev A, DAY-XX-XX-DR-A-04-0002 Rev A, DAY-XX-XX-DR-A-04-0003 Rev A, DAY-XX-XX-DR-A-04-1001 Rev A, DAY-XX-XX-DR-A-04-1002 Rev A, DAY-XX-XX-DR-A-04-2001 Rev A, 4353-101 Rev. B, 4353-201, 4130-KIN-XX-GF-DR-E-9600 and Rev. P1, 5571 P1 received by the City Council, as Local Planning Authority, on the 10 October 2023

Supporting information

Design and Access Statement, including: - Waste Management Plan; - and, - Servicing Strategy prepared by DAY Architects, Planning Statement, including: - Statement of Community Involvement Chapter prepared by Avison Young, Air Quality Assessment prepared by Redmore, Archaeological DBA prepared by Paul Butler Associates, Broadband Connectivity Assessment prepared by GTech, Circular Economy Statement prepared by Quinn Ross Framework Construction Management Plan prepared by Recom, Crime Impact Statement prepared by GMP, Flood Risk Assessment prepared by XO Square, Drainage Design Technical Note prepared by XO Square, Fire Statement prepared by EOW, Ecological Assessment, including BNG prepared by Rachel Hacking, Energy Statement prepared by Kings Associate, Heritage Assessment prepared by Paul Butler Associates, Landscape Design Statement prepared by TPM, Landscape Operational Management Plan prepared by Fresh, Local Labour Agreement prepared by Avison Young, Site Investigation Report (Phase 1) prepared by E3P, UXO desk Study prepared by Zetica, Student Need Assessment prepared by Cushman and Wakefield, Transport Statement (inc. Travel Plan) prepared by Eddisons, Arboricultural Impact Assessment prepared by Lally TM, Arboricultural Method Statement prepared by Lally TM and TV and Radio Reception Survey prepared by GTech received by the City Council, as Local Planning Authority, on the 10 October 2023

Acoustic Survey (Reference: 50-834-R1-3) prepared by E3P received by the City Council, as Local Planning Authority, on the 6 December 2023

Email from Avison Young received on the 23 November 2023

Daylight Sunlight Assessment prepared by Base Energy received by the City Council, as Local Planning Authority, on the 8 January 2024

Reason - To ensure that the development is carried out in accordance with the approved plans. Pursuant to policies SP1 and DM1 of the Core Strategy.

3) No vegetation clearance shall take place during the optimum period for bird nesting (March - September inclusive) unless nesting birds have been shown to be absent, or, a method statement for the demolition including for the protection of any nesting birds is agreed in writing by the City Council, Local Planning Authority. Any method statement shall then be implemented for the duration of the demolition works.

Reason - In order to protect wildlife from works that may impact on their habitats pursuant to policy EN15 of the Manchester Core Strategy (2012).

4) In this condition "retained tree" means an existing tree, shrub or hedge which is to be as shown as retained with the Arboricultural Impact Assessment prepared by Lally TM,

Arboricultural Method Statement prepared by Lally TM received by the City Council, as Local Planning Authority, on the 10 October 2023; and paragraphs (a) and (b) below shall have effect until the expiration of 5 years from the date of the occupation of the building for its permitted use.

(a) No retained tree shall be cut down, uprooted or destroyed, nor shall any retained tree be topped or lopped other than in accordance with the approved plans and particulars, without the written approval of the local planning authority. Any topping or lopping approved shall be carried out in accordance with British Standard 5387 (Trees in relation to construction)
(b) If any retained tree is removed, uprooted or destroyed or dies, another tree shall be planted at the same place and that tree shall be of such size and species, and shall be planted at such time, as may be specified in writing by the local planning authority.
(c) The erection of fencing for the protection of any retained tree shall be undertaken in accordance with the approved plans and particulars before any equipment, machinery or materials are brought on to the site for the purposes of the development, and shall be maintained until all equipment, machinery and surplus materials have been removed from the site. Nothing shall be stored or placed in any area fenced in accordance with this condition and the ground levels within those areas shall not be altered, nor shall any excavation be made, without the written consent of the local planning authority.

Reason - In order avoid damage to trees/shrubs adjacent to and within the site which are of important amenity value to the area and in order to protect the character of the area, in accordance with policies EN9 and EN15 of the Core Strategy.

5) All tree work should be carried out by a competent contractor in accordance with British Standard BS 3998 "Recommendations for Tree Work".

Reason - In order avoid damage to trees/shrubs adjacent to and within the site which are of important amenity value to the area and in order to protect the character of the area, in accordance with policies EN9 and EN15 of the Core Strategy.

6) Prior to the commencement of the development, a detailed construction management plan outlining working practices for that plot of development shall be submitted to and approved in writing by the Local Planning Authority.

For the avoidance of doubt the construction management plans shall include:

- Display of an emergency contact number;
- Communication strategy with residents;
- Details of Wheel Washing;
- Dust suppression measures;
- Compound locations where relevant;
- Location, removal and recycling of waste;
- Routing strategy and swept path analysis;
- Parking of construction vehicles and staff; and
- Sheeting over of construction vehicles.

Manchester City Council encourages all contractors to be 'considerate contractors' when working in the city by being aware of the needs of neighbours and the environment. Membership of the Considerate Constructors Scheme is highly recommended.

The development shall be carried out in accordance with the approved construction management plans for the duration of the demolition and construction parts of the development.

Reason - To safeguard the amenities of nearby residents and highway safety, pursuant to policies SP1, EN9, EN19 and DM1 of the Manchester Core Strategy (July 2012).

7) a) Prior to the commencement of the development, details of a Local Labour Proposal, in order to demonstrate commitment to recruit local labour for the duration of the construction of that plot of the development, shall be submitted for approval in writing by the City Council, as Local Planning Authority. The approved document shall be implemented as part of the construction of the relevant plot of the development.

In this condition a Local Labour Proposal means a document which includes:

i) the measures proposed to recruit local people including apprenticeships
ii) mechanisms for the implementation and delivery of the Local Labour Proposal
iii) measures to monitor and review the effectiveness of the Local labour Proposal in achieving the objective of recruiting and supporting local labour objectives

(b) Within one month prior to construction work for the development being completed, a detailed report which takes into account the information and outcomes about local labour recruitment pursuant to items (i) and (ii) above shall be submitted for approval in writing by the City Council as Local Planning Authority.

Reason - The applicant has demonstrated a commitment to recruiting local labour pursuant to policies SP1, EC1 and DM1 of the Manchester Core Strategy (2012).

8) Prior to the commencement of the development, all material to be used on all external elevations of the relevant plot of development shall be submitted for approval in writing by the City Council, as Local Planning Authority. This shall include the submission of samples (including a panel) and specifications of all materials to be used on all external elevations of the development along with jointing and fixing details, window reveals and soffits, details of the drips to be used to prevent staining in, ventilation/air brick and a strategy for quality control management.

The approved materials shall then be implemented as part of the development.

Reason - To ensure that the appearance of the development is acceptable to the City Council as local planning authority in the interests of the visual amenity of the area within which the site is located, as specified in policies SP1 and DM1 of the Core Strategy.

9) Notwithstanding the details submitted in the Flood Risk Assessment prepared by XO Square, Drainage Design Technical Note prepared by XO Square received on the 10 October 2023, (a) the development shall not commence until a scheme for the drainage of surface water from that phase of the new development shall be submitted for approval in writing by the City Council as the Local Planning Authority. This shall include:

- A finalised drainage layout showing all components, outfalls, levels and connectivity;
- Maximised integration of green SuDS components (utilising infiltration, raingardens or attenuation) if practicable;

- Runoff volume in the 1 in 100 year, 6 hours rainfall shall be constrained to a value as close as is reasonable practicable to the greenfield runoff volume for the same event, but never to exceed the runoff volume from the development site prior to redevelopment;
- Evidence that the drainage system has been designed (unless an area is designated to hold and/or convey water as part of the design) so that flooding does not occur during a 1 in 100 year rainfall event with allowance for 45% climate change in any part of a building;
- Assessment of overland flow routes for extreme events that is diverted away from buildings (including basements). Overland flow routes need to be designed to convey the flood water in a safe manner in the event of a blockage or exceedance of the proposed drainage system capacity including inlet structures. A layout with overland flow routes needs to be presented with appreciation of these overland flow routes with regards to the properties on site and adjacent properties off site;
- Progression through the drainage hierarchy shall be evidence based and supported by site investigation. Results of ground investigation carried out under Building Research Establishment Digest 365. Site investigations should be undertaken in locations and at proposed depths of the proposed infiltration devices. Proposal of the attenuation that is achieving half emptying time within 24 hours. If no ground investigations are possible or infiltration is not feasible on site, evidence of alternative surface water disposal routes (as follows) is required;
- Where surface water is connected to the public sewer, agreement in principle from United Utilities is required that there is adequate spare capacity in the existing system taking future development requirements into account. An email of acceptance of proposed flows and/or new connection will suffice;
- CCTV survey and routing plan of existing drainage system to understand condition, capacity, connectivity;
- Hydraulic calculation of the proposed drainage system, including all engineering parameters;
- Construction details of flow control and SuDS elements.

(b) The development shall then be constructed in accordance with the approved details, within an agreed timescale.

Reason - To promote sustainable development, secure proper drainage and to manage the risk of flooding and pollution pursuant to policies SP1, EN14 and DM1 of the Manchester Core Strategy (2012).

10)) Notwithstanding the Site Investigation Report (Phase 1) prepared by E3P received by the City Council, as Local Planning Authority, on the 10 October 2023 and the email from Avison Young received on the 23 November 2023, prior to the commencement of the development, the following information has been submitted for approval in writing by the City Council, as Local Planning Authority, to identify and evaluate all potential sources and impacts of any ground contamination, groundwater contamination and/or ground gas relevant to the site

- Submission of Site Investigation Proposals
- Submission of a Site Investigation and Risk Assessment Report
- Submission of a Remediation Strategy

b) When the development commences, the development shall be carried out in accordance with the previously agreed Remediation Strategy.

Reason - To ensure that the presence of or the potential for any contaminated land and/or groundwater is detected and appropriate remedial action is taken in the interests of public safety, pursuant to policies DM1 and EN18 of the Core Strategy.

11) If, during the development, contamination or conditions not previously identified as part of the agreed documents within condition 10 are found to be present at the site (or in the monitored vicinity) then no further operations shall be carried out until a strategy which details how this unsuspected circumstance shall be dealt with has been submitted for approval in writing by the City Council, as Local Planning Authority. The approved strategy shall then be implemented and then verified as required by condition 13.

Reason - To ensure that the works to be undertaken do not contribute to, or adversely affect, unacceptable levels of water pollution from previously unidentified contamination sources pursuant to policies EN17 and EN18 of the Manchester Core Strategy (2012).

12) Prior to the development hereby approved being brought into first use, and following completion of the remediation strategy approved as part of condition (10), a Completion/Verification Report shall be submitted for approval in writing by the City Council as Local Planning Authority. This shall demonstrate that the completion of works has been carried out in accordance with the approved remediation strategy and has been effective. The report shall include results of sampling and monitoring carried out in accordance with the approved verification plan to demonstrate that the site remediation criteria have been met.

Reason - To ensure that the site has been appropriately remediated prior to the commencement of works associated with the redevelopment of the site, pursuant to policies EN17, EN18 and DM1 of the Manchester Core Strategy (2012).

13) Prior to the commencement of the development, details of the method for piling, or any other foundation design using penetrative methods, shall be submitted for approval in writing by the City Council, as Local Planning Authority.

The approved details shall then be implemented during the construction of the development.

Reason - Piling or any other foundation using penetrative methods can result in risks to potable supplies (pollution/turbidity, risk of mobilising contamination) drilling through different aquifers and creating preferential pathways. It is therefore necessary to demonstrate that piling will not result in contamination of groundwater pursuant to policies EN17 and EN18 of the Manchester Core Strategy (2012).

14) Prior to the first use of the development, details of the implementation, maintenance and management of the sustainable drainage scheme for that phase shall be submitted for approval in writing by the City Council, as Local Planning Authority.

The scheme shall include the following:

- Verification report providing photographic evidence of construction; and
- Management and maintenance plan for the lifetime of the development which shall include the arrangements for adoption by any public body or statutory undertaker, or any other arrangements to secure the operation of the sustainable drainage scheme throughout its lifetime.

The approved scheme shall then be implemented in accordance with the details and thereafter managed and maintained for as long as the development remains in use.

Reason - To promote sustainable development, secure proper drainage and to manage the risk of flooding and pollution pursuant to policies SP1, EN14 and DM1 of the Manchester Core Strategy (2012).

15) The development shall be carried out in accordance with the Energy Statement prepared by King Associates received by the City Council, as Local Planning Authority, on the 10 October 2023.

A post construction review certificate/statement for each plot of the development shall be submitted for approval in writing, within a timescale that has been previously agreed in writing, to the City Council as Local Planning Authority for that plot.

Reason - In order to minimise the environmental impact of the development pursuant to policies SP1, T1-T3, EN4-EN7 and DM1 of the Core Strategy and the principles contained within The Guide to Development in Manchester SPD (2007) and the National Planning Policy Framework.

16) (a) Notwithstanding drawing 4353-101 Rev. B received by the City Council, as Local Planning Authority, on the 10 October 2023, prior to the commencement of landscaping works associated with the development hereby approved, details of a hard and soft landscaping scheme (including appropriate materials specifications, planting and tree specifications and provision of cycle spaces within the public realm) shall be submitted for approval in writing by the City Council as Local Planning Authority.

(b) The approved scheme shall be implemented prior to the first use of the plot of the development

If within a period of 10 years from the date of the planting of any tree or shrub, that tree or shrub or any tree or shrub planted in replacement for it, is removed, uprooted or destroyed or dies, or becomes, in the opinion of the local planning authority, seriously damaged or defective, another tree or shrub of the same species and size as that originally planted shall be planted at the same place.

Reason - To ensure that a satisfactory landscaping scheme for the development is carried out that respects the character and visual amenities of the area, in accordance with policies SP1, EN9 and DM1 of the Core Strategy.

17) Prior to the first use of the development hereby approved, full details of the specification and locations of bat and bird boxes, shall be submitted to and approved in writing by the City Council as Local Planning Authority. The bat and bird boxes shall be installed prior to the completion of the development and therefore be retained and remain in situ.

Reason - To ensure the creation of new habitats in order to comply with policy EN15 of the Manchester Core Strategy (2012).

18) (a) Prior to the first occupation of the development hereby approved, details of any externally mounted ancillary plant, equipment and servicing shall be submitted for approval in writing by the City Council, as Local Planning Authority. Externally mounted

plant, equipment and servicing shall be selected and/or acoustically treated in accordance with a scheme designed so as to achieve a rating level of 5 dB (Laeq) below the typical background (LA90) level at the nearest noise sensitive location.

(b) Prior to the first use of the development, a verification report will be required to validate that the work undertaken conforms to the recommendations and requirements approved as part of part (a) of this planning condition. The verification report shall include post completion testing to confirm the noise criteria has been met. In instances of non-conformity, these shall be detailed along with mitigation measures required to ensure compliance with the noise criteria. A verification report and measures shall be agreed until such a time as the development complies with part (a) of this planning condition.

Any mitigation measures shall be implemented in accordance with a timescale to be agreed with the City Council, as Local Planning Authority. Any measures shall thereafter retained and maintained in situ.

Reason - To minimise the impact of plant on the occupants of the development pursuant to policies SP1 and DM1 of the Manchester Core Strategy (2012) and saved policy DC26 of the Unitary Development Plan for the City of Manchester (1995).

19) Prior to any above ground works, a scheme of acoustic insulation for the non residential areas (gym, residential spaces) within the development shall be submitted for approval in writing by the City Council, as Local Planning Authority.

Where entertainment noise is proposed the LAeq (entertainment noise) shall be controlled to 5dB below the LA90 (without entertainment noise) in each octave band at the facade of the nearest noise sensitive location, and internal noise levels at structurally adjoined residential properties in the 63HZ and 125Hz octave frequency bands shall be controlled so as not to exceed (in habitable rooms) 47dB and 41dB (Leq,5min), respectively

(b) Prior to the first use of those spaces within the development, a verification report will be required to validate that the work undertaken conforms to the recommendations and requirements approved as part of part (a) of this planning condition. The verification report shall include post completion testing to confirm the noise criteria has been met. In instances of non-conformity, these shall be detailed along with mitigation measures required to ensure compliance with the noise criteria. A verification report and measures shall be agreed until such a time as the development complies with part (a) of this planning condition.

Any mitigation measures shall be implemented in accordance with a timescale to be agreed with the City Council, as Local Planning Authority. Any measures shall thereafter retained and maintained in situ.

Reason - In order to limit the outbreak of noise from the commercial premises pursuant to policies SP1 and DM1 of the Core Strategy (2007) and saved policy DC26 of the Unitary Development Plan for the City of Manchester (1995).

20) (a) Prior to any above ground works, a scheme for acoustically insulating the proposed student accommodation against noise shall be submitted for approval in writing by the City Council as Local Planning Authority.

There may be other actual or potential sources of noise which require consideration on or near the site, including any local commercial/industrial premises.

The potential for overheating shall also be assessed and the noise insulation scheme shall take this into account.

Noise survey data shall include measurements taken during a rush-hour period and night time to determine the appropriate sound insulation measures necessary. The following noise criteria shall be required to be achieved when providing adequate ventilation as defined by Approved Document F of the Building Regulations (whole dwelling ventilation):

Bedrooms (night time - 23.00 - 07.00) 30 dB LAeq (individual noise events shall not exceed 45 dB LAmax,F by more than 15 times)

Living Rooms (daytime - 07.00 - 23.00) 35 dB LAeq

Gardens and terraces (daytime) 55 dB LAeq

Higher internal noise levels than those specified above may be allowed when higher rates of ventilation are required in relation to the overheating condition.

Additionally, where entertainment noise is a factor in the noise climate the sound insulation scheme shall be designed to achieve internal noise levels in the 63Hz and 125Hz octave centre frequency bands so as not to exceed (in habitable rooms) 47dB and 41dB (Leq,5min), respectively.

The approved noise insulation and ventilation scheme shall be completed before the first occupation of the student accommodation plot C of the development.

(b)Prior to the first occupation of the student accommodation, a verification report will be required to validate that the work undertaken conforms to the recommendations and requirements approved as part of part (a) of this planning condition. The verification report shall include post completion testing to confirm the noise criteria has been met with windows and purge vent doors closed. In instances of non-conformity, these shall be detailed along with mitigation measures required to ensure compliance with the noise criteria. A verification report and measures shall be agreed until such a time as the development complies with part (a) of this planning condition.

Any mitigation measures shall be implemented in accordance with a timescale to be agreed with the City Council, as Local Planning Authority. Any measures shall thereafter retained and maintained in situ.

Reason: To secure a reduction in noise from traffic or other sources in order to protect future residents from noise disturbance pursuant to policies SP1, H1 and DM1 of the Core Strategy (2007) and saved policy DC26 of the Unitary Development Plan for the City of Manchester (1995).

21) The waste management arrangements for the development shall be carried out in accordance with the Waste Management Plan within the Design and Access Statement and drawing 1441-22-DAY-XX-XX-DR-A-04-0002 REV A received by the City Council, as Local Planning Authority, on the 10 October 2023.

The approved scheme shall be implemented as part of the first use of the development and shall remain in situ whilst the use or development is in operation.

Reason - To ensure adequate refuse arrangement are put in place for the PBSA element of the scheme pursuant to policies EN19 and DM1 of the Manchester Core Strategy.

22) The development hereby approved shall include a building and site lighting scheme including details of illumination of external areas, during the period between dusk and dawn and details of lighting being turned off when not in use. Full details of such a scheme for the development shall be submitted for approval in writing by the City Council, as Local Planning Authority before the first use of the development hereby approved.

The approved scheme shall be implemented in full for the development prior to the first use of the development and shall remain in operation for so long as the development is occupied.
Reason - In the interests of amenity, crime reduction, personal safety, the safety of the tram lines and impact on the canal corridor in order to comply with the requirements of policies SP1 and DM1 of the Manchester Core Strategy (2012).

23) If any lighting at the development hereby approved, when illuminated, causes glare or light spillage which in the opinion of the Council as local planning authority causes detriment to adjoining and nearby residential properties, within 14 days of a written request, a scheme for the elimination of such glare or light spillage shall be submitted to the Council as local planning authority and once approved shall thereafter be retained in accordance with details which have received prior written approval of the City Council as Local Planning Authority.

Reason - In order to minimise the impact of the illumination of the lights on the occupiers of nearby residential accommodation, pursuant to policies SP1 and DM1 of the Manchester Core Strategy (2012).

24) The development hereby approved shall be carried out in accordance with the Crime Impact Assessment Greater Manchester Police received by the City Council, as Local Planning Authority, on the 10 October 2023.

The development hereby approved shall not be occupied or used until the Council as local planning authority has acknowledged in writing that it has received written confirmation of a Secured by Design accreditation.

Reason - To reduce the risk of crime pursuant to policies SP1 and DM1 of the Core Manchester Strategy (2012) and to reflect the guidance contained in the National Planning Policy Framework.

25) Deliveries, servicing and collections including waste collections for the development shall not take place outside the following hours:

Monday to Saturday 07:30 to 20:00
Sundays (and Bank Holidays): no deliveries/waste collections on Sundays/Bank Holidays.

Reason - In the interest of residential amenity pursuant to policies SP1 and DM1 of the Manchester Core Strategy (2012).

26) The student accommodation hereby approved shall be used as purpose built student accommodation (PBSA) (Sui Generis) and for no other purpose of The Town and Country Planning (Use Classes) Order 1987 (or any order revoking and re-enacting that Order with or without modification) (including serviced apartments/apart hotels or similar uses where sleeping accommodation (with or without other services) is provided by way of trade for money or money's worth and occupied by the same person for less than ninety consecutive nights).

Reason - To ensure that the accommodation is used solely for the intended purpose - student accommodation and to safeguard the amenities of the neighbourhood by ensuring that other uses which could cause a loss of amenity such as serviced apartments/apart hotels do not commence without prior approval; to safeguard the character of the area, and to maintain the sustainability of the local community through provision of accommodation that is suitable for people living as families pursuant to policies DM1 and H11 of the Core Strategy for Manchester and the guidance contained within the National Planning Policy Framework.

27) The development hereby approved shall be carried out in accordance with the Travel Plan prepared by Eddisons received by the City Council, as Local Planning Authority, on the 10 October 2023.

In this condition a Travel Plan means a document which includes:

i) the measures proposed to be taken to reduce dependency on the private car by those living at the development;
ii) a commitment to surveying the travel patterns of residents/staff during the first three months of the first use of the building and thereafter from time to time iii) mechanisms for the implementation of the measures to reduce dependency on the private car
iv) measures for the delivery of specified Travel Plan services
v) measures to monitor and review the effectiveness of the Travel Plan in achieving the objective of reducing dependency on the private car

Within six months of the first use of the development, a Travel Plan which takes into account the information about travel patterns gathered pursuant to item (ii) above shall be submitted for approval in writing by the City Council as Local Planning Authority. Any Travel Plan which has been approved by the City Council as Local Planning Authority shall be implemented in full at all times when the development hereby approved is in use.

Reason - To assist promoting the use of sustainable forms of travel at the development, pursuant to policies T1, T2 and DM1 of the Manchester Core Strategy (2012).

28) (a) Prior to the first occupation of the student accommodation hereby approved, the cycle store and provision of 132 cycle stands as indicated on drawing 1441-22-DAY-XX-XX-DR-A-04-0002 REV A received by the City Council, as Local Planning Authority, on the 10 October 2023 shall be implemented and made available for the occupants of the development. The cycle store shall remain available and in use for as long as the development is occupied.

(b) The number of cycle spaces shall be reviewed annually as part of the travel plan requirements of condition 27 of this planning permission (commencing from the date of

this permission). The survey shall be completed within 7 days of each annual review date and the results of the survey provided to the City Council within 7 days thereafter. Any additional cycle spaces identified as part of this review shall be implemented within two months of approval of the annual agreement.

Reason - To ensure there is sufficient cycles stand provision at the in order to support modal shift measures pursuant to policies SP1,T1, T2 and DM1 of the Manchester Core Strategy (2012).

29) Prior to the first occupation of the development hereby approved a scheme of highway works and details of footpaths reinstatement/public realm for the development shall be submitted for approval in writing by the City Council, as Local Planning Authority.

This shall include the following:

- Resurfacing of the footways, reinstatement of redundant access points and the installation of tactile paving;
- Creation of a disabled parking bay on Dryden Street;
- Creation of a loading bay to Dryden Street;
- Review of Traffic Regulation Orders (TROs) to facilitate accessible and loading bays together with measures to prevent on street parking on the surrounding streets.

The approved scheme shall be implemented and be in place prior to the first occupation of the development and thereafter retained and maintained in situ.

Reason - To ensure safe access to the development site in the interest of pedestrian and highway safety pursuant to policies SP1, EN1 and DM1 of the Manchester Core Strategy (2012).

30) Notwithstanding the TV and Radio Reception Impact Assessment GTech Surveys, received by the City Council, as Local Planning Authority, on the 10 October 2023, within one month of the practical completion of a plot of the development, and at any other time during the construction of the development if requested in writing by the City Council as Local Planning Authority, in response to identified television signal reception problems within the potential impact area a study to identify such measures necessary to maintain at least the pre-existing level and quality of signal reception identified in the survey carried out above shall be submitted for approval in writing by the City Council, as Local Planning Authority. The measures identified must be carried out either before each plot of development is first occupied or within one month of the study being submitted for approval in writing to the City Council as Local Planning Authority, whichever is the earlier.

Reason - To provide an indication of the area of television signal reception likely to be affected by the development to provide a basis on which to assess the extent to which the development during construction and once built, will affect television reception and to ensure that the development at least maintains the existing level and quality of television signal reception - In the interest of residential amenity, as specified in policy DM1 of Manchester Core Strategy (2012).

31) All windows at ground level, unless shown otherwise on the approved drawings detailed in condition 2 shall be retained as a clear glazed window opening at all time and views into the premises shall not be screened or obscured in anyway.

Reason - The clear glazed window(s) is an integral and important element in design of the ground level elevations and are important in maintaining a visually interesting street-scene consistent with the use of such areas by members of the public, and so as to be consistent with saved policy DC14 of the Unitary Development Plan for the City of Manchester and policies SP1 and DM1 of the Manchester Core Strategy (2012).

32) The development hereby approved shall include for full disabled access to be provided to all areas of public realm and via the main entrances and to the floors above.

Reason - To ensure that satisfactory disabled access is provided by reference to the provisions Manchester Core Strategy (2012) policy DM1.

33) Prior to any above ground works, details of the location, size and specification of the accessible bedrooms for the PBSA shall be submitted for approval in writing by the City Council, as Local Planning Authority. The approved details shall be implemented as part of the development and thereafter retained and maintained in situ.

Reason - In the interest of ensuring the accommodation is accessible to all pursuant to policy DM1 of the Manchester Core Strategy (2012).

34) Prior to the first use of the development hereby approved a signage strategy for the building shall be submitted for approval in writing by the City Council, as Local Planning Authority.

The approved strategy shall then be implemented and used to inform any future advertisement applications for the building.

A minimum of one projecting box sign would be acceptable for the development (30mm thickness) and ground floor signage to residential spaces should be situated behind the glass).

Reason - In the interest of visual amenity pursuant to policies SP1 and DM1 of the Manchester Core Strategy (2012).

35) Prior to the first use of the development hereby approved, details of the specification, siting, scale and appearance of the solar panels to the roof (including cross sections). The approved details shall then be implemented prior to the first use of the development and thereafter retained and maintained in situ.

Reason - In the interest of ensuring the solar panels are of the appropriate specification and appearance in the interest of the overall sustainability of the building and visual amenity pursuant to polices SP1, EN1, EN6 and DM1 of the Manchester Core Strategy (2012).

36) Prior to the first use of the development, details of the siting, scale and appearance of the air source heat pumps to the buildings hereby approved. The air source heat pumps must also comply with the noise criteria as specified in condition 18. The approved details shall then be implemented prior to the first use of the development and thereafter retained and maintained in situ.

Reason - In the interest of ensuring the air source heat pumps are installed and to ensure that they are appropriate in terms of visual amenity pursuant to polices SP1, EN1, EN6 and DM1 of the Manchester Core Strategy (2012).

37) Prior to the first use of the external areas of a plot of the development, details of any external areas associated (including an Operating Schedule) shall be submitted for approval in writing by the City Council, as Local Planning Authority.

The Operating Schedule shall contain the following details:

a. A scaled layout plan showing the proposed seating area, including layout of furniture and demarcation of the area;

b. Full details of the measures proposed to ensure that the proposed seating area is fully accessible by disabled people;

c. Details of the proposed furniture, including any barriers;

d. A detailed management strategy that includes information on how the proposed external seating area would be managed in terms of potential noise disturbance, additional movement and activity, litter and storage of furniture at night;

e. days and hours of operation.

The approved plan shall be implemented upon first use of the development and thereafter retained.

No amplified sound or any music shall be produced or played in any part of the site outside the building.

Reason - To safeguard the amenities of the occupiers of nearby properties, pursuant to policies SP1 and DM1 of the Core Strategy.

38) Prior to the first use of the residential space within the development, details of a scheme to extract fumes, vapours and odours from these spaces shall be submitted for approval in writing by the City Council, as Local Planning Authority (unless no kitchen extraction or cooking facilities are required). The approved scheme shall then be implemented prior to the first use the space and thereafter retained and maintained in situ.

Reason - To ensure appropriate fume extraction is provided for the non residential spaces pursuant to policies SP1 and DM1 of the Manchester Core Strategy and saved policy DC10 of the Unitary Development Plan for the City of Manchester (1995).

39) Prior to the first use of each of the ground floor residential spaces of the development, details of any roller shutters to the ground floor shall be submitted for approval in writing by the City Council, as Local Planning Authority. The shutters shall be fitted internally to the premises. The approved details shall be implemented prior to the first use the development and thereafter retained and maintained in situ.

Reason - To ensure that the roller shutters are appropriate in visual amenity terms pursuant to policies SP1, EN1 and DM1 of the Manchester Core Strategy (2012).

40) No doors to ground floor spaces (other than those designated as fire exits) shall open outwards onto adjacent pedestrian routes.

Reason - In the interest of pedestrian safety pursuant to policy DM1 of the Manchester Core Strategy (2012).

41) Prior to the first use a Delivery and Servicing Management (including taxi pick up and drop off, parcel deliveries and food drop off) for the development shall be submitted for approval in writing by the City Council, as Local Planning Authority. The strategy should work to ensure that servicing/delivery activities the building are co-ordinated to ensure efficient use of the proposed loading bay.

The approved strategy, including any associated mitigation works, shall be implemented and be in place prior to the first occupation of the development and thereafter retained and maintained in operation.

Reason - To ensure appropriate servicing management arrangements, particularly for food and deliveries, are put in place for the development in the interest of highway and pedestrian safety pursuant to policy SP1 and DM1 of the Manchester Core Strategy (2012).

42) Prior to the first occupation of the development a Student move in/move out Operation Management Strategy shall be submitted for approval in writing by the City Council, as Local Planning Authority. The strategy should include provision of time slots and management arrangements.

The approved strategy, including any associated mitigation works, shall be implemented and be in place prior to the first occupation the development and thereafter retained and maintained in operation.

Reason - To ensure appropriate servicing management arrangements for moving in and out of the development are put in place for the development in the interest of highway and pedestrian safety pursuant to policy SP1 and DM1 of the Manchester Core Strategy (2012).

43) Prior to the first occupation of the PBSA building, a student wellbeing strategy shall be submitted for approval in writing by the City Council, as Local Planning Authority. The approved strategy shall be implemented as part of the first occupation of the development and thereafter retained.

Reason - In the interest of ensure student welfare pursuant to policy DM1 of the Manchester Core Strategy (2012).

44) Prior to any above ground works associated with the PBSA building details of the siting, scale and appearance of boundary treatment shall be submitted for approval in writing by the City Council, as Local Planning Authority. The approved details shall be implemented as part of the development and be in place prior to the first occupation of the development.

The boundary treatment shall be retained and maintained in situ thereafter and notwithstanding the provisions of the Town and Country Planning (General Permitted Development) Order 2015 (or any order revoking or re-enacting that Order with or without modification) no boundary treatment shall be erected on site, other than that shown on the approved plans.

Reason - In the interest of visual amenity and security of the site pursuant to policies SP1 and DM1 of the Manchester Core Strategy (2012).

Informatives

Building Regulations 2010
This permission does not grant approval under Building Regulations.

Street Naming & Numbering Requirements
Manchester City Council is responsible for allocating street naming and numbering within Manchester for new developments or property conversions. Individuals or businesses are not permitted to allocate their own property numbers, building or street names.

If your development includes the creation of new dwellings (either new build or conversion of existing buildings), creation of new commercial properties or the subdivision of existing properties you must ensure that you request new or changes to addresses through us so they can be officially allocated and registered in accordance with the Public Health Act 1925 Sections 17-19 & Greater Manchester Act 1981 Section 22.

Failure to do this may result in difficulties for the developer/occupier when requiring services such as connections to utilities, phone lines and postal services and may delay your development.

You can apply online at the following address:
http://www.manchester.gov.uk/info/100011/roads_parking_and_transport/1988/naming_and_numbering_of_houses_buildings_streets_and_roads/2

Mining Information
The proposed development lies within an area which could be subject to current coal mining or hazards resulting from past coal mining. Please read the Standing Advice from the Coal Authority in Appendix A.

1) Under the Habitat Regulation it is an offence to disturb, harm or kill bats. If a bat is found during demolition all work should cease immediately and a suitably licensed bat worker employed to assess how best to safeguard the bat(s). Natural England should also be informed.

2) The applicant is reminded that, under the Wildlife and Countryside Act 1981 as amended it is an offence to remove, damage, or destroy the nest of a wild bird, while the nest is in use or being built. Planning consent does not provide a defence against prosecution under this act. If a birds nest is suspected work should cease immediately and a suitably experienced ecologist employed to assess how best to safeguard the nest(s).

3) The developer or crane operator must contact Manchester Airports Control of Works Office at least 21 days in advent of intending to erect a crane or other tall construction equipment on the site. This is to obtain a tall equipment permit and to ascertain if any operating restrictions would be required. Any operating restriction that are subsequently imposed by Manchester Airport must be fully complied with.

4) You should ensure that any external wall treatments approved for planning purposes are discussed in full with Building Control to ensure they meet with the guidance contained in the Building Regulations for fire safety. Should it be necessary to change the external facade treatment due to conflicts with Building Regulations, you

should also discuss the changes with the Planning team to ensure they do not materially affect your permission.

5) Any signage, wayfinding, banners or any other advertisements to be installed in and around the application site for the purpose of the promotion of the developments and routes to it may require consent under the Town and Country Planning (Control of Advertisements) (England) Regulations 2007.

6) It is expected that all modifications / improvements to the public highway are achieved with a maximum carbon footprint of 40%. Materials used during this process must also be a minimum of 40% recycled and fully recyclable. Developers will be expected to demonstrate that these standards can be met prior to planning conditions being discharged. The developer is to agree the above with MCC's Statutory Approvals and Network Resilience Teams post planning approval and prior to construction taking place.

7) Regarding S278 agreements a deposit is required to begin an application, additional costs will be payable and are to be agreed with S278 team. A S278 is required for works to the adopted highway, minimum standard S278 technical approval timescale is between 4-6 months, TRO's can take 10-12 months. An independent 'Stage 2' Road Safety Audit will be required and the design may require changes if any issues are raised with all costs attributable to the Developer. A 'Stage 1' Road Safety Audit should be completed during the planning stage and a copy of the report (with Designer's Response) is to be made available to the Statutory Approvals Team upon request.

Date: 26 April 2024

Signed: 

Julie Roscoe
Director of Planning, Building Control & Licensing

Manchester City Council, P O Box 532, Town Hall, Manchester M60 2LA

Notes

1. This permission refers only to that required under the Town and Country Planning Act 1990 does not include any consent or approval under any other enactment, byelaw, order or regulation.

2 If the applicant is aggrieved by the decision of the local planning authority to refuse permission or approval for the proposed development, or to grant permission or approval subject to conditions, they may appeal to the Secretary of State in accordance with Section 78(1) of the Town and Country Planning Act 1990 within six months of the date of the notice of the decision.

The Planning Inspectorate have introduced an online appeals service that can be used to make appeals online. This service is available through the gov.uk website – www.gov.uk/appeal-planning-decision The Inspectorate will publish details of your appeal on the internet. Alternatively If you are unable to access the online appeal form, please contact the Planning Inspectorate to obtain a paper copy of the appeal form on tel: 0303 444 5000.

The Secretary of State has power to allow a longer period for the giving of a notice of appeal but they will not normally be prepared to exercise this power unless there are special circumstances that excuse the delay in giving notice of appeal.

If you intend to submit an appeal that you would like examined by inquiry then you must notify the City Council (planning@manchester.gov.uk) and the Planning Inspectorate (inquiryappeals@planninginspectorate.gov.uk) at least 10 days before submitting the appeal. Further details are on GOV.UK.

3. The statutory requirements are those set out in Section 79(6) of the Town and Country Planning Act 1990, namely Sections 70(1) and 72(1) of the Act.

4. If either the local planning authority of the Secretary of State refuses permission to develop land or grants it subject to conditions, the owner may claim that they can neither put the land to a reasonably beneficial use in its existing state nor render the land capable of a reasonably beneficial use by the carrying out of any development which has been or would be permitted.

In these circumstances, the owner may serve a purchase notice on the Council in whose area the land is situated. This notice will require the Council to purchase his interest in the land in accordance with the provisions of Part VI of the Town and Country Planning Act 1990

5. In certain circumstances, a claim may be made against the local planning authority for compensation, where permission is refused or granted subject to conditions by the Secretary of State on appeal or on a reference of the application to them. The circumstances in which such compensation is payable are set out in Section 114 of the Town and Country Planning Act 1990.

Appendix A

The Coal Authority

STANDING ADVICE - DEVELOPMENT LOW RISK AREA

The proposed development lies within a coal mining area which may contain unrecorded coal mining related hazards. If any coal mining feature is encountered during development, this should be reported immediately to the Coal Authority on 0345 762 6848.

Further information is also available on the Coal Authority website at:
www.gov.uk/government/organisations/the-coal-authority

Standing Advice valid from 1st January 2023 until 31st December 2024