

Important – Planning permission & notices of consent

Compliance with conditions

- Your planning approval or consent is attached. It will contain conditions that you must comply with.
- Please read the conditions and understand their requirements and restrictions, for example submission and approval of details or measures to protect trees.
- Some conditions will require action before you start development and it is imperative that you seek to have these discharged before any work commences.
- Whilst every effort has been made to group conditions logically, it is your responsibility to ensure that you are aware of the requirements and/or restrictions of all conditions.
- If you fail to comply with the conditions this may result in a breach of planning control and this may lead to enforcement action.
- Failure to comply with conditions may also result in the development not being lawful.
- It is in your interests to demonstrate that conditions have been complied with. Failure to do so may cause difficulties if the property is sold or transferred.
- A fee is payable for each request to discharge conditions.
- For advice on any of these matters, please contact Planning, Manchester City Council, PO Box 532, Town Hall, Manchester M60 2LA or email planning@manchester.gov.uk

Town & Country Planning Act 1990 (as amended)

Planning Permission

Applicant

Mr Otto Moon
Heineken UK
Brewery
Denmark Road
Manchester
M15 6LD

Agent (if used)

Mr Andrew Woolf
Norder Design Associates Ltd
Beech Lawn
Green Lane
Belper
DE56 1BY

Part 1 – Particulars of the application/development

Proposal: Replacement of roof and installation of flues to existing Brewhouse

Location: Brewery, Denmark Road, Manchester, M15 6LD

Date of application: 2 April 2024

Application number: 139675/FO/2024

Part 2 – Particulars of decision

Manchester City Council gives notice that the development referred to in Part 1 has been **Approved** in accordance with the application and plans submitted subject to the condition(s) listed below (if any).

Article 35 Declaration

Officers have collaborated with the applicant in a positive and proactive manner. We assessed the proposal with regards to policies outlined in the National Planning Policy Framework, Unitary Development Plan Saved Policies, Local Development Framework Core Strategy Development Plan, PfE and other material considerations. No significant problems have arisen during the consideration of this application.

Condition(s) attached to this decision

1) The development must be begun not later than the expiration of three years beginning with the date of this permission.

Reason - Required to be imposed pursuant to Section 91 of the Town and Country Planning Act 1990.

2) The development hereby approved shall be carried out in accordance with the following drawings and documents:

a. Drawing - Location Plan 02 Apr 2024

SITE AND LOCATION PLAN

- | | | | | |
|----|---|-------------|------------|-----------------------------|
| b. | Drawing - Existing & Proposed BREWHOUSE ROOF PLANS | 02 Apr 2024 | 6299_D1101 | 1 |
| c. | Drawing - Existing & Proposed BREWHOUSE FLOOR PLANS | 02 Apr 2024 | 6299_D1102 | 1 |
| d. | Drawing - Existing | 02 Apr 2024 | 6299_D1103 | 2 BREWHOUSE ELEVATIONS |
| e. | Drawing - Proposed | 02 Apr 2024 | 6299_D1104 | 2 BREWHOUSE ELEVATIONS |
| f. | Design & Access Statement | 02 Apr 2024 | | DESIGN AND ACCESS STATEMENT |
| g. | Flood Risk Assessment or Drainage | 02 Apr 2024 | | FLOOD RISK ASSESSMENT |

Reason - To ensure that the development is carried out in accordance with the approved plans, pursuant to policies DM 1, SP 1 and EN 1 of the Core Strategy and JP-P1 of Places for Everyone.

3) The materials to be used on the external surfaces hereby permitted shall match those as specified on the application form in type, size, colour, and texture.

Reason - To ensure the appearance of the building to be extended is not adversely affected by the materials to be used in the construction of the structure. Pursuant to policies DM 1, SP 1 and EN 1 of the Core Strategy and JP-P1 of Places for Everyone.

4) Prior to the commencement of development, a construction management plan outlining working practices shall be submitted to and approved in writing by the City Council as Local Planning authority, which for the avoidance of doubt shall include as a minimum:

- i. Measures to control noise and vibration;
- ii. Dust suppression measures;
- iii. Compound locations where relevant;
- iv. Details of an emergency contact telephone number;
- v. A community consultation plan; and
- vi. Sheeting of construction vehicles.
- vii. Detailed of installation and effect on highways including temporary closures and traffic management.

The development shall only be conducted in accordance with the approved management plan.

Reason - In the interests of the amenities of occupiers of nearby properties. Pursuant to policies DM 1, SP 1, EN 1, EN 16 of the Core Strategy and JP-P1, JP-S5 of Places for Everyone.

*The applicant should refer to our noise from building sites webpage for further information/guidance and also IAQM/EPUK Construction Guidance on controlling emissions.

5) a. Fumes, vapours and odours shall be extracted and discharged from the premises in accordance with a scheme to be submitted to and approved in writing by the City Council as local planning authority before the use commences. Mixed use schemes shall ensure provision for internal ducting in risers that terminate at roof level. Schemes that are outside the scope of such developments shall ensure that flues terminate at

least 1m above the eave level and/or any openable windows/ventilation intakes of nearby properties.

b. Prior to commencement of the use hereby approved confirmation shall be submitted for the approval of the City Council as local planning authority that the approved scheme has been implemented.

Reason - In the interests of the amenities of occupiers of nearby properties. Pursuant to policies DM 1, SP 1, EN 1, EN 16 of the Core Strategy and JP-P1, JP-S5 of Places for Everyone.

6) a. The premises shall be acoustically insulated and treated to limit the break out of noise in accordance with a noise study of the premises and a scheme of acoustic treatment that has been submitted to and approved in writing by the City Council as local planning authority. The scheme shall be implemented in full before the use commences or as otherwise agreed in writing by the City Council as local planning authority.

b. Prior to occupation of the development a verification report shall be required to validate that the work undertaken throughout the development conforms to the recommendations and requirements in the approved acoustic consultant's report. The report shall also undertake post completion testing to confirm that acceptable criteria have been met. Any instances of non-conformity with the recommendations in the report shall be detailed along with any measures required to ensure compliance with the agreed noise criteria.

Reason - To safeguard the amenities of the occupiers of the building and occupiers of nearby properties.

7) a. Externally mounted ancillary plant, equipment and servicing shall be selected and/or acoustically treated in accordance with a scheme designed so as to achieve a rating level of 5dB (LAeq) below the typical background (LA90) level at the nearest noise sensitive location. Prior to commencement of the use hereby approved the scheme shall be submitted to and approved in writing by the City Council as local planning authority in order to secure a reduction in the level of noise emanating from the site. The scheme shall be implemented in full before the use commences or as otherwise agreed in writing by the City Council as local planning authority.

b. Prior to the operation of the scheme a verification report shall be submitted to and approved in writing by the City Council as local planning authority to validate that the work undertaken throughout the development conforms to the recommendations and requirements in the approved acoustic report. The report shall also undertake post completion testing to confirm that the noise criteria have been met. Any instances of non-conformity with the recommendations in the report shall be detailed along with any measures required to ensure compliance with the agreed noise criteria.

Reason - To minimise the impact of the development and to prevent a general increase in pre-existing background noise levels around the site. Reason - In the interests of the amenities of occupiers of nearby properties. Pursuant to policies DM 1, SP 1, EN 1, EN 16 of the Core Strategy and JP-P1, JP-S5 of Places for Everyone.

Informatives

Building Regulations 2010

This permission does not grant approval under Building Regulations.

Street Naming & Numbering Requirements

Manchester City Council is responsible for allocating street naming and numbering within Manchester for new developments or property conversions. Individuals or businesses are not permitted to allocate their own property numbers, building or street names.

If your development includes the creation of new dwellings (either new build or conversion of existing buildings), creation of new commercial properties or the subdivision of existing properties you must ensure that you request new or changes to addresses through us so they can be officially allocated and registered in accordance with the Public Health Act 1925 Sections 17-19 & Greater Manchester Act 1981 Section 22.

Failure to do this may result in difficulties for the developer/occupier when requiring services such as connections to utilities, phone lines and postal services and may delay your development.

You can apply online at the following address:

http://www.manchester.gov.uk/info/100011/roads_parking_and_transport/1988/naming_and_numbering_of_houses_buildings_streets_and_roads/2

The applicant should be advised that any requirements for licensing, hoarding/scaffolding, skips and any associated temporary traffic management arrangements will need discussion and agreement with the council's Highway Applications and Network Resilience teams via Contact Manchester (Tel: 0161 234 5004 / Email: highwaylicences@manchester.gov.uk).

MCC records highlight that the underground Culvert Conduit Corn brook is located within close proximity to the site (approximately 16 m to the North of the site), while our records are frequently updated to ensure the highest level of accuracy, the records cannot guarantee 100% accuracy for all culverted assets. Therefore, we would request that the applicant informs the onsite contractor to remain observant and to take the appropriate safety precautions during excavation works. If any major unknown drainage assets are found beneath the site, then further investigation works should take place to identify the asset and MCC Lead Local Flood Authority (LLFA) should be contacted immediately. Any alterations to an ordinary watercourse will require consent from MCC LLFA under Land Drainage Act 1991. The developer can apply for land drainage consent (if required) via the following link:

<https://manchester.civicapayforms.co.uk/Sales/LaunchInternet.aspx?saleform=drainage>

Date: 24 May 2024

Signed:



Julie Roscoe
Director of Planning, Building Control & Licensing

Manchester City Council, P O Box 532, Town Hall, Manchester M60 2LA

Notes

1. This permission refers only to that required under the Town and Country Planning Act 1990 does not include any consent or approval under any other enactment, byelaw, order or regulation.

2 If the applicant is aggrieved by the decision of the local planning authority to refuse permission or approval for the proposed development, or to grant permission or approval subject to conditions, they may appeal to the Secretary of State in accordance with Section 78(1) of the Town and Country Planning Act 1990 within six months of the date of the notice of the decision.

The Planning Inspectorate have introduced an online appeals service that can be used to make appeals online. This service is available through the gov.uk website – www.gov.uk/appeal-planning-decision The Inspectorate will publish details of your appeal on the internet. Alternatively If you are unable to access the online appeal form, please contact the Planning Inspectorate to obtain a paper copy of the appeal form on tel: 0303 444 5000.

The Secretary of State has power to allow a longer period for the giving of a notice of appeal but they will not normally be prepared to exercise this power unless there are special circumstances that excuse the delay in giving notice of appeal.

If you intend to submit an appeal that you would like examined by inquiry then you must notify the City Council (planning@manchester.gov.uk) and the Planning Inspectorate (inquiryappeals@planninginspectorate.gov.uk) at least 10 days before submitting the appeal. Further details are on GOV.UK.

3. The statutory requirements are those set out in Section 79(6) of the Town and Country Planning Act 1990, namely Sections 70(1) and 72(1) of the Act.

4. If either the local planning authority or the Secretary of State refuses permission to develop land or grants it subject to conditions, the owner may claim that they can neither put the land to a reasonably beneficial use in its existing state nor render the land capable of a reasonably beneficial use by the carrying out of any development which has been or would be permitted.

In these circumstances, the owner may serve a purchase notice on the Council in whose area the land is situated. This notice will require the Council to purchase his interest in the land in accordance with the provisions of Part VI of the Town and Country Planning Act 1990

5. In certain circumstances, a claim may be made against the local planning authority for compensation, where permission is refused or granted subject to conditions by the Secretary of State on appeal or on a reference of the application to them. The circumstances in which such compensation is payable are set out in Section 114 of the Town and Country Planning Act 1990.