rev	details	by	date
P01	FIRST ISSUE FOR PLANNING	CB	25.01.2024
P02	JERSEY STREET UPDATED	CB	07.02.2024

Notes

1.0 Do not scale from drawing, use figured dimensions only
1.1 All dimensions to be checked onsite
1.2 This drawing to be read in conjunction with all other Gillespies drawings and specifications

SOIL

- **Tree Pits**
  900mm depth (300mm topsoil / 600mm subsoil)
  200mm free draining stone to base
  Refer to EYJW-GIL-EX-00-DR-L-900410
- **Hedges**
  600mm depth (300mm topsoil / 300mm subsoil)
  Refer to EYJW-GIL-EX-00-DR-L-900410
- **Shrub and Herbaceous Planting**
  450mm depth (300mm topsoil / 150mm subsoil)
  Refer to EYJW-GIL-EX-00-DR-L-900410
- **Turf Lawn**
  300mm depth (200mm topsoil / 150mm subsoil)
  Refer to EYJW-GIL-EX-00-DR-L-900410

N

Ordinance Information shown is reproduced from Ordinance Survey material with the permission of Ordinance Survey on behalf of the Controller of Her Majesty's Stationary Office @ Crown Copyright. Unauthorised reproduction infringes Crown Copyright and may lead to prosecution or civil proceedings. License No. 1000 17362

Project title
JERSEY WHARF, ANCOATS

Drawing title
SOILING GENERAL ARRANGEMENT

Drawing status	Scale	Drawn
PLANNING	1:250 @ A1	CB
	Date: 25.01.2024	Checked: SB
Drawing number: EYJW-GIL-EX-00-DR-L-900402		Revision: P02

Client
John Sisk & Son Limited

Gillespies
5th Floor, Phoenix House, 3 South Parade, Leeds, LS1 5QX
P: 0113 247 0550 F: 0113 247 0560 E: design.leeds@gillespies.co.uk

© copyright GILLESPIES LLP, all rights reserved

R:\P21641-00-001 Ancoats Residential Plots\Drawings\02 Construction\CAD\400 Series\EYJW-GIL-EX-00-DR-L-900402-PXX Jersey Soiling General Arrangement.dwg