Remove: Skylight - Existing Fragile Roof

Overlay: Single ply roof on 80mm extruded polystyrene on 19mm ply, on purlins at 750c/c on steel rafters

Overlay: Standing seam on 50mm mineral wool on liner tray on purlins on steel rafters

Strip: Paving on extruded polystyrene on screed laid to falls on 225mm concrete slab

Overlay: Single ply roof on extruded polystyrene on 19mm WBP Plywood on timber joist

Extent of plant/equipment

Exsisting Roof Assumptions

1 : 50

Z1-18_4-GA-A-200305

Z1-18_4-GA-A-200304

Z1-18_4-GA-A-200303

1 Level 6 Fly Tower (65') Phase 18.3_Decarbonisation_Zone 2

1 : 100

IAN PALMER ARCHITECTS SHALL HAVE NO RESPONSIBILITY FOR ANY USE MADE OF THIS DOCUMENT OTHER THAN FOR THAT WHICH IT WAS PREPARED AND ISSUED.

ALL DIMENSIONS SHOULD BE CHECKED ON SITE.

DO NOT SCALE FROM THIS DRAWING

ANY DRAWING ERRORS OR DIVERGENCIES SHOULD BE BROUGHT TO THE ATTENTION OF IAN PALMER ARCHITECTS AT THE ADDRESS SHOWN BELOW.

BEFORE WORK COMMENCES ALL DRAWINGS SHALL BE READ IN CONJUNCTION WITH ALL RELEVANT INFORMATION INCLUDING:
- THE CDM DESIGN ISSUES REGISTER
- THE RISK SERIES OF DRAWINGS
- THE PROJECT CDM RISK REGISTER

REVISION / DESCRIPTION	DRAWN	CHECKED	DATE
P03 General Mods	ICP	ICP	05.03.24
P02 General Mods	ICP	ICP	16.01.24
P01 First issue	ICP	ICP	05.01.24

CLIENT

IAN PALMER ARCHITECTS
Haweswater
Moss Lane
Silverdale
Carnforth
Lancashire
LA5 0SS

Info@ianpalmerarchitects.com
www.ianpalmerarchitects.com

PROJECT TITLE: Royal Northern College of Music

P000001

DRAWING TITLE: Library Roof Existing

SCALE: As indicated @ A1

DATE FIRST ISSUED: 05.01.24

DRAWING No.: PR1- IPA- Z1-18_4-GA-A-200300

REVISION: P03