Door No.			Type	Int/ ext	Struc. Opening Width	Struc. Opening Height	Details Jambs	Details Head	Details Thresh.	Fire Requirements Rating	Fire Requirements Seals	Fire Requirements Self Closing	Finish Leaf	Finish Frame	Glazing/ Vis. Panel	Notes	Rev.	Date
Gound Floor																		
D	01	1	DT2	Int	1010	2300				30	IS & SS	Yes	Type D	Stainless Steel Trim	No	Type D Leaf Finishes		
~~D~~	~~01~~	~~2~~	~~DT2~~	~~Int~~	~~910~~	~~2300~~				~~30~~	~~IS & SS~~	~~Yes~~	~~Type B~~	~~Stainless Steel Trim~~	~~No~~	~~Type B Leaf Finishes~~		
D	01	3	DT2	Int	EXISTING	EXISTING				30	IS & SS	Yes	Type D	EXISTING	No	Type D Leaf Finishes		
D	01	4	DT1	Int	1010	2300				-	None	No	Type D	Stainless Steel Trim	No	Type D Leaf Finishes		
D	01	5	DT1	Int	1010	2300				-	None	No	Type D	Stainless Steel Trim	No	Type D Leaf Finishes		
Basement Floor																		
D	02	1	DT2	Int	EXISTING	EXISTING				30	IS & SS	Yes	Type C	EXISTING	No	Type C Leaf Finishes		
D	02	2	DT2	Int	1010	2300				30	IS & SS	Yes	Type D	Stainless Steel Trim	No	Type D Leaf Finishes		
D	02	3	DT3	Int	910	2040				-	None	No	Type D	Timber	No	Type D Leaf Finishes		
D	02	4	DT1	Int	1010	2300				-	None	No	Type D	Stainless Steel Trim	No	Type D Leaf Finishes		
D	02	5	DT2	Int	EXISTING	EXISTING				30	IS & SS	Yes	Type D	EXISTING	No	Type D Leaf Finishes		
D	02	6	DT3	Int	1010	2040				30	IS & SS	Yes	Type D	Timber	Yes	Type D Leaf Finishes		

ALL DIMENSIONS TO BE CONFIEMED PRIOR MANUFACTURE

SS: Smoke seals required
IS: Intumescent strips required

Leaf Finish: A : Mirror leaf & Stainless Steel leaf
B: Mirror leaf & painted leaf: Colour: RAL 1013
C : Stainless Stee leaf & Stainless Steel leaf
D: Paint timber door. Colour: TBC

CLSG: Clear Laminated Safety Glass

CLSG-F: Clear Laminated Safety Glass (To provide min. 30 minutes fire integrity)