MANCHESTER CITY COUNCIL

## Important – Planning permission & notices of consent

## Compliance with conditions

- Your planning approval or consent is attached. It will contain conditions that you must comply with.
- Please read the conditions and understand their requirements and restrictions, for example submission and approval of details or measures to protect trees.
- Some conditions will require action before you start development and it is imperative that you seek to have these discharged before any work commences.
- Whilst every effort has been made to group conditions logically, it is your responsibility to ensure that you are aware of the requirements and/or restrictions of all conditions.
- If you fail to comply with the conditions this may result in a breach of planning control and this may lead to enforcement action.
- Failure to comply with conditions may also result in the development not being lawful.
- It is in your interests to demonstrate that conditions have been complied with. Failure to do so may cause difficulties if the property is sold or transferred.
- A fee is payable for each request to discharge conditions.
- For advice on any of these matters, please contact Planning, Manchester City Council, PO Box 532, Town Hall, Manchester M60 2LA or email planning@manchester.gov.uk

MANCHESTER CITY COUNCIL

# Town & Country Planning Act 1990 (as amended)

# Planning Permission

| Applicant | Agent (if used) |
|---|---|
| Mr Gary Thompson<br>Northern Trains Limited<br>Newton Heath Train Maintenance Depot<br>Dean Lane<br>Manchester<br>M40 3AB | Ms Ioana Simion<br>Ridge and Partners LLP<br>5th Floor Belvedere House<br>12 Booth Street<br>Manchester<br>M2 4AW |

## Part 1 – Particulars of the application/development

**Proposal**: Erection of two storey office building (Class E) and associated landscaping

**Location**: Newton Heath Train Maintenance Depot, Dean Lane, Manchester, M40 3AB

**Date of application**: 23 October 2023

**Application number**: 138384/FO/2023

## Part 2 – Particulars of decision

Manchester City Council gives notice that the development referred to in Part 1 has been **Approved** in accordance with the application and plans submitted subject to the condition(s) listed below (if any).

## Article 35 Declaration

Officers have worked in a positive and proactive manner based on seeking solutions to problems arising in relation to dealing with the planning application. Appropriate conditions have been attached to the approval.

## Condition(s) attached to this decision

1) The development must be begun not later than the expiration of three years beginning with the date of this permission.

Reason - Required to be imposed pursuant to Section 91 of the Town and Country Planning Act 1990.

2) The development hereby approved shall be carried out in accordance with the following drawings and documents:

010001 P1
010002 P1
010004 P1

010005 P1
010006 P1
010007 P1
010008 P1
010009 P1
010004 P2

The Design and Access Statement, The Drainage Document by Ridge, The Waste Manager Proforma and the Destination Green Waste Document, stamped as received on the 23 October 2023.

The Letter from Ridge and Partners LLP and 010004-P2, stamped as received on the 11 December 2023.

Flood Information 0500 P1, 0501 P1, 0502 P1, stamped as received on the 8 January 2024.

Reason - To ensure that the development is carried out in accordance with the approved plans. Pursuant to policies SP1 and DM1 of the Core Strategy.

3) Prior to the occupation of the development samples and specifications of all materials to be used on all external elevations of the development have been submitted to and approved in writing by the City Council as local planning authority. The development shall be fully implemented in accordance with the approved details, which shall be maintained in situ thereafter.

Reason - To ensure that the appearance of the development is acceptable to the City Council as local planning authority in the interests of the visual amenity of the area within which the site is located, as specified in policies SP1 and DM1 of the Core Strategy for the City of Manchester.

4) Prior to the first occupation of the development the hours of operation are to be submitted for approval in writing by the City Council, as Local Planning Authority. The approved hours shall be the agreed hours for the duration of the development.

Reason- In interests of residential amenity in order to reduce noise and general disturbance in accordance with saved policy DC26 of the Unitary Development Plan for the City of Manchester and policies SP1 and DM1 of the Core Strategy.

5) Deliveries, servicing and collections, including waste collections shall not take place outside the following hours: 07:30 to 20:00, Monday to Saturday, no deliveries/waste collections on Sundays/Bank Holidays.

Reason- To safeguard the amenities of the occupiers of the building and/or occupiers of nearby properties pursuant to policy DM1 of the City of Manchester Core Strategy and saved Unitary Development Plan Policy DC26.

6) The waste management arrangements shall be carried out in accordance with Waste Management Strategy and the Destination Green Waste Document, stamped as received by the City Council, as Local Planning Authority, on the 23 October 2023. The approved scheme shall be implemented prior to the first occupation of the building and shall remain in situ whilst the use or development is in operation.

Reason - To ensure adequate refuse arrangement are put in place for the development pursuant to policies EN19 and DM1 of the Manchester Core Strategy.

7) a) Externally mounted ancillary plant, equipment and servicing shall be selected and/or acoustically treated in accordance with a scheme designed so as to achieve a rating level of 5dB (LAeq) below the typical background (LA90) level at the nearest noise sensitive location. Prior to commencement of the use hereby approved the scheme shall be submitted to and approved in writing by the City Council as local planning authority in order to secure a reduction in the level of noise emanating from the site. The scheme shall be implemented in full before the use commences or as otherwise agreed in writing by the City Council as local planning authority.

b) Prior to the operation of the scheme a verification report shall be submitted to and approved in writing by the City Council as local planning authority to validate that the work undertaken throughout the development conforms to the recommendations and requirements in the approved acoustic report. The report shall also undertake post completion testing to confirm that the noise criteria have been met. Any instances of non-conformity with the recommendations in the report shall be detailed along with any measures required to ensure compliance with the agreed noise criteria.

Reason - To safeguard the amenities of the occupiers of nearby residential accommodation, pursuant to policies SP1 and DM1 of the Core Strategy.

8) a) Before the development hereby approved commences, a report (the Preliminary Risk Assessment) to identify and evaluate all potential sources and impacts of any ground contamination, groundwater contamination and/or ground gas relevant to the site shall be submitted to and approved in writing by the City Council as local planning authority. The Preliminary Risk Assessment shall conform to City Council's current guidance document (Planning Guidance in Relation to Ground Contamination).

In the event of the Preliminary Risk Assessment identifying risks which in the written opinion of the Local Planning Authority require further investigation, the development shall not commence until a scheme for the investigation of the site and the identification

of remediation measures (the Site Investigation Proposal) has been submitted to and approved in writing by the City Council as local planning authority.

The measures for investigating the site identified in the Site Investigation Proposal shall be carried out, before development commences and a report prepared outlining what measures, if any, are required to remediate the land (the Site Investigation Report and/or Remediation Strategy) which shall be submitted to and approved in writing by the City Council as local planning authority.

b) When the development within each phase commences, the development shall be carried out in accordance with the previously agreed Remediation Strategy and a Completion/Verification Report shall be submitted to and approved in writing by the City Council as local planning authority.

In the event that ground contamination, groundwater contamination and/or ground gas, not previously identified, are found to be present on the site at any time before the development in each phase is occupied, then development shall cease and/or the development shall not be occupied until, a report outlining what measures, if any, are required to remediate the land (the Revised Remediation Strategy) is submitted to and approved in writing by the City Council as local planning authority and the development shall be carried out in accordance with the Revised Remediation Strategy, which shall take precedence over any Remediation Strategy or earlier Revised Remediation Strategy.

Reason - To ensure that the presence of or the potential for any contaminated land and/or groundwater is detected and appropriate remedial action is taken in the interests of public safety, pursuant to EN18 of the Unitary Development Plan for the City of Manchester.

9) a) Prior to commencement of the development, an air quality impact exposure assessment together with mitigation measures to safeguard local air quality shall be submitted to and approved in writing by the City Council as local planning authority.

b) Prior to occupation of the development any agreed mitigation measures shall be implemented and verified as such in writing by the City Council as local planning authority and shall remain in situ whilst the use or development is in operation.

Reason: To secure a reduction in air pollution from traffic or other sources in order to protect existing and future residents from air pollution, pursuant to policies EN16, SP1 and DM1 of the Core Strategy.

10) Notwithstanding the submitted details, the development hereby approved shall not be occupied until a plan indicating the positions, design, materials, and type of all boundary treatment (including gates) to be erected, has been submitted to and approved in writing by the City Council as Local Planning Authority. The boundary treatment shall be completed before the development hereby approved is first occupied.

The development shall be carried out in accordance with the approved details and shall thereafter be retained.

Reason - To ensure that the appearance of the development is acceptable to the City Council as Local Planning Authority in the interests of the visual amenity of the area within which the site is located, pursuant to policies SP1 and DM1 of the Core Strategy.

11) Prior to occupation of the development a hard and soft landscaping treatment scheme (including details of boundary treatment) shall be submitted to and approved in writing by the City Council as local planning authority. The approved scheme shall be implemented not later than 12 months from the date the buildings are first occupied. If within a period of 5 years from the date of the planting of any tree or shrub, that tree or shrub or any tree or shrub planted in replacement for it, is removed, uprooted or destroyed or dies, or becomes, in the opinion of the local planning authority, seriously damaged or defective, another tree or shrub of the same species and size as that originally planted shall be planted at the same place.

Reason - To ensure that a satisfactory landscaping scheme for the development is carried out that respects the character and visual amenities of the area, in accordance with policies SP1, EN9 and DM1 of the Core Strategy.

12) Notwithstanding the provisions of the Town and Country Planning (General Permitted Development) (England) Order 2015 (as amended) (or any order revoking and re-enacting that Order with or without modification) the development shall not be used for any purpose other than the purpose(s) of part (g)(i) of Class E (offices to carry out any operational or administration purposes) of the Schedule to the Town and Country Planning (Use Classes) Order 1987 (as amended) (or in any provision equivalent to that Class in any statutory instrument revoking and re-enacting that Order with or without modification).

Reason - To safeguard the amenities of the neighbourhood by ensuring that other uses which could cause a loss of amenity do not commence without prior approval pursuant to Core Strategy policies SP1 and DM1.

13) Prior to the commencement of development, details of a sustainable surface water drainage scheme and a foul water drainage scheme shall be submitted to and approved in writing by the Local Planning Authority. The drainage schemes must include:

(i) An investigation of the hierarchy of drainage options in the National Planning Practice Guidance (or any subsequent amendment thereof). This investigation shall include evidence of an assessment of ground conditions and the potential for infiltration of surface water in accordance with BRE365;
(ii) A restricted rate of discharge of surface water agreed with the local planning authority
(if it is agreed that infiltration is discounted by the investigations);
(iii) Levels of the proposed drainage systems including proposed ground and finished floor levels in AOD;
(iv) Incorporate mitigation measures to manage the risk of sewer surcharge where applicable; and
(v) Foul and surface water shall drain on separate systems.

The approved schemes shall also be in accordance with the Non-Statutory Technical Standards for Sustainable Drainage Systems (March 2015) or any subsequent replacement national standards.

Prior to occupation of the proposed development, the drainage schemes shall be completed in accordance with the approved details and retained thereafter for the lifetime of the development.

Reason: To promote sustainable development, secure proper drainage and to manage the risk of flooding and pollution, pursuant to policies EN14 and EN17 of the Core Strategy.

14) Before the development hereby approved is first occupied a Travel Plan shall be submitted to and agreed in writing by the City Council as Local Planning Authority. In this condition a Travel Plan means a document which includes:

i) the measures proposed to be taken to reduce dependency on the private car by those [attending or] employed in the development
ii) a commitment to surveying the travel patterns of staff during the first three months of use of the development and thereafter from time to time
iii) mechanisms for the implementation of the measures to reduce dependency on the private car
iv) measures for the delivery of specified travel plan services
v) measures to monitor and review the effectiveness of the Travel Plan in achieving the objective of reducing dependency on the private car

Within six  months of the first use of the development, a revised Travel Plan which takes into account the information about travel patterns gathered pursuant to item (ii) above shall be submitted to and approved in writing by the City Council as local planning authority. Any Travel Plan which has been approved by the City Council as local planning authority shall be implemented in full at all times when the development hereby approved is in use.

Reason - To assist promoting the use of sustainable forms of travel to the school, pursuant to policies SP1, T2 and DM1 of the Core Strategy and the Guide to Development in Manchester SPD (2007).

15) The cycle storage arrangements, shall be carried out in accordance with the letter from Ridge and Partners LLP, stamped as received by the City Council, as Local Planning Authority, on the 6 December 2023.  The approved scheme shall be implemented prior to the first occupation of the building and shall remain in situ whilst the use or development is in operation.

Reason - To ensure that adequate provision is made for bicycle parking so that persons occupying or visiting the development have a range of options in relation to mode of transport in order to comply with policies SP1, T1 and DM1 of the Core Strategy.

16) The development shall not begin until a surface water drainage scheme for the site, based on sustainable drainage principles has been submitted to and approved in writing by the local planning authority. The development shall be constructed and completed in accordance with the approved details.

The scheme shall also include:
o Finalised surface water drainage layout including all components, levels, connectivity and proposed overland flow routes for extreme events.
o Where a public sewer diversion is required, an agreement in principle from United Utilities is required. An email of acceptance will suffice.

o Progression through the drainage hierarchy shall be evidence based and supported by site investigation. Results of ground investigation carried out under Building Research Establishment Digest 365. Site investigations should be undertaken in locations and at proposed depths of the proposed infiltration devices. Proposal of the attenuation that is achieving half emptying time within 24 hours. If no ground investigations are possible or infiltration is not feasible on site, evidence of alternative surface water disposal routes (as follows) is required.
o For surface water connections, evidence of agreement in principle from the relevant authority/service provider is required to ensure there is adequate spare capacity in the existing system taking future development requirements into account. An email of acceptance of
proposed new connection will suffice.
o Surface water should be restricted to a rate of up to 5 l/s.
o Where flows less than 5 l/s are proposed, a blockage risk assessment must be undertaken. If the risk cannot be adequately managed, a higher minimum discharge rate should be considered / agreed with relevant authority.
o Evidence that the drainage system has been designed (unless an area is designated to hold and/or convey water as part of the design) so that flooding does not occur during a 1 in 100 year rainfall event with allowance for 45% climate change in any part of a building;
o Details of surface water attenuation that offers a reduction in surface water runoff rate in line with the Manchester Trafford and Salford Strategic Flood Risk Assessment. Provide at least a 50% reduction in brownfield runoff rate or greenfield runoff rate.
o Hydraulic calculations to support the drainage proposal.
o Details of how the scheme shall be maintained and managed after completion.

Reason: To prevent the increased risk of flooding, to improve and protect water quality and ensure future maintenance of the surface water drainage system pursuant to policies EN14 and EN17 of the Core Strategy.

17) Prior to above ground development commencing, an Environmental Standards Statement shall be submitted to, and approved in writing by, the City Council, as Local Planning Authority. The statement shall demonstrate measures to be incorporated into the development to achieve energy efficiency and approved measures shall be implemented in the construction of the approved development.

Reason - In order to minimise the environmental impact of the development, pursuant to policies DM1 and SP1 of Manchester's Core Strategy and the National Planning Policy Framework.

## Informatives

**Building Regulations 2010**
This permission does not grant approval under Building Regulations.

**Street Naming & Numbering Requirements**
Manchester City Council is responsible for allocating street naming and numbering within Manchester for new developments or property conversions. Individuals or businesses are not permitted to allocate their own property numbers, building or street names.

If your development includes the creation of new dwellings (either new build or conversion of existing buildings), creation of new commercial properties or the subdivision of existing properties you must ensure that you request new or changes to

addresses through us so they can be officially allocated and registered in accordance with the Public Health Act 1925 Sections 17-19 & Greater Manchester Act 1981 Section 22.

Failure to do this may result in difficulties for the developer/occupier when requiring services such as connections to utilities, phone lines and postal services and may delay your development.

You can apply online at the following address:
http://www.manchester.gov.uk/info/100011/roads_parking_and_transport/1988/naming_and_numbering_of_houses_buildings_streets_and_roads/2

**Mining Information**
The proposed development lies within an area which could be subject to current coal mining or hazards resulting from past coal mining. Please read the Standing Advice from the Coal Authority in Appendix A.

Construction works shall be confined to the following hours unless otherwise agreed in writing by the City Council as local planning authority:

Monday - Friday: 7.30am - 6pm
Saturday: 8.30am - 2pm
Sunday / Bank holidays: No work

The ground floor doors are certified to a burglary resistant standard (i.e. BS PAS 24) and that the building is covered with an alarm system.

The applicant will be required to enter into a Section 184 vehicle crossing licence/agreement. This will require discussion and agreement with MCC Highways, this will be funded at the applicant's expense. A dropped crossing application can be processed via the following online link: https://www.manchester.gov.uk/info/474/parking_at_your_home/8170/apply_for_a_dropped_kerbnd_pavements. The applicant may wish to consider a H-Bar marking to protect the

Detail should be sought from the applicant in relation to any proposed construction or fitout arrangements, where there is an impact on the highway. The applicant should be advised that any requirements for licensing, hoarding / scaffolding, skips and any associated temporary traffic management arrangements will need discussion and agreement with the council's Highway Applications and Network Resilience teams via Email --highwaylicences@manchester.gov.uk highwaynetworkmanagement@manchester.gov.uk

Date: 26 January 2024

Signed: 

Julie Roscoe
Director of Planning, Building Control & Licensing

## Notes

1. This permission refers only to that required under the Town and Country Planning Act 1990 does not include any consent or approval under any other enactment, byelaw, order or regulation.

2 If the applicant is aggrieved by the decision of the local planning authority to refuse permission or approval for the proposed development, or to grant permission or approval subject to conditions, they may appeal to the Secretary of State in accordance with Section 78(1) of the Town and Country Planning Act 1990 within six months of the date of the notice of the decision.

The Planning Inspectorate have introduced an online appeals service that can be used to make appeals online. This service is available through the gov.uk website – www.gov.uk/appeal-planning-decision The Inspectorate will publish details of your appeal on the internet. Alternatively If you are unable to access the online appeal form, please contact the Planning Inspectorate to obtain a paper copy of the appeal form on tel: 0303 444 5000.

The Secretary of State has power to allow a longer period for the giving of a notice of appeal but they will not normally be prepared to exercise this power unless there are special circumstances that excuse the delay in giving notice of appeal.

If you intend to submit an appeal that you would like examined by inquiry then you must notify the City Council (planning@manchester.gov.uk) and the Planning Inspectorate (inquiryappeals@planninginspectorate.gov.uk) at least 10 days before submitting the appeal. Further details are on GOV.UK.

3. The statutory requirements are those set out in Section 79(6) of the Town and Country Planning Act 1990, namely Sections 70(1) and 72(1) of the Act.

4. If either the local planning authority of the Secretary of State refuses permission to develop land or grants it subject to conditions, the owner may claim that they can neither put the land to a reasonably beneficial use in its existing state nor render the land capable of a reasonably beneficial use by the carrying out of any development which has been or would be permitted.

In these circumstances, the owner may serve a purchase notice on the Council in whose area the land is situated. This notice will require the Council to purchase his interest in the land in accordance with the provisions of Part VI of the Town and Country Planning Act 1990

5. In certain circumstances, a claim may be made against the local planning authority for compensation, where permission is refused or granted subject to conditions by the Secretary of State on appeal or on a reference of the application to them. The circumstances in which such compensation is payable are set out in Section 114 of the Town and Country Planning Act 1990.

## Appendix A

The Coal Authority

## STANDING ADVICE - DEVELOPMENT LOW RISK AREA

The proposed development lies within a coal mining area which may contain unrecorded coal mining related hazards. If any coal mining feature is encountered during development, this should be reported immediately to the Coal Authority on 0345 762 6848.

Further information is also available on the Coal Authority website at:
www.gov.uk/government/organisations/the-coal-authority

*Standing Advice valid from 1st January 2023 until 31st December 2024*