

Redby Street - School

April 2022

Material Schedule: A1417-Z100-A-01

Rev	Date	Reason For Issue	A1417-Z100-A-01 MATERIAL SCHEDULE
-	29.04.2022	INITIAL ISSUE	
A	15.02.2024	Amended Bricks	

MATERIAL	DESCRIPTION	LOCATION	COLOUR	TYPE	PRODUCT SAMPLE IMAGE	NOTES
EXTERNAL FINISHES						
BRICKWORK	Wienerberger Facing Brick Mellowed Red Sovereign Facing Bricks (H)65 x (L)215 x (W)102.5mm	To outer leaf of new construction	Red	Bricks		Mortar to be sand colour. To be constructed in accordance to manufacturers requirements https://www.wienerberger.co.uk/product-range/bricks/mellowed-red-sovereign-stock.html
BRICKWORK	Wienerberger Facing Brick Rothesay Blend Facing Bricks (H)65 x (L)215 x (W)102.5mm	To outer leaf of new construction	Buff	Bricks		Mortar to be sand colour. To be constructed in accordance to manufacturers requirements https://www.wienerberger.co.uk/product-range/bricks/rothesay-blend.html
CLADDING	Interlocking / V25 is metal cladding profile that has a simple design element. Used in-wall cladding applications, panels can be installed horizontally, vertically, or even diagonally.	Sport Hall	Dark Grey	Interlocking Profile		To be constructed in accordance to manufacturers requirements https://acladding.com.au/interlocking-metal-cladding/

Redby Street - School

April 2022

Material Schedule: A1417-Z100-A-01

Rev	Date	Reason For Issue	A1417-Z100-A-01 MATERIAL SCHEDULE
-	29.04.2022	INITIAL ISSUE	
A	15.02.2024	Amended Bricks	


MATERIAL	DESCRIPTION	LOCATION	COLOUR	TYPE	PRODUCT SAMPLE IMAGE	NOTES
WINDOWS	uPVC Double glazed units as Euromax or similar	Window	Dark Grey	uPVC		To be installed in accordance to manufacturers requirements
ENTRANCE	Full glazed entrance with metal canopy above	Entrance	Dark Grey	Aluminium		To be installed in accordance to manufacturers requirements
ROOF COPING	Metal Roof Coping, Alumasc Skyline Aluminium Flat Roof Wall Coping - 3m	Roof coping	Dark Grey	Metal		Colour to match metal cladding To be constructed in accordance to manufacturers requirements https://www.roofgiant.com/aluminium-coping-fascia/alumasc-skyline-aluminium-coping-3m/

Redby Street - School

April 2022

Material Schedule: A1417-Z100-A-01

Rev	Date	Reason For Issue	A1417-Z100-A-01 MATERIAL SCHEDULE
-	29.04.2022	INITIAL ISSUE	
A	15.02.2024	Amended Bricks	

MATERIAL	DESCRIPTION	LOCATION	COLOUR	TYPE	PRODUCT SAMPLE IMAGE	NOTES
FENCE	2.4m High Paladin Weld Mesh Security Fencing, 2400mm (Installed, including ground clearance) Panel Dimensions 2330mm [H] x 3000mm [W], V mesh fencing comes pre-galvanised and powder coated in a RAL colour as standard.	Site Perimeter	Black	Pre-Galvanised Steel		To be constructed in accordance to manufacturers requirements https://www.firstfence.co.uk/mesh-fencing/mesh-security-fencing/v-mesh-security-fencing
GATES	Black Sliding Gates	External - Front	Black	GRP composite		To be installed in accordance to manufacturers requirements
BIN STORE	Hardwood Timber & Steel bin storage compounds fabricated by Barricade Ltd. Standard timber bin store features a galvanised steel frame fixed with hardwood timber slats to form a secure storage compound with the option of lockable doors and a roof. The bin store is a sturdy, durable, weather resistant and aesthetically pleasing storage unit designed to hide unsightly waste. Bin stores are fabricated in-house and can be designed exactly to the customers bespoke specification.	External - Bin Store	Timber	Hardwood Timber		Mortar to be sand colour. To be constructed in accordance to manufacturers requirements https://www.wienerberger.co.uk/product-range/bricks/forum-smoked-prata.html