


- GENERAL NOTES:
- ALL STEELWORK TO BE COATED IN INTUMESCENT PAINT TO ACHIEVE 1hr FIRE RESISTANCE.
 - SUITABLE WALL/CEILING MOUNTED LIGHTING TO BE AGREED BETWEEN CLIENT & MAIN CONTRACTOR. WEIGHT OF FIXINGS SUBJECT TO BRITISH GYPSUM ADVICE IF TO BE SUSPENDED TO CEILING MOUNTED CONDUIT WITHIN NEW CORRIDOR
 - FIRE ALARM INSTALLATION TO BE IN ACCORDANCE WITH BS 5839
 - EMERGENCY LIGHTING TO BE IN ACCORDANCE WITH BS 5266
 - ESCAPE ROUTE SIGNAGE TO BE TO BS ISO 3864-1 AND BS 5499-4
 - RETAINED ELECTRICAL SERVICE BOARDS WITHIN ESCAPE CORRIDOR TO BE BOXED IN WITH FIRE RESISTANT FRAMING TO 1hr FIRE RESISTANCE
 - CONTRACTOR TO REVIEW LEVEL OF EXISTING FLOOR AT LINE OF SHUTTERS TO ENSURE CONTINUOUS LEVEL FINISH TO MAINTAIN FIRE BARRIER.
 - FIRELINE BOARD SUBJECT TO REVIEW PRIOR TO CONSTRUCTION ISSUE




02
145

TYPICAL CORRIDOR & FIRE SHUTTER SECTION

SCALE - 1:50 @ A1

ELEVATION




03
145

PROPOSED CORRIDOR & FIRE SHUTTER ELEVATION

SCALE - 1:50 @ A1

ELEVATION




04
145

PROPOSED CORRIDOR & FIRE SHUTTER ELEVATION

SCALE - 1:50 @ A1

ELEVATION



01
145

PROPOSED CORRIDOR & FIRE SHUTTER PLAN

SCALE - 1:100 @ A1

PLAN

0 0.5 1.0 2.0 2.5m
Scale 1:50
0 0.20 0.40 0.60 0.80 1.0m
Scale 1:20

DASHED LINE
INDICATES FIRE
ESCAPE ROUTE

DASH-DOTTED LINES
INDICATE SHUTTERED
SECTION OF ESCAPE
ROUTE

NOTES

DO NOT SCALE FROM THIS DRAWING.
ALL DIMENSIONS TO BE CHECKED ON SITE.
(DRAWINGS MAYBE SCALED FOR LOCAL AUTHORITY & PLANNING PURPOSE ONLY)
COPYRIGHT PROTECTED.

FOR PLANNING
DO NOT USE FOR CONSTRUCTION

CONSULTANT REFERENCES IN DRAWING:

STRUCTURAL - REF/REVISION

GENERAL NOTES:

3.00	07/02/24	ISSUED FOR PLANNING	SO	ARB
REV	DATE	DESCRIPTION	DRAWN	CHECKED
<div><div><div>A</div><div>X</div><div>I</div></div><div><div>ADDRESS : 41 SOUTH KING STREET, MANCHESTER, M2 6QE</div><div>TELEPHONE : +44 (0)161 879 7357</div><div>EMAIL : www.axi.studio</div><div>COMPANY No : 11847325</div></div></div>				
CLIENT				
<div>bruntwood</div>				
PROJECT				
ST JAMES' BUILDING 61-95 OXFORD ROAD, MANCHESTER M1 6EG				
DRAWING REFERENCE				
INTERNAL PROTECTED FIRE SHUTTER DETAILS AS PROPOSED SHEET 2				
JOB REFERENCE	DRAWING SCALE	DATE	DRAWN	CHECKED
20 - 097	varies@A1	28.05.22	SO	ARB
DRAWING REFERENCE			STAGE	REV
AXI - 145			3	00