

GGP Consult					Page 1																																																																																																																																																																																											
2 Hallam Road, Priory Park East Hull, Humberside HU4 7DY																																																																																																																																																																																																
Date 31/07/2023 10:43 File Source Control 5ls.SRCX		Designed by GGPAeecOne Checked by																																																																																																																																																																																														
Innovyze			Source Control 2020.1.3																																																																																																																																																																																													
<u>Summary of Results for 30 year Return Period (+40%)</u> <table><tr><th>Storm Event</th><th>Max Level (m)</th><th>Max Depth (m)</th><th>Max Control (l/s)</th><th>Max Volume (m³)</th><th>Status</th></tr><tr><td>15 min Summer</td><td>33.354</td><td>0.324</td><td>5.0</td><td>25.3</td><td>O K</td></tr><tr><td>30 min Summer</td><td>33.437</td><td>0.407</td><td>5.0</td><td>31.7</td><td>O K</td></tr><tr><td>60 min Summer</td><td>33.491</td><td>0.461</td><td>5.0</td><td>35.9</td><td>O K</td></tr><tr><td>120 min Summer</td><td>33.504</td><td>0.474</td><td>5.0</td><td>37.0</td><td>O K</td></tr><tr><td>180 min Summer</td><td>33.490</td><td>0.460</td><td>5.0</td><td>35.9</td><td>O K</td></tr><tr><td>240 min Summer</td><td>33.466</td><td>0.436</td><td>5.0</td><td>34.0</td><td>O K</td></tr><tr><td>360 min Summer</td><td>33.412</td><td>0.382</td><td>5.0</td><td>29.8</td><td>O K</td></tr><tr><td>480 min Summer</td><td>33.362</td><td>0.332</td><td>5.0</td><td>25.9</td><td>O K</td></tr><tr><td>600 min Summer</td><td>33.317</td><td>0.287</td><td>5.0</td><td>22.4</td><td>O K</td></tr><tr><td>720 min Summer</td><td>33.279</td><td>0.249</td><td>4.9</td><td>19.5</td><td>O K</td></tr><tr><td>960 min Summer</td><td>33.222</td><td>0.192</td><td>4.8</td><td>15.0</td><td>O K</td></tr><tr><td>1440 min Summer</td><td>33.158</td><td>0.128</td><td>4.4</td><td>10.0</td><td>O K</td></tr><tr><td>2160 min Summer</td><td>33.126</td><td>0.096</td><td>3.5</td><td>7.5</td><td>O K</td></tr><tr><td>2880 min Summer</td><td>33.111</td><td>0.081</td><td>2.9</td><td>6.3</td><td>O K</td></tr><tr><td>4320 min Summer</td><td>33.096</td><td>0.066</td><td>2.1</td><td>5.1</td><td>O K</td></tr><tr><td>5760 min Summer</td><td>33.087</td><td>0.057</td><td>1.7</td><td>4.4</td><td>O K</td></tr></table> <table><tr><th>Storm Event</th><th>Rain (mm/hr)</th><th>Flooded Volume (m³)</th><th>Discharge Volume (m³)</th><th>Time-Peak (mins)</th></tr><tr><td>15 min Summer</td><td>92.982</td><td>0.0</td><td>29.1</td><td>20</td></tr><tr><td>30 min Summer</td><td>61.289</td><td>0.0</td><td>38.3</td><td>33</td></tr><tr><td>60 min Summer</td><td>38.715</td><td>0.0</td><td>48.5</td><td>60</td></tr><tr><td>120 min Summer</td><td>23.778</td><td>0.0</td><td>59.5</td><td>92</td></tr><tr><td>180 min Summer</td><td>17.701</td><td>0.0</td><td>66.5</td><td>126</td></tr><tr><td>240 min Summer</td><td>14.297</td><td>0.0</td><td>71.6</td><td>160</td></tr><tr><td>360 min Summer</td><td>10.517</td><td>0.0</td><td>79.0</td><td>226</td></tr><tr><td>480 min Summer</td><td>8.457</td><td>0.0</td><td>84.7</td><td>290</td></tr><tr><td>600 min Summer</td><td>7.138</td><td>0.0</td><td>89.4</td><td>350</td></tr><tr><td>720 min Summer</td><td>6.212</td><td>0.0</td><td>93.3</td><td>410</td></tr><tr><td>960 min Summer</td><td>4.986</td><td>0.0</td><td>99.9</td><td>526</td></tr><tr><td>1440 min Summer</td><td>3.653</td><td>0.0</td><td>109.8</td><td>752</td></tr><tr><td>2160 min Summer</td><td>2.673</td><td>0.0</td><td>120.5</td><td>1104</td></tr><tr><td>2880 min Summer</td><td>2.140</td><td>0.0</td><td>128.6</td><td>1472</td></tr><tr><td>4320 min Summer</td><td>1.563</td><td>0.0</td><td>140.9</td><td>2204</td></tr><tr><td>5760 min Summer</td><td>1.249</td><td>0.0</td><td>150.2</td><td>2920</td></tr></table>						Storm Event	Max Level (m)	Max Depth (m)	Max Control (l/s)	Max Volume (m³)	Status	15 min Summer	33.354	0.324	5.0	25.3	O K	30 min Summer	33.437	0.407	5.0	31.7	O K	60 min Summer	33.491	0.461	5.0	35.9	O K	120 min Summer	33.504	0.474	5.0	37.0	O K	180 min Summer	33.490	0.460	5.0	35.9	O K	240 min Summer	33.466	0.436	5.0	34.0	O K	360 min Summer	33.412	0.382	5.0	29.8	O K	480 min Summer	33.362	0.332	5.0	25.9	O K	600 min Summer	33.317	0.287	5.0	22.4	O K	720 min Summer	33.279	0.249	4.9	19.5	O K	960 min Summer	33.222	0.192	4.8	15.0	O K	1440 min Summer	33.158	0.128	4.4	10.0	O K	2160 min Summer	33.126	0.096	3.5	7.5	O K	2880 min Summer	33.111	0.081	2.9	6.3	O K	4320 min Summer	33.096	0.066	2.1	5.1	O K	5760 min Summer	33.087	0.057	1.7	4.4	O K	Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Discharge Volume (m³)	Time-Peak (mins)	15 min Summer	92.982	0.0	29.1	20	30 min Summer	61.289	0.0	38.3	33	60 min Summer	38.715	0.0	48.5	60	120 min Summer	23.778	0.0	59.5	92	180 min Summer	17.701	0.0	66.5	126	240 min Summer	14.297	0.0	71.6	160	360 min Summer	10.517	0.0	79.0	226	480 min Summer	8.457	0.0	84.7	290	600 min Summer	7.138	0.0	89.4	350	720 min Summer	6.212	0.0	93.3	410	960 min Summer	4.986	0.0	99.9	526	1440 min Summer	3.653	0.0	109.8	752	2160 min Summer	2.673	0.0	120.5	1104	2880 min Summer	2.140	0.0	128.6	1472	4320 min Summer	1.563	0.0	140.9	2204	5760 min Summer	1.249	0.0	150.2	2920
Storm Event	Max Level (m)	Max Depth (m)	Max Control (l/s)	Max Volume (m³)	Status																																																																																																																																																																																											
15 min Summer	33.354	0.324	5.0	25.3	O K																																																																																																																																																																																											
30 min Summer	33.437	0.407	5.0	31.7	O K																																																																																																																																																																																											
60 min Summer	33.491	0.461	5.0	35.9	O K																																																																																																																																																																																											
120 min Summer	33.504	0.474	5.0	37.0	O K																																																																																																																																																																																											
180 min Summer	33.490	0.460	5.0	35.9	O K																																																																																																																																																																																											
240 min Summer	33.466	0.436	5.0	34.0	O K																																																																																																																																																																																											
360 min Summer	33.412	0.382	5.0	29.8	O K																																																																																																																																																																																											
480 min Summer	33.362	0.332	5.0	25.9	O K																																																																																																																																																																																											
600 min Summer	33.317	0.287	5.0	22.4	O K																																																																																																																																																																																											
720 min Summer	33.279	0.249	4.9	19.5	O K																																																																																																																																																																																											
960 min Summer	33.222	0.192	4.8	15.0	O K																																																																																																																																																																																											
1440 min Summer	33.158	0.128	4.4	10.0	O K																																																																																																																																																																																											
2160 min Summer	33.126	0.096	3.5	7.5	O K																																																																																																																																																																																											
2880 min Summer	33.111	0.081	2.9	6.3	O K																																																																																																																																																																																											
4320 min Summer	33.096	0.066	2.1	5.1	O K																																																																																																																																																																																											
5760 min Summer	33.087	0.057	1.7	4.4	O K																																																																																																																																																																																											
Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Discharge Volume (m³)	Time-Peak (mins)																																																																																																																																																																																												
15 min Summer	92.982	0.0	29.1	20																																																																																																																																																																																												
30 min Summer	61.289	0.0	38.3	33																																																																																																																																																																																												
60 min Summer	38.715	0.0	48.5	60																																																																																																																																																																																												
120 min Summer	23.778	0.0	59.5	92																																																																																																																																																																																												
180 min Summer	17.701	0.0	66.5	126																																																																																																																																																																																												
240 min Summer	14.297	0.0	71.6	160																																																																																																																																																																																												
360 min Summer	10.517	0.0	79.0	226																																																																																																																																																																																												
480 min Summer	8.457	0.0	84.7	290																																																																																																																																																																																												
600 min Summer	7.138	0.0	89.4	350																																																																																																																																																																																												
720 min Summer	6.212	0.0	93.3	410																																																																																																																																																																																												
960 min Summer	4.986	0.0	99.9	526																																																																																																																																																																																												
1440 min Summer	3.653	0.0	109.8	752																																																																																																																																																																																												
2160 min Summer	2.673	0.0	120.5	1104																																																																																																																																																																																												
2880 min Summer	2.140	0.0	128.6	1472																																																																																																																																																																																												
4320 min Summer	1.563	0.0	140.9	2204																																																																																																																																																																																												
5760 min Summer	1.249	0.0	150.2	2920																																																																																																																																																																																												
©1982-2020 Innovyze																																																																																																																																																																																																

GGP Consult					Page 2																																																																																																						
2 Hallam Road, Priory Park East Hull, Humberside HU4 7DY																																																																																																											
Date 31/07/2023 10:43 File Source Control 5ls.SRCX			Designed by GGPAeecOne Checked by																																																																																																								
Innovyze			Source Control 2020.1.3																																																																																																								
<u>Summary of Results for 30 year Return Period (+40%)</u>																																																																																																											
<table><thead><tr><th>Storm Event</th><th>Max Level (m)</th><th>Max Depth (m)</th><th>Max Control (l/s)</th><th>Max Volume (m³)</th><th>Status</th></tr></thead><tbody><tr><td>7200 min Summer</td><td>33.081</td><td>0.051</td><td>1.4</td><td>4.0</td><td>O K</td></tr><tr><td>8640 min Summer</td><td>33.077</td><td>0.047</td><td>1.3</td><td>3.7</td><td>O K</td></tr><tr><td>10080 min Summer</td><td>33.074</td><td>0.044</td><td>1.1</td><td>3.4</td><td>O K</td></tr><tr><td>15 min Winter</td><td>33.397</td><td>0.367</td><td>5.0</td><td>28.6</td><td>O K</td></tr><tr><td>30 min Winter</td><td>33.493</td><td>0.463</td><td>5.0</td><td>36.1</td><td>O K</td></tr><tr><td>60 min Winter</td><td>33.561</td><td>0.531</td><td>5.0</td><td>41.4</td><td>O K</td></tr><tr><td>120 min Winter</td><td>33.572</td><td>0.542</td><td>5.0</td><td>42.3</td><td>O K</td></tr><tr><td>180 min Winter</td><td>33.548</td><td>0.518</td><td>5.0</td><td>40.4</td><td>O K</td></tr><tr><td>240 min Winter</td><td>33.510</td><td>0.480</td><td>5.0</td><td>37.4</td><td>O K</td></tr><tr><td>360 min Winter</td><td>33.424</td><td>0.394</td><td>5.0</td><td>30.7</td><td>O K</td></tr><tr><td>480 min Winter</td><td>33.346</td><td>0.316</td><td>5.0</td><td>24.7</td><td>O K</td></tr><tr><td>600 min Winter</td><td>33.282</td><td>0.252</td><td>4.9</td><td>19.7</td><td>O K</td></tr><tr><td>720 min Winter</td><td>33.233</td><td>0.203</td><td>4.8</td><td>15.8</td><td>O K</td></tr><tr><td>960 min Winter</td><td>33.168</td><td>0.138</td><td>4.5</td><td>10.8</td><td>O K</td></tr><tr><td>1440 min Winter</td><td>33.128</td><td>0.098</td><td>3.5</td><td>7.6</td><td>O K</td></tr><tr><td>2160 min Winter</td><td>33.106</td><td>0.076</td><td>2.6</td><td>5.9</td><td>O K</td></tr></tbody></table>						Storm Event	Max Level (m)	Max Depth (m)	Max Control (l/s)	Max Volume (m³)	Status	7200 min Summer	33.081	0.051	1.4	4.0	O K	8640 min Summer	33.077	0.047	1.3	3.7	O K	10080 min Summer	33.074	0.044	1.1	3.4	O K	15 min Winter	33.397	0.367	5.0	28.6	O K	30 min Winter	33.493	0.463	5.0	36.1	O K	60 min Winter	33.561	0.531	5.0	41.4	O K	120 min Winter	33.572	0.542	5.0	42.3	O K	180 min Winter	33.548	0.518	5.0	40.4	O K	240 min Winter	33.510	0.480	5.0	37.4	O K	360 min Winter	33.424	0.394	5.0	30.7	O K	480 min Winter	33.346	0.316	5.0	24.7	O K	600 min Winter	33.282	0.252	4.9	19.7	O K	720 min Winter	33.233	0.203	4.8	15.8	O K	960 min Winter	33.168	0.138	4.5	10.8	O K	1440 min Winter	33.128	0.098	3.5	7.6	O K	2160 min Winter	33.106	0.076	2.6	5.9	O K
Storm Event	Max Level (m)	Max Depth (m)	Max Control (l/s)	Max Volume (m³)	Status																																																																																																						
7200 min Summer	33.081	0.051	1.4	4.0	O K																																																																																																						
8640 min Summer	33.077	0.047	1.3	3.7	O K																																																																																																						
10080 min Summer	33.074	0.044	1.1	3.4	O K																																																																																																						
15 min Winter	33.397	0.367	5.0	28.6	O K																																																																																																						
30 min Winter	33.493	0.463	5.0	36.1	O K																																																																																																						
60 min Winter	33.561	0.531	5.0	41.4	O K																																																																																																						
120 min Winter	33.572	0.542	5.0	42.3	O K																																																																																																						
180 min Winter	33.548	0.518	5.0	40.4	O K																																																																																																						
240 min Winter	33.510	0.480	5.0	37.4	O K																																																																																																						
360 min Winter	33.424	0.394	5.0	30.7	O K																																																																																																						
480 min Winter	33.346	0.316	5.0	24.7	O K																																																																																																						
600 min Winter	33.282	0.252	4.9	19.7	O K																																																																																																						
720 min Winter	33.233	0.203	4.8	15.8	O K																																																																																																						
960 min Winter	33.168	0.138	4.5	10.8	O K																																																																																																						
1440 min Winter	33.128	0.098	3.5	7.6	O K																																																																																																						
2160 min Winter	33.106	0.076	2.6	5.9	O K																																																																																																						
<table><thead><tr><th>Storm Event</th><th>Rain (mm/hr)</th><th>Flooded Volume (m³)</th><th>Discharge Volume (m³)</th><th>Time-Peak (mins)</th></tr></thead><tbody><tr><td>7200 min Summer</td><td>1.050</td><td>0.0</td><td>157.7</td><td>3672</td></tr><tr><td>8640 min Summer</td><td>0.910</td><td>0.0</td><td>164.2</td><td>4400</td></tr><tr><td>10080 min Summer</td><td>0.807</td><td>0.0</td><td>169.8</td><td>5088</td></tr><tr><td>15 min Winter</td><td>92.982</td><td>0.0</td><td>32.6</td><td>20</td></tr><tr><td>30 min Winter</td><td>61.289</td><td>0.0</td><td>42.9</td><td>33</td></tr><tr><td>60 min Winter</td><td>38.715</td><td>0.0</td><td>54.3</td><td>60</td></tr><tr><td>120 min Winter</td><td>23.778</td><td>0.0</td><td>66.7</td><td>98</td></tr><tr><td>180 min Winter</td><td>17.701</td><td>0.0</td><td>74.5</td><td>136</td></tr><tr><td>240 min Winter</td><td>14.297</td><td>0.0</td><td>80.2</td><td>174</td></tr><tr><td>360 min Winter</td><td>10.517</td><td>0.0</td><td>88.5</td><td>244</td></tr><tr><td>480 min Winter</td><td>8.457</td><td>0.0</td><td>94.9</td><td>308</td></tr><tr><td>600 min Winter</td><td>7.138</td><td>0.0</td><td>100.1</td><td>368</td></tr><tr><td>720 min Winter</td><td>6.212</td><td>0.0</td><td>104.5</td><td>424</td></tr><tr><td>960 min Winter</td><td>4.986</td><td>0.0</td><td>111.9</td><td>530</td></tr><tr><td>1440 min Winter</td><td>3.653</td><td>0.0</td><td>122.9</td><td>752</td></tr><tr><td>2160 min Winter</td><td>2.673</td><td>0.0</td><td>134.9</td><td>1104</td></tr></tbody></table>						Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Discharge Volume (m³)	Time-Peak (mins)	7200 min Summer	1.050	0.0	157.7	3672	8640 min Summer	0.910	0.0	164.2	4400	10080 min Summer	0.807	0.0	169.8	5088	15 min Winter	92.982	0.0	32.6	20	30 min Winter	61.289	0.0	42.9	33	60 min Winter	38.715	0.0	54.3	60	120 min Winter	23.778	0.0	66.7	98	180 min Winter	17.701	0.0	74.5	136	240 min Winter	14.297	0.0	80.2	174	360 min Winter	10.517	0.0	88.5	244	480 min Winter	8.457	0.0	94.9	308	600 min Winter	7.138	0.0	100.1	368	720 min Winter	6.212	0.0	104.5	424	960 min Winter	4.986	0.0	111.9	530	1440 min Winter	3.653	0.0	122.9	752	2160 min Winter	2.673	0.0	134.9	1104																	
Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Discharge Volume (m³)	Time-Peak (mins)																																																																																																							
7200 min Summer	1.050	0.0	157.7	3672																																																																																																							
8640 min Summer	0.910	0.0	164.2	4400																																																																																																							
10080 min Summer	0.807	0.0	169.8	5088																																																																																																							
15 min Winter	92.982	0.0	32.6	20																																																																																																							
30 min Winter	61.289	0.0	42.9	33																																																																																																							
60 min Winter	38.715	0.0	54.3	60																																																																																																							
120 min Winter	23.778	0.0	66.7	98																																																																																																							
180 min Winter	17.701	0.0	74.5	136																																																																																																							
240 min Winter	14.297	0.0	80.2	174																																																																																																							
360 min Winter	10.517	0.0	88.5	244																																																																																																							
480 min Winter	8.457	0.0	94.9	308																																																																																																							
600 min Winter	7.138	0.0	100.1	368																																																																																																							
720 min Winter	6.212	0.0	104.5	424																																																																																																							
960 min Winter	4.986	0.0	111.9	530																																																																																																							
1440 min Winter	3.653	0.0	122.9	752																																																																																																							
2160 min Winter	2.673	0.0	134.9	1104																																																																																																							
©1982-2020 Innovyze																																																																																																											

GGP Consult					Page 3																																																																													
2 Hallam Road, Priory Park East Hull, Humberside HU4 7DY																																																																																		
Date 31/07/2023 10:43 File Source Control 5ls.SRCX		Designed by GGPAeecOne Checked by																																																																																
Innovyze		Source Control 2020.1.3																																																																																
Summary of Results for 30 year Return Period (+40%) <table><thead><tr><th>Storm Event</th><th>Max Level (m)</th><th>Max Depth (m)</th><th>Max Control (l/s)</th><th>Max Volume (m³)</th><th>Status</th></tr></thead><tbody><tr><td>2880 min Winter</td><td>33.095</td><td>0.065</td><td>2.1</td><td>5.1</td><td>O K</td></tr><tr><td>4320 min Winter</td><td>33.084</td><td>0.054</td><td>1.5</td><td>4.2</td><td>O K</td></tr><tr><td>5760 min Winter</td><td>33.077</td><td>0.047</td><td>1.2</td><td>3.6</td><td>O K</td></tr><tr><td>7200 min Winter</td><td>33.072</td><td>0.042</td><td>1.0</td><td>3.3</td><td>O K</td></tr><tr><td>8640 min Winter</td><td>33.069</td><td>0.039</td><td>0.9</td><td>3.0</td><td>O K</td></tr><tr><td>10080 min Winter</td><td>33.066</td><td>0.036</td><td>0.8</td><td>2.8</td><td>O K</td></tr></tbody></table> <table><thead><tr><th>Storm Event</th><th>Rain (mm/hr)</th><th>Flooded Volume (m³)</th><th>Discharge Volume (m³)</th><th>Time-Peak (mins)</th></tr></thead><tbody><tr><td>2880 min Winter</td><td>2.140</td><td>0.0</td><td>144.1</td><td>1472</td></tr><tr><td>4320 min Winter</td><td>1.563</td><td>0.0</td><td>157.8</td><td>2168</td></tr><tr><td>5760 min Winter</td><td>1.249</td><td>0.0</td><td>168.2</td><td>2936</td></tr><tr><td>7200 min Winter</td><td>1.050</td><td>0.0</td><td>176.7</td><td>3672</td></tr><tr><td>8640 min Winter</td><td>0.910</td><td>0.0</td><td>183.9</td><td>4272</td></tr><tr><td>10080 min Winter</td><td>0.807</td><td>0.0</td><td>190.2</td><td>5040</td></tr></tbody></table>						Storm Event	Max Level (m)	Max Depth (m)	Max Control (l/s)	Max Volume (m³)	Status	2880 min Winter	33.095	0.065	2.1	5.1	O K	4320 min Winter	33.084	0.054	1.5	4.2	O K	5760 min Winter	33.077	0.047	1.2	3.6	O K	7200 min Winter	33.072	0.042	1.0	3.3	O K	8640 min Winter	33.069	0.039	0.9	3.0	O K	10080 min Winter	33.066	0.036	0.8	2.8	O K	Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Discharge Volume (m³)	Time-Peak (mins)	2880 min Winter	2.140	0.0	144.1	1472	4320 min Winter	1.563	0.0	157.8	2168	5760 min Winter	1.249	0.0	168.2	2936	7200 min Winter	1.050	0.0	176.7	3672	8640 min Winter	0.910	0.0	183.9	4272	10080 min Winter	0.807	0.0	190.2	5040
Storm Event	Max Level (m)	Max Depth (m)	Max Control (l/s)	Max Volume (m³)	Status																																																																													
2880 min Winter	33.095	0.065	2.1	5.1	O K																																																																													
4320 min Winter	33.084	0.054	1.5	4.2	O K																																																																													
5760 min Winter	33.077	0.047	1.2	3.6	O K																																																																													
7200 min Winter	33.072	0.042	1.0	3.3	O K																																																																													
8640 min Winter	33.069	0.039	0.9	3.0	O K																																																																													
10080 min Winter	33.066	0.036	0.8	2.8	O K																																																																													
Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Discharge Volume (m³)	Time-Peak (mins)																																																																														
2880 min Winter	2.140	0.0	144.1	1472																																																																														
4320 min Winter	1.563	0.0	157.8	2168																																																																														
5760 min Winter	1.249	0.0	168.2	2936																																																																														
7200 min Winter	1.050	0.0	176.7	3672																																																																														
8640 min Winter	0.910	0.0	183.9	4272																																																																														
10080 min Winter	0.807	0.0	190.2	5040																																																																														
©1982-2020 Innovyze																																																																																		

GGP Consult		Page 4
2 Hallam Road, Priory Park East Hull, Humberside HU4 7DY		
Date 31/07/2023 10:43 File Source Control 5ls.SRCX	Designed by GGPAeecOne Checked by	
Innovyze		Source Control 2020.1.3

Rainfall Details

Rainfall Model	FSR	Winter Storms	Yes
Return Period (years)	30	Cv (Summer)	0.750
Region	England and Wales	Cv (Winter)	0.840
M5-60 (mm)	18.000	Shortest Storm (mins)	15
Ratio R	0.373	Longest Storm (mins)	10080
Summer Storms	Yes	Climate Change %	+40

Time Area Diagram

Total Area (ha) 0.167

Time (mins)	Area	Time (mins)	Area
From:	To: (ha)	From:	To: (ha)
0	4 0.084	4	8 0.083

©1982-2020 Innovyze

GGP Consult		Page 5
2 Hallam Road, Priory Park East Hull, Humberside HU4 7DY		
Date 31/07/2023 10:43 File Source Control 5ls.SRCX	Designed by GGPAeacOne Checked by	
Innovyze		Source Control 2020.1.3

Model Details

Storage is Online Cover Level (m) 34.840

Tank or Pond Structure

Invert Level (m) 33.030

Depth (m)	Area (m ²)	Depth (m)	Area (m ²)	Depth (m)	Area (m ²)	Depth (m)	Area (m ²)
0.000	78.0	0.800	78.0	0.801	1.0	1.810	1.0

Hydro-Brake® Optimum Outflow Control

Unit Reference	MD-SHE-0104-5000-1100-5000
Design Head (m)	1.100
Design Flow (l/s)	5.0
Flush-Flo™	Calculated
Objective	Minimise upstream storage
Application	Surface
Sump Available	Yes
Diameter (mm)	104
Invert Level (m)	33.027
Minimum Outlet Pipe Diameter (mm)	150
Suggested Manhole Diameter (mm)	1200

Control Points	Head (m)	Flow (l/s)
Design Point (Calculated)	1.100	5.0
Flush-Flo™	0.323	5.0
Kick-Flo®	0.690	4.0
Mean Flow over Head Range	-	4.4

The hydrological calculations have been based on the Head/Discharge relationship for the Hydro-Brake® Optimum as specified. Should another type of control device other than a Hydro-Brake Optimum® be utilised then these storage routing calculations will be invalidated

Depth (m)	Flow (l/s)	Depth (m)	Flow (l/s)	Depth (m)	Flow (l/s)	Depth (m)	Flow (l/s)
0.100	3.5	0.600	4.6	1.600	6.0	2.600	7.5
0.200	4.8	0.800	4.3	1.800	6.3	3.000	8.0
0.300	5.0	1.000	4.8	2.000	6.6	3.500	8.6
0.400	5.0	1.200	5.2	2.200	6.9	4.000	9.2
0.500	4.8	1.400	5.6	2.400	7.2	4.500	9.7

©1982-2020 Innovyze

GGP Consult			Page 6																																		
2 Hallam Road, Priory Park East Hull, Humberside HU4 7DY																																					
Date 31/07/2023 10:43 File Source Control 5ls.SRCX		Designed by GGPAeecOne Checked by																																			
Innovyze			Source Control 2020.1.3																																		
<u>Hydro-Brake® Optimum Outflow Control</u> <table><tr><th>Depth (m)</th><th>Flow (l/s)</th><th>Depth (m)</th><th>Flow (l/s)</th><th>Depth (m)</th><th>Flow (l/s)</th><th>Depth (m)</th><th>Flow (l/s)</th></tr><tr><td>5.000</td><td>10.2</td><td>6.500</td><td>11.5</td><td>8.000</td><td>12.7</td><td>9.500</td><td>13.8</td></tr><tr><td>5.500</td><td>10.7</td><td>7.000</td><td>12.0</td><td>8.500</td><td>13.1</td><td></td><td></td></tr><tr><td>6.000</td><td>11.1</td><td>7.500</td><td>12.4</td><td>9.000</td><td>13.5</td><td></td><td></td></tr></table>						Depth (m)	Flow (l/s)	Depth (m)	Flow (l/s)	Depth (m)	Flow (l/s)	Depth (m)	Flow (l/s)	5.000	10.2	6.500	11.5	8.000	12.7	9.500	13.8	5.500	10.7	7.000	12.0	8.500	13.1			6.000	11.1	7.500	12.4	9.000	13.5		
Depth (m)	Flow (l/s)	Depth (m)	Flow (l/s)	Depth (m)	Flow (l/s)	Depth (m)	Flow (l/s)																														
5.000	10.2	6.500	11.5	8.000	12.7	9.500	13.8																														
5.500	10.7	7.000	12.0	8.500	13.1																																
6.000	11.1	7.500	12.4	9.000	13.5																																
©1982-2020 Innovyze																																					