



PROPOSED STUD PLAN
SCALE 1=40



PROPOSED BEAM AND JOIST PLAN
SCALE 1=40

Floor Notes

All joists to be supported on proprietory restraint type joist hangers. Joists spans up to 3m to have a midspan noggin o/o 38x150. Joist span Service notches to be avoided where possible, counter batten and run in void. Where top notches are required - limit to 22mm depth. Where services run through centre of joists, holes to be max 22mm located within mid Where joists span parallel to external walls, galvanised restraint straps are to be provided. Restraint to comprise BAT M305 strap, 100 bend x 900 long to be positioned at noggin locations. Restraints to be provided at max 1.2m ctrs.

GENERAL

To be read in conjunction with all Engineers' drawings and method statement and with all architectural and services drawings and specifications. Seek instructions in the event of any conflict.
The structural designs shown are to be set out to suit the conditions of the site and existing works if any and the Architect's proposals.
Do not scale - please ask for information.
Some notes may not apply.

Rev	Description	Desg	Chk	Appr	Date

ADRESS

FLAT 64, LANCASTER HOUSE, 71 WHITHWORTH STREET, MANCHESTER M1 6LQ, U.K

Design & Build
Outdoor Living

CLIENT

MR. KEVIN KAMON TANG

PROJECT COMPONENT:

STRUCTURAL PLAN

DRAWING TITLE:

PROPOSED STRUCTURAL PLAN

Drawn:	Scale:	Dated: 15-08-2023
Designed:	Approved:	
Checked:		

Drawing No.:	Revision
01	**R0**