

DATE
24 · 11 · 2023

CLIENT
DOWNING

PROJECT #
11437

OUR STUDIO

ACCURATE VISUAL REPRESENTATION (AVR) DOCUMENT



OUR STUDIO

OUR STUDIO - AVR PROJECT INFORMATION

VISUALISATION TYPES				PHOTOGRAPHY	NOTES
1	2	3	4		
			X	Visualisation Type	Type 4 Level 1 - Wireline Level 3 - Fully Rendered
			X	Method used to establish the camera location (e.g handheld GPS/GNSS, GNSS/RTK, survey point, visual reference)	Tripod photography in GPS system
			X	Likely Level of accuaracy of location (#m, #cm etc)	Better than 10cm
			X	If lenses other than 50mm have been used, explain why a different lens is appropriate	N/A
			X	Written description of procedures for image capture processing	See methodology
			X	If panoramas used: make and type of Pano head and equipment used to level head	N/A
			X	If working outside the UK, geographic co-ordinate system (GCS) used	N/A
				3D MODEL / VISUALISATION	
			X	Source of topographic height data and its resolution	GPS point data & OS plan
			X	How have the model and camera locations been placed in the software?	Based on survey coordinates
			X	Elements in the view used as target points to check the horizontal alignment	Existing buildings, landscape & GPS data
			X	Elements in the view used as target points to check the vertical alignment	Existing buildings, landscape & GPS data
			X	3D Modelling / Rendering Software	3DSMax & Corona
			X	If working outside the UK, geographic co-ordinate system (GCS) used	N/A
				GENERALLY	
			X	Any limitations in the overall methodology for preparing of the visualisations?	

OUR STUDIO VIEWPOINT LOCATIONS



OUR STUDIO CUMULATIVE SCHEMES



VIEWPOINT 01

FIGURE 12.7




OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 01 PHOTOGRAPHY	VIEW 01 NOTES
1	2	3	4		
			X	Visualisation Type	Type 4 Level 1 - Wireline
			X	Projection	Planar
			X	Date and Time of captured Photography	22/10/2023 10.11
			X	Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24
			X	Make, focal length of the camera lens(es) used	24mm
			X	Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
			X	Direction of View: bearing from North (0°) or Compass Direction	North-East
			X	Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 383925.285 Northing: 397293.776 Level: 32.48
			X	Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
			X	Baseline Photography	
			X	A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
			X	A photograph of the tripod location to confirm the camera / tripod location	

VIEWPOINT 01
FIGURE 12.7A BASELINE PHOTOGRAPHY



VIEWPOINT 01
FIGURE 12.7B CUMULATIVE SCHEMES





VIEWPOINT 02

FIGURE 12.8



OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 02 PHOTOGRAPHY	VIEW 02 NOTES
1	2	3	4		
			X	Visualisation Type	Type 4 Level 1 - Wireline
			X	Projection	Planar
			X	Date and Time of captured Photography	22/10/2023 12.36
			X	Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24
			X	Make, focal length of the camera lens(es) used	24mm
			X	Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
			X	Direction of View: bearing from North (0°) or Compass Direction	South
			X	Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 383782.352 Northing: 396764.847 Level: 35.568
			X	Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
			X	Baseline Photography	
			X	A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
			X	A photograph of the tripod location to confirm the camera / tripod location	

VIEWPOINT 02
FIGURE 12.8A BASELINE PHOTOGRAPHY



VIEWPOINT 02
FIGURE 12.8B CUMULATIVE SCHEMES





VIEWPOINT 03 DAY

FIGURE 12.9

OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 03 DAY PHOTOGRAPHY	VIEW 03 NOTES
1	2	3	4		
			X	Visualisation Type	Type 4 Level 3 - Fully Rendered
			X	Projection	Planar
			X	Date and Time of captured Photography	22/10/2023 14.01
			X	Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24
			X	Make, focal length of the camera lens(es) used	24mm
			X	Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
			X	Direction of View: bearing from North (0°) or Compass Direction	South-East
			X	Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 383949.818 Northing: 396920.395 Level: 35.58
			X	Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
			X	Baseline Photography	
			X	A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
			X	A photograph of the tripod location to confirm the camera / tripod location	

VIEWPOINT 03
FIGURE 12.9A BASELINE PHOTOGRAPHY



VIEWPOINT 03
FIGURE 12.9B CUMULATIVE SCHEMES





VIEWPOINT 03 DUSK

FIGURE 12.10

OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 03 DUSK PHOTOGRAPHY	VIEW 03 NOTES
1	2	3	4		
			X	Visualisation Type	Type 4 Level 3 - Fully Rendered
			X	Projection	Planar
			X	Date and Time of captured Photography	10/11/2023 17.54
			X	Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24
			X	Make, focal length of the camera lens(es) used	24mm
			X	Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
			X	Direction of View: bearing from North (0°) or Compass Direction	South-East
			X	Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 383949.818 Northing: 396920.395 Level: 35.58
			X	Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
			X	Baseline Photography	
			X	A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
			X	A photograph of the tripod location to confirm the camera / tripod location	

VIEWPOINT 03
FIGURE 12.10A BASELINE PHOTOGRAPHY





VIEWPOINT 03
FIGURE 12.10C FINAL_LIGHT_REMOVED



VIEWPOINT 04

FIGURE 12.11



OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 04 PHOTOGRAPHY	VIEW 04 NOTES
1	2	3	4		
			X	Visualisation Type	Type 4 Level 1 - Wireline
			X	Projection	Planar
			X	Date and Time of captured Photography	22/10/2023 09.09
			X	Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24
			X	Make, focal length of the camera lens(es) used	24mm
			X	Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
			X	Direction of View: bearing from North (0°) or Compass Direction	North-East
			X	Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 384089.821 Northing: 397590.654 Level: 36.597
			X	Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
			X	Baseline Photography	
			X	A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
			X	A photograph of the tripod location to confirm the camera / tripod location	

VIEWPOINT 04
FIGURE 12.11A BASELINE PHOTOGRAPHY



VIEWPOINT 04
FIGURE 12.11B CUMULATIVE SCHEMES





VIEWPOINT 05

FIGURE 12.12

OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 05 PHOTOGRAPHY	VIEW 05 NOTES
1	2	3	4		
			X	Visualisation Type	Type 4 Level 3 - Fully Rendered
			X	Projection	Planar
			X	Date and Time of captured Photography	22/10/2023 15.55
			X	Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24
			X	Make, focal length of the camera lens(es) used	24mm
			X	Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
			X	Direction of View: bearing from North (0°) or Compass Direction	West
			X	Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 383686.159 Northing: 397173.61 Level: 34.157
			X	Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
			X	Baseline Photography	
			X	A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
			X	A photograph of the tripod location to confirm the camera / tripod location	

VIEWPOINT 05
FIGURE 12.12A BASELINE PHOTOGRAPHY



VIEWPOINT 05
FIGURE 12.12B CUMULATIVE SCHEMES



VIEWPOINT 05
FIGURE 12.12C FINAL



VIEWPOINT 06

FIGURE 12.13

OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 06 PHOTOGRAPHY	VIEW 06 NOTES
1	2	3	4		
			X	Visualisation Type	Type 4 Level 1 - Wireline
			X	Projection	Planar
			X	Date and Time of captured Photography	22/10/2023 16.32
			X	Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24
			X	Make, focal length of the camera lens(es) used	24mm
			X	Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
			X	Direction of View: bearing from North (0°) or Compass Direction	South-West
			X	Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 383365.546 Northing: 396954.874 Level: 35.533
			X	Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
			X	Baseline Photography	
			X	A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
			X	A photograph of the tripod location to confirm the camera / tripod location	

VIEWPOINT 06
FIGURE 12.13A BASELINE PHOTOGRAPHY



VIEWPOINT 06
FIGURE 12.13B CUMULATIVE SCHEMES



VIEWPOINT 06
FIGURE 12.13C FINAL



VIEWPOINT 07

FIGURE 12.14



OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 07 PHOTOGRAPHY	VIEW 07 NOTES
1	2	3	4		
			X	Visualisation Type	Type 4 Level 1 - Wireline
			X	Projection	Planar
			X	Date and Time of captured Photography	22/10/2023 11.39
			X	Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24
			X	Make, focal length of the camera lens(es) used	24mm
			X	Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
			X	Direction of View: bearing from North (0°) or Compass Direction	East
			X	Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 384343.435 Northing: 397070.03 Level: 37.896
			X	Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
			X	Baseline Photography	
			X	A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
			X	A photograph of the tripod location to confirm the camera / tripod location	

VIEWPOINT 07
FIGURE 12.14A BASELINE PHOTOGRAPHY



VIEWPOINT 07
FIGURE 12.14B CUMULATIVE SCHEMES



VIEWPOINT 07
FIGURE 12.14C FINAL



VIEWPOINT 08

FIGURE 12.15

OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 08 PHOTOGRAPHY	VIEW 08 NOTES
1	2	3	4		
			X	Visualisation Type	Type 4 Level 1 - Wireline
			X	Projection	Planar
			X	Date and Time of captured Photography	22/10/2023 10.53
			X	Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24
			X	Make, focal length of the camera lens(es) used	24mm
			X	Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
			X	Direction of View: bearing from North (0°) or Compass Direction	South-East
			X	Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 384244.942 Northing: 396748.225 Level: 36.612
			X	Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
			X	Baseline Photography	
			X	A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
			X	A photograph of the tripod location to confirm the camera / tripod location	

VIEWPOINT 08
FIGURE 12.15A BASELINE PHOTOGRAPHY



VIEWPOINT 08
FIGURE 12.15B CUMULATIVE SCHEMES



VIEWPOINT 08
FIGURE 12.15C FINAL



VIEWPOINT 09

FIGURE 12.16

OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 09 PHOTOGRAPHY	VIEW 09 NOTES
1	2	3	4		
			X	Visualisation Type	Type 4 Level 3 - Fully Rendered
			X	Projection	Planar
			X	Date and Time of captured Photography	22/10/2023 13.03
			X	Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24
			X	Make, focal length of the camera lens(es) used	24mm
			X	Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
			X	Direction of View: bearing from North (0°) or Compass Direction	South-West
			X	Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 383701.281 Northing: 396973.725 Level: 34.585
			X	Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
			X	Baseline Photography	
			X	A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
			X	A photograph of the tripod location to confirm the camera / tripod location	

VIEWPOINT 09
FIGURE 12.16A BASELINE PHOTOGRAPHY



VIEWPOINT 09
FIGURE 12.16B CUMULATIVE SCHEMES



VIEWPOINT 09
FIGURE 12.16C FINAL



VIEWPOINT 10

FIGURE 12.17



OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 10 PHOTOGRAPHY	VIEW 10 NOTES
1	2	3	4		
			X	Visualisation Type	Type 4 Level 3 - Fully Rendered
			X	Projection	Planar
			X	Date and Time of captured Photography	22/10/2023 16.20
			X	Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24
			X	Make, focal length of the camera lens(es) used	24mm
			X	Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
			X	Direction of View: bearing from North (0°) or Compass Direction	South-West
			X	Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 383451.397 Northing: 397054.056 Level: 33.784
			X	Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
			X	Baseline Photography	
			X	A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
			X	A photograph of the tripod location to confirm the camera / tripod location	

VIEWPOINT 10
FIGURE 12.17A BASELINE PHOTOGRAPHY



VIEWPOINT 10
FIGURE 12.17B CUMULATIVE SCHEMES



VIEWPOINT 10
F FIGURE 12.17C FINAL



VIEWPOINT 11

FIGURE 12.18

OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 11 PHOTOGRAPHY	VIEW 11 NOTES
1	2	3	4		
			X	Visualisation Type	Type 4 Level 3 - Fully Rendered
			X	Projection	Planar
			X	Date and Time of captured Photography	22/10/2023 11.16
			X	Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24
			X	Make, focal length of the camera lens(es) used	24mm
			X	Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
			X	Direction of View: bearing from North (0°) or Compass Direction	South-East
			X	Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 384079.247 Northing: 397049.678 Level: 36.099
			X	Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
			X	Baseline Photography	
			X	A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
			X	A photograph of the tripod location to confirm the camera / tripod location	

VIEWPOINT 11
FIGURE 12.18A BASELINE PHOTOGRAPHY



VIEWPOINT 11
FIGURE 12.18B CUMULATIVE SCHEMES



VIEWPOINT 11
FIGURE 12.18C FINAL



VIEWPOINT 12

FIGURE 12.19

OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 12 PHOTOGRAPHY	VIEW 12 NOTES
1	2	3	4		
			X	Visualisation Type	Type 4 Level 1 - Wireline
			X	Projection	Planar
			X	Date and Time of captured Photography	22/10/2023 09.44
			X	Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24
			X	Make, focal length of the camera lens(es) used	24mm
			X	Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
			X	Direction of View: bearing from North (0°) or Compass Direction	North-East
			X	Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 384158.531 Northing: 397307.791 Level: 35.415
			X	Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
			X	Baseline Photography	
			X	A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
			X	A photograph of the tripod location to confirm the camera / tripod location	

VIEWPOINT 12
FIGURE 12.19A BASELINE PHOTOGRAPHY



VIEWPOINT 12
FIGURE 12.19B CUMULATIVE SCHEMES





VIEWPOINT 13

FIGURE 12.20


OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 13 PHOTOGRAPHY	VIEW 13 NOTES
1	2	3	4		
			X	Visualisation Type	Type 4 Level 1 - Wireline
			X	Projection	Planar
			X	Date and Time of captured Photography	22/10/2023 15.34
			X	Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24
			X	Make, focal length of the camera lens(es) used	24mm
			X	Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg..
			X	Direction of View: bearing from North (0°) or Compass Direction	South-West
			X	Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 383658.945 Northing: 397092.118 Level: 33.819
			X	Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
			X	Baseline Photography	
			X	A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
			X	A photograph of the tripod location to confirm the camera / tripod location	

VIEWPOINT 13
FIGURE 12.20A BASELINE PHOTOGRAPHY



VIEWPOINT 13
FIGURE 12.20B CUMULATIVE SCHEMES



VIEWPOINT 13
FIGURE 12.20C FINAL



VIEWPOINT 14

FIGURE 12.21



OUR STUDIO - AVR VIEWPOINT INFORMATION

VISUALISATION TYPES				VIEW 14 PHOTOGRAPHY	VIEW 14 NOTES
1	2	3	4		
			X	Visualisation Type	Type 4 Level 1 - Wireline
			X	Projection	Planar
			X	Date and Time of captured Photography	22/10/2023 13.31
			X	Make and Model of camera, and it's sensor format	Canon EOS 5D Mark IV Sensor size 36 x 24
			X	Make, focal length of the camera lens(es) used	24mm
			X	Angle of View of photograph / visual	Horizontal Angle of View - 73.7 deg.
			X	Direction of View: bearing from North (0°) or Compass Direction	South
			X	Camera location grid coordinates: eastings and northings to relevant accuracy; height of ground in mAOD	Easting: 383822.579 Northing: 397040.974 Level: 34.806
			X	Height of the camera lens above ground level and, if above 1.65m or below 1.5m, why?	1.6m
				ADDITIONAL IMAGERY	
				Baseline Photography	
				A composite view generated by overlaying multiple layers of image data: the photography, 3D model of terrain (LiDAR DTM) and / or 3D model oif LiDAR DSM, 3D model of proposed development, 3D model of landscape mitigation. This can explain how the photomontage has been generated.	GPS point cloud data
				A photograph of the tripod location to confirm the camera / tripod location	

VIEWPOINT 14
FIGURE 12.21A BASELINE PHOTOGRAPHY



VIEWPOINT 14
FIGURE 12.21B CUMULATIVE SCHEMES



VIEWPOINT 14
FIGURE 12.21C FINAL



OUR STUDIO
NORTHSPRING
SUITE 5D
70 SPRING GARDENS
MANCHESTER
M2 2BQ

Tel +44 161 237 1900
Email hello@ourstudioltd.com